

#### **Test Data**


### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	5.765	0	5.765	30	Pass
NVNT	BLE	2442	Ant1	6.461	0	6.461	30	Pass
NVNT	BLE	2480	Ant1	6.573	0	6.573	30	Pass











#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.682	0.5	Pass
NVNT	BLE	2442	Ant1	0.667	0.5	Pass
NVNT	BLE	2480	Ant1	0.669	0.5	Pass











# **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.032332698	
NVNT	BLE	2442	Ant1	1.032142919	
NVNT	BLE	2480	Ant1	1.032567608	









Shenzhen, Guangdong, People's Republic of China.




# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.037	8	Pass
NVNT	BLE	2442	Ant1	-8.413	8	Pass
NVNT	BLE	2480	Ant1	-8.255	8	Pass













### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.88	-20	Pass
NVNT	BLE	2480	Ant1	-61.4	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.86	-20	Pass
NVNT	BLE	2442	Ant1	-50.71	-20	Pass
NVNT	BLE	2480	Ant1	-49.63	-20	Pass











