




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	9.528	30	Pass
NVNT	BLE	2442	Ant1	8.272	30	Pass
NVNT	BLE	2480	Ant1	7.132	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.674	0.5	Pass
NVNT	BLE	2442	Ant1	0.674	0.5	Pass
NVNT	BLE	2480	Ant1	0.674	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.049	
NVNT	BLE	2442	Ant1	1.048	
NVNT	BLE	2480	Ant1	1.049	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	3.173	8	Pass
NVNT	BLE	2442	Ant1	1.966	8	Pass
NVNT	BLE	2480	Ant1	0.833	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.24	-20	Pass
NVNT	BLE	2480	Ant1	-57.1	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.59	-20	Pass
NVNT	BLE	2442	Ant1	-53.69	-20	Pass
NVNT	BLE	2480	Ant1	-52.01	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

4.979 dBm

-53.13 dBm -53.80 dBm

-54.23 dBm

-48.72 dBm

Function

Function Width

Trace

Mode

N N N

Scale

Function Value

4.999 GHz 7.521 GHz 9.843 GHz

2.227 GHz

Jul 10, 2023 2:56:40 PM



