

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result(WCDMA)

Band	Type	Channel	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	Voice	9262	22.50	23.62	33.01	PASS
Band2	TestMode	9262	22.50	23.62	33.01	PASS
Band2	Voice	9400	22.47	23.59	33.01	PASS
Band2	TestMode	9400	22.47	23.59	33.01	PASS
Band2	Voice	9538	22.49	23.61	33.01	PASS
Band2	TestMode	9538	22.48	23.60	33.01	PASS
Band5	Voice	4132	24.80	23.70	38.45	PASS
Band5	TestMode	4132	24.81	23.71	38.45	PASS
Band5	Voice	4183	24.57	23.47	38.45	PASS
Band5	TestMode	4183	24.60	23.50	38.45	PASS
Band5	Voice	4233	24.49	23.39	38.45	PASS
Band5	TestMode	4233	24.49	23.39	38.45	PASS

Test Result(HSDPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	21.52	22.64	33.01	PASS
Band2	9262	2	20.95	22.07	33.01	PASS
Band2	9262	3	20.97	22.09	33.01	PASS
Band2	9262	4	20.96	22.08	33.01	PASS
Band2	9400	1	21.45	22.57	33.01	PASS
Band2	9400	2	20.93	22.05	33.01	PASS
Band2	9400	3	20.91	22.03	33.01	PASS
Band2	9400	4	20.92	22.04	33.01	PASS
Band2	9538	1	21.51	22.63	33.01	PASS
Band2	9538	2	20.99	22.11	33.01	PASS
Band2	9538	3	20.98	22.10	33.01	PASS
Band2	9538	4	20.96	22.08	33.01	PASS
Band5	4132	1	17.78	16.68	38.5	PASS
Band5	4132	2	23.56	22.46	38.5	PASS
Band5	4132	3	23.57	22.47	38.5	PASS
Band5	4132	4	23.57	22.47	38.5	PASS
Band5	4183	1	23.65	22.55	38.5	PASS
Band5	4183	2	23.64	22.54	38.5	PASS
Band5	4183	3	23.61	22.51	38.5	PASS

Band5	4183	4	23.61	22.51	38.5	PASS
Band5	4233	1	23.60	22.50	38.5	PASS
Band5	4233	2	23.56	22.46	38.5	PASS
Band5	4233	3	23.60	22.50	38.5	PASS
Band5	4233	4	23.58	22.48	38.5	PASS

Test Result(HSUPA)

Band	Channel	SubTest	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	9262	1	19.54	20.66	33.01	PASS
Band2	9262	2	20.00	21.12	33.01	PASS
Band2	9262	3	20.49	21.61	33.01	PASS
Band2	9262	4	19.54	20.66	33.01	PASS
Band2	9262	5	21.50	22.62	33.01	PASS
Band2	9400	1	19.47	20.59	33.01	PASS
Band2	9400	2	19.99	21.11	33.01	PASS
Band2	9400	3	20.43	21.55	33.01	PASS
Band2	9400	4	19.50	20.62	33.01	PASS
Band2	9400	5	21.43	22.55	33.01	PASS
Band2	9538	1	19.52	20.64	33.01	PASS
Band2	9538	2	19.96	21.08	33.01	PASS
Band2	9538	3	20.45	21.57	33.01	PASS
Band2	9538	4	19.54	20.66	33.01	PASS
Band2	9538	5	21.49	22.61	33.01	PASS
Band5	4132	1	21.85	20.75	38.5	PASS
Band5	4132	2	21.57	20.47	38.5	PASS
Band5	4132	3	21.57	20.47	38.5	PASS
Band5	4132	4	21.58	20.48	38.5	PASS
Band5	4132	5	23.84	22.74	38.5	PASS
Band5	4183	1	21.61	20.51	38.5	PASS
Band5	4183	2	21.64	20.54	38.5	PASS
Band5	4183	3	21.62	20.52	38.5	PASS
Band5	4183	4	21.60	20.50	38.5	PASS
Band5	4183	5	23.61	22.51	38.5	PASS
Band5	4233	1	21.59	20.49	38.5	PASS
Band5	4233	2	21.58	20.48	38.5	PASS
Band5	4233	3	21.60	20.50	38.5	PASS
Band5	4233	4	21.59	20.49	38.5	PASS
Band5	4233	5	23.56	22.46	38.5	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band2)
 ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band5)


AppendixB:Peak-to-Average Ratio

Test Result(WCDMA)

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9400	2.99	13	PASS
Band5	4183	2.88	13	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.


Test Graphs(WCDMA)



AppendixC:26dB Bandwidth andOccupied Bandwidth**Test Result(WCDMA)**

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1655	4.705	---	PASS
Band2	9400	4.1684	4.706	---	PASS
Band2	9538	4.1776	4.712	---	PASS
Band5	4132	4.1742	4.719	---	PASS
Band5	4183	4.1684	4.707	---	PASS
Band5	4233	4.1761	4.728	---	PASS

Test Graphs(WCDMA)




AppendixD:Band Edge

Test Result(WCDMA)

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-19.96	-13	PASS
Band2	9538	1910.00	-19.71	-13	PASS
Band5	4132	824.00	-15.87	-13	PASS
Band5	4233	849.00	-17.22	-13	PASS

Test Graphs(WCDMA)





Appendix E: Conducted Spurious Emission


Test Result(WCDMA)

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-53.44	-43	PASS
Band2	9262	0.15~30MHz	0.15	-44.04	-23	PASS
Band2	9262	30~1000MHz	425.47	-40.52	-13	PASS
Band2	9262	1000~20000MHz	19826.47	-24.51	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-50.7	-43	PASS
Band2	9400	0.15~30MHz	0.15	-44.63	-23	PASS
Band2	9400	30~1000MHz	535.56	-40.61	-13	PASS
Band2	9400	1000~20000MHz	19927.8	-25.25	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-51.95	-43	PASS
Band2	9538	0.15~30MHz	0.15	-45.48	-23	PASS
Band2	9538	30~1000MHz	814.37	-39.9	-13	PASS
Band2	9538	1000~20000MHz	19922.73	-24.74	-13	PASS
Band5	4132	0.009~0.15MHz	0.01	-53.49	-33	PASS
Band5	4132	0.15~30MHz	0.16	-45.28	-13	PASS
Band5	4132	30~1000MHz	353.27	-50.39	-13	PASS
Band5	4132	1000~10000MHz	6061	-30.98	-13	PASS
Band5	4183	0.009~0.15MHz	0.01	-52.16	-33	PASS
Band5	4183	0.15~30MHz	0.17	-44.46	-13	PASS
Band5	4183	30~1000MHz	960.84	-50.27	-13	PASS
Band5	4183	1000~10000MHz	7621.3	-30.94	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-53.05	-33	PASS
Band5	4233	0.15~30MHz	0.16	-44.88	-13	PASS
Band5	4233	30~1000MHz	571.52	-49.83	-13	PASS
Band5	4233	1000~10000MHz	7329.7	-30.74	-13	PASS

Test Graphs(WCDMA)









Band5-4132-30~1000MHz


Band5-4132-1000~10000MHz




Band5-4183-0.009~0.15MHz




Band5-4183-0.15~30MHz



Band5-4183-30~1000MHz



Band5-4183-1000~10000MHz



Band5-4233-0.009~0.15MHz

Band5-4233-0.15~30MHz

Band5-4233-30~1000MHz

Band5-4233-1000~10000MHz

AppendixF:Frequency Stability

Test Result

Reference Frequency: WCDMA BAND V 12.2k RMC Middle channel=4183 Frequency=836.6MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	-12.40	-0.014822	±2.5	Pass
	-20	-10.96	-0.013101		
	-10	-11.72	-0.014009		
	0	-10.41	-0.012443		
	10	-11.72	-0.014009		
	20	-10.83	-0.012945		
	30	-11.07	-0.013232		
	40	-11.56	-0.013818		
	50	-9.06	-0.010830		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.33	-12.29	-0.014690	±2.5	Pass
	3.70	-10.77	-0.012874		
	4.07	-9.35	-0.011176		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Reference Frequency: WCDMA BAND II 12.2k RMC Middle Frequency=9400 channel=1880MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
3.70	-30	-10.79	-0.005739	Within authorized band for BAND II	Pass
	-20	-13.22	-0.007032		
	-10	-9.46	-0.005032		
	0	-12.72	-0.006766		
	10	-12.63	-0.006718		
	20	-14.96	-0.007957		
	30	-10.64	-0.005660		
	40	-11.77	-0.006261		
	50	-11.59	-0.006165		
Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
25	3.33	-11.99	-0.006378	Within authorized band for BAND II	Pass
	3.70	-15.12	-0.008043		
	4.07	-15.02	-0.007989		
Remark: All channel had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
Band2	9400	PASS	PASS
Band5	4183	PASS	PASS

Remark: All channel had been tested, but only the worst case data displayed in this report.

Test Graphs

