


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.85	30	Pass
NVNT	BLE	2442	Ant1	-4.412	30	Pass
NVNT	BLE	2480	Ant1	-6.628	30	Pass

Project No.: JYTSZR2304002











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.132	0.5	Pass
NVNT	BLE	2442	Ant1	1.167	0.5	Pass
NVNT	BLE	2480	Ant1	1.156	0.5	Pass











Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.074	
NVNT	BLE	2442	Ant1	2.078	
NVNT	BLE	2480	Ant1	2.08	

Project No.: JYTSZR2304002













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-24.351	8	Pass
NVNT	BLE	2442	Ant1	-21.891	8	Pass
NVNT	BLE	2480	Ant1	-24.17	8	Pass











Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-40.83	-20	Pass
NVNT	BLE	2480	Ant1	-43.55	-20	Pass


No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2304002









Page 15 of 19

Project No.: JYTSZR2304002



Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-34.1	-20	Pass
NVNT	BLE	2442	Ant1	-37.49	-20	Pass
NVNT	BLE	2480	Ant1	-35.61	-20	Pass

Page 16 of 19



