


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	2.707	0	2.707	30	Pass
NVNT	BLE	2442	Ant1	2.078	0	2.078	30	Pass
NVNT	BLE	2480	Ant1	0.87	0	0.87	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.66	0.5	Pass
NVNT	BLE	2442	Ant1	0.664	0.5	Pass
NVNT	BLE	2480	Ant1	0.657	0.5	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2201025 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 5 of 19




	um Anal <u>y</u> ied BW	yzer 1		•	•							
R R	SIGHT	Input: F Couplir Align: A	ng: DC	Input Z: 5 Corr CCo Freq Ref:		Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: { Radio Std:		z		
1 Grap	h		v				Ref LvI Offset	2.81 dB		Mkr3	2.48031	8000 GHz
	'Div 10.0	dB					Ref Value 22.8				-	5.11 dBm
Log 12.8									3			
-7.19												
-17.2 - -27.2 -												
-37.2	-	mm	NWWW								· · · · · · · · · · · · · · · · · · ·	
-47.2												
-57.2 - -67.2 -												
	r 2.4800	00 GHz					#Video BW 300	.00 kHz				Span 2 MHz
	3W 100.									Sw	veep 1.33 m	s (10001 pts)
2 Metri	cs		•									
		Oct	cupied Bar	ndwidth								
				1.0271	MHz				Total Power	6.9	95 dBm	
			nsmit Frec			0.972 kHz			% of OBW Powe		9.00 %	
		x d	B Bandwid	lth		657.3 kHz			x dB	-6	6.00 dB	
	5	6	2?	Mar 02, 2:58:52	2022 2 PM							



Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.011036151
NVNT	BLE	2442	Ant1	1.016980783
NVNT	BLE	2480	Ant1	0.9997421039





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2201025 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 8 of 19







Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.884	8	Pass
NVNT	BLE	2442	Ant1	-4.593	8	Pass
NVNT	BLE	2480	Ant1	-5.781	8	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2201025 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 11 of 19








Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-58.78	-20	Pass
NVNT	BLE	2480	Ant1	-55.88	-20	Pass











Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.15	-20	Pass
NVNT	BLE	2442	Ant1	-50.53	-20	Pass
NVNT	BLE	2480	Ant1	-50.41	-20	Pass







Report No.: JYTSZ-R12-2200059



JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2201025 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 18 of 19



