

Page: 1 of 297

# RF Exposure report





The following samples were submitted and identified on behalf of the client as:

**Product Name** Rugged Tablet

RuggON **Brand Name** 

LUNA 3XXXXXXXXX Model No.

(X can be any alphanumeric or blank for different

marketing)

RuggON Corporation **Applicant** 

4F,No. 298, Yangguang St., Neihu District Taipei City,

11491, Taiwan

IEEE/ANSI C95.1-1992, IEEE 1528-2013 **Standards** 

FCC ID 2ABTU-EM74B

**Date of EUT Receipt** Nov. 10, 2022

Date of Test(s) Nov. 17, 2022 ~ Nov. 24, 2022

Date of Issue Dec. 08, 2022

In the configuration tested, the EUT complied with the standards specified above.

#### Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

### Signed on behalf of SGS

Clerk / Kimmy Chiou	PM / Jasper Wang	Approved By / John Yeh
Kimmy Chiou	Jasper Wang	John Teh

Date: Dec. 08, 2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 2 of 297

# **Revision History**

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2210000394EN	00	Initial creation of document	Dec. 08, 2022	Kimmy Chiou	

#### Note:

- The mark " \* " is the revised version of the report due to comments submitted by the certification. 1.
- The data for this test report WLAN leverages the measurements from the original test report 2. TESA2206000138EN.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 3 of 297

# **Contents**

1	GENERAL INFORMATION	5
	1.1 Test Methodology	5
	1.2 Description of EUT	6
	1.3 Maximum value	8
	1.4 Antenna Information	9
2	MEASUREMENT SYSTEM	10
	2.1 Test Facility	10
	2.2 SAR System	
	2.3 PD system	
3	SAR SYSTEM VERIFICATION	
	3.1 Tissue Simulating Liquid	
	3.2 Tissue Simulant Liquid measurement	
	3.3 Measurement results of Tissue Simulant Liquid	17
	3.4 The composition of the tissue simulating liquid:	19
	3.5 System check	
	3.6 System check results	
4	PD SYSTEM VERIFICATION	
•	4.1 System check	
	4.2 System check result	22
5	TEST CONFIGURATIONS	
•	5.1 Test Environment	
	5.2 Test Note	
	5.3 Test position	_
	5.4 Test limit	
	5.5 Proximity sensor operation description	
6	MAXIMUM OUTPUT POWER	
0	6.1 WCDMA	
	6.2 FDD LTE	-
	6.3 TDD LTE	
	6.4 LTE DL CA	
	6.5 LTE Intra-Band UL CA	
	6.6 WLAN	_
	•	
	6.8 Bluetooth	
_	6.9 BLE	
7	DUTY CYCLE	198
8	SUMMARY OF RESULTS	
	8.1 Decision rules	
	8.2 Summary of SAR Results	
	8.3 Summary of PD Results	209
	8.4 Reporting statements of conformity	
_	8.5 Conclusion	
9	SIMULTANEOUS TRANSMISSION ANALYSIS	
	9.1 Simultaneous Transmission Scenarios:	210

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 4 of 297

	9.2 E	stimated SAR calculation	211
	9.3 S	PLSR evaluation and analysis	211
		onclusion	
10	INS	STRUMENTS LIST	. 214
11	UN	CERTAINTY BUDGET	. 217
12	SA	R MEASUREMENT RESULTS	. 221
13	PD	measurement result	. 240
14	SA	R SYSTEM CHECK RESULTS	. 282
15	PD	system check result	. 296
16	AP	PÉNDIXES	. 297
	16.1	SAR_Appendix A Photographs	. 297
		SAR_Appendix B DAE & Probe Cal. Certificate	
		SAR_Appendix C Phantom Description & Dipole Cal. Certificate	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

所非另有說明・此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 297

# 1 GENERAL INFORMATION

# 1.1 Test Methodology

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB447498D01v06

KDB865664D01v01r04

KDB865664D02v01r02

KDB616217D04v01r02

KDB941225D01v03r01

KDB941225D05v02r05

KDB941225D05Av01r02

KDB248227D01v02r01

IEC/IEEE 62209-1528:2020

SPEAG DASY6 System Handbook

SPEAG DASY6 Application Note (Interim Procedure for Device Operation at 6GHz-10GHz)

IEC TR 63170:2018

IEC 62479:2010

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺胺别对关键具色素,同既此类具属是例如于。大数型生产概太从司隶而统可,不可如必遏制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2



Page: 6 of 297

# **Description of EUT**

Rugged Tablet						
RuggON LUNA 3XXXXXXXX						
LUNA 3XXXXXXXX (X can be any alphanumeric or blank for different marketing)						
2ABTU-EM74B  Brand Name: AirPrime						
Brand Name: AirPrime  Model Name: EM7411  Brand Name: Intel® Wi-Fi 6E AX210						
Brand Name: Intel® Wi-Fi 6E Model Name: AX210D2W	AX210					
VCDMA	1					
TE FDD	1					
TE TDD	0.633					
VLAN802.11	Refer to page 198~200					
Bluetooth	76.4%					
VCDMA Band II	1850-1910					
VCDMA Band IV	1710-1755					
VCDMA Band V	824-849					
TE FDD Band 2	1850-1910					
TE FDD Band 4	1710-1755					
TE FDD Band 5	824-849					
TE FDD Band 7	2500-2570					
TE FDD Band 12	699-716					
TE FDD Band 13	777-787					
TE FDD Band 14	788-798					
TE FDD Band 25	1850-1915					
TE FDD Band 26	814-849					
TE TDD Band 38	2570-2620					
TE TDD Band 41	2496-2690					
	UNA 3XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 297

LTE T	DD Band 42	3400-3600
LTE T	DD Band 43	3600-3800
LTE T	DD Band 48	3550-3700
LTE F	DD Band 66	1710-1780
LTE F	DD Band 71	663-698
802.1	1 b/g/n/ax	2.4GHz (2400.0 – 2483.5 MHz)
802.1	1a/n/ac/ax	5.2GHz (5150.0 – 5250.0 MHz) 5.3GHz (5250.0 – 5350.0 MHz) 5.6GHz (5470.0 – 5725.0 MHz) 5.8GHz (5725.0 – 5850.0 MHz)
Blueto	ooth 5.2	2.4GHz (2400.0 – 2483.5 MHz)
802.1	1a/n/ac/ax	6.0GHz (5925.0-7125.0MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 8 of 297

#### Maximum value

#### **WWAN**

**Full Power** 

1 dil 1 dive					
Summary of Maximum SAR Value					
	Highest SAR 1g				
Mode	Body				
	(W/kg)				
LTE _Band 42	0.74				

#### **Down Power**

Summary of Maximum SAR Value					
	Highest SAR 1g				
Mode	Body				
	(W/kg)				
LTE _Band 48	0.66				

#### WI AN

VEAN									
Summary of Maximum SAR and Power Density Value									
Mode	Highest SAR 1g Body (W/kg)	Highest APD (W/m^2)	Highest PD (W/m^2)						
Bluetooth(GFSK)	0.04	N/A	N/A						
2.4G WLAN	0.14	N/A	N/A						
5G WLAN	1.14	N/A	N/A						
6G WLAN	0.15	0.88	1.68						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 9 of 297

#### 1.4 Antenna Information

#### **WWAN**

	777.11									
Vendor		Anjie								
Antenna		PIFA								
Part Number		AJFQ1J-B0001								
Frequency(MHz)	699~716	699~716 777~798 814~849 1710~1780 1850~1915 2300~2400 2496~2690 3550-3800								
Gain (dBi)	-2.80	-1.10	-1.90	-0.40	-0.20	1.10	-2.50	-6.70		

#### **WLAN**

Tablet mode WLAN

Tabletineas_TTE	ablet niede_tria tit									
Vendor		Anjie								
Antenna		Main (PIFA)								
Part Number		AJDQ1J-B0035								
Frequency(MHz)	2400~2500	400~2500 5150~5250 5250~5350 5470~5725 5725~5850 5925~6425 6425~6525 6525~6875 6875~7125								
Gain (dBi)	0.50	1.40	1.40	1.60	2.30	2.80	2.00	2.20	1.40	

Vendor		Unictron								
Antenna		Aux (PIFA)								
Part Number		H2M1J616124300								
Frequency(MHz)	2400~2500	400~2500 5150~5250 5250~5350 5470~5725 5725~5850 5925~6425 6425~6525 6525~6875 6875~7125								
Gain (dBi)	1.5	2.20	2.2	2.2	2.2	2.50	2.50	2.50	2.50	

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非早有铅明,件如生结里体影响过少样具色者,同时件样具体保留的手。大如生主领木公司事而许可,不可驾停推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 10 of 297

# 2 MEASUREMENT SYSTEM

# 2.1 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier	
	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road,	SAR 2			
	Neihu District, Taipei City, 11493, Taiwan.	SAR 6	TW0029		
SGS Taiwan Ltd.	No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 33383, Taiwan	SAR 1		TW3702	
Central RF Lab. (TAF code 3702)		SAR 4	TW0028		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku	SAR 3			
	District, New Taipei City, Taiwan	SAR 7	TW0027		

**Note:** Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2) 2




Page: 11 of 297

# **SAR System**

# **Block Diagram (DASY5)**

A block diagram of the SAR measurement System is given in below. This SAR measurement system uses a computer-controlled 3-D stepper motor system (SPEAG DASY 5 professional system). The model EX3DV4 field probe is used to determine the internal electric fields. The SAR can be obtained from the equation SAR=  $\sigma$  (|Ei|<sup>2</sup>)/  $\rho$  where  $\sigma$  and  $\rho$  are the conductivity and mass density of the tissue-simulant.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 12 of 297

# **Block Diagram (DASY6)**

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Windows 10 and the DASY6 software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 13 of 297

#### **EX3DV4 E-Field Probe**

Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 750/835/1750/1900/2450/2600/3500/3700/ 5250/5600/5750/6500/7000 MHz Additional CF for other liquids and frequencies upon request
Frequency	10 MHz to > 6 GHz
Directivity	± 0.3 dB in HSL (rotation around probe axis) ± 0.5 dB in tissue material (rotation normal to probe axis)
Dynamic Range	10 μW/g to > 100 mW/g Linearity: ± 0.2 dB (noise: typically < 1 μW/g)
Dimensions	Tip diameter: 2.5 mm
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是结果做新加速之緣具有書,同時此緣具屬風內內干。大規集主極大公司書面對可,不可如公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 297

# **PHANTOM (ELI)**

PHANTON (E	· <b>L</b> I)
Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell	2 ± 0.2 mm
Thickness	
Filling Volume	Approx. 30 liters
Dimensions	Major axis: 600 mm
	Minor axis: 400 mm

# **DEVICE HOLDER (ELI)**

DEVICE HOLDE	IX (LLI)	
Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin), which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键与合意,同时此类只度保护的大型电流设置,不可如心控制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 15 of 297

# 2.3 PD system


# **Block Diagram (DASY6)**

Power density measurements for mmWave frequencies were performed using SPEAG DASY6 with cDASY6 5G module. The DASY6 included a high precision robotics system (Staubli), robot controller, desktop computer, near-field probe, probe alignment sensor, and the 5G phantom cover.



# **EUmmWVx probe**

The EUmmWVx probe is based on the pseudo-vector probe design, which not only measures the field magnitude but also derives its polarization ellipse. The design entails two small 0.8mm dipole sensors mechanically protected by high-density foam, printed on both sides of a 0.9mm wide and 0.12mm thick glass substrate. The body of the probe is specifically constructed to minimize distortion by the scattered fields. The probe consist of two sensors with different angles (1 and 2) arranged in the same plane in the probe axis. Three or more measurements of the two sensors are taken for different probe rotational angles to derive the amplitude and polarization information. The probe design allows measurements at distances as small as 2mm from the sensors to the surface of the device under test (DUT). The typical sensor to probe tip distance is 1.5 mm. The exact distance is calibrated.



Two dipoles optimally arranged to obtain pseudovector information. Minimum 3 measurements/point, 120° rotated around probe axis.

Sensors (0.8mm length) printed on glass substrate protected by high density foam.Low perturbation of the measured field. Requires positioner which can do accurate probe rotation.

Frequency Range

750 MHz – 110 GHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 隆北무方와마,此茲史廷田萬默剛建之粹모白書,同時世撰史萬是陳四四王。太親史王極太八司東西姓司,太司刘公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 16 of 297

Dynamic Range	< 20 V/m – 10,000 V/m with PRE-10 (min <
- Bynamio Range	50 V/m - 3000 V/m)
	,
Position Precision	< 0.2 mm (DASY6)
Dimensions	Overall length: 337 mm (tip: 20 mm)
	Tip diameter: encapsulation 8 mm
	(internal sensor < 1mm)
	Distance from probe tip to dipole centers:
	< 2 mm. Sensor displacement to probe's
	calibration point: < 0.3 mm
Applications	E-field measurements of 5G devices and
	other mm-wave transmitters operating
	above 10GHz in < 2 mm distance from
	device (free-space).Power density, H-field
	and far-field analysis using total field
	reconstruction (cDASY6 5G module
sensor 15mm calibrated	required)
2	
device	
Compatibility	cDASY6 + 5G-Module SW1.0 and higher

#### mmWave Phantom

The mmWave Phantom approximates free-space conditions, allowing for the evaluation of the antenna side of the device and the front (screen) side or any opposite-radiating side of wireless devices operating above 10 GHz without distorting the RF field. It consists of a 40mm thick Rohacell plate used as a test bed, which has a loss tangent ( $\tan \delta$ )  $\leq$  0.05 and a relative permittivity ( $\epsilon$ r)  $\leq$  1.2. High-performance RF absorbers are placed below the foam.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SOS falwari Eta.



Page: 17 of 297

### 3 SAR SYSTEM VERIFICATION

#### 3.1 Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with homogeneous tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15cm. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15cm.

# 3.2 Tissue Simulant Liquid measurement

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAKS-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within  $\pm$  5% of the target values.

# 3.3 Measurement results of Tissue Simulant Liquid

#### **WWAN**

Tissue Type	Measurement Date	Measured Frequency	Target Dielectric Constant.	Target Conductivity,	Measured Dielectric Constant.	Measured Conductivity,	% dev ɛr	% dev σ
-56-		(MHz)	13	σ (S/m)	13	σ (S/m)		
		673	42.311	0.885	42.522	0.848	0.50%	-4.17%
		680.5	42.271	0.885	42.491	0.852	0.52%	-3.77%
		688	42.231	0.886	42.435	0.859	0.48%	-3.03%
		704	42.145	0.887	42.373	0.863	0.54%	-2.70%
	Nov, 17. 2022	707.5	42.127	0.887	42.291	0.864	0.39%	-2.61%
		711	42.108	0.887	42.272	0.865	0.39%	-2.52%
		750	41.900	0.890	42.112	0.906	0.51%	1.80%
		782	41.749	0.894	42.01	0.925	0.62%	3.49%
		793	41.698	0.895	41.926	0.937	0.55%	4.69%
		821.5	41.564	0.898	42.051	0.867	1.17%	-3.50%
		826.4	41.540	0.899	42.025	0.873	1.17%	-2.89%
		829	41.528	0.899	41.987	0.879	1.10%	-2.26%
		831.5	41.516	0.900	41.971	0.882	1.09%	-1.96%
	Nov, 18. 2022	835	41.500	0.900	41.957	0.888	1.10%	-1.33%
		836.6	41.500	0.902	41.952	0.891	1.09%	-1.19%
		841.5	41.500	0.907	41.921	0.9	1.01%	-0.77%
		844	41.500	0.910	41.92	0.904	1.01%	-0.63%
		846.6	41.500	0.912	41.913	0.908	1.00%	-0.49%
		1712.4	40.125	1.350	40.58	1.321	1.13%	-2.14%
		1720	40.114	1.354	40.529	1.343	1.03%	-0.83%
		1732.4	40.097	1.361	40.516	1.356	1.05%	-0.39%
	Nov 19 2022	1732.5	40.096	1.361	40.515	1.355	1.04%	-0.47%
	,	1745	40.079	1.369	40.499	1.37	1.05%	0.10%
		1750	40.071	1.371	40.48	1.375	1.02%	0.26%
		1752.6	40.068	1.373	40.469	1.377	1.00%	0.30%
		1770	40.043	1.383	40.432	1.398	0.97%	1.10%
		1852.4	40.000	1.400	40.311	1.399	0.78%	-0.07%
		1860	40.000	1.400	40.303	1.407	0.76%	0.50%
		1880	40.000	1.400	40.292	1.425	0.73%	1.79%
	Nov, 20. 2022	1882.5	40.000	1.400	40.288	1.428	0.72%	2.00%
		1900	40.000	1.400	40.276	1.446	0.69%	3.29%
Head		1905	40.000	1.400	40.271	1.452	0.68%	3.71%
		1907.6	40.000	1.400	40.267	1.456	0.67%	4.00%
		2506	39.125	1.860	39.28	1.884	0.40%	1.30%
		2510	39.120	1.864	39.277	1.889	0.40%	1.34%
		2535	39.087	1.891	39.252	1.911	0.42%	1.08%
		2549.5	39.067	1.906	39.222	1.923	0.40%	0.88%
	Nov, 21. 2022	2560	39.053	1.917	39.175	1.932	0.40%	0.76%
	1404, 21. 2022	2593	39.009	1.953	39.091	1.958	0.31%	0.76%
		2600	39.000	1.960	39.086	1.964	0.22%	0.20%
		2636.5	38.954	2.000	39.012	1.994	0.15%	-0.31%
		2680	38.900	2.048	38.935	2.03	0.09%	-0.88%
		2506	39.125	1.860	39.362	1.878	0.60%	0.98%
		2510	39.120	1.864	39.359	1.883	0.61%	1.02%
		2535	39.087	1.891	39.334	1.905	0.63%	0.76%
		2549.5	39.067	1.906	39.304	1.917	0.61%	0.57%
	Nov, 22. 2022	2560	39.053	1.917	39.257	1.926	0.52%	0.45%
		2593	39.009	1.953	39.171	1.952	0.41%	-0.03%
	1	2600	39.000	1.960	39.168	1.958	0.43%	-0.10%
		2636.5	38.954	2.000	39.094	1.986	0.36%	-0.71%
		2680	38.900	2.048	39.017	2.024	0.30%	-1.17%
		3410	38.008	2.818	39.093	2.815	2.85%	-0.11%
	1	3500	37.900	2.910	38.951	2.901	2.77%	-0.31%
	Nov, 23. 2022	3560	37.900	2.910	38 861	2.901	2.77%	-0.51%
			0.10.0					
		3590	37.810	3.004	38.832	2.985	2.70%	-0.62%
	1	3609	37.791	3.023	38.779	3.002	2.61%	-0.71%
		3610	37.790	3.024	38.776	3.006	2.61%	-0.61%
	Nov. 24, 2022	3641	37.759	3.057	38.705	3.038	2.51%	-0.61%
	,	3690	37.710	3.108	38.621	3.086	2.42%	-0.70%
		3700	37.700	3.118	38.607	3.095	2.41%	-0.74%
		3790	37.610	3.212	38.474	3.188	2.30%	-0.73%
se stated the	results shown	in this to	est report	refer only	to the sa	mnle(s) te	sted and	such san

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Talwan Ltd. 」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 18 of 297

VVLAIN									
Measured Frequency (MHz)	Liquid Temp. (°C)	Target Dielectric Constant, Er	Target Conductivity, σ (S/m)	Measured Dielectric Constant, Er	Measured Conductivity, σ (S/m)	% dev ɛr	% devσ	Limit	Measurement Date
2402	22.1	39.282	1.757	37.779	1.803	-3.83%	2.60%	± 5%	Jun. 20, 2022
2412	22.1	39.265	1.766	37.758	1.812	-3.84%	2.60%	± 5%	Jun. 20, 2022
2437	22.1	39.222	1.788	37.721	1.832	-3.83%	2.44%	± 5%	Jun. 20, 2022
2441	22.1	39.215	1.792	37.716	1.835	-3.82%	2.41%	± 5%	Jun. 20, 2022
2450	22.1	39.200	1.800	37.709	1.842	-3.80%	2.36%	± 5%	Jun. 20, 2022
2462	22.1	39.184	1.813	37.690	1.852	-3.81%	2.17%	± 5%	Jun. 20, 2022
2480	22.1	39.160	1.832	37.677	1.867	-3.79%	1.90%	± 5%	Jun. 20, 2022
5190	21.8	36.010	4.650	37.148	4.562	3.16%	-1.87%	± 5%	Jun. 21, 2022
5230	21.8	35.970	4.690	36.930	4.635	2.67%	-1.17%	± 5%	Jun. 21, 2022
5250	21.8	35.950	4.710	36.897	4.666	2.63%	-0.94%	± 5%	Jun. 21, 2022
5270	21.8	35.930	4.730	36.876	4.696	2.63%	-0.73%	± 5%	Jun. 21, 2022
5310	21.8	35.890	4.770	36.690	4.754	2.23%	-0.34%	± 5%	Jun. 21, 2022
5530	22.0	35.605	4.997	36.043	5.036	1.23%	0.78%	± 5%	Jun. 22, 2022
5600	22.0	35.500	5.070	35.917	5.119	1.18%	0.97%	± 5%	Jun. 22, 2022
5610	22.0	35.490	5.080	35.871	5.133	1.07%	1.05%	± 5%	Jun. 22, 2022
5690	22.0	35.410	5.160	35.632	5.234	0.63%	1.43%	± 5%	Jun. 22, 2022
5750	22.3	35.350	5.220	36.357	5.391	2.85%	3.27%	± 5%	Jun. 23, 2022
5755	22.3	35.345	5.225	36.356	5.396	2.86%	3.26%	± 5%	Jun. 23, 2022
5795	22.3	35.305	5.265	35.313	5.438	0.02%	3.29%	± 5%	Jun. 23, 2022
6025	22.4	35.070	5.510	36.162	5.703	3.11%	3.52%	± 5%	Jun. 24, 2022
6185	22.4	34.878	5.698	35.970	5.875	3.13%	3.10%	± 5%	Jun. 24, 2022
6345	22.4	34.686	5.887	35.778	6.048	3.15%	2.73%	± 5%	Jun. 24, 2022
6500	22.4	34.500	6.070	35.592	6.216	3.17%	2.41%	± 5%	Jun. 24, 2022
6505	22.4	34.494	6.076	35.586	6.221	3.17%	2.40%	± 5%	Jun. 24, 2022
6665	22.4	34.302	6.261	35.394	6.396	3.18%	2.16%	± 5%	Jun. 24, 2022
6825	22.4	34.110	6.447	35.202	6.572	3.20%	1.94%	± 5%	Jun. 24, 2022
6985	22.2	33.918	6.633	35.010	6.749	3.22%	1.76%	± 5%	Jun. 24, 2022
7000	22.2	33.900	6.650	34.992	6.766	3.22%	1.74%	± 5%	Jun. 24, 2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 297

# 3.4 The composition of the tissue simulating liquid:

Simulating Liquids for 600 MHz -10 GHz, Manufactured by SPEAG:


Broad-band head tissue simulating	SPEAG Product	Frequency range (MHz)	Main Ingredients
liquids	HBBL600- 10000V6	600 - 10000	Water, Oil

# 3.5 System check

The microwave circuit arrangement for system check is sketched in below. The daily system accuracy verification occurs within the flat section of the SAM phantom and ELI phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values.

The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed with SAR values normalized to 1W forward power delivered to the dipole.

During the tests, the liquid depth from the center of the flat phantom to the liquid top surface was 15 cm above in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



The block diagram of system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是这种思考的问题。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 297

# System check results

#### **WWAN**

***								
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D750V3	1015	750	8.56	2.09	8.36	-2.34	± 10%	Nov.17,2022
D835V2	4d063	835	9.82	2.53	10.12	3.05	± 10%	Nov.18,2022
D1750V2	1008	1750	36.4	8.98	35.92	-1.32	± 10%	Nov.19,2022
D1900V2	5d173	1900	39.6	10.2	40.8	3.03	± 10%	Nov.20,2022
D2600V2	1005	2600	56.8	14.1	56.4	-0.70	± 10%	Nov.21,2022
D2600V2	1005	2600	56.8	14.3	57.2	0.70	± 10%	Nov.22,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D3500V2	1009	3500	65.2	6.52	65.2	0.00	± 10%	Nov.23,2022
D3700V2	1074	3700	68.5	6.7	67	-2.19	± 10%	Nov.24,2022

#### WI AN

VVLAIN								
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D2450V2	727	2450	52.8	13	52	-1.52	± 10%	Jun.20,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D5GHzV2	1023	5250	81	7.79	77.9	-3.83	± 10%	Jun.21,2022
D5GHzV2	1023	5600	84.4	8.03	80.3	-4.86	± 10%	Jun.22,2022
D5GHzV2	1023	5750	81	7.81	78.1	-3.58	± 10%	Jun.23,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D6.5GHzV2	1006	6500	291	29.5	295	1.37	± 10%	Jun.24,2022
D7GHzV2	1007	7000	275	26.7	267	-2.91	± 10%	Jun.24,2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 21 of 297

#### 4 PD SYSTEM VERIFICATION

#### 4.1 System check

The system was verified to be within ±0.66 dB of the power density targets on the calibration certificate according to the test system specification in the user's manual and calibration facility recommendation. The 0.66 dB deviation threshold represents the expanded uncertainty for system performance checks using SPEAG's mmWave verification sources. The same spatial resolution and measurement region used in the source calibration was applied during the system check.

The measured power density distribution of verification source was also confirmed through visual inspection to have no noticeable differences, both spatially (shape) and numerically (level) from the distribution provided by the manufacturer, per November 2017 TCBC Workshop Notes.



System Verification Setup Photo

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

i Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page: 22 of 297

# 4.2 System check result

The system was verified to be within ±0.66 dB of the power density targets on the calibration certificate according to the test system specification in the user's manual and calibration facility recommendation. The 0.66 dB deviation threshold represents the expanded uncertainty for system performance checks using SPEAG's mmWave verification sources. The same spatial resolution and measurement region used in the source calibration was applied during the system check. The measured power density distribution of verification source was also confirmed through visual inspection to have no noticeable differences, both spatially (shape) and numerically (level) from the distribution provided by the manufacturer, per November 2017 TCBC Workshop Notes.

Frequency (MHz)	PD Verification Source (MHz)	Probe S/N	DAE S/N	Distance (mm)	Prad (mW)	Measured 4cm^2 (W/m^2)	Target 4cm^2 (W/m^2)	Deviation (dB)	Date
10000	10000	9579	558	10	86.1	54.2	51.7	0.21	Jun.25,2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华结甲属影测过之样只有含,同时此样只属是例如于。大规华主领大风司事而连可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 23 of 297

### **TEST CONFIGURATIONS**

#### 5.1 **Test Environment**

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

#### 5.2 **Test Note**

- 1. General: Measurements are performed respectively on the lowest, middle and highest channels of the operating band(s).
- 2. General: The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.
- 3. **General:** During the SAR testing, the DASY system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
- 4. **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is ≤ 0.8 W/kg, when the transmission band is  $\leq 100$  MHz.
- 5. General: According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg (~ 10% from the 1-g SAR limit).
- 6. UMTS (HSDPA): The 3G SAR test reduction procedure is applied to HSDPA with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSDPA) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSDPA). The following 4 subtests were completed according to Release 5 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Sub-test	βε	βa	βa (SF)	$\beta c/\beta a$	βhs (1)	CM (dB)(2)
1	2/15	15/15	64	2/15	4/15	0.0
2	12/15(3)	15/15(3)	64	12/15(3)	24/15	1.0
3	15/15	8/15	64	15/8	30/15	1.5
4	15/15	4/15	64	15/4	30/15	1.5

Note 1:  $\Delta_{ACK}$ ,  $\Delta_{NACK}$  and  $\Delta_{CQI} = 8 \Leftrightarrow A_{ls} = \beta_{ls}/\beta_c = 30/15 \Leftrightarrow \beta_{ls} = 30/15 * \beta_c$ 

Note 2: CM = 1 for  $\beta_c/\beta_d = 12/15$ ,  $\beta_{hs}/\beta_c = 24/15$ .

Note 3: For subtest 2 the βε/βα ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to  $\beta_c = 11/15$  and  $\beta_d = 15/15$ .

7. UMTS (HSPA): The 3G SAR test reduction procedure is applied to HSPA (HSUPA/HSDPA with RMC) with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA). The following 5 sub-tests were completed according to Release 6 procedures in section 5.2 of 3GPP TS 34.121. A summary of these setting are illustrated below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 297

Sub- test	βς	$\beta_{\mathrm{d}}$	β <sub>d</sub> (SF)	$\beta_c/\beta_d$	$\beta_{hs}^{(1)}$	$\beta_{\text{ec}}$	$\beta_{\mathrm{ed}}$	β <sub>ed</sub> (SF)	β <sub>ed</sub> (codes)	CM <sup>(2)</sup> (dB)	MPR (dB)	AG <sup>(4)</sup> Index	E- TFCI
1	11/15(3)	15/15 <sup>(3)</sup>	64	11/15 <sup>(3)</sup>	22/15	209/225	1039/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15	30/15	β <sub>ed1</sub> : 47/15 β <sub>ed2</sub> : 47/15	4	2	2.0	1.0	15	92
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5	15/15 <sup>(4)</sup>	15/15 <sup>(4)</sup>	64	15/15 <sup>(4)</sup>	30/15	24/15	134/15	4	1	1.0	0.0	21	81

Note 1:  $\Delta_{ACK}$ ,  $\Delta_{NACK}$  and  $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \beta_{hs}/\beta_c = 30/15 \Leftrightarrow \beta_{hs} = 30/15 *\beta_c$ .

Note 2: CM = 1 for  $\beta_c/\beta_d$  =12/15,  $\beta_h/\beta_c$ =24/15. For all other combinations of DPDCH, DPCCH, HS- DPCCH, E-DPDCH and E-DPCCH the MPR is based on the relative CM difference.

Note 3: For subtest 1 the  $\beta_c/\beta_d$  ratio of 11/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to  $\beta_c = 10/15$  and  $\beta_d = 15/15$ .

Note 4: For subtest 5 the  $\beta_c/\beta_d$  ratio of 15/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to  $\beta_c = 14/15$  and  $\beta_d = 15/15$ .

Note 5: Testing UE using E-DPDCH Physical Layer category 1 Sub-test 3 is not required according to TS 25.306 Table 5.1g.

Note 6:  $\beta_{ed}$  cannot be set directly; it is set by Absolute Grant Value.

8. **UMTS (HSPA+):** The 3G SAR test reduction procedure is applied to HSPA+ with 12.2 kbps RMC as the primary mode. Since the maximum output power in a secondary mode (HSPA+) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (HSPA+). The following 1 subtest was completed according to Release 7 procedures in section 5.2 of 3GPP TS34.121. A summary of these settings are illustrated below:

Table C.11.1.4: β values for transmitter characteristics tests with HS-DPCCH and E-DCH with 16QAM

	Sub- test∂	β <sub>e</sub> ↓ (Note3)↓	β <sub>d</sub> ₽	β <sub>HS</sub> ↓ (Note1)↓	β <sub>ec</sub> ⊎ ₽	β <sub>ed</sub> (2xSF2) (Note 4)	β <sub>ed</sub> ↓ (2xSF4)↓ (Note 4)↓	<b>CM</b> -/ (dB)-/ (Note 2)-/	MPR. (dB). (Note 2).	AG√ Index√ (Note 4)√	(Note 5)«	
F	1₽	1₽	0₽	30/15₽	30/15₽	βed1: 30/15√	βed3: 24/15√	3.5₽	2.5₽	14₽	105₽	105₽
						βed2: 30/15₽	βed4: 24/15₽					
г												

Note 1:  $\Delta$ ACK,  $\Delta$ NACK and  $\Delta$ CQI = 30/15 with  $eta_{hs}$  = 30/15  ${}^*_{\sim}eta_c$  .4.

Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).

Note 3: DPDCH is not configured, therefore the β<sub>o</sub> is set to 1 and β<sub>d</sub> = 0 by default.

Note 4: βed can not be set directly; it is set by Absolute Grant Value.

Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

9. UMTS (DC-HSDPA): The 3G SAR test reduction procedure is applied to DC-HSDPA with 12.2 kbps RMC as the primary mode. Power is measured for DC-HSDPA according to the H-Set 12, FRC configuration in Table C.8.1.12 of 3GPP TS 34.121-1 to determine SAR test reduction. A primary and a secondary serving HS-DSCH Cell are required to perform the power measurement and for the results to be acceptable. Since the maximum output power in a secondary mode (DC-HSDPA) is ≤ ¼ dB higher than the primary mode (WCDMA), SAR measurement is not required for the secondary mode (DC-HSDPA). The following tests were completed according to procedures in section 7.3.13 of 3GPP TS 34.108 v9.5.0. A summary of these setting are illustrated below:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此起生处田茂縣和建立建立,居时此接且茂原河の子。太祖华上海大河自東西地方,无可如此海剿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 25 of 297

The configurations of the fixed reference channels for HSDPA RF tests are described in 3GPP TS 34.121, annex C for FDD and 3GPP TS 34.122

Table C.8.1.12: Fixed Reference Channel H-Set 12

-	Parameter∂	Unit₽	Value₽					
<ul><li>Nominal A</li></ul>	Avg. Inf. Bit Rate₽	kbps₽	60₽					
■ Inter-TTI	Distance₽	TTI's₽	1₽					
<ul><li>Number of</li></ul>	of HARQ Processes₽	Proces	6₊					
		ses₽	00					
<ul><li>Information</li></ul>	on Bit Payload ( $N_{ m INF}$ ) $\!\scriptscriptstylearphi$	Bits₽	120₽					
<ul><li>Number 0</li></ul>	Code Blocks₽	Blocks₽	1₽					
<ul><li>Binary Ch</li></ul>	nannel Bits Per TTI₽	Bits₽	960₽					
<ul><li>Total Ava</li></ul>	ilable SML's in UE₽	SML's₽	19200₽					
<ul><li>Number of</li></ul>	of SML's per HARQ Proc.₽	SML's₽	3200₽					
<ul><li>Coding R</li></ul>	ate₽	t	0.15₽					
<ul><li>Number of</li></ul>	of Physical Channel Codes₽	Codes₽	1₽					
<ul><li>Modulation</li></ul>	on⊎	t.	QPSK₽					
■ Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.  Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.  □								

Inf. Bit Payload	120			
CRC Addition	120	24 CRC		
Code Block Segmentation	144			
Turbo-Encoding (R=1/3)			432	12 Tail Bits
1st Rate Matching			432	
RV Selection		960		
Physical Channel Segmentation	960			

Figure C.8.19: Coding rate for Fixed reference Channel H-Set 12 (QPSK)

The following 4 sub-tests for HSDPA were completed according to Release 8 procedures in section 5.2 of 3GPP TS34.121. A summary of subtest settings are illustrated below:

Sub-test	βε	βa	βa (SF)	βε/βα	βhs (1)	CM (dB) <sup>(2)</sup>
1	2/15	15/15	64	2/15	4/15	0.0
2	12/15(3).	15/15(3)	64	12/15(3)	24/15	1.0
3	15/15	8/15	64	15/8	30/15	1.5
4	15/15	4/15	64	15/4	30/15	1.5

Note 1:  $\Delta_{ACK}$ ,  $\Delta_{NACK}$  and  $\Delta_{CQI} = 8 \Leftrightarrow A_{hs} = \beta_{hs}/\beta_c = 30/15 \Leftrightarrow \beta_{hs} = 30/15 *\beta_c$ 

Note 2: CM = 1 for  $\beta_c/\beta_d = 12/15$ ,  $\beta_{hs}/\beta_c = 24/15$ .

Note 3: For subtest 2 the β<sub>6</sub>/β<sub>d</sub> ratio of 12/15 for the TFC during the measurement period (TF1, TF0) is achieved by setting the signaled gain factors for the reference TFC (TF1, TF1) to  $\beta_c = 11/15$  and  $\beta_d = 15/15$ .

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 26 of 297

- 10. LTE: LTE modes test according to KDB 941225D05v02r05.
  - a. Per Section 5.2.1, the largest channel bandwidth and measure SAR for QPSK with 1 RB allocation.
  - Using the RB offset and required test channel combination with the highest maximum output power for RB offsets at the upper edge, middle and lower edge of each required test channel.
  - When the reported SAR is ≤ 0.8 W/kg, testing of the remaining RB offset configurations and required test channels is not required for 1 RB allocation; otherwise, SAR is required for the remaining required test channels and only for the RB offset configuration with the highest output power for that channel.
  - When the reported SAR of a required test channel is > 1.45 W/kg, SAR is required for all three RB offset configurations for that required test channel. b. Per Section 5.2.2, the largest channel bandwidth and measure SAR for QPSK with 50% RB allocation
  - The procedures required for 1 RB allocation in 5.2.1 are applied to measure the SAR for QPSK with 50% RB allocation.
  - c. Per Section 5.2.3, the largest channel bandwidth and measure SAR for QPSK with 100% RB allocation
  - For QPSK with 100% RB allocation, SAR is not required when the highest maximum output power for 100 % RB allocation is less than the highest maximum output power in 50% and 1 RB allocations and the highest reported SAR for 1 RB and 50% RB allocation in 5.2.1 and 5.2.2 are ≤ 0.8 W/kg.
  - Otherwise, SAR is measured for the highest output power channel and if the reported SAR is > 1.45 W/kg, the remaining required test channels must also be tested.
  - d. Per Section 5.2.4, Higher order modulations
  - For each modulation besides QPSK; e.g., 16-QAM, 64-QAM, apply the QPSK procedures in sections 5.2.1, 5.2.2 and 5.2.3 to determine the QAM configurations that may need SAR measurement. For each configuration identified as required for testing, SAR is required only when the highest maximum output power for the configuration in the higher order modulation is > ½ dB higher than the same configuration in QPSK or when the reported SAR for the QPSK configuration is > 1.45 W/kg.
  - e. Per Section 5.3, other channel bandwidth standalone SAR test requirements
  - For the other channel bandwidths used by the device in a frequency band, apply all the procedures required for the largest channel bandwidth in section 5.2 to determine the channels and RB configurations that need SAR testing and only

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 隆北무方와마,此茲史廷田萬默剛建之粹모白書,同時世撰史萬是陳四四王。太親史王極太八司東西姓司,太司刘公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 297

measure SAR when the highest maximum output power of a configuration requiring testing in the smaller channel bandwidth is > ½ dB higher than the equivalent channel configurations in the largest channel bandwidth configuration or the reported SAR of a configuration for the largest channel bandwidth is > 1.45 W/kg. The equivalent channel configuration for the RB allocation, RB offset and modulation etc. is determined for the smaller channel bandwidth according to the same number of RB allocated in the largest channel bandwidth.

■ TDD LTE was tested at highest duty factor using UL-DL configuration 0 with 6 UL subframes and 2 special subframes using extended cyclic prefix only and special subframe configuration 6. SAR tests were performed at maximum output power and worst-case transmission duty factor in extended cyclic prefix. Per 3GPP 36.211 Section 4.2, the duty factor for UL-DL configuration 0/special subframe configuration 6 using extended cyclic prefix is 0.633.

According to KDB 941225 D05, SAR testing for TDD LTE must be tested using a fixed periodic duty factor according to the highest transmission duty factor implemented for the device and supported by the defined 3GPP TDD LTE configurations. The TDD-LTE of this device supports frame structure type 2 defined in 3GPP TS 36.211 section 4.2, and the frame structure configuration can be tabulated as below.




Figure 4.2-1: Frame structure type 2 (for 5 ms switch-point periodicity)

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 28 of 297

Table 4.2-1: Configuration of special subframe (lengths of DwPTS/GP/UpPTS)

	· · · · · · · · · · · · · · · · · · ·	No	ormal cyclic prefix in	downlink@	Extended cyclic prefix in downlink				
	Special ubframe	DwPTS.	Upl	els.	DwPTS.	UpPTS:			
~~~	nfiguratio n∂	ę	Normal cyclic prefix↓ in uplink∂	Extended cyclic prefix ↓ in uplink⊮	ę	Normal cyclic prefix in uplink∂	Extended cyclic prefix in uplink⊬		
-	0₽	6592 · <i>T</i> <sub>s</sub> ₽			7680 ⋅ <i>T</i> <sub>s</sub> ↔				
•	1₽	19760∙ <i>T</i> <sub>s</sub> ₽		(1+X)·2560·T <sub>s</sub> \$\varphi\$	20480 · T <sub>s</sub>				
•	2₽	21952·T <sub>s</sub>	$(1+X)\cdot 2192\cdot T_{s}$		23040·T <sub>s</sub>	$(1+X)\cdot 2192\cdot T_s \varphi$	$(1+X)\cdot 2560\cdot T_s$		
•	3₽	24144·T <sub>s</sub>			25600·T <sub>s</sub>				
•	4₽	26336 · T <sub>s</sub>			7680 · T <sub>s</sub> ₽				
-	5₽	6592 · T <sub>s</sub> ₽			20480 · T <sub>s</sub>	$(2+X)\cdot 2192\cdot T_s$	$(2+X)\cdot 2560\cdot T_s$		
-	6₽	19760∙ <i>T</i> <sub>s</sub> ₽	(a. IV) a100 II	(a. X) 2560 T	23040 · T <sub>s</sub>	₽	42		
•	7₽	21952·T <sub>s</sub>	$(2+X)\cdot 2192\cdot T_s$	$(2+X)\cdot 2560\cdot T_{\rm s}$	12800 · $T_{\rm s}$ @				
•	8₽	24144·T <sub>s</sub>			-4	>	<b>-</b> ¢		
-	9₽	13168 · T <sub>s</sub> &				<b>-</b> 0	<b>-</b> 47		

Table 4.2-2: Uplink-downlink configurations

■ Uplink-downlink		Downlink-to-Uplink ⊮	Subframe number⊲									
	configuration <i>₀</i>	Switch-point periodicity⊮	0.	1₽	2₽	3₽	4₽	5₽	6₽	7₽	8₽	9₽
-	0€	5 <u>ms</u> ∍	D₽	S₽	U₽	U₽	U₽	D₽	S₽	U₽	U₽	U₽
•	1₽	5 <u>ms</u> ₂	D₽	S₽	U₽	U₽	D₽	D₽	S₽	U₽	U₽	D₽
•	2₽	5 <u>ms</u> .	D₽	S₽	U₽	D₽	D₽	D₽	S₽	U₽	D₊□	D₽
-	3₊∍	10 <u>ms</u> -	D₽	S₽	U₽	U₽	U₽	₽°	D₽	D₽	D₊∍	D₽
•	4.	10 <u>ms</u> -	D₽	S₽	U₽	U₽	D₽	D₽	D₽	D₽	D₽	D₽
•	5₽	10 <u>ms</u> -	D₽	S₽	U₽	D₽	D₽	D₽	D₽	D₽	D₽	D₽
-	6₽	5 ms.	D₀	S₽	U₽	U₽	U₽	D₽	S₽	U₽	U↩	D₊∍

Considering the highest transmission duty cycle, TDD LTE was tested using Uplink-Downlink configuration 0 with 6 uplink subframe and 2 special subframe. The special subframe was set to special subframe configuration 6 using extended cyclic prefix uplink. Therefore, SAR testing for TDD LTE was measured at the maximum output power with highest transmission duty cycle of 63.33%.

11. LTE downlink CA: The device supports the carrier aggregation in the downlink. All uplink communications are identical to the Release 8 specifications. Uplink maximum output power is measured with downlink carrier aggregation active, only for the channel with highest measured maximum output power when downlink carrier aggregation is inactive, to confirm that when downlink carrier aggregation is active uplink maximum output power remains within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive. The downlink channels selected to perform the uplink power measurement must satisfy 3GPP channel spacing (5.4.1A of 3GPP TS 36.521 or equivalent) and channel bandwidth (5.4.2A) requirements. The nominal channel spacing is determined by [BW1 + BW2 – 0.1\*|BW1 – BW2|]/2 MHz, where BW1 and BW2 are the channel bandwidths of the CC in a 2-CC aggregation configuration. The downlink PCC channel should be paired with the uplink channel

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。木数华土德木公司电荷连可,不可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ laiwan Etu.



Page: 29 of 297

according to normal configurations, as if there is no carrier aggregation. The downlink SCC should be adjacent to the PCC and remain within the downlink transmission band for contiguous intra-band CA. For non-contiguous intra-band CA, the SCC should be selected to provide maximum separation from the PCC and must remain fully within the downlink transmission band. For inter-band CA, the SCC should be near the middle of its transmission band. When downlink carrier aggregation is active uplink maximum output power remain within the specified tune-up tolerance limits and not more than ¼ dB higher than the maximum output power measured when downlink carrier aggregation inactive, so SAR evaluation is not required for downlink carrier aggregation.

- 12.LTE intra-band UL CA (contiguous): The device supports LTE intra-band contiguous UL CA. The maximum output power is measured for each UL CA configuration for the required test channels. UL PCC configuration is determined by the required test channel. SCC and subsequent CCs are added alternatively to either side of the PCC or within the transmission band for channels at the ends of a frequency band. SAR for UL CA is required in highest standalone test position and frequency band combination. Since the maximum output for UL CA is  $\leq$  standalone LTE mode (without CA), PCC is configured according to the highest standalone SAR configuration tested, SCC and subsequent CCs are configured according to procedures used for power measurement and parameters (BW, RB etc.) similar to that used for the PCC.
- 13. WLAN 2.4GHz: 802.11b DSSS SAR Test Requirements: SAR is measured for 2.4 GHz 802.11b DSSS mode using the highest measured maximum output power channel, when the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.
- 14. WLAN 2.4GHz: 802.11g/n OFDM SAR Test Exclusion Requirements: SAR is not required for 802.11g/n since the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤
- 15. WLAN 5GHz: Initial Test Configuration: An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. When the reported SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for the subsequent next highest measured output power channel(s) in the initial test configuration until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. Since the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for subsequent test configuration.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 297

- 16. WLAN 5GHz: Based on FCC guidance, general principles of KDB248227D01 can be applied to 802.11ax to determine initial test configuration with 802.11ax being considered as the highest 802.11 mode for the appropriate frequency band.
- 17. WLAN 6GHz: Per October 2020 & April 2021 TCB Workshop Interim procedures and FCC guidance, start instead with a minimum of 5 test channels across the full band, then adapt and apply conducted power and SAR test reduction procedures of KDB Pub. 248227 v02r02. WIFI 6E SAR is measured by using 6-7GHz parameters per IEC/IEEE62209- 1528:2020 and report also estimated absorbed PD (for reference purposes only, not specifically for compliance). For the highest SAR test configurations also measure incident PD (total) using mmW near-field probe and total-field/power-density reconstruction method.
- 18. WLAN 6GHz: Per equipment manufacturer guidance, power density was measured at d=2mm with the grid step (0.0625  $\lambda$ ) for determining compliance at d=2mm.
- 19. WLAN 6GHz: According to October 2020 TCB Workshop Interim procedures, power density results were scaled according to IEC 62479:2010 for the portion of the measurement uncertainty > 30%. Total expanded uncertainty of 2.67 dB (85%) was used to determine the psPD measurement scaling factor.
- 20. WLAN 6GHz: Per FCC guidance, for simultaneous transmission evaluation, using SAR sum and SPLSR for simultaneous transmit exclusion analyses and evaluations.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 31 of 297

#### 5.3 **Test position**

### Tablet mode SAR test position (0mm)

For full-size tablet, according to KDB 616217 D04, SAR evaluation is required for back surface and edges of the devices. The back surface and edges of the tablet are tested with the tablet touching the phantom. Exposures from antennas through the front surface of the display section of a tablet are generally limited to the user's hands. Exposures to hands for typical consumer transmitters used in tablets are not expected to exceed the extremity SAR limit; therefore, SAR evaluation for the front surface of tablet display screens are generally not necessary. When voice mode is supported on a tablet and it is limited to speaker mode or headset operations only, additional SAR testing for this type of voice use is not required.



**Illustration for Tablet Setup** 

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



5.4 **Test limit** 

# Page: 32 of 297

#### § 2.1093(d)(1)

Applications for equipment authorization of portable RF sources subject to routine environmental evaluation must contain a statement confirming compliance with the limits specified in § 1.1310 as part of their application. Technical information showing the basis for this statement must be submitted to the Commission upon request. The SAR limits specified in § 1.1310(a) through (c) of this chapter shall be used for evaluation of portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1). A minimum separation distance applicable to the operating configurations and exposure conditions of the device shall be used for the evaluation. In general, maximum time-averaged power levels must be used for evaluation. All unlicensed personal communications service (PCS) devices and unlicensed NII devices shall be subject to the limits for general population/uncontrolled exposure.

Radiofrequency radiation exposure limits.

#### § 1.1310(a)

Specific absorption rate (SAR) shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in § 1.1307(b) within the frequency range of 100 kHz to 6 GHz (inclusive).

#### § 1.1310(b)

The SAR limits for occupational/controlled exposure are 0.4 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 8 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit for occupational/controlled exposure is 20 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 6 minutes to determine compliance with occupational/controlled SAR limits.

#### § 1.1310(c)

The SAR limits for general population/uncontrolled exposure are 0.08 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 1.6 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatialaverage SAR limit is 4 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 30 minutes to determine compliance with general population/uncontrolled SAR limits.

# Note to paragraphs (a) through (c):

SAR is a measure of the rate of energy absorption due to exposure to RF electromagnetic energy. These SAR limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized SAR in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN



Page: 33 of 297

recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5, copyright 1986 by NCRP, Bethesda, Maryland 20814. Limits for whole body SAR and peak spatial-average SAR are based on recommendations made in both of these documents. The MPE limits in Table 1 are based generally on criteria published by the NCRP in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3, copyright 1986 by NCRP, Bethesda, Maryland 20814. In the frequency range from 100 MHz to 1500 MHz, these MPE exposure limits for field strength and power density are also generally based on criteria recommended by the ANSI in Section 4.1 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017.

Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1).

According to ANSI/IEEE C95.1-1992, the criteria listed in the following Table shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm2 per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes



Page: 34 of 297

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)					
(i) Limits for Occupational/Controlled Exposure									
0.3-3.0	614	1.63	*(100)	≤6					
3.0-30	1842/f	4.89/f	*(900/f <sup>2</sup> )	<6					
30-300	61.4	0.163	1.0	<6					
300-1,500			f/300	<6					
1,500- 100,000			5	<6					
	(ii) Limits for Genera	l Population/Uncontrolle	d Exposure						
0.3-1.34	614	1.63	*(100)	<30					
1.34-30	824/f	2.19/f	*(180/f <sup>2</sup> )	<30					
30-300	27.5	0.073	0.2	<30					
300-1,500			f/1500	<30					
1,500- 100,000			1.0	<30					

f = frequency in MHz. \* = Plane-wave equivalent power density. Table 1 to § 1.1310(e)(1) - Limits for Maximum Permissible Exposure (MPE)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 35 of 297

### 5.5 Proximity sensor operation description

The P-sensor being used to reduce output power is capacitive in which when the object such as human body, metal or plastic is being approached, the sensing capacitance would be increased with the antenna pad. Once the capacitance is accumulated, and reached over the threshold as set in MCU of the microchip, the interruption signal is pulled low (High state without trigger) and further inform modem module of the transmitter to make power reduction.

### 5.5.1 Proximity sensor measurement procedure

- 1. The proximity sensor is collocated with WWAN antenna.
- 2. Output power is measured, and monitored by using the base station simulator and power sensor/power meter. A RF cables with sufficient length was being attached from the antenna port of the module, and used for the measurement. The appropriate loss attenuated from cable is compensated in the test setup.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

303 lawan Eta.



Page: 36 of 297

#### 5.5.2 Trigger distances for back/top side

# Test procedure:

- 1. The entire back surface or edge of the tablet is positioned below a flat phantom filled with the required tissue equivalent medium and positioned at least 20 mm further than the distance that triggers power reduction.
- 2. The back surface or edge is moved toward the phantom in 3 mm steps until the sensor triggers.
- 3. The back surface or edge is again moved toward the phantom, but in 1 mm steps, until it is at least 5 mm past the triggering point or touching the phantom
- 4. If the tablet is not touching the phantom, it is moved in 3 mm steps until it touches the phantom to confirm that the sensor remains triggered and the maximum power stays reduced.
- 5. The back surface or edge is then moved back (further away) from the phantom until maximum output power is returned to the normal maximum level.
- 6. The process is then reversed by moving the tablet away from the phantom to determine triggering release, until it is at least 10 mm beyond the point that triggers the return of normal maximum power.
- 7. The measured output power within  $\pm$  5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom should be tabulated.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

www.sgs.com.tw



Page: 37 of 297

8. To ensure all production units are compliant, it is generally necessary to reduce the triggering distance determined from the triggering tests by 1 mm, or more if it is necessary, and use the smallest distance for movements to and from the phantom, minus 1 mm, as the sensor triggering distance for determining the SAR measurement distance.

9. For back/top, the trigger distance of proximity sensor is tabulated below.

T	Back	Тор
Trigger distance (mm)	6	11



5.5.3 Tilt angle testing

Report No.: TESA2211000479EN

Page: 38 of 297

# Test procedure:

1. The influence of table tilt angles to proximity sensor triggering is determined by positioning each tablet edge that contains a transmitting antenna, perpendicular to the flat phantom, at the smallest sensor triggering test distance determined in sections 1.6.2 by rotating the tablet around the edge next to the phantom in  $\leq$  10 deg increments until the tablet is +/- 45deg or more from the vertical position at 0 deg.

- 2. If sensor triggering is released and normal maximum output power is restored within the +/- 45deg range, the procedures in step 1) should be repeated by reducing the tablet to phantom separation distance by 1 mm until the proximity sensor no longer releases triggering, and maximum output power remains in the reduced mode.
- 3. The smallest separation distance determined in steps 1) and 2), minus 1 mm, is the sensor triggering distance for tablet tilt coverage. The smallest separation distance determined in sections 1.6.2, 1.6.3 minus 1 mm should be used in the SAR measurements.
- 4. The influence of tablet tilt angles to proximity sensor triggering is determined by positioning top and right sides, please refer to table 1.6.5 and 1.6.6.
- 5. After the tilt angle testing for top edge, the sensor is not released during +/- 45deg, so trigger distance - 1mm should be used in the SAR measurements.



Page: 39 of 297

## 5.5.4 Proximity sensor coverage

The following procedures do not apply and are not required since the antenna and sensor are collocated and the peak SAR location is overlapping with the sensor.

# Test procedure:

- The back surface or edges of the tablet is positioned at a test separation distance less than or equal to the distance required for back surface or edge triggering, with both the antenna and sensor pad located at least 20 mm laterally outside the edge (boundary) of the phantom, along the direction of maximum antenna and sensor offset.
- 2. The similar sequence of steps applied to determine sensor triggering distance in section 1.6.2 are used to verify back surface and edge sensor coverage by moving the tablet (sensor and antenna) horizontally toward the phantom while maintaining the same vertical separation between the back surface or edge and the phantom.
- After the exact location where triggering of power reduction is determined, with respect to the sensor and antenna, the tablet movement should be continued, in 3 mm increments, until both the sensor and antenna(s) are fully under the phantom and at least 20 mm inside the phantom edge.
- The process is then repeated from the other direction, at the opposite end of 4. maximum antenna and sensor offset, by rotating the tablet 180 degrees.




Page: 40 of 297

#### 5.5.5 Results

The measured output power within ± 5 mm of the triggering points, or until the tablet is touching the phantom, for movements to and from the phantom is tabulated in the following.

#### **Back Surface**

Moving device toward the phantom




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 41 of 297

# Moving device away from the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


台灣檢驗科技股份有限公司



Page: 42 of 297

# Top side

# Moving device toward the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 43 of 297

# Moving device away from the phantom



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 44 of 297

Table 5.5 Tilt angle test results for WWAN

P-sensor ON/OFF		-45 deg	-40 deg	-30 deg			0 deg	10 deg		30 deg	40 deg	45 deg	50 deg
11mm	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON	ON

During the tilt angle testing, the sensor is not released, so trigger distance - 1 is used in the SAR measurement.

#### Note:

- 1. The triggering variations and hysteresis effect has been evaluated separately according to the tissue-equivalent medium required for each frequency band, and sensor triggering does not change with different tissue-equivalent media.
- 2. Conducted power is monitored qualitatively to identify the general triggering characteristics and recorded quantitatively, versus spacing.



Page: 45 of 297

# 5.5.6 Operation description for P-sensor

# Power Reduction Design Specification (for P-sensor)

With P-sensor mechanism, the maximum reduced power table in chapter 6 would be the default power when P-sensor failure or malfunction.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 46 of 297

# **MAXIMUM OUTPUT POWER**

#### 6.1 **WCDMA**

### **Down Power**

	Band	\	WCDMA I	I
	TX Channel	9262	9400	9538
Fr	equency (MHz)	1852.4	1880	1907.6
Max. Rated Avg.	Power+Max. Tolerance (dBm)		20.00	
3GPP Rel 99	RMC 12.2Kbps	19.58	19.65	19.79
	HSDPA Subtest-1	18.98	19.04	19.18
3GPP Rel 5	HSDPA Subtest-2	18.96	19.08	19.19
SGPP Rei S	HSDPA Subtest-3	18.50	18.55	18.71
	HSDPA Subtest-4	18.48	18.56	18.71
	HSUPA Subtest-1	18.89	18.97	19.11
	HSUPA Subtest-2	17.83	17.87	18.00
3GPP Rel 6	HSUPA Subtest-3	18.95	18.91	19.00
	HSUPA Subtest-4	17.77	17.84	18.00
	HSUPA Subtest-5	18.97	18.93	19.11
3GPP Rel 7	HSPA+	17.29	17.37	17.50
	DC-HSDPA Subtest-1	18.47	18.45	18.68
2000 Dal 0	DC-HSDPA Subtest-2	18.37	18.50	18.51
3GPP Rel 8	DC-HSDPA Subtest-3	18.51	18.43	18.69
	DC-HSDPA Subtest-4	18.44	18.39	18.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 47 of 297

'	Band	l v	VCDMA I	/		
	TX Channel	1312	1413	1513		
Fr	equency (MHz)	1712.4	1732.6	1752.6		
	Power+Max. Tolerance (dBm)	1712.7	20.50	1702.0		
3GPP Rel 99	RMC 12.2Kbps	20.33	20.35	20.29		
	HSDPA Subtest-1	19.77	19.75	19.71		
00DD D 15	HSDPA Subtest-2	19.78	19.74	19.68		
3GPP Rel 5	HSDPA Subtest-3	19.18	19.27	19.16		
	HSDPA Subtest-4	19.23	19.26	19.18		
	HSUPA Subtest-1	19.68	19.72	19.69		
	HSUPA Subtest-2	18.49	18.50	18.45		
3GPP Rel 6	HSUPA Subtest-3	19.50	19.50	19.48		
	HSUPA Subtest-4	18.49	18.50	18.44		
	HSUPA Subtest-5	19.68	19.66	19.68		
3GPP Rel 7	HSPA+	17.88	18.00	17.87		
	DC-HSDPA Subtest-1	19.49	19.59	19.58		
00DD D-10	DC-HSDPA Subtest-2	19.37	19.47	19.55		
3GPP Rel 8	DC-HSDPA Subtest-3	19.44	19.58	19.50		
	DC-HSDPA Subtest-4	19.32	19.54	19.59		
	Band	1	NCDMA \	/		
	TX Channel	4132	4183 4233			
Fr	equency (MHz)	826.4	836.6 846.			
Max. Rated Avg.	Power+Max. Tolerance (dBm)		21.00			
3GPP Rel 99	RMC 12.2Kbps	20.73	20.83	20.86		
	HSDPA Subtest-1	20.09	20.14	20.15		
3GPP Rel 5	HSDPA Subtest-2	20.02	20.06	20.12		
OOI I IKCI O	HSDPA Subtest-3	19.57	19.54	19.56		
	HSDPA Subtest-4	19.51	19.59	19.61		
	HSUPA Subtest-1	19.99	20.03	20.08		
	HSUPA Subtest-2	18.82	18.91	19.00		
3GPP Rel 6	HSUPA Subtest-3	19.90	19.98	20.00		
	HSUPA Subtest-4	18.77	18.99	19.00		
			20.01	20.07		
	HSUPA Subtest-5	20.01	20.01			
3GPP Rel 7	HSUPA Subtest-5 HSPA+	18.38	18.46	18.50		
3GPP Rel 7						
	HSPA+	18.38	18.46	18.50		
3GPP Rel 7 3GPP Rel 8	HSPA+ DC-HSDPA Subtest-1	18.38 19.35	18.46 19.53	18.50 19.64		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 48 of 297

## **Full Power**

	Band	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	WCDMA I	1
	TX Channel	9262	9400	9538
Fr	equency (MHz)	1852.4	1880	1907.6
Max. Rated Avg.	Power+Max. Tolerance (dBm)		24.00	
3GPP Rel 99	RMC 12.2Kbps	23.11	23.17	23.31
	HSDPA Subtest-1	22.92	22.92	23.08
3GPP Rel 5	HSDPA Subtest-2	22.85	23.03	23.25
SGPP Rei S	HSDPA Subtest-3	22.55	22.51	22.71
	HSDPA Subtest-4	22.43	22.60	22.67
	HSUPA Subtest-1	23.01	22.93	23.12
	HSUPA Subtest-2	20.94	21.03	21.20
3GPP Rel 6	HSUPA Subtest-3	21.83	22.08	22.07
	HSUPA Subtest-4	20.92	20.94	21.17
	HSUPA Subtest-5	22.87	22.97	23.14
3GPP Rel 7	HSPA+	20.42	20.50	20.66
	DC-HSDPA Subtest-1	22.91	22.98	23.11
	DC-HSDPA Subtest-2	22.99	23.00	23.22
3GPP Rel 8	DC-HSDPA Subtest-3	22.56	22.61	22.59
	DC-HSDPA Subtest-4	22.44	22.51	22.61
	Band		VCDMA I	
	TX Channel	1312	1413	1513
Fr	equency (MHz)	1712.4	1732.6	1752.6
Max. Rated Avg.	Power+Max. Tolerance (dBm)		24.00	
3GPP Rel 99	RMC 12.2Kbps	23.31	23.29	23.33
	HSDPA Subtest-1	23.21	23.03	23.11
3GPP Rel 5	HSDPA Subtest-2	23.15	23.08	23.11
JOH I NEI J	HSDPA Subtest-3	22.75	22.59	22.64
	HSDPA Subtest-4	22.73	22.58	22.55
	HSUPA Subtest-1	23.14	23.07	23.18
	HSUPA Subtest-2	21.10	21.18	21.04
3GPP Rel 6				
3GPP Rel 6	HSUPA Subtest-3	22.06	22.05	22.23
3GPP Rel 6	HSUPA Subtest-3 HSUPA Subtest-4	22.06 21.15	21.21	21.24
3GPP Rel 6	HSUPA Subtest-3	22.06		
3GPP Rel 6 3GPP Rel 7	HSUPA Subtest-3 HSUPA Subtest-4	22.06 21.15	21.21	21.24
	HSUPA Subtest-3 HSUPA Subtest-4 HSUPA Subtest-5 HSPA+ DC-HSDPA Subtest-1	22.06 21.15 23.14	21.21 23.15	21.24 23.20
3GPP Rel 7	HSUPA Subtest-3 HSUPA Subtest-4 HSUPA Subtest-5 HSPA+	22.06 21.15 23.14 20.57	21.21 23.15 20.60	21.24 23.20 20.65
	HSUPA Subtest-3 HSUPA Subtest-4 HSUPA Subtest-5 HSPA+ DC-HSDPA Subtest-1	22.06 21.15 23.14 20.57 23.14	21.21 23.15 20.60 23.06	21.24 23.20 20.65 23.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 49 of 297

	Band	\	NCDMA \	/	
	TX Channel	4132	4183	4233	
Fr	Frequency (MHz)				
Max. Rated Avg.	Power+Max. Tolerance (dBm)		24.30		
3GPP Rel 99	RMC 12.2Kbps	23.43	23.57	23.61	
	HSDPA Subtest-1	23.33	23.31	23.39	
3GPP Rel 5	HSDPA Subtest-2	23.27	23.36	23.39	
JOFF Ner J	HSDPA Subtest-3	22.87	22.87	22.92	
	HSDPA Subtest-4	22.85	22.86	22.83	
	HSUPA Subtest-1	23.26	23.35	23.46	
	HSUPA Subtest-2	21.22	21.46	21.32	
3GPP Rel 6	HSUPA Subtest-3	22.18	22.33	22.51	
	HSUPA Subtest-4	21.27	21.49	21.52	
	HSUPA Subtest-5	23.26	23.43	23.48	
3GPP Rel 7	HSPA+	20.69	20.88	20.93	
	DC-HSDPA Subtest-1	23.26	23.34	23.50	
3GPP Rel 8	DC-HSDPA Subtest-2	23.27	23.40	23.36	
SGFF Rei o	DC-HSDPA Subtest-3	22.83	22.92	23.01	
	DC-HSDPA Subtest-4	22.87	22.82	22.88	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 50 of 297

#### 6.2 **FDD LTE**

### Down Power

Down Pov	ver							
			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1860	1880	1900	Max. Tolerance	Allowed per
	Char		18700	18900	19100	(dBm)	3GPP(dB)	
		1	0	19.31	19.55	19.72	20.00	0
		1	50	19.22	19.43	19.55	20.00	0
		1	99	19.18	19.40	19.43	20.00	0
20	QPSK	50	0	19.23	19.53	19.59	20.00	0
		50	25	19.17	19.38	19.52	20.00	0
		50	50	19.11	19.37	19.56	20.00	0
		100	0	19.22	19.50	19.62	20.00	0
		1	0	19.09	19.47	19.67	20.00	0
		1	50	19.14	19.29	19.52	20.00	0
		1	99	19.07	19.34	19.69	20.00	0
20	16-QAM	50	0	19.19	19.48	19.64	20.00	0
		50	25	19.02	19.50	19.45	20.00	0
		50	50	19.05	19.40	19.51	20.00	0
		100	0	19.11	19.34	19.56	20.00	0
		1	0	19.07	19.36	19.55	20.00	0
		1	50	19.13	19.48	19.60	20.00	0
		1	99	19.16	19.49	19.54	20.00	0
20	64-QAM	50	0	19.12	19.41	19.56	20.00	0
		50	25	19.14	19.37	19.52	20.00	0
		50	50	19.15	19.33	19.67	20.00	0
		100	0	19.09	19.40	19.52	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1857.5	1880	1902.5	Power + Max. Tolerance	Allowed per
	Char	18675	18900	19125	(dBm)	3GPP(dB)		
		1	0	19.11	19.45	19.50	20.00	0
		1	36	19.17	19.50	19.62	20.00	0
		1	74	19.25	19.33	19.50	20.00	0
15	QPSK	36	0	19.09	19.41	19.52	20.00	0
		36	18	19.16	19.32	19.61	20.00	0
		36	37	19.15	19.43	19.55	20.00	0
		75	0	19.07	19.49	19.60	20.00	0
		1	0	19.25	19.25	19.56	20.00	0
		1	36	19.13	19.48	19.59	20.00	0
		1	74	19.06	19.37	19.50	20.00	0
15	16-QAM	36	0	19.10	19.39	19.58	20.00	0
		36	18	19.20	19.31	19.62	20.00	0
		36	37	19.22	19.49	19.60	20.00	0
		75	0	19.27	19.37	19.63	20.00	0
		1	0	19.05	19.42	19.62	20.00	0
		1	36	19.25	19.40	19.61	20.00	0
		1	74	19.13	19.42	19.56	20.00	0
15	64-QAM	36	0	19.10	19.38	19.57	20.00	0
		36	18	19.15	19.47	19.54	20.00	0
		36	37	19.21	19.48	19.66	20.00	0
		75	0	19.09	19.44	19.56	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 52 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1855	1880	1905	Power + Max. Tolerance	Allowed per
	Char	nnel		18650	18900	19150	(dBm)	3GPP(dB)
		1	0	19.21	19.35	19.55	20.00	0
		1	25	19.21	19.36	19.63	20.00	0
		1	49	19.09	19.40	19.59	20.00	0
10	QPSK	25	0	19.18	19.38	19.60	20.00	0
		25	12	19.15	19.34	19.54	20.00	0
		25	25	19.15	19.47	19.58	20.00	0
		50	0	19.21	19.41	19.63	20.00	0
		1	0	19.21	19.30	19.53	20.00	0
		1	25	19.23	19.29	19.61	20.00	0
		1	49	19.11	19.50	19.52	20.00	0
10	16-QAM	25	0	19.18	19.43	19.58	20.00	0
		25	12	19.22	19.38	19.44	20.00	0
		25	25	19.23	19.38	19.69	20.00	0
		50	0	19.17	19.26	19.61	20.00	0
		1	0	19.07	19.42	19.47	20.00	0
		1	25	19.09	19.35	19.53	20.00	0
		1	49	19.05	19.39	19.57	20.00	0
10	64-QAM	25	0	19.23	19.40	19.51	20.00	0
		25	12	19.19	19.42	19.58	20.00	0
		25	25	19.18	19.28	19.51	20.00	0
		50	0	19.26	19.40	19.59	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 53 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1852.5	1880	1907.5	Max. Tolerance	Allowed per
	Char	nnel		18625	18900	19175	(dBm)	3GPP(dB)
		1	0	19.17	19.35	19.62	20.00	0
		1	12	19.05	19.31	19.66	20.00	0
		1	24	19.13	19.43	19.54	20.00	0
5	QPSK	12	0	19.13	19.28	19.47	20.00	0
		12	6	19.26	19.37	19.53	20.00	0
		12	13	19.11	19.41	19.60	20.00	0
		25	0	19.03	19.40	19.57	20.00	0
		1	0	19.12	19.49	19.62	20.00	0
		1	12	19.16	19.42	19.54	20.00	0
		1	24	19.08	19.30	19.63	20.00	0
5	16-QAM	12	0	19.14	19.34	19.64	20.00	0
		12	6	19.15	19.34	19.50	20.00	0
		12	13	19.06	19.37	19.56	20.00	0
		25	0	19.18	19.38	19.57	20.00	0
		1	0	19.21	19.41	19.54	20.00	0
		1	12	19.18	19.29	19.53	20.00	0
		1	24	19.09	19.30	19.47	20.00	0
5	64-QAM	12	0	19.18	19.34	19.64	20.00	0
		12	6	19.22	19.41	19.56	20.00	0
		12	13	19.22	19.37	19.50	20.00	0
		25	0	19.07	19.34	19.68	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 54 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1851.5	1880	1908.5	Max. Tolerance	Allowed per
	Char	nnel		18615	18900	19185	(dBm)	3GPP(dB)
		1	0	19.20	19.49	19.51	20.00	0
		1	7	19.21	19.25	19.46	20.00	0
		1	14	19.05	19.47	19.62	20.00	0
3	QPSK	8	0	19.12	19.44	19.57	20.00	0
		8	4	19.16	19.42	19.60	20.00	0
		8	7	19.22	19.40	19.68	20.00	0
		15	0	19.08	19.46	19.50	20.00	0
		1	0	19.27	19.48	19.68	20.00	0
		1	7	19.22	19.31	19.47	20.00	0
		1	14	19.10	19.29	19.61	20.00	0
3	16-QAM	8	0	19.11	19.29	19.69	20.00	0
		8	4	19.09	19.37	19.57	20.00	0
		8	7	19.14	19.37	19.56	20.00	0
		15	0	19.17	19.29	19.59	20.00	0
		1	0	19.16	19.42	19.56	20.00	0
		1	7	19.15	19.52	19.50	20.00	0
		1	14	19.20	19.46	19.58	20.00	0
3	64-QAM	8	0	19.10	19.39	19.51	20.00	0
		8	4	19.13	19.41	19.47	20.00	0
		8	7	19.18	19.45	19.56	20.00	0
		15	0	19.16	19.39	19.52	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 55 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1850.7	1880	1909.3	Power + Max. Tolerance	Allowed per
	Char	nnel		18607	18900	19193	(dBm)	3GPP(dB)
		1	0	19.16	19.51	19.60	20.00	0
		1	2	19.11	19.37	19.65	20.00	0
		1	5	19.14	19.33	19.48	20.00	0
1.4	QPSK	3	0	19.09	19.37	19.67	20.00	0
		3	2	19.15	19.37	19.59	20.00	0
		3	3	19.22	19.36	19.55	20.00	0
		6	0	19.22	19.33	19.64	20.00	0
		1	0	19.27	19.41	19.55	20.00	0
		1	2	19.25	19.45	19.55	20.00	0
		1	5	19.17	19.37	19.45	20.00	0
1.4	16-QAM	3	0	19.11	19.30	19.60	20.00	0
		3	2	19.21	19.43	19.60	20.00	0
		3	3	19.19	19.39	19.51	20.00	0
		6	0	19.17	19.39	19.59	20.00	0
		1	0	19.04	19.28	19.59	20.00	0
		1	2	19.18	19.37	19.56	20.00	0
		1	5	19.21	19.45	19.53	20.00	0
1.4	64-QAM	3	0	19.09	19.47	19.46	20.00	0
		3	2	19.18	19.41	19.50	20.00	0
		3	3	19.17	19.29	19.68	20.00	0
		6	0	19.26	19.40	19.59	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 56 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1720	1732.5	1745	Max. Tolerance	Allowed per
	Channel				20175	20300	(dBm)	3GPP(dB)
	1 0				20.47	20.41	20.50	0
		1	50	20.36	20.30	20.23	20.50	0
		1	99	20.32	20.35	20.16	20.50	0
20	QPSK	50	0	20.34	20.38	20.27	20.50	0
		50	25	20.30	20.22	20.22	20.50	0
		50	50	20.31	20.27	20.25	20.50	0
		100	0	20.25	20.27	20.28	20.50	0
		1	0	20.37	20.32	20.18	20.50	0
		1	50	20.28	20.33	20.27	20.50	0
		1	99	20.26	20.38	20.22	20.50	0
20	16-QAM	50	0	20.28	20.33	20.28	20.50	0
		50	25	20.23	20.29	20.21	20.50	0
		50	50	20.32	20.31	20.37	20.50	0
		100	0	20.32	20.26	20.20	20.50	0
		1	0	20.25	20.20	20.22	20.50	0
		1	50	20.43	20.22	20.28	20.50	0
		1	99	20.38	20.34	20.36	20.50	0
20	64-QAM	50	0	20.38	20.24	20.15	20.50	0
		50	25	20.26	20.36	20.25	20.50	0
		50	50	20.32	20.19	20.14	20.50	0
		100	0	20.43	20.36	20.34	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 57 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequency (MHz)			1717.5	1732.5	1747.5	Max. Tolerance	Allowed per
	Channel			20025	20175	20325	(dBm)	3GPP(dB)
1 0				20.33	20.34	20.18	20.50	0
		1	36	20.31	20.36	20.28	20.50	0
		1	74	20.30	20.43	20.18	20.50	0
15	QPSK	36	0	20.27	20.27	20.21	20.50	0
		36	18	20.36	20.39	20.17	20.50	0
		36	37	20.27	20.30	20.21	20.50	0
		75	0	20.38	20.31	20.24	20.50	0
		1	0	20.26	20.21	20.25	20.50	0
		1	36	20.40	20.38	20.13	20.50	0
		1	74	20.35	20.22	20.34	20.50	0
15	16-QAM	36	0	20.31	20.20	20.30	20.50	0
		36	18	20.26	20.30	20.14	20.50	0
		36	37	20.28	20.35	20.29	20.50	0
		75	0	20.43	20.33	20.34	20.50	0
		1	0	20.27	20.31	20.35	20.50	0
		1	36	20.45	20.37	20.17	20.50	0
		1	74	20.35	20.28	20.11	20.50	0
15	64-QAM	36	0	20.29	20.28	20.24	20.50	0
		36	18	20.37	20.20	20.21	20.50	0
		36	37	20.22	20.37	20.36	20.50	0
		75	0	20.34	20.38	20.30	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 58 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1715	1732.5	1750	Max. Tolerance	Allowed per
	Channel				20175	20350	(dBm)	3GPP(dB)
1 0				20.26	20.34	20.26	20.50	0
		1	25	20.28	20.23	20.16	20.50	0
		1	49	20.35	20.40	20.32	20.50	0
10	QPSK	25	0	20.33	20.27	20.16	20.50	0
		25	12	20.36	20.35	20.25	20.50	0
		25	25	20.32	20.27	20.32	20.50	0
		50	0	20.32	20.29	20.26	20.50	0
		1	0	20.32	20.28	20.32	20.50	0
		1	25	20.29	20.26	20.20	20.50	0
		1	49	20.41	20.32	20.31	20.50	0
10	16-QAM	25	0	20.30	20.32	20.26	20.50	0
		25	12	20.39	20.29	20.29	20.50	0
		25	25	20.28	20.26	20.33	20.50	0
		50	0	20.43	20.42	20.25	20.50	0
		1	0	20.32	20.38	20.34	20.50	0
		1	25	20.39	20.37	20.25	20.50	0
		1	49	20.34	20.21	20.13	20.50	0
10	64-QAM	25	0	20.44	20.35	20.31	20.50	0
	Ī	25	12	20.32	20.17	20.28	20.50	0
		25	25	20.42	20.33	20.25	20.50	0
		50	0	20.32	20.20	20.31	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 59 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1712.5	1732.5	1752.5	Max. Tolerance	Allowed per
	Channel				20175	20375	(dBm)	3GPP(dB)
		0	20.34	20.32	20.25	20.50	0	
		1	12	20.31	20.41	20.21	20.50	0
		1	24	20.41	20.38	20.26	20.50	0
5	QPSK	12	0	20.32	20.28	20.27	20.50	0
		12	6	20.45	20.21	20.21	20.50	0
		12	13	20.27	20.32	20.19	20.50	0
		25	0	20.37	20.43	20.36	20.50	0
		1	0	20.41	20.31	20.34	20.50	0
		1	12	20.36	20.26	20.32	20.50	0
		1	24	20.22	20.28	20.20	20.50	0
5	16-QAM	12	0	20.37	20.37	20.27	20.50	0
		12	6	20.43	20.40	20.35	20.50	0
		12	13	20.29	20.32	20.26	20.50	0
		25	0	20.35	20.41	20.23	20.50	0
		1	0	20.39	20.28	20.39	20.50	0
		1	12	20.39	20.21	20.25	20.50	0
		1	24	20.38	20.42	20.27	20.50	0
5	64-QAM	12	0	20.24	20.24	20.15	20.50	0
		12	6	20.45	20.31	20.19	20.50	0
		12	13	20.32	20.30	20.26	20.50	0
		25	0	20.34	20.36	20.27	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 60 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1711.5	1732.5	1753.5	Max. Tolerance	Allowed per
	Channel				20175	20385	(dBm)	3GPP(dB)
		0	20.21	20.27	20.21	20.50	0	
		1	7	20.22	20.40	20.25	20.50	0
		1	14	20.36	20.35	20.32	20.50	0
3	QPSK	8	0	20.22	20.31	20.19	20.50	0
		8	4	20.24	20.20	20.31	20.50	0
		8	7	20.41	20.28	20.22	20.50	0
		15	0	20.40	20.38	20.22	20.50	0
		1	0	20.37	20.26	20.17	20.50	0
		1	7	20.32	20.36	20.35	20.50	0
		1	14	20.29	20.20	20.27	20.50	0
3	16-QAM	8	0	20.41	20.32	20.24	20.50	0
		8	4	20.31	20.39	20.26	20.50	0
		8	7	20.37	20.25	20.25	20.50	0
		15	0	20.40	20.36	20.27	20.50	0
		1	0	20.28	20.28	20.37	20.50	0
		1	7	20.44	20.35	20.20	20.50	0
		1	14	20.21	20.44	20.30	20.50	0
3	64-QAM	8	0	20.30	20.25	20.14	20.50	0
		8	4	20.38	20.32	20.23	20.50	0
		8	7	20.37	20.29	20.21	20.50	0
		15	0	20.33	20.26	20.26	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 61 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target	MPR
	Frequency (MHz)			1710.7	1732.5	1754.3	Power + Max. Tolerance	Allowed per
	Channel			19957	20175	20393	(dBm)	3GPP(dB)
	1 0				20.32	20.24	20.50	0
		1	2	20.46	20.29	20.26	20.50	0
		1	5	20.38	20.37	20.27	20.50	0
1.4	QPSK	3	0	20.41	20.30	20.23	20.50	0
		3	2	20.45	20.37	20.20	20.50	0
		3	3	20.39	20.31	20.30	20.50	0
		6	0	20.27	20.33	20.25	20.50	0
		1	0	20.24	20.36	20.21	20.50	0
		1	2	20.34	20.26	20.31	20.50	0
		1	5	20.38	20.34	20.29	20.50	0
1.4	16-QAM	3	0	20.32	20.30	20.19	20.50	0
		3	2	20.23	20.27	20.21	20.50	0
		3	3	20.32	20.27	20.25	20.50	0
		6	0	20.33	20.38	20.27	20.50	0
		1	0	20.40	20.25	20.30	20.50	0
		1	2	20.29	20.31	20.29	20.50	0
		1	5	20.39	20.35	20.34	20.50	0
1.4	64-QAM	3	0	20.28	20.34	20.26	20.50	0
		3	2	20.39	20.18	20.32	20.50	0
		3	3	20.34	20.37	20.17	20.50	0
		6	0	20.42	20.29	20.26	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		829	836.5	844	Max. Tolerance	Allowed per
	Channel			20450	20525	20600	(dBm)	3GPP(dB)
1 0				20.66	20.77	20.83	21.00	0
		1	25	20.48	20.53	20.72	21.00	0
		1	49	20.47	20.62	20.66	21.00	0
10	QPSK	25	0	20.57	20.60	20.72	21.00	0
		25	12	20.55	20.58	20.65	21.00	0
		25	25	20.53	20.55	20.66	21.00	0
		50	0	20.53	20.72	20.75	21.00	0
		1	0	20.50	20.56	20.74	21.00	0
		1	25	20.51	20.68	20.74	21.00	0
		1	49	20.45	20.64	20.62	21.00	0
10	16-QAM	25	0	20.42	20.54	20.64	21.00	0
		25	12	20.49	20.62	20.75	21.00	0
		25	25	20.56	20.56	20.64	21.00	0
		50	0	20.54	20.70	20.62	21.00	0
		1	0	20.51	20.65	20.65	21.00	0
		1	25	20.43	20.64	20.69	21.00	0
		1	49	20.62	20.69	20.74	21.00	0
10	64-QAM	25	0	20.47	20.61	20.61	21.00	0
		25	12	20.50	20.66	20.81	21.00	0
		25	25	20.54	20.55	20.67	21.00	0
		50	0	20.58	20.61	20.76	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 63 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target	MPR
	Frequency (MHz)			826.5	836.5	846.5	Power + Max. Tolerance	Allowed per
	Channel			20425	20525	20625	(dBm)	3GPP(dB)
1 0				20.47	20.56	20.67	21.00	0
		1	12	20.40	20.65	20.60	21.00	0
		1	24	20.51	20.61	20.64	21.00	0
5	QPSK	12	0	20.58	20.60	20.75	21.00	0
		12	6	20.55	20.56	20.65	21.00	0
		12	13	20.60	20.67	20.63	21.00	0
		25	0	20.43	20.59	20.57	21.00	0
		1	0	20.41	20.51	20.75	21.00	0
		1	12	20.46	20.64	20.63	21.00	0
		1	24	20.50	20.58	20.59	21.00	0
5	16-QAM	12	0	20.45	20.60	20.67	21.00	0
		12	6	20.63	20.61	20.66	21.00	0
		12	13	20.53	20.56	20.75	21.00	0
		25	0	20.52	20.55	20.69	21.00	0
		1	0	20.55	20.58	20.71	21.00	0
		1	12	20.59	20.65	20.63	21.00	0
		1	24	20.56	20.65	20.64	21.00	0
5	64-QAM	12	0	20.54	20.60	20.68	21.00	0
		12	6	20.48	20.66	20.69	21.00	0
		12	13	20.56	20.64	20.74	21.00	0
		25	0	20.60	20.59	20.72	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 64 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		825.5	836.5	847.5	Max. Tolerance	Allowed per
	Channel				20525	20635	(dBm)	3GPP(dB)
		1	0	20.47	20.57	20.53	21.00	0
		1	7	20.37	20.73	20.65	21.00	0
		1	14	20.46	20.58	20.80	21.00	0
3	QPSK	8	0	20.42	20.56	20.60	21.00	0
		8	4	20.49	20.58	20.62	21.00	0
		8	7	20.49	20.66	20.60	21.00	0
		15	0	20.39	20.55	20.58	21.00	0
		1	0	20.37	20.58	20.58	21.00	0
		1	7	20.45	20.61	20.72	21.00	0
		1	14	20.58	20.56	20.69	21.00	0
3	16-QAM	8	0	20.49	20.61	20.62	21.00	0
		8	4	20.46	20.61	20.63	21.00	0
		8	7	20.63	20.63	20.62	21.00	0
		15	0	20.59	20.59	20.69	21.00	0
		1	0	20.64	20.68	20.70	21.00	0
		1	7	20.47	20.61	20.68	21.00	0
		1	14	20.64	20.65	20.61	21.00	0
3	64-QAM	8	0	20.61	20.58	20.67	21.00	0
		8	4	20.62	20.60	20.61	21.00	0
		8	7	20.48	20.61	20.65	21.00	0
		15	0	20.64	20.69	20.57	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 65 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		824.7	836.5	848.3	Max. Tolerance	Allowed per
	Channel				20525	20643	(dBm)	3GPP(dB)
		1	0	20.46	20.61	20.63	21.00	0
		1	2	20.57	20.64	20.69	21.00	0
		1	5	20.51	20.65	20.63	21.00	0
1.4	QPSK	3	0	20.39	20.53	20.59	21.00	0
		3	2	20.53	20.58	20.65	21.00	0
		3	3	20.61	20.63	20.65	21.00	0
		6	0	20.44	20.61	20.72	21.00	0
		1	0	20.58	20.55	20.67	21.00	0
		1	2	20.48	20.52	20.66	21.00	0
		1	5	20.57	20.58	20.59	21.00	0
1.4	16-QAM	3	0	20.57	20.64	20.73	21.00	0
		3	2	20.52	20.51	20.67	21.00	0
		3	3	20.40	20.60	20.70	21.00	0
		6	0	20.58	20.60	20.58	21.00	0
		1	0	20.38	20.56	20.60	21.00	0
		1	2	20.41	20.63	20.63	21.00	0
		1	5	20.44	20.60	20.61	21.00	0
1.4	64-QAM	3	0	20.50	20.68	20.76	21.00	0
		3	2	20.50	20.69	20.59	21.00	0
		3	3	20.46	20.58	20.79	21.00	0
		6	0	20.40	20.57	20.75	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 66 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2510	2535	2560	Max. Tolerance	Allowed per
	Channel			20850	21100	21350	(dBm)	3GPP(dB)
1 0				19.48	19.41	19.49	19.50	0
		1	50	19.26	19.13	19.29	19.50	0
		1	99	19.18	19.35	19.36	19.50	0
20	QPSK	50	0	19.33	19.31	19.28	19.50	0
		50	25	19.26	19.30	19.29	19.50	0
		50	50	19.31	19.26	19.21	19.50	0
		100	0	19.33	19.25	19.29	19.50	0
		1	0	19.37	19.21	19.35	19.50	0
		1	50	19.33	19.16	19.41	19.50	0
		1	99	19.25	19.29	19.23	19.50	0
20	16-QAM	50	0	19.28	19.26	19.40	19.50	0
		50	25	19.35	19.16	19.27	19.50	0
		50	50	19.41	19.31	19.29	19.50	0
		100	0	19.42	19.29	19.31	19.50	0
		1	0	19.36	19.28	19.33	19.50	0
		1	50	19.43	19.23	19.30	19.50	0
		1	99	19.24	19.29	19.35	19.50	0
20	64-QAM	50	0	19.35	19.38	19.42	19.50	0
		50	25	19.32	19.25	19.32	19.50	0
		50	50	19.33	19.19	19.23	19.50	0
		100	0	19.36	19.15	19.29	19.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 67 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2507.5	2535	2562.5	Max. Tolerance	Allowed per
	Channel				21100	21375	(dBm)	3GPP(dB)
	1 0				19.20	19.21	19.50	0
	1	36	19.31	19.33	19.27	19.50	0	
		1	74	19.24	19.30	19.37	19.50	0
15	QPSK	36	0	19.32	19.16	19.27	19.50	0
		36	18	19.35	19.18	19.33	19.50	0
		36	37	19.24	19.31	19.34	19.50	0
		75	0	19.28	19.35	19.21	19.50	0
		1	0	19.35	19.18	19.24	19.50	0
		1	36	19.33	19.25	19.34	19.50	0
		1	74	19.30	19.23	19.41	19.50	0
15	16-QAM	36	0	19.39	19.26	19.31	19.50	0
		36	18	19.32	19.29	19.37	19.50	0
		36	37	19.30	19.24	19.37	19.50	0
		75	0	19.28	19.31	19.41	19.50	0
		1	0	19.24	19.21	19.32	19.50	0
		1	36	19.34	19.20	19.39	19.50	0
		1	74	19.30	19.37	19.34	19.50	0
15	64-QAM	36	0	19.19	19.29	19.28	19.50	0
	ļ	36	18	19.44	19.14	19.22	19.50	0
		36	37	19.33	19.20	19.35	19.50	0
		75	0	19.35	19.19	19.37	19.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 68 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	2505	2535	2565	Max. Tolerance	Allowed per		
Channel				20800	21100	21400	(dBm)	3GPP(dB)
		1	0	19.31	19.27	19.40	19.50	0
		1	25	19.39	19.23	19.33	19.50	0
		1	49	19.31	19.32	19.23	19.50	0
10	QPSK	25	0	19.26	19.29	19.39	19.50	0
		25	12	19.39	19.27	19.35	19.50	0
		25	25	19.28	19.29	19.30	19.50	0
		50	0	19.22	19.25	19.38	19.50	0
	16-QAM	1	0	19.33	19.38	19.38	19.50	0
		1	25	19.35	19.23	19.20	19.50	0
		1	49	19.25	19.18	19.44	19.50	0
10		25	0	19.28	19.25	19.30	19.50	0
		25	12	19.35	19.26	19.41	19.50	0
		25	25	19.40	19.19	19.38	19.50	0
		50	0	19.46	19.33	19.28	19.50	0
	64-QAM	1	0	19.39	19.26	19.28	19.50	0
		1	25	19.40	19.17	19.34	19.50	0
		1	49	19.42	19.25	19.44	19.50	0
10		25	0	19.40	19.29	19.23	19.50	0
		25	12	19.32	19.22	19.39	19.50	0
		25	25	19.26	19.27	19.32	19.50	0
		50	0	19.24	19.34	19.24	19.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 69 of 297

LTE Band 7										
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	Target Power +	MPR			
	Frequenc	2502.5	2535	2567.5	Max. Tolerance	Allowed per				
Channel				20775	21100	21425	(dBm)	3GPP(dB)		
		1	0	19.28	19.28	19.25	19.50	0		
		1	12	19.29	19.31	19.40	19.50	0		
		1	24	19.32	19.21	19.35	19.50	0		
5	QPSK	12	0	19.27	19.23	19.33	19.50	0		
		12	6	19.29	19.15	19.31	19.50	0		
		12	13	19.30	19.18	19.34	19.50	0		
		25	0	19.38	19.36	19.35	19.50	0		
	16-QAM	1	0	19.34	19.24	19.30	19.50	0		
		1	12	19.33	19.18	19.33	19.50	0		
		1	24	19.31	19.13	19.29	19.50	0		
5		12	0	19.26	19.27	19.43	19.50	0		
		12	6	19.37	19.27	19.29	19.50	0		
		12	13	19.34	19.33	19.26	19.50	0		
		25	0	19.28	19.33	19.40	19.50	0		
	64-QAM	1	0	19.34	19.26	19.33	19.50	0		
		1	12	19.34	19.24	19.46	19.50	0		
		1	24	19.42	19.29	19.33	19.50	0		
5		12	0	19.36	19.29	19.42	19.50	0		
		12	6	19.28	19.17	19.27	19.50	0		
		12	13	19.36	19.27	19.31	19.50	0		
		25	0	19.28	19.21	19.34	19.50	0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 70 of 297

			LTE E	and 14			
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)	Target	MPR	
Frequency (MHz)			793	Power + Max. Tolerance	Allowed per 3GPP(dB)		
Channel				23330		(dBm)	
		1	0	21.88	22.00	0	
		1	25	21.73	22.00	0	
	QPSK	1	49	21.75	22.00	0	
10		25	0	21.77	22.00	0	
		25	12	21.69	22.00	0	
		25	25	21.65	22.00	0	
		50	0	21.70	22.00	0	
	16-QAM	1	0	21.58	22.00	0	
		1	25	21.70	22.00	0	
		1	49	21.77	22.00	0	
10		25	0	21.80	22.00	0	
		25 12 21.65		22.00	0		
		25 25 21.72		21.72	22.00	0	
		50	0	21.78	22.00	0	
	64-QAM	1		0	21.72	22.00	0
		1	25	21.65	22.00	0	
		1	49	21.69	22.00	0	
10		25	0	21.59	22.00	0	
		25	12	21.76	22.00	0	
		25	25	21.71	22.00	0	
		50	0	21.73	22.00	0	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 71 of 297

			LTE	Band 14				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	790.5	793	795.5	Max. Tolerance	Allowed per		
Channel				23305	23330	23355	(dBm)	3GPP(dB)
		1	0	21.62	21.60	21.71	22.00	0
		1	12	21.70	21.70	21.64	22.00	0
		1	24	21.86	21.67	21.66	22.00	0
5	QPSK	12	0	21.59	21.71	21.69	22.00	0
		12	6	21.77	21.71	21.62	22.00	0
		12	13	21.64	21.80	21.59	22.00	0
		25	0	21.77	21.69	21.55	22.00	0
	16-QAM	1	0	21.73	21.66	21.63	22.00	0
		1	12	21.72	21.69	21.72	22.00	0
		1	24	21.83	21.78	21.58	22.00	0
5		12	0	21.80	21.79	21.69	22.00	0
		12	6	21.80	21.57	21.73	22.00	0
		12	13	21.73	21.70	21.67	22.00	0
		25	0	21.72	21.75	21.67	22.00	0
	64-QAM	1	0	21.62	21.76	21.71	22.00	0
		1	12	21.59	21.69	21.60	22.00	0
		1	24	21.71	21.66	21.66	22.00	0
5		12	0	21.58	21.60	21.67	22.00	0
		12	6	21.73	21.73	21.60	22.00	0
		12	13	21.71	21.67	21.53	22.00	0
		25	0	21.65	21.72	21.64	22.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 72 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	1860	1882.5	1905	Max. Tolerance	Allowed per		
Channel				26140	26365	26590	(dBm)	3GPP(dB)
		1	0	19.61	19.66	19.86	20.00	0
		1	50	19.40	19.41	19.60	20.00	0
		1	99	19.54	19.44	19.70	20.00	0
20	QPSK	50	0	19.60	19.66	19.79	20.00	0
		50	25	19.37	19.54	19.67	20.00	0
		50	50	19.50	19.48	19.78	20.00	0
		100	0	19.58	19.63	19.57	20.00	0
	16-QAM	1	0	19.42	19.57	19.71	20.00	0
		1	50	19.38	19.49	19.67	20.00	0
		1	99	19.33	19.47	19.69	20.00	0
20		50	0	19.51	19.45	19.64	20.00	0
		50	25	19.35	19.48	19.63	20.00	0
		50	50	19.39	19.52	19.78	20.00	0
		100	0	19.37	19.50	19.71	20.00	0
	64-QAM	1	0	19.52	19.63	19.70	20.00	0
		1	50	19.58	19.51	19.69	20.00	0
20		1	99	19.51	19.54	19.82	20.00	0
		50	0	19.46	19.60	19.70	20.00	0
		50	25	19.50	19.45	19.78	20.00	0
		50	50	19.45	19.51	19.64	20.00	0
		100	0	19.57	19.51	19.63	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 73 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1857.5	1882.5	1907.5	Max. Tolerance	Allowed per
	Channel			26115	26365	26615	(dBm)	3GPP(dB)
	1 0				19.43	19.74	20.00	0
		1	36	19.47	19.49	19.69	20.00	0
		1	74	19.53	19.52	19.62	20.00	0
15	QPSK	36	0	19.39	19.46	19.66	20.00	0
		36	18	19.36	19.46	19.81	20.00	0
		36	37	19.43	19.54	19.71	20.00	0
		75	0	19.53	19.41	19.76	20.00	0
		1	0	19.52	19.54	19.79	20.00	0
		1	36	19.59	19.52	19.69	20.00	0
		1	74	19.42	19.44	19.71	20.00	0
15	16-QAM	36	0	19.33	19.49	19.76	20.00	0
		36	18	19.52	19.43	19.72	20.00	0
		36	37	19.46	19.42	19.62	20.00	0
		75	0	19.46	19.55	19.70	20.00	0
		1	0	19.43	19.53	19.73	20.00	0
		1	36	19.44	19.53	19.70	20.00	0
		1	74	19.56	19.63	19.65	20.00	0
15	64-QAM	36	0	19.43	19.52	19.72	20.00	0
		36	18	19.52	19.41	19.74	20.00	0
		36	37	19.34	19.49	19.75	20.00	0
		75	0	19.46	19.42	19.76	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 74 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm) Target Power +				MPR
	Frequenc	y (MHz)		1855	1882.5	1910	Max. Tolerance	Allowed per
	Channel			26090	26365	26640	(dBm)	3GPP(dB)
	1 0				19.43	19.75	20.00	0
		1	25	19.45	19.51	19.76	20.00	0
		1	49	19.42	19.53	19.73	20.00	0
10	QPSK	25	0	19.55	19.46	19.81	20.00	0
		25	12	19.31	19.42	19.78	20.00	0
		25	25	19.54	19.51	19.63	20.00	0
		50	0	19.41	19.59	19.69	20.00	0
		1	0	19.42	19.50	19.78	20.00	0
		1	25	19.48	19.42	19.72	20.00	0
		1	49	19.40	19.56	19.61	20.00	0
10	16-QAM	25	0	19.55	19.62	19.81	20.00	0
		25	12	19.42	19.47	19.74	20.00	0
		25	25	19.39	19.55	19.66	20.00	0
		50	0	19.35	19.54	19.62	20.00	0
		1	0	19.47	19.45	19.64	20.00	0
		1	25	19.50	19.53	19.69	20.00	0
		1	49	19.51	19.51	19.78	20.00	0
10	64-QAM	25	0	19.48	19.52	19.74	20.00	0
		25	12	19.39	19.51	19.64	20.00	0
		25	25	19.55	19.46	19.71	20.00	0
		50	0	19.47	19.53	19.74	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1852.5	1882.5	1912.5	Max. Tolerance	Allowed per
	Channel				26365	26665	(dBm)	3GPP(dB)
	1 0				19.49	19.73	20.00	0
		1	12	19.51	19.47	19.71	20.00	0
		1	24	19.44	19.53	19.78	20.00	0
5	QPSK	12	0	19.48	19.62	19.78	20.00	0
		12	6	19.39	19.51	19.69	20.00	0
		12	13	19.56	19.47	19.69	20.00	0
		25	0	19.47	19.42	19.78	20.00	0
		1	0	19.45	19.50	19.71	20.00	0
		1	12	19.54	19.54	19.73	20.00	0
		1	24	19.52	19.62	19.81	20.00	0
5	16-QAM	12	0	19.45	19.53	19.75	20.00	0
		12	6	19.47	19.45	19.66	20.00	0
		12	13	19.45	19.41	19.79	20.00	0
		25	0	19.45	19.49	19.69	20.00	0
		1	0	19.32	19.59	19.77	20.00	0
		1	12	19.57	19.58	19.80	20.00	0
		1	24	19.40	19.64	19.83	20.00	0
5	64-QAM	12	0	19.42	19.40	19.77	20.00	0
		12	6	19.41	19.52	19.57	20.00	0
		12	13	19.57	19.50	19.78	20.00	0
		25	0	19.45	19.53	19.81	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 76 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1851.5	1882.5	1913.5	Max. Tolerance	Allowed per
	Channel			26055	26365	26675	(dBm)	3GPP(dB)
	1 0				19.55	19.75	20.00	0
		1	7	19.42	19.46	19.77	20.00	0
		1	14	19.48	19.38	19.76	20.00	0
3	QPSK	8	0	19.42	19.60	19.60	20.00	0
		8	4	19.46	19.39	19.60	20.00	0
		8	7	19.43	19.48	19.70	20.00	0
		15	0	19.38	19.64	19.72	20.00	0
		1	0	19.51	19.49	19.76	20.00	0
		1	7	19.49	19.59	19.73	20.00	0
		1	14	19.39	19.44	19.72	20.00	0
3	16-QAM	8	0	19.50	19.55	19.72	20.00	0
		8	4	19.58	19.53	19.66	20.00	0
		8	7	19.46	19.54	19.73	20.00	0
		15	0	19.44	19.43	19.58	20.00	0
		1	0	19.49	19.54	19.76	20.00	0
		1	7	19.44	19.44	19.70	20.00	0
		1	14	19.43	19.47	19.70	20.00	0
3	64-QAM	8	0	19.47	19.58	19.70	20.00	0
	ļ	8	4	19.47	19.49	19.75	20.00	0
		8	7	19.51	19.52	19.57	20.00	0
	<u> </u>	15	0	19.41	19.45	19.65	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 77 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1850.7	1882.5	1914.3	Max. Tolerance	Allowed per
	Channel				26365	26683	(dBm)	3GPP(dB)
	1 0				19.60	19.64	20.00	0
		1	2	19.39	19.44	19.72	20.00	0
		1	5	19.49	19.51	19.69	20.00	0
1.4	QPSK	3	0	19.36	19.63	19.83	20.00	0
		3	2	19.43	19.49	19.65	20.00	0
		3	3	19.41	19.51	19.74	20.00	0
		6	0	19.40	19.56	19.82	20.00	0
		1	0	19.49	19.56	19.71	20.00	0
		1	2	19.54	19.52	19.77	20.00	0
		1	5	19.43	19.43	19.79	20.00	0
1.4	16-QAM	3	0	19.42	19.55	19.74	20.00	0
		3	2	19.41	19.46	19.72	20.00	0
		3	3	19.47	19.52	19.67	20.00	0
		6	0	19.48	19.47	19.63	20.00	0
		1	0	19.49	19.59	19.71	20.00	0
		1	2	19.48	19.45	19.67	20.00	0
		1	5	19.45	19.47	19.56	20.00	0
1.4	64-QAM	3	0	19.41	19.51	19.65	20.00	0
		3	2	19.44	19.52	19.72	20.00	0
		3	3	19.40	19.55	19.61	20.00	0
		6	0	19.39	19.50	19.66	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 78 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		821.5	831.5	841.5	Max. Tolerance	Allowed per
	Channel				26865	26965	(dBm)	3GPP(dB)
	1 0				20.74	20.82	21.00	0
		1	36	20.53	20.66	20.66	21.00	0
		1	74	20.58	20.56	20.67	21.00	0
15	QPSK	36	0	20.64	20.51	20.72	21.00	0
		36	18	20.58	20.41	20.70	21.00	0
		36	37	20.61	20.49	20.66	21.00	0
		75	0	20.61	20.51	20.69	21.00	0
		1	0	20.47	20.55	20.70	21.00	0
		1	36	20.50	20.56	20.76	21.00	0
		1	74	20.58	20.45	20.61	21.00	0
15	16-QAM	36	0	20.51	20.51	20.74	21.00	0
		36	18	20.53	20.55	20.62	21.00	0
		36	37	20.60	20.50	20.65	21.00	0
		75	0	20.58	20.60	20.63	21.00	0
		1	0	20.56	20.62	20.65	21.00	0
		1	36	20.62	20.65	20.70	21.00	0
		1	74	20.45	20.45	20.77	21.00	0
15	64-QAM	36	0	20.51	20.64	20.69	21.00	0
		36	18	20.49	20.71	20.57	21.00	0
		36	37	20.53	20.58	20.74	21.00	0
			0	20.66	20.53	20.71	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		819	831.5	844	Max. Tolerance	Allowed per
	Channel				26865	26990	(dBm)	3GPP(dB)
	1 0				20.51	20.62	21.00	0
		1	25	20.57	20.65	20.76	21.00	0
		1	49	20.52	20.59	20.69	21.00	0
10	QPSK	25	0	20.59	20.59	20.70	21.00	0
		25	12	20.60	20.58	20.69	21.00	0
		25	25	20.60	20.62	20.66	21.00	0
		50	0	20.48	20.66	20.69	21.00	0
		1	0	20.49	20.52	20.65	21.00	0
		1	25	20.60	20.64	20.65	21.00	0
		1	49	20.54	20.53	20.73	21.00	0
10	16-QAM	25	0	20.62	20.63	20.64	21.00	0
		25	12	20.59	20.64	20.55	21.00	0
		25	25	20.61	20.54	20.72	21.00	0
		50	0	20.62	20.58	20.72	21.00	0
		1	0	20.66	20.63	20.73	21.00	0
		1	25	20.59	20.56	20.68	21.00	0
		1	49	20.51	20.51	20.72	21.00	0
10	64-QAM	25	0	20.47	20.60	20.79	21.00	0
		25	12	20.63	20.55	20.67	21.00	0
		25	25	20.47	20.55	20.61	21.00	0
		50	0	20.57	20.52	20.70	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 80 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		816.5	831.5	846.5	Max. Tolerance	Allowed per
	Channel				26865	27015	(dBm)	3GPP(dB)
	1 0				20.50	20.70	21.00	0
		1	12	20.65	20.55	20.58	21.00	0
		1	24	20.56	20.50	20.59	21.00	0
5	QPSK	12	0	20.51	20.59	20.63	21.00	0
		12	6	20.49	20.60	20.55	21.00	0
		12	13	20.50	20.71	20.59	21.00	0
		25	0	20.51	20.53	20.70	21.00	0
		1	0	20.62	20.57	20.66	21.00	0
		1	12	20.47	20.58	20.64	21.00	0
		1	24	20.58	20.51	20.73	21.00	0
5	16-QAM	12	0	20.62	20.52	20.54	21.00	0
		12	6	20.62	20.57	20.66	21.00	0
		12	13	20.58	20.51	20.61	21.00	0
		25	0	20.55	20.58	20.57	21.00	0
		1	0	20.49	20.56	20.66	21.00	0
		1	12	20.58	20.48	20.70	21.00	0
		1	24	20.59	20.61	20.60	21.00	0
5	64-QAM	12	0	20.54	20.59	20.73	21.00	0
		12	6	20.54	20.57	20.58	21.00	0
		12	13	20.62	20.62	20.74	21.00	0
		25	0	20.64	20.54	20.66	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 81 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	Target Power +	IMPR	
	Frequenc	y (MHz)		815.5	831.5	847.5	Max. Tolerance	Allowed per
	Channel				26865	27025	(dBm)	3GPP(dB)
	1 0				20.62	20.66	21.00	0
		1	7	20.67	20.57	20.67	21.00	0
		1	14	20.59	20.48	20.61	21.00	0
3	QPSK	8	0	20.54	20.57	20.70	21.00	0
		8	4	20.50	20.59	20.65	21.00	0
		8	7	20.64	20.54	20.61	21.00	0
		15	0	20.51	20.55	20.67	21.00	0
		1	0	20.53	20.44	20.72	21.00	0
		1	7	20.60	20.65	20.75	21.00	0
		1	14	20.53	20.47	20.61	21.00	0
3	16-QAM	8	0	20.49	20.53	20.68	21.00	0
		8	4	20.57	20.68	20.74	21.00	0
		8	7	20.58	20.72	20.63	21.00	0
		15	0	20.57	20.71	20.57	21.00	0
		1	0	20.62	20.53	20.63	21.00	0
		1	7	20.54	20.61	20.64	21.00	0
		1	14	20.56	20.52	20.69	21.00	0
3	64-QAM	8	0	20.57	20.57	20.65	21.00	0
		8	4	20.54	20.51	20.79	21.00	0
		8	7	20.61	20.54	20.61	21.00	0
		15	0	20.64	20.65	20.61	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 82 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		814.7	831.5	848.3	Max. Tolerance	Allowed per
	Channel				26865	27033	(dBm)	3GPP(dB)
	1 0				20.63	20.70	21.00	0
		1	2	20.66	20.59	20.63	21.00	0
		1	5	20.45	20.48	20.64	21.00	0
1.4	QPSK	3	0	20.50	20.60	20.59	21.00	0
		3	2	20.53	20.47	20.66	21.00	0
		3	3	20.57	20.57	20.73	21.00	0
		6	0	20.50	20.68	20.68	21.00	0
		1	0	20.56	20.64	20.62		0
		1	2	20.49	20.62	20.64	21.00	0
		1	5	20.65	20.62	20.71	21.00	0
1.4	16-QAM	3	0	20.57	20.57	20.73	21.00	0
		3	2	20.54	20.50	20.61	21.00	0
		3	3	20.46	20.70	20.60	21.00	0
		6	0	20.53	20.56	20.67	21.00	0
		1	0	20.62	20.63	20.67	21.00	0
		1	2	20.63	20.54	20.60	21.00	0
		1	5	20.59	20.69	20.71	21.00	0
1.4	64-QAM	3	0	20.57	20.69	20.66	21.00	0
		3	2	20.55	20.59	20.60	21.00	0
		3	3	20.53	20.59	20.69	21.00	0
		6	0	20.48	20.56	20.64	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 83 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequency (MHz)			1720	1745	1770	Power + Max. Tolerance	Allowed per
	Channel			132072	132322	132572	(dBm)	3GPP(dB)
		1	0	20.31	20.39	20.45	20.50	0
		1	50	20.14	20.32	20.23	20.50	0
		1	99	20.15	20.27	20.29	20.50	0
20	QPSK	50	0	20.20	20.31	20.32	20.50	0
		50	25	20.16	20.16	20.25	20.50	0
		50	50	20.18	20.28	20.22	20.50	0
	QF3N	100	0	20.13	20.30	20.35	20.50	0
		1	0	20.05	20.13	20.32	20.50	0
		1	50	20.23	20.23	20.30	20.50	0
		1	99	20.14	20.31	20.36	20.50	0
20	16-QAM	50	0	20.14	20.33	20.30	20.50	0
		50	25	20.18	20.11	20.19	20.50	0
		50	50	20.22	20.29	20.30	20.50	0
		100	0	20.12	20.27	20.30	20.50	0
		1	0	20.13	20.11	20.28	20.50	0
		1	50	20.24	20.20	20.34	20.50	0
		1	99	20.14	20.16	20.34	20.50	0
20	64-QAM	50	0	20.15	20.25	20.16	20.50	0
		50	25	20.06	20.31	20.28	20.50	0
		50	50	20.14	20.18	20.35	20.50	0
		100	0	20.22	20.19	20.28	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 84 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm) Target Power +				MPR
	Frequency (MHz)			1717.5	1745	1772.5	Max. Tolerance	Allowed per
	Channel			132047	132322	132597	(dBm)	3GPP(dB)
	1 0				20.28	20.32	20.50	0
		1	36	20.16	20.22	20.23	20.50	0
		1	74	20.13	20.21	20.31	20.50	0
15	QPSK	36	0	20.05	20.15	20.25	20.50	0
		36	18	20.21	20.30	20.16	20.50	0
		36	37	20.11	20.17	20.34	20.50	0
		75	0	20.22	20.31	20.19	20.50	0
		1	0	20.12	20.19	20.35	20.50	0
		1	36	20.15	20.25	20.35	20.50	0
		1	74	20.21	20.21	20.27	20.50	0
15	16-QAM	36	0	20.23	20.35	20.27	20.50	0
		36	18	20.16	20.18	20.24	20.50	0
		36	37	20.03	20.26	20.30	20.50	0
		75	0	20.11	20.30	20.34	20.50	0
		1	0	20.21	20.13	20.22	20.50	0
		1	36	20.07	20.19	20.22	20.50	0
		1	74	20.04	20.19	20.28	20.50	0
15	64-QAM	36	0	20.18	20.27	20.33	20.50	0
		36	18	20.13	20.15	20.15	20.50	0
		36	37	20.18	20.21	20.26	20.50	0
		75	0	20.19	20.25	20.32	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 85 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1715	1745	1775	Max. Tolerance	Allowed per
	Channel			132022	132322	132622	(dBm)	3GPP(dB)
1 0				20.02	20.17	20.21	20.50	0
		1	25	20.21	20.27	20.36	20.50	0
		1	49	20.23	20.16	20.29	20.50	0
10	QPSK	25	0	20.07	20.23	20.19	20.50	0
		25	12	20.13	20.30	20.24	20.50	0
		25	25	20.09	20.23	20.34	20.50	0
		50	0	20.10	20.19	20.38	20.50	0
		1	0	20.17	20.23	20.26	20.50	0
		1	25	20.12	20.25	20.33	20.50	0
		1	49	20.23	20.24	20.30	20.50	0
10	16-QAM	25	0	20.14	20.17	20.24	20.50	0
		25	12	20.03	20.30	20.31	20.50	0
		25	25	20.08	20.12	20.36	20.50	0
		50	0	20.21	20.32	20.33	20.50	0
		1	0	20.07	20.26	20.27	20.50	0
		1	25	20.11	20.18	20.29	20.50	0
		1	49	20.16	20.23	20.36	20.50	0
10	64-QAM	25	0	20.10	20.23	20.18	20.50	0
		25	12	20.06	20.25	20.24	20.50	0
		25	25	20.23	20.17	20.31	20.50	0
		50	0	20.07	20.22	20.28	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1712.5	1745	1777.5	Max. Tolerance	Allowed per
	Channel			131997	132322	132647	(dBm)	3GPP(dB)
1 0				20.15	20.34	20.35	20.50	0
		1	12	20.11	20.25	20.36	20.50	0
		1	24	20.18	20.16	20.42	20.50	0
5	QPSK	12	0	20.21	20.32	20.37	20.50	0
		12	6	20.20	20.18	20.31	20.50	0
		12	13	20.09	20.19	20.24	20.50	0
		25	0	20.17	20.28	20.35	20.50	0
		1	0	20.24	20.33	20.30	20.50	0
		1	12	20.16	20.23	20.33	20.50	0
		1	24	20.13	20.29	20.38	20.50	0
5	16-QAM	12	0	20.11	20.23	20.23	20.50	0
		12	6	20.12	20.16	20.35	20.50	0
		12	13	20.11	20.26	20.20	20.50	0
		25	0	20.20	20.21	20.38	20.50	0
		1	0	20.18	20.23	20.31	20.50	0
		1	12	20.11	20.15	20.27	20.50	0
		1	24	20.16	20.11	20.25	20.50	0
5	64-QAM	12	0	20.14	20.33	20.29	20.50	0
		12	6	20.17	20.13	20.36	20.50	0
		12	13	20.22	20.32	20.17	20.50	0
		25	0	20.16	20.19	20.33	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 87 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1711.5	1745	1778.5	Max. Tolerance	Allowed per
	Channel				132322	132657	(dBm)	3GPP(dB)
	1 0				20.23	20.22	20.50	0
		1	7	20.20	20.16	20.40	20.50	0
		1	14	20.03	20.12	20.24	20.50	0
3	QPSK	8	0	20.04	20.19	20.37	20.50	0
		8	4	20.08	20.28	20.34	20.50	0
		8	7	20.22	20.29	20.34	20.50	0
		15	0	20.08	20.26	20.25	20.50	0
		1	0	20.06	20.28	20.30	20.50	0
		1	7	20.11	20.28	20.22	20.50	0
		1	14	20.12	20.11	20.24	20.50	0
3	16-QAM	8	0	20.02	20.14	20.19	20.50	0
		8	4	20.15	20.25	20.23	20.50	0
		8	7	20.20	20.27	20.27	20.50	0
		15	0	20.03	20.23	20.27	20.50	0
		1	0	20.03	20.11	20.20	20.50	0
		1	7	20.19	20.25	20.30	20.50	0
		1	14	20.13	20.31	20.25	20.50	0
3	64-QAM	8	0	20.19	20.20	20.40	20.50	0
		8	4	20.05	20.22	20.17	20.50	0
		8	7	20.07	20.16	20.26	20.50	0
		15	0	20.17	20.28	20.22	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 88 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	MPR			
	Frequenc	y (MHz)		1710.7	1745	1779.3	Power + Max. Tolerance	Allowed per
	Char	131979	132322	132665	(dBm)	3GPP(dB)		
		1	0	20.08	20.32	20.18	20.50	0
		1	2	20.09	20.18	20.33	20.50	0
		1	5	20.17	20.26	20.31	20.50	0
1.4	QPSK	3	0	20.21	20.21	20.22	20.50	0
		3	2	20.05	20.36	20.29	20.50 20.50 20.50	0
		3	3	20.27	20.29	20.34	20.50	Allowed per 3GPP(dB)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		6	0	20.01	20.25	20.31	20.50	0
		1	0	20.14	20.28	20.18	20.50	0
		1	2	20.20	20.20	20.17	20.50	0
		1	5	20.16	20.21	20.29	20.50	0
1.4	16-QAM	3	0	20.04	20.29	20.23	20.50	0
		3	2	20.13	20.32	20.18	20.50	0
		3	3	20.15	20.33	20.38	20.50	0
		6	0	20.18	20.22	20.28	20.50	0
		1	0	20.15	20.10	20.28	20.50	0
		1	2	20.11	20.27	20.22	20.50	0
		1	5	20.11	20.19	20.34	20.50	0
1.4	64-QAM	3	0	20.11	20.23	20.30	20.50	0
		3	2	20.22	20.21	20.24	20.50	0
		3	3	20.29	20.28	20.29	20.50	0
		6	0	20.15	20.33	20.29	20.50	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 89 of 297

## **Full Power**

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1860	1880	1900	Power + Max. Tolerance	Allowed per
	Channel			18700	18900	19100	(dBm)	3GPP(dB)
		1	0	23.82	23.79	23.98	24.00	0
		1	50	23.60	23.54	23.82	24.00	0
		1	99	23.69	23.63	23.84	24.00	0
20	QPSK	50	0	22.93	22.95	22.98	23.00	1
		50	25	22.76	22.76	22.83	23.00	1
		50	50	22.63	22.63	22.83	23.00	1
		100	0	22.84	22.86	22.96	23.00	1
		1	0	22.67	22.61	22.82	23.00	1
		1	50	22.58	22.64	22.85	23.00	1
		1	99	22.60	22.61	22.85	23.00	1
20	16-QAM	50	0	21.55	21.75	21.80	22.00	2
		50	25	21.64	21.72	21.85	22.00	2
		50	50	21.72	21.52	21.80	22.00	2
		100	0	21.76	21.66	21.85	22.00	2
		1	0	21.63	21.71	21.79	22.00	2
		1	50	21.71	21.64	21.86	22.00	per 3GPP(dB)  0 0 1 1 1 1 1 1 2 2 2 2 2 2 3 3 3 3
		1	99	21.66	21.64	21.76	22.00	2
20	64-QAM	50	0	20.60	20.52	20.81	21.00	3
		50	25	20.74	20.54	20.74	21.00	3
		50	50	20.64	20.62	20.83	21.00	3
		100	0	20.68	20.52	20.79	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 90 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1857.5	1880	1902.5	Max. Tolerance	Allowed per
	Channel			18675	18900	19125	(dBm)	3GPP(dB)
	1 0				23.71	23.88	24.00	0
		1	36	23.63	23.61	23.88	24.00	0
		1	74	23.66	23.74	23.86	24.00	0
15	QPSK	36	0	22.63	22.64	22.77	23.00	1
		36	18	22.72	22.67	22.94	23.00	1
		36	37	22.61	22.62	22.76	23.00	1
		75	0	22.56	22.63	22.78	23.00	1
		1	0	22.62	22.58	22.79	23.00	1
		1	36	22.71	22.57	22.81	23.00	1
		1	74	22.63	22.70	22.82	23.00	1
15	16-QAM	36	0	21.66	21.64	21.81	22.00	2
		36	18	21.55	21.70	21.83	22.00	2
		36	37	21.64	21.67	21.94	22.00	2
		75	0	21.62	21.69	21.82	22.00	2
		1	0	21.63	21.75	21.76	22.00	2
		1	36	21.62	21.72	21.90	22.00	2
		1	74	21.75	21.68	21.76	22.00	2
15	64-QAM	36	0	20.68	20.69	20.74	21.00	3
		36	18	20.67	20.61	20.82	21.00	3
		36	37	20.63	20.65	20.75	21.00	3
		75	0	20.67	20.66	20.81	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	Target Power +	MPR	
	Frequenc	y (MHz)		1855	1880	1905	Max. Tolerance	Allowed per
	Channel			18650	18900	19150	(dBm)	3GPP(dB)
	1 0				23.62	23.68	24.00	0
		1	25	23.74	23.68	23.94	24.00	0
		1	49	23.63	23.66	23.82	24.00	0
10	QPSK	25	0	22.68	22.73	22.73	23.00	1
		25	12	22.66	22.62	22.75	23.00	1
		25	25	22.70	22.63	22.70	23.00	1
		50	0	22.64	22.76	22.86	23.00	1
		1	0	22.71	22.64	22.81	23.00	1
		1	25	22.68	22.64	22.74	23.00	1
		1	49	22.74	22.61	22.75	23.00	1
10	16-QAM	25	0	21.61	21.59	21.75	22.00	2
		25	12	21.58	21.58	21.77	22.00	2
		25	25	21.71	21.59	21.81	22.00	2
		50	0	21.61	21.63	21.78	22.00	2
		1	0	21.65	21.64	21.79	22.00	2
		1	25	21.67	21.57	21.83	22.00	2
		1	49	21.60	21.70	21.76	22.00	2
10	64-QAM	25	0	20.63	20.54	20.92	21.00	3
		25	12	20.72	20.72	20.81	21.00	3
		25	25	20.71	20.52	20.86	21.00	3
		50	0	20.56	20.54	20.79	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 92 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1852.5	1880	1907.5	Max. Tolerance	Allowed per
	Channel			18625	18900	19175	(dBm)	3GPP(dB)
	1 0				23.72	23.82	24.00	0
		1	12	23.78	23.54	23.71	24.00	0
		1	24	23.62	23.64	23.90	24.00	0
5	QPSK	12	0	22.74	22.49	22.81	23.00	1
		12	6	22.69	22.69	22.72	23.00	1
		12	13	22.77	22.62	22.94	23.00	1
		25	0	22.60	22.71	22.85	23.00	1
		1	0	22.67	22.69	22.81	23.00	1
		1	12	22.58	22.59	22.75	23.00	1
		1	24	22.64	22.62	22.80	23.00	1
5	16-QAM	12	0	21.66	21.57	21.92	22.00	2
		12	6	21.73	21.64	21.81	22.00	2
		12	13	21.62	21.57	21.82	22.00	2
		25	0	21.56	21.50	21.84	22.00	2
		1	0	21.62	21.69	21.84	22.00	2
		1	12	21.68	21.63	21.91	22.00	2
		1	24	21.62	21.67	21.82	22.00	2
5	64-QAM	12	0	20.70	20.52	20.80	21.00	3
		12	6	20.53	20.58	20.86	21.00	3
		12	13	20.68	20.63	20.75	21.00	3
		25	0	20.63	20.64	20.78	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 93 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1851.5	1880	1908.5	Max. Tolerance	Allowed per
	Channel				18900	19185	(dBm)	3GPP(dB)
		1	0	23.73	23.60	23.90	24.00	0
		1	7	23.71	23.62	23.78	24.00	0
		1	14	23.62	23.64	23.88	24.00	0
3	QPSK	8	0	22.72	22.56	22.79	23.00	1
		8	4	22.58	22.63	22.94	23.00	1
		8	7	22.66	22.77	22.87	23.00	1
		15	0	22.70	22.66	22.93	23.00	1
		1	0	22.71	22.64	22.77	23.00	1
		1	7	22.70	22.68	22.87	23.00	1
		1	14	22.57	22.66	22.83	23.00	1
3	16-QAM	8	0	21.75	21.65	21.82	22.00	2
		8	4	21.59	21.59	21.96	22.00	2
		8	7	21.58	21.54	21.88	22.00	2
		15	0	21.57	21.70	21.87	22.00	2
		1	0	21.62	21.59	21.75	22.00	2
		1	7	21.73	21.57	21.74	22.00	2
		1	14	21.64	21.57	21.84	22.00	2
3	64-QAM	8	0	20.68	20.66	20.91	21.00	3
		8	4	20.69	20.51	20.80	21.00	3
		8	7	20.67	20.53	20.86	21.00	3
		15	0	20.68	20.63	20.85	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 94 of 297

			LTE	Band 2				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		1850.7	1880	1909.3	Power + Max. Tolerance	Allowed per
	Channel			18607	18900	19193	(dBm)	3GPP(dB)
	1 0				23.64	23.87	24.00	0
		1	2	23.69	23.64	23.79	24.00	0
		1	5	23.61	23.61	23.86	24.00	0
1.4	QPSK	3	0	22.67	22.55	22.93	24.00	0
		3	2	22.71	22.68	22.72	24.00	0
		3	3	22.70	22.57	22.79	24.00	0
		6	0	22.58	22.75	22.87	23.00	1
		1	0	22.64	22.58	22.90	23.00	1
		1	2	22.60	22.75	22.74	23.00	1
		1	5	22.56	22.59	22.81	23.00	1
1.4	16-QAM	3	0	21.70	21.67	21.83	23.00	1
		3	2	21.66	21.56	21.85	23.00	1
		3	3	21.75	21.61	21.93	23.00	1
		6	0	21.75	21.68	21.79	22.00	2
		1	0	21.75	21.63	21.86	22.00	2
		1	2	21.59	21.61	21.89	22.00	2
		1	5	21.79	21.56	21.78	22.00	2
1.4	64-QAM	3	0	21.69	21.63	21.76	22.00	2
		3	2	21.69	21.59	21.87	22.00	2
		3	3	21.71	21.66	21.86	22.00	2
		6	0	20.64	20.61	20.95	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 95 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm) Tar				MPR
	Frequenc	y (MHz)		1720	1732.5	1745	Power + Max. Tolerance	Allowed per
	Channel			20050	20175	20300	(dBm)	3GPP(dB)
1 0				23.94	23.82	23.92	24.00	0
		1	50	23.81	23.71	23.87	24.00	0
		1	99	23.80	23.67	23.77	24.00	0
20	QPSK	50	0	22.93	22.92	22.97	23.00	1
		50	25	22.82	22.74	22.79	23.00	1
		50	50	22.85	22.73	22.71	23.00	1
		100	0	22.83	22.91	22.92	23.00	1
		1	0	22.79	22.58	22.71	23.00	1
		1	50	22.66	22.66	22.78	23.00	1
		1	99	22.77	22.74	22.84	23.00	1
20	16-QAM	50	0	21.79	21.73	21.80	22.00	2
		50	25	21.80	21.76	21.69	22.00	2
		50	50	21.76	21.73	21.78	22.00	2
		100	0	21.82	21.63	21.67	22.00	2
		1	0	21.80	21.71	21.80	22.00	2
		1	50	21.66	21.62	21.77	22.00	2
		1	99	21.88	21.79	21.71	22.00	2
20	64-QAM	50	0	20.83	20.65	20.74	21.00	3
		50	25	20.79	20.69	20.80	21.00	3
		50	50	20.76	20.66	20.80	21.00	3
		100	0	20.67	20.59	20.64	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1717.5	1732.5	1747.5	Max. Tolerance	Allowed per
	Channel			20025	20175	20325	(dBm)	3GPP(dB)
1 0				23.79	23.61	23.77	24.00	0
		1	36	23.69	23.64	23.81	24.00	0
		1	74	23.72	23.72	23.78	24.00	0
15	QPSK	36	0	22.67	22.72	22.87	23.00	1
		36	18	22.79	22.68	22.74	23.00	1
		36	37	22.81	22.60	22.75	23.00	1
		75	0	22.81	22.71	22.73	23.00	1
		1	0	22.70	22.66	22.71	23.00	1
		1	36	22.74	22.56	22.76	23.00	1
		1	74	22.74	22.64	22.89	23.00	1
15	16-QAM	36	0	21.69	21.73	21.71	22.00	2
		36	18	21.78	21.75	21.72	22.00	2
		36	37	21.88	21.65	21.77	22.00	2
		75	0	21.87	21.60	21.64	22.00	2
		1	0	21.80	21.70	21.76	22.00	2
		1	36	21.81	21.75	21.68	22.00	2
		1	74	21.86	21.66	21.77	22.00	2
15	64-QAM	36	0	20.80	20.67	20.68	21.00	3
		36	18	20.79	20.56	20.78	21.00	3
		36	37	20.67	20.68	20.79	21.00	3
		75	0	20.76	20.65	20.74	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 97 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1715	1732.5	1750	Max. Tolerance	Allowed per
	Channel				20175	20350	(dBm)	3GPP(dB)
1 0				23.88	23.64	23.77	24.00	0
		1	25	23.89	23.64	23.83	24.00	0
		1	49	23.80	23.65	23.76	24.00	0
10	QPSK	25	0	22.69	22.74	22.70	23.00	1
		25	12	22.82	22.67	22.84	23.00	1
		25	25	22.79	22.67	22.81	23.00	1
		50	0	22.73	22.63	22.74	23.00	1
		1	0	22.73	22.77	22.65	23.00	1
		1	25	22.67	22.61	22.71	23.00	1
		1	49	22.78	22.73	22.76	23.00	1
10	16-QAM	25	0	21.73	21.76	21.81	22.00	2
		25	12	21.92	21.61	21.80	22.00	2
		25	25	21.69	21.55	21.79	22.00	2
		50	0	21.78	21.60	21.74	22.00	2
		1	0	21.79	21.71	21.66	22.00	2
		1	25	21.73	21.63	21.78	22.00	2
		1	49	21.79	21.69	21.74	22.00	2
10	64-QAM	25	0	20.84	20.64	20.66	21.00	3
		25	12	20.85	20.78	20.67	21.00	3
		25	25	20.81	20.66	20.79	21.00	3
		50	0	20.82	20.70	20.85	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 98 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1712.5	1732.5	1752.5	Max. Tolerance	Allowed per
	Char	19975	20175	20375	(dBm)	3GPP(dB)		
1 0				23.75	23.68	23.70	24.00	0
		1	12	23.85	23.74	23.80	24.00	0
		1	24	23.75	23.78	23.81	24.00	0
5	QPSK	12	0	22.75	22.73	22.76	23.00	1
		12	6	22.76	22.73	22.82	23.00	1
		12	13	22.84	22.65	22.76	23.00	1
		25	0	22.79	22.72	22.78	23.00	1
		1	0	22.84	22.79	22.87	23.00	1
		1	12	22.81	22.66	22.81	23.00	1
		1	24	22.87	22.54	22.67	23.00	1
5	16-QAM	12	0	21.69	21.60	21.85	22.00	2
		12	6	21.74	21.78	21.83	22.00	2
		12	13	21.72	21.72	21.68	22.00	2
		25	0	21.73	21.71	21.75	22.00	2
		1	0	21.64	21.56	21.90	22.00	2
		1	12	21.71	21.66	21.77	22.00	2
		1	24	21.80	21.62	21.72	22.00	2
5	64-QAM	12	0	20.79	20.61	20.86	21.00	3
		12	6	20.78	20.57	20.71	21.00	3
		12	13	20.81	20.66	20.77	21.00	3
		25	0	20.87	20.62	20.82	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 99 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1711.5	1732.5	1753.5	Max. Tolerance	Allowed per
	Channel 1 0				20175	20385	(dBm)	3GPP(dB)
		0	23.73	23.61	23.72	24.00	0	
		1	7	23.81	23.62	23.67	24.00	0
		1	14	23.77	23.77	23.72	24.00	0
3	QPSK	8	0	22.76	22.56	22.82	23.00	1
		8	4	22.83	22.53	22.71	23.00	1
		8	7	22.74	22.68	22.79	23.00	1
		15	0	22.84	22.57	22.77	23.00	1
		1	0	22.73	22.66	22.74	23.00	1
		1	7	22.86	22.57	22.77	23.00	1
		1	14	22.68	22.56	22.78	23.00	1
3	16-QAM	8	0	21.77	21.76	21.80	22.00	2
		8	4	21.83	21.60	21.73	22.00	2
		8	7	21.78	21.67	21.75	22.00	2
		15	0	21.65	21.72	21.81	22.00	2
		1	0	21.75	21.54	21.69	22.00	2
		1	7	21.77	21.75	21.78	22.00	2
		1	14	21.73	21.61	21.77	22.00	2
3	64-QAM	8	0	20.81	20.70	20.80	21.00	3
		8	4	20.75	20.66	20.68	21.00	3
		8	7	20.82	20.62	20.68	21.00	3
		15	0	20.79	20.69	20.69	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 100 of 297

			LTE	Band 4				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1710.7	1732.5	1754.3	Max. Tolerance	Allowed per
	Char	19957	20175	20393	(dBm)	3GPP(dB)		
		0	23.74	23.67	23.81	24.00	0	
		1	2	23.74	23.68	23.74	24.00	0
		1	5	23.75	23.67	23.72	24.00	0
1.4	QPSK	3	0	22.81	22.62	22.64	24.00	0
		3	2	22.72	22.68	22.73	24.00	0
		3	3	22.70	22.68	22.74	24.00	0
		6	0	22.76	22.53	22.73	23.00	1
		1	0	22.90	22.62	22.85	23.00	1
		1	2	22.77	22.61	22.85	23.00	1
		1	5	22.79	22.68	22.80	23.00	1
1.4	16-QAM	3	0	21.82	21.64	21.77	23.00	1
		3	2	21.72	21.65	21.77	23.00	1
		3	3	21.89	21.59	21.85	23.00	1
		6	0	21.75	21.62	21.75	22.00	2
		1	0	21.69	21.78	21.79	22.00	2
		1	2	21.74	21.73	21.68	22.00	2
		1	5	21.88	21.69	21.76	22.00	2
1.4	64-QAM	3	0	21.89	21.61	21.86	22.00	2
		3	2	21.83	21.69	21.68	22.00	2
		3	3	21.77	21.68	21.77	22.00	2
		6	0	20.85	20.69	20.72	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 101 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		829	836.5	844	Max. Tolerance	Allowed per
	Channel 1 0				20525	20600	(dBm)	3GPP(dB)
		0	23.73	23.77	23.86	24.30	0	
		1	25	23.65	23.72	23.66	24.30	0
		1	49	23.52	23.65	23.70	24.30	0
10	QPSK	25	0	22.62	22.65	22.76	23.30	1
		25	12	22.60	22.57	22.68	23.30	1
		25	25	22.47	22.47	22.60	23.30	1
		50	0	22.58	22.64	22.73	23.30	1
		1	0	22.59	22.59	22.72	23.30	1
		1	25	22.68	22.49	22.77	23.30	1
		1	49	22.62	22.52	22.62	23.30	1
10	16-QAM	25	0	21.59	21.55	21.71	22.30	2
		25	12	21.57	21.67	21.73	22.30	2
		25	25	21.58	21.56	21.64	22.30	2
		50	0	21.58	21.66	21.78	22.30	2
		1	0	21.48	21.60	21.65	22.30	2
		1	25	21.61	21.59	21.74	22.30	2
		1	49	21.60	21.51	21.80	22.30	2
10	64-QAM	25	0	20.56	20.60	20.64	21.30	3
		25	12	20.57	20.56	20.64	21.30	3
		25	25	20.63	20.71	20.62	21.30	3
		50	0	20.61	20.62	20.64	21.30	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 102 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		826.5	836.5	846.5	Max. Tolerance	Allowed per
	Channel 1 0				20525	20625	(dBm)	3GPP(dB)
		23.52	23.52	23.60	24.30	0		
		1	12	23.61	23.62	23.66	24.30	0
		1	24	23.60	23.56	23.70	24.30	0
5	QPSK	12	0	22.53	22.64	22.82	23.30	1
		12	6	22.51	22.56	22.72	23.30	1
		12	13	22.48	22.68	22.69	23.30	1
		25	0	22.59	22.53	22.68	23.30	1
		1	0	22.57	22.60	22.60	23.30	1
		1	12	22.46	22.53	22.66	23.30	1
		1	24	22.58	22.60	22.66	23.30	1
5	16-QAM	12	0	21.53	21.53	21.66	22.30	2
		12	6	21.56	21.66	21.61	22.30	2
		12	13	21.58	21.61	21.65	22.30	2
		25	0	21.55	21.51	21.60	22.30	2
		1	0	21.51	21.65	21.74	22.30	2
		1	12	21.54	21.61	21.68	22.30	2
		1	24	21.63	21.60	21.71	22.30	2
5	64-QAM	12	0	20.54	20.57	20.71	21.30	3
		12	6	20.48	20.53	20.68	21.30	3
		12	13	20.64	20.64	20.68	21.30	3
		25	0	20.59	20.57	20.67	21.30	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 103 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		825.5	836.5	847.5	Power + Max. Tolerance	Allowed per
	Channel			20415	20525	20635	(dBm)	3GPP(dB)
1 0				23.55	23.65	23.63	24.30	0
		1	7	23.49	23.62	23.70	24.30	0
		1	14	23.50	23.58	23.67	24.30	0
3	QPSK	8	0	22.47	22.67	22.67	23.30	1
		8	4	22.53	22.70	22.64	23.30	1
		8	7	22.51	22.63	22.59	23.30	1
		15	0	22.58	22.54	22.77	23.30	1
		1	0	22.56	22.65	22.68	23.30	1
		1	7	22.70	22.60	22.59	23.30	1
		1	14	22.68	22.54	22.69	23.30	1
3	16-QAM	8	0	21.51	21.69	21.60	22.30	2
		8	4	21.56	21.59	21.71	22.30	2
		8	7	21.57	21.66	21.66	22.30	2
		15	0	21.58	21.62	21.69	22.30	2
		1	0	21.56	21.64	21.70	22.30	2
		1	7	21.59	21.68	21.69	22.30	2
		1	14	21.54	21.53	21.63	22.30	2
3	64-QAM	8	0	20.58	20.63	20.72	21.30	3
		8	4	20.57	20.64	20.77	21.30	3
		8	7	20.59	20.58	20.65	21.30	3
		15	0	20.66	20.65	20.69	21.30	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 104 of 297

			LTE	Band 5				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		824.7	836.5	848.3	Power + Max. Tolerance	Allowed per
	Channel			20407	20525	20643	(dBm)	3GPP(dB)
	1 0				23.68	23.72	24.30	0
		1	2	23.52	23.61	23.73	24.30	0
		1	5	23.63	23.63	23.67	24.30	0
1.4	QPSK	3	0	22.48	22.61	22.78	24.30	0
		3	2	22.60	22.61	22.68	24.30	0
		3	3	22.49	22.68	22.62	24.30	0
		6	0	22.59	22.67	22.67	23.30	1
		1	0	22.52	22.60	22.74	23.30	1
		1	2	22.54	22.57	22.76	23.30	1
		1	5	22.52	22.52	22.72	23.30	1
1.4	16-QAM	3	0	21.51	21.64	21.65	23.30	1
		3	2	21.51	21.55	21.71	23.30	1
		3	3	21.54	21.49	21.63	23.30	Allowed per 3GPP(dB)  0 0 0 0 0 1 1 1 1 1
		6	0	21.57	21.60	21.67	22.30	2
		1	0	21.61	21.68	21.69	22.30	2
		1	2	21.53	21.72	21.72	22.30	2
		1	5	21.47	21.58	21.66	22.30	2
1.4	64-QAM	3	0	21.59	21.71	21.74	22.30	2
		3	2	21.45	21.64	21.77	22.30	2
		3	3	21.65	21.64	21.66	22.30	2
		6	0	20.61	20.53	20.67	21.30	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 105 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2510	2535	2560	Max. Tolerance	Allowed per
	Channel				21100	21350	(dBm)	3GPP(dB)
	1 0				23.43	23.52	23.80	0
		1	50	23.41	23.24	23.47	23.80	0
		1	99	23.31	23.27	23.30	23.80	0
20	QPSK	50	0	22.33	22.39	22.45	22.80	1
		50	25	22.27	22.30	22.43	22.80	1
		50	50	22.29	22.35	22.42	22.80	1
		100	0	22.31	22.37	22.41	22.80	1
		1	0	22.25	22.31	22.42	22.80	1
		1	50	22.27	22.24	22.38	22.80	1
		1	99	22.43	22.26	22.33	22.80	1
20	16-QAM	50	0	21.42	21.20	21.25	21.80	2
		50	25	21.35	21.24	21.35	21.80	2
		50	50	21.31	21.21	21.47	21.80	2
		100	0	21.40	21.30	21.43	21.80	2
		1	0	21.27	21.27	21.27	21.80	2
		1	50	21.36	21.27	21.39	21.80	2
		1	99	21.46	21.31	21.38	21.80	2
20	64-QAM	50	0	20.37	20.39	20.30	20.80	3
		50	25	20.25	20.26	20.30	20.80	3
		50	50	20.34	20.31	20.32	20.80	3
		100	0	20.49	20.27	20.36	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 106 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2507.5	2535	2562.5	Max. Tolerance	Allowed per
	Channel				21100	21375	(dBm)	3GPP(dB)
1 0				23.41	23.32	23.41	23.80	0
		1	36	23.44	23.24	23.33	23.80	0
		1	74	23.32	23.27	23.45	23.80	0
15	QPSK	36	0	22.36	22.28	22.48	22.80	1
		36	18	22.34	22.18	22.43	22.80	1
		36	37	22.41	22.33	22.23	22.80	1
		75	0	22.33	22.26	22.36	22.80	1
		1	0	22.29	22.29	22.49	22.80	1
		1	36	22.27	22.27	22.39	22.80	1
		1	74	22.40	22.28	22.32	22.80	1
15	16-QAM	36	0	21.36	21.31	21.43	21.80	2
		36	18	21.26	21.17	21.34	21.80	2
		36	37	21.46	21.24	21.34	21.80	2
		75	0	21.35	21.25	21.47	21.80	2
		1	0	21.39	21.24	21.48	21.80	2
		1	36	21.39	21.24	21.32	21.80	2
		1	74	21.23	21.26	21.37	21.80	2
15	64-QAM	36	0	20.37	20.17	20.29	20.80	3
		36	18	20.32	20.24	20.36	20.80	3
		36	37	20.44	20.18	20.33	20.80	3
		75	0	20.39	20.31	20.29	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 107 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2505	2535	2565	Max. Tolerance	Allowed per
	Channel				21100	21400	(dBm)	3GPP(dB)
	1 0				23.22	23.36	23.80	0
		1	25	23.35	23.29	23.35	23.80	0
		1	49	23.35	23.24	23.40	23.80	0
10	QPSK	25	0	22.33	22.26	22.27	22.80	1
		25	12	22.44	22.35	22.39	22.80	1
		25	25	22.44	22.26	22.27	22.80	1
		50	0	22.44	22.27	22.32	22.80	1
		1	0	22.30	22.29	22.25	22.80	1
		1	25	22.33	22.31	22.37	22.80	1
		1	49	22.35	22.41	22.23	22.80	1
10	16-QAM	25	0	21.33	21.22	21.35	21.80	2
		25	12	21.39	21.36	21.46	21.80	2
		25	25	21.35	21.37	21.42	21.80	2
		50	0	21.48	21.26	21.40	21.80	2
		1	0	21.32	21.25	21.37	21.80	2
		1	25	21.34	21.28	21.45	21.80	2
		1	49	21.49	21.31	21.44	21.80	2
10	64-QAM	25	0	20.27	20.30	20.26	20.80	3
		25	12	20.36	20.21	20.39	20.80	3
		25	25	20.40	20.21	20.26	20.80	3
		50	0	20.34	20.28	20.29	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 108 of 297

			LTE	Band 7				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		2502.5	2535	2567.5	Max. Tolerance	Allowed per
	Channel				21100	21425	(dBm)	3GPP(dB)
1 0				23.34	23.17	23.41	23.80	0
		1	12	23.43	23.22	23.49	23.80	0
		1	24	23.28	23.16	23.34	23.80	0
5	QPSK	12	0	22.34	22.25	22.33	22.80	1
		12	6	22.29	22.31	22.33	22.80	1
		12	13	22.39	22.24	22.39	22.80	1
		25	0	22.40	22.21	22.39	22.80	1
		1	0	22.31	22.27	22.34	22.80	1
		1	12	22.46	22.21	22.35	22.80	1
		1	24	22.25	22.23	22.25	22.80	1
5	16-QAM	12	0	21.31	21.30	21.35	21.80	2
		12	6	21.33	21.27	21.41	21.80	2
		12	13	21.34	21.35	21.30	21.80	2
		25	0	21.43	21.28	21.43	21.80	2
		1	0	21.37	21.29	21.45	21.80	2
		1	12	21.37	21.27	21.37	21.80	2
		1	24	21.35	21.28	21.33	21.80	2
5	64-QAM	12	0	20.36	20.17	20.47	20.80	3
		12	6	20.43	20.26	20.39	20.80	3
		12	13	20.34	20.30	20.40	20.80	3
		25	0	20.42	20.27	20.29	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 109 of 297

			LTE	Band 12				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		704	707.5	711	Max. Tolerance	Allowed per
	Char	nnel		23060	23095	23130	(dBm)	3GPP(dB)
	1 0			23.62	23.53	23.74	24.00	0
		1	25	23.52	23.30	23.46	24.00	0
		1	49	23.45	23.43	23.59	24.00	0
10	QPSK	25	0	22.62	22.51	22.63	23.00	1
		25	12	22.48	22.43	22.52	23.00	1
		25	25	22.44	22.34	22.59	23.00	1
		50	0	22.55	22.49	22.61	23.00	1
		1	0	22.53	22.35	22.53	23.00	1
		1	25	22.42	22.33	22.59	23.00	1
		1	49	22.49	22.27	22.56	23.00	1
10	16-QAM	25	0	21.50	21.35	21.63	22.00	2
		25	12	21.49	21.39	21.48	22.00	2
		25	25	21.47	21.31	21.63	22.00	2
		50	0	21.50	21.50	21.60	22.00	2
		1	0	21.50	21.44	21.51	22.00	2
		1	25	21.50	21.44	21.50	22.00	2
		1	49	21.40	21.30	21.60	22.00	2
10	64-QAM	25	0	20.37	20.38	20.67	21.00	3
		25	12	20.47	20.36	20.60	21.00	3
		25	25	20.43	20.42	20.49	21.00	3
		50	0	20.46	20.25	20.59	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 110 of 297

			LTE	Band 12				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		701.5	707.5	713.5	Power + Max. Tolerance	Allowed per
	Char	nnel		23035	23095	23155	(dBm)	3GPP(dB)
	1 0				23.40	23.64	24.00	0
		1	12	23.42	23.38	23.53	24.00	0
		1	24	23.41	23.34	23.71	24.00	0
5	QPSK	12	0	22.38	22.29	22.58	23.00	1
		12	6	22.44	22.43	22.64	23.00	1
		12	13	22.41	22.40	22.49	23.00	1
		25	0	22.56	22.31	22.64	23.00	1
		1	0	22.58	22.32	22.63	23.00	1
		1	12	22.47	22.41	22.50	23.00	1
		1	24	22.49	22.29	22.69	23.00	1
5	16-QAM	12	0	21.49	21.33	21.47	22.00	2
		12	6	21.41	21.45	21.58	22.00	2
		12	13	21.48	21.32	21.60	22.00	2
		25	0	21.45	21.38	21.55	22.00	2
		1	0	21.43	21.51	21.61	22.00	2
		1	12	21.45	21.25	21.58	22.00	2
		1	24	21.37	21.37	21.65	22.00	2
5	64-QAM	12	0	20.56	20.40	20.55	21.00	3
		12	6	20.43	20.37	20.50	21.00	3
		12	13	20.38	20.50	20.44	21.00	3
		25	0	20.37	20.36	20.66	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 111 of 297

			LTE	Band 12				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		700.5	707.5	714.5	Max. Tolerance	Allowed per
	Char	nnel		23025	23095	23165	(dBm)	3GPP(dB)
	1 0				23.44	23.57	24.00	0
		1	7	23.53	23.29	23.55	24.00	0
		1	14	23.54	23.37	23.61	24.00	0
3	QPSK	8	0	22.35	22.46	22.55	23.00	1
		8	4	22.46	22.37	22.65	23.00	1
		8	7	22.51	22.49	22.64	23.00	1
		15	0	22.45	22.44	22.70	23.00	1
		1	0	22.45	22.51	22.56	23.00	1
		1	7	22.46	22.46	22.63	23.00	1
		1	14	22.47	22.25	22.54	23.00	1
3	16-QAM	8	0	21.58	21.37	21.59	22.00	2
		8	4	21.44	21.30	21.54	22.00	2
		8	7	21.37	21.44	21.49	22.00	2
		15	0	21.44	21.38	21.53	22.00	2
		1	0	21.47	21.46	21.55	22.00	2
		1	7	21.38	21.33	21.60	22.00	2
		1	14	21.54	21.32	21.59	22.00	2
3	64-QAM	8	0	20.58	20.43	20.57	21.00	3
		8	4	20.42	20.33	20.58	21.00	3
		8	7	20.44	20.30	20.65	21.00	3
		15	0	20.47	20.48	20.71	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 112 of 297

			LTE	Band 12				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		699.7	707.5	715.3	Power + Max. Tolerance	Allowed per
	Char	nnel		23017	23095	23173	(dBm)	3GPP(dB)
		1	0	23.53	23.32	23.65	24.00	0
		1	2	23.36	23.35	23.59	24.00	0
		1	5	23.48	23.35	23.56	24.00	0
1.4	QPSK	3	0	22.42	22.35	22.57	24.00	0
		3	2	22.57	22.25	22.48	24.00	0
		3	3	22.49	22.43	22.64	24.00	0
		6	0	22.47	22.46	22.60	23.00	1
		1	0	22.51	22.27	22.67	23.00	1
		1	2	22.47	22.31	22.69	23.00	1
		1	5	22.52	22.32	22.59	23.00	1
1.4	16-QAM	3	0	21.47	21.45	21.61	23.00	1
		3	2	21.46	21.33	21.52	23.00	1
		3	3	21.38	21.30	21.48	23.00	1
		6	0	21.41	21.29	21.63	22.00	2
		1	0	21.45	21.39	21.59	22.00	2
		1	2	21.36	21.40	21.53	22.00	2
		1	5	21.51	21.25	21.64	22.00	2
1.4	64-QAM	3	0	20.35	20.28	20.68	22.00	2
		3	2	20.40	20.36	20.57	22.00	2
		3	3	20.49	20.26	20.62	22.00	2
		6	0	20.40	20.50	20.65	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 113 of 297

			LTE E	and 13		
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)	Target	MPR
	Frequency			782	Power + Max. Tolerance	Allowed per
	Char	nnel		23230	(dBm)	3GPP(dB)
		1	0	23.71	24.00	0
		1	25	23.54	24.00	0
		1	49	23.53	24.00	0
10	QPSK	25	0	22.59	23.00	1
		25	12	22.49	23.00	1
		25	25	22.45	23.00	1
		50	0	22.49	23.00	1
		1	0	22.55	23.00	1
		1	25	22.63	23.00	1
		1	49	22.54	23.00	1
10	16-QAM	25	0	21.54	22.00	2
		25	12	21.45	22.00	2
		25	25	21.60	22.00	2
		50	0	21.67	22.00	2
		1	0	21.62	22.00	2
		1	25	21.52	22.00	2
		1	49	21.51	22.00	2
10	64-QAM	25	0	20.52	21.00	3
		25	12	20.49	21.00	3
		25	25	20.59	21.00	3
		50	0	20.47	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 114 of 297

			LTE	Band 13				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		779.5	782	784.5	Max. Tolerance	Allowed per
	Char	nnel		23205	23230	23255	(dBm)	3GPP(dB)
	1 0				23.54	23.48	24.00	0
		1	12	23.38	23.53	23.48	24.00	0
		1	24	23.37	23.46	23.48	24.00	0
5	QPSK	12	0	22.33	22.52	22.54	23.00	1
		12	6	22.35	22.54	22.57	23.00	1
		12	13	22.38	22.47	22.63	23.00	1
		25	0	22.38	22.44	22.63	23.00	1
		1	0	22.45	22.41	22.61	23.00	1
		1	12	22.40	22.55	22.45	23.00	1
		1	24	22.37	22.48	22.62	23.00	1
5	16-QAM	12	0	21.54	21.54	21.51	22.00	2
		12	6	21.43	21.37	21.62	22.00	2
		12	13	21.37	21.48	21.56	22.00	2
		25	0	21.45	21.45	21.65	22.00	2
		1	0	21.50	21.49	21.60	22.00	2
		1	12	21.48	21.35	21.62	22.00	2
		1	24	21.36	21.54	21.51	22.00	2
5	64-QAM	12	0	20.34	20.46	20.64	21.00	3
		12	6	20.47	20.39	20.65	21.00	3
		12	13	20.53	20.41	20.61	21.00	3
		25	0	20.49	20.40	20.53	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 115 of 297

			LTE	Band 14		
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)	Target Power +	MPR
	Frequenc	y (MHz)		793	Max.  Tolerance	Allowed per
	Char	nnel		23330	(dBm)	3GPP(dB)
		1	0	23.72	24.00	0
		1	25	23.51	24.00	0
		1	49	23.57	24.00	0
10	QPSK	25	0	22.73	23.00	1
		25	12	22.51	23.00	1
		25	25	22.64	23.00	1
		50	0	22.65	23.00	1
		1	0	22.57	23.00	1
		1	25	22.61	23.00	1
		1	49	22.66	23.00	1
10	16-QAM	25	0	21.55	22.00	2
		25	12	21.52	22.00	2
		25	25	21.53	22.00	2
		50	0	21.62	22.00	2
		1	0	21.56	22.00	2
		1	25	21.51	22.00	2
		1	49	21.58	22.00	2
10	10 64-QAM	25	0	20.70	21.00	3
		25	12	20.58	21.00	3
		25	25	20.62	21.00	3
		50	0	20.65	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 116 of 297

			LTE	Band 14				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		790.5	793	795.5	Max. Tolerance	Allowed per
	Char	nnel		23305	23330	23355	(dBm)	3GPP(dB)
		1	0	23.58	23.54	23.54	24.00	0
		1	12	23.48	23.68	23.63	24.00	0
		1	24	23.46	23.45	23.55	24.00	0
5	QPSK	12	0	22.60	22.49	22.60	23.00	1
		12	6	22.65	22.63	22.67	23.00	1
		12	13	22.55	22.54	22.57	23.00	1
		25	0	22.61	22.54	22.53	23.00	1
		1	0	22.59	22.65	22.58	23.00	1
		1	12	22.67	22.50	22.57	23.00	1
		1	24	22.62	22.57	22.50	23.00	1
5	16-QAM	12	0	21.55	21.61	21.61	22.00	2
		12	6	21.56	21.49	21.50	22.00	2
		12	13	21.61	21.56	21.57	22.00	2
		25	0	21.60	21.55	21.57	22.00	2
		1	0	21.53	21.58	21.43	22.00	2
		1	12	21.62	21.59	21.65	22.00	2
		1	24	21.58	21.43	21.57	22.00	2
5	64-QAM	12	0	20.49	20.53	20.50	21.00	3
		12	6	20.56	20.56	20.65	21.00	3
		12	13	20.56	20.53	20.60	21.00	3
		25	0	20.60	20.70	20.49	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 117 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1860	1882.5	1905	Max. Tolerance	Allowed per
	Char	nnel		26140	26365	26590	(dBm)	3GPP(dB)
		1	0	23.81	23.98	23.92	24.00	0
		1	50	23.60	23.76	23.81	24.00	0
		1	99	23.68	23.84	23.82	24.00	0
20	QPSK	50	0	22.84	22.91	22.96	23.00	1
		50	25	22.68	22.86	22.79	23.00	1
		50	50	22.60	22.74	22.85	23.00	1
		100	0	22.79	22.88	22.91	23.00	1
		1	0	22.68	22.84	22.84	23.00	1
		1	50	22.76	22.88	22.69	23.00	1
		1	99	22.66	22.91	22.62	23.00	1
20	16-QAM	50	0	21.71	21.81	21.76	22.00	2
		50	25	21.71	21.79	21.66	22.00	2
		50	50	21.64	21.80	21.78	22.00	2
		100	0	21.64	21.77	21.76	22.00	2
		1	0	21.68	21.79	21.72	22.00	2
		1	50	21.51	21.84	21.71	22.00	2
		1	99	21.69	21.91	21.76	22.00	2
20	64-QAM	50	0	20.67	20.94	20.68	21.00	3
		50	25	20.54	20.76	20.80	21.00	3
		50	50	20.68	20.80	20.77	21.00	3
		100	0	20.58	20.82	20.74	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 118 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1857.5	1882.5	1907.5	Max. Tolerance	Allowed per
	Char	nnel		26115	26365	26615	(dBm)	3GPP(dB)
	1 0				23.86	23.66	24.00	0
		1	36	23.61	23.85	23.74	24.00	0
		1	74	23.68	23.73	23.85	24.00	0
15	QPSK	36	0	22.66	22.88	22.66	23.00	1
		36	18	22.60	22.91	22.73	23.00	1
		36	37	22.69	22.79	22.72	23.00	1
		75	0	22.77	22.70	22.77	23.00	1
		1	0	22.70	22.91	22.73	23.00	1
		1	36	22.65	22.80	22.73	23.00	1
		1	74	22.77	22.78	22.83	23.00	1
15	16-QAM	36	0	21.61	21.86	21.88	22.00	2
		36	18	21.61	21.79	21.81	22.00	2
		36	37	21.67	21.80	21.77	22.00	2
		75	0	21.61	21.76	21.74	22.00	2
		1	0	21.65	21.80	21.74	22.00	2
		1	36	21.73	21.77	21.71	22.00	2
		1	74	21.73	21.84	21.84	22.00	2
15	64-QAM	36	0	20.57	20.74	20.76	21.00	3
		36	18	20.67	20.79	20.75	21.00	3
		36	37	20.57	20.75	20.80	21.00	3
		75	0	20.63	20.85	20.86	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 119 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1855	1882.5	1910	Max. Tolerance	Allowed per
	Char	nnel		26090	26365	26640	(dBm)	3GPP(dB)
	1 0				23.71	23.70	24.00	0
		1	25	23.70	23.77	23.81	24.00	0
		1	49	23.68	23.81	23.80	24.00	0
10	QPSK	25	0	22.75	22.81	22.78	23.00	1
		25	12	22.70	22.76	22.77	23.00	1
		25	25	22.56	22.90	22.68	23.00	1
		50	0	22.57	22.81	22.70	23.00	1
		1	0	22.65	22.86	22.78	23.00	1
		1	25	22.51	22.95	22.67	23.00	1
		1	49	22.62	22.70	22.78	23.00	1
10	16-QAM	25	0	21.66	21.76	21.88	22.00	2
		25	12	21.69	21.75	21.72	22.00	2
		25	25	21.79	21.80	21.69	22.00	2
		50	0	21.63	21.76	21.75	22.00	2
		1	0	21.51	21.94	21.76	22.00	2
		1	25	21.66	21.86	21.82	22.00	2
		1	49	21.65	21.87	21.78	22.00	2
10	64-QAM	25	0	20.66	20.90	20.82	21.00	3
		25	12	20.65	20.85	20.85	21.00	3
		25	25	20.58	20.88	20.81	21.00	3
		50	0	20.76	20.75	20.76	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 120 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1852.5	1882.5	1912.5	Max. Tolerance	Allowed per
	Char	nnel		26065	26365	26665	(dBm)	3GPP(dB)
		1	0	23.74	23.72	23.71	24.00	0
		1	12	23.64	23.82	23.78	24.00	0
		1	24	23.66	23.85	23.84	24.00	0
5	QPSK	12	0	22.65	22.91	22.84	23.00	1
		12	6	22.58	22.86	22.70	23.00	1
		12	13	22.65	22.85	22.76	23.00	1
		25	0	22.61	22.70	22.85	23.00	1
		1	0	22.75	22.87	22.83	23.00	1
		1	12	22.56	22.92	22.64	23.00	1
		1	24	22.68	22.73	22.67	23.00	1
5	16-QAM	12	0	21.58	21.84	21.78	22.00	2
		12	6	21.68	21.76	21.70	22.00	2
		12	13	21.69	21.84	21.79	22.00	2
		25	0	21.64	21.78	21.66	22.00	2
		1	0	21.75	21.79	21.75	22.00	2
		1	12	21.69	21.88	21.81	22.00	2
		1	24	21.65	21.81	21.77	22.00	2
5	64-QAM	12	0	20.72	20.78	20.85	21.00	3
		12	6	20.57	20.88	20.80	21.00	3
		12	13	20.66	20.73	20.89	21.00	3
		25	0	20.70	20.84	20.76	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 121 of 297

	LTE Band 25										
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR			
	Frequenc	y (MHz)		1851.5	1882.5	1913.5	Max. Tolerance	Allowed per			
	Channel			26055	26365	26675	(dBm)	3GPP(dB)			
	1 0				23.87	23.78	24.00	0			
		1	7	23.74	23.94	23.86	24.00	0			
		1	14	23.71	23.80	23.81	24.00	0			
3	QPSK	8	0	22.56	22.83	22.87	23.00	1			
		8	4	22.64	22.80	22.68	23.00	1			
		8	7	22.62	22.82	22.69	23.00	1			
		15	0	22.62	22.75	22.76	23.00	1			
		1	0	22.67	22.93	22.72	23.00	1			
		1	7	22.69	22.88	22.75	23.00	1			
		1	14	22.66	22.95	22.68	23.00	1			
3	16-QAM	8	0	21.66	21.85	21.75	22.00	2			
		8	4	21.64	21.86	21.82	22.00	2			
		8	7	21.75	21.78	21.79	22.00	2			
		15	0	21.68	21.90	21.76	22.00	2			
		1	0	21.59	21.78	21.80	22.00	2			
		1	7	21.65	21.79	21.68	22.00	2			
		1	14	21.69	21.69	21.68	22.00	2			
3	64-QAM	8	0	20.72	20.81	20.71	21.00	3			
		8	4	20.59	20.75	20.73	21.00	3			
		8	7	20.69	20.90	20.76	21.00	3			
		15	0	20.67	20.84	20.86	21.00	3			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 122 of 297

			LTE	Band 25				
BW(MHz)	Modulation	RB Size	RB Offset	Condi	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		1850.7	1882.5	1914.3	Max. Tolerance	Allowed per
	Char	26047	26365	26683	(dBm)	3GPP(dB)		
	1 0				23.87	23.69	24.00	0
		1	2	23.65	23.77	23.70	24.00	0
		1	5	23.55	23.84	23.73	24.00	0
1.4	QPSK	3	0	22.63	22.86	22.88	24.00	0
		3	2	22.67	22.73	22.72	24.00	0
		3	3	22.65	22.82	22.80	24.00	0
		6	0	22.68	22.76	22.78	23.00	1
		1	0	22.64	22.81	22.76	23.00	1
		1	2	22.64	22.77	22.72	23.00	1
		1	5	22.62	22.90	22.69	23.00	1
1.4	16-QAM	3	0	21.70	21.90	21.74	23.00	1
		3	2	21.66	21.76	21.68	23.00	1
		3	3	21.71	21.82	21.63	23.00	1
		6	0	21.61	21.91	21.75	22.00	2
		1	0	21.60	21.85	21.73	22.00	2
		1	2	21.76	21.91	21.82	22.00	2
		1	5	21.58	21.80	21.78	22.00	2
1.4	64-QAM	3	0	21.68	21.76	21.79	22.00	2
	F	3	2	21.67	21.72	21.68	22.00	2
		3	3	21.74	21.82	21.70	22.00	2
		6	0	20.71	20.88	20.78	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 123 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target	MPR
	Frequency (MHz)			821.5	831.5	841.5	Power + Max. Tolerance	Allowed per
	Channel			26765	26865	26965	(dBm)	3GPP(dB)
	1 0				23.72	23.81	24.00	0
		1	36	23.51	23.59	23.54	24.00	0
		1	74	23.52	23.51	23.69	24.00	0
15	QPSK	36	0	22.65	22.66	22.74	23.00	1
		36	18	22.61	22.63	22.66	23.00	1
		36	37	22.52	22.53	22.73	23.00	1
		75	0	22.59	22.63	22.71	23.00	1
		1	0	22.61	22.43	22.73	23.00	1
		1	36	22.45	22.61	22.66	23.00	1
		1	74	22.62	22.50	22.60	23.00	1
15	16-QAM	36	0	21.58	21.60	21.68	22.00	2
		36	18	21.52	21.64	21.65	22.00	2
		36	37	21.66	21.47	21.57	22.00	2
		75	0	21.50	21.58	21.57	22.00	2
		1	0	21.60	21.55	21.65	22.00	2
		1	36	21.52	21.55	21.66	22.00	2
		1	74	21.57	21.56	21.61	22.00	2
15	64-QAM	36	0	20.69	20.63	20.58	21.00	3
		36	18	20.56	20.60	20.76	21.00	3
		36	37	20.51	20.49	20.63	21.00	3
		75	0	20.58	20.49	20.56	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 124 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		819	831.5	844	Max. Tolerance	Allowed per
	Channel			26740	26865	26990	(dBm)	3GPP(dB)
	1 0				23.50	23.75	24.00	0
		1	25	23.61	23.44	23.65	24.00	0
		1	49	23.54	23.55	23.62	24.00	0
10	10 QPSK	25	0	22.68	22.57	22.69	23.00	1
		25	12	22.59	22.49	22.67	23.00	1
		25	25	22.46	22.64	22.70	23.00	1
		50	0	22.63	22.58	22.75	23.00	1
		1	0	22.64	22.46	22.58	23.00	1
		1	25	22.60	22.52	22.64	23.00	1
		1	49	22.68	22.51	22.67	23.00	1
10	16-QAM	25	0	21.55	21.46	21.55	22.00	2
		25	12	21.45	21.43	21.57	22.00	2
		25	25	21.51	21.53	21.68	22.00	2
		50	0	21.53	21.47	21.69	22.00	2
		1	0	21.59	21.62	21.71	22.00	2
		1	25	21.54	21.56	21.63	22.00	2
		1	49	21.58	21.67	21.62	22.00	2
10	64-QAM	25	0	20.48	20.46	20.74	21.00	3
		25	12	20.49	20.61	20.67	21.00	3
		25	25	20.50	20.43	20.61	21.00	3
		50	0	20.47	20.55	20.69	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 125 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MPR
	Frequency (MHz)			816.5	831.5	846.5	Power + Max. Tolerance	Allowed per
	Channel			26715	26865	27015	(dBm)	3GPP(dB)
	1 0				23.53	23.62	24.00	0
		1	12	23.66	23.58	23.65	24.00	0
		1	24	23.56	23.70	23.64	24.00	0
5	QPSK	12	0	22.52	22.47	22.65	23.00	1
		12	6	22.53	22.56	22.58	23.00	1
		12	13	22.63	22.56	22.70	23.00	1
		25	0	22.45	22.61	22.63	23.00	1
		1	0	22.43	22.48	22.76	23.00	1
		1	12	22.50	22.61	22.75	23.00	1
		1	24	22.57	22.53	22.75	23.00	1
5	16-QAM	12	0	21.49	21.43	21.63	22.00	2
		12	6	21.62	21.65	21.61	22.00	2
		12	13	21.42	21.65	21.63	22.00	2
		25	0	21.54	21.58	21.62	22.00	2
		1	0	21.59	21.54	21.71	22.00	2
		1	12	21.66	21.49	21.69	22.00	2
		1	24	21.51	21.44	21.68	22.00	2
5	64-QAM	12	0	20.57	20.57	20.57	21.00	3
		12	6	20.60	20.59	20.67	21.00	3
		12	13	20.68	20.54	20.74	21.00	3
		25	0	20.55	20.53	20.73	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 126 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target	MPR
	Frequenc	y (MHz)		815.5	831.5	847.5	Power + Max. Tolerance	Allowed per
	Channel			26705	26865	27025	(dBm)	3GPP(dB)
	1 0				23.64	23.76	24.00	0
		1	7	23.48	23.47	23.65	24.00	0
		1	14	23.63	23.55	23.65	24.00	0
3	QPSK	8	0	22.62	22.51	22.65	23.00	1
		8	4	22.44	22.51	22.59	23.00	1
		8	7	22.55	22.47	22.58	23.00	1
		15	0	22.65	22.61	22.61	23.00	1
		1	0	22.52	22.54	22.70	23.00	1
		1	7	22.64	22.63	22.59	23.00	1
		1	14	22.58	22.61	22.56	23.00	1
3	16-QAM	8	0	21.63	21.57	21.71	22.00	2
		8	4	21.56	21.65	21.60	22.00	2
		8	7	21.58	21.56	21.64	22.00	2
		15	0	21.43	21.56	21.78	22.00	2
		1	0	21.51	21.51	21.65	22.00	2
		1	7	21.58	21.55	21.76	22.00	2
		1	14	21.45	21.51	21.59	22.00	2
3	64-QAM	8	0	20.65	20.56	20.71	21.00	3
		8	4	20.54	20.56	20.76	21.00	3
		8	7	20.57	20.52	20.61	21.00	3
		15	0	20.67	20.52	20.76	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 127 of 297

			LTE Ba	nd 26_FCC				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		814.7	831.5	848.3	Max. Tolerance	Allowed per
	Channel				26865	27033	(dBm)	3GPP(dB)
	1 0				23.52	23.68	24.00	0
		1	2	23.62	23.65	23.66	24.00	0
		1	5	23.61	23.53	23.57	24.00	0
1.4	1.4 QPSK	3	0	22.53	22.48	22.64	24.00	0
		3	2	22.52	22.61	22.59	24.00	0
		3	3	22.46	22.48	22.55	24.00	0
		6	0	22.58	22.62	22.56	23.00	1
		1	0	22.48	22.54	22.62	23.00	1
		1	2	22.58	22.67	22.64	23.00	1
		1	5	22.58	22.52	22.65	23.00	1
1.4	16-QAM	3	0	21.51	21.55	21.72	23.00	1
		3	2	21.57	21.52	21.69	23.00	1
		3	3	21.46	21.61	21.59	23.00	1
		6	0	21.53	21.49	21.63	22.00	2
		1	0	21.68	21.65	21.70	22.00	2
		1	2	21.55	21.42	21.65	22.00	2
		1	5	21.55	21.55	21.67	22.00	2
1.4	64-QAM	3	0	21.55	21.59	21.64	22.00	2
		3	2	21.50	21.55	21.69	22.00	2
		3	3	21.61	21.57	21.55	22.00	2
		6	0	20.57	20.57	20.64	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 128 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		1720	1745	1770	Max. Tolerance	Allowed per
	Channel			132072	132322	132572	(dBm)	3GPP(dB)
	1 0				23.72	23.64	24.00	0
		1	50	23.27	23.57	23.47	24.00	0
		1	99	23.35	23.49	23.46	24.00	0
20	QPSK	50	0	22.46	22.68	22.63	23.00	1
		50	25	22.36	22.46	22.39	23.00	1
		50	50	22.34	22.59	22.56	23.00	1
		100	0	22.42	22.53	22.56	23.00	1
		1	0	22.36	22.62	22.60	23.00	1
		1	50	22.43	22.58	22.53	23.00	1
		1	99	22.38	22.44	22.41	23.00	1
20	16-QAM	50	0	21.37	21.64	21.55	22.00	2
		50	25	21.36	21.49	21.46	22.00	2
		50	50	21.34	21.63	21.52	22.00	2
		100	0	21.43	21.51	21.49	22.00	2
		1	0	21.23	21.54	21.40	22.00	2
		1	50	21.29	21.59	21.49	22.00	2
		1	99	21.41	21.51	21.49	22.00	2
20	64-QAM	50	0	20.40	20.55	20.50	21.00	3
		50	25	20.42	20.60	20.48	21.00	3
		50	50	20.30	20.43	20.53	21.00	3
		100	0	20.41	20.66	20.49	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 129 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		1717.5	1745	1772.5	Max. Tolerance	Allowed per
	Channel			132047	132322	132597	(dBm)	3GPP(dB)
	1 0				23.61	23.43	24.00	0
		1	36	23.38	23.54	23.47	24.00	0
		1	74	23.28	23.55	23.49	24.00	0
15	15 QPSK	36	0	22.27	22.44	22.51	23.00	1
		36	18	22.39	22.46	22.48	23.00	1
		36	37	22.33	22.54	22.49	23.00	1
		75	0	22.34	22.61	22.40	23.00	1
		1	0	22.43	22.52	22.47	23.00	1
		1	36	22.29	22.52	22.50	23.00	1
		1	74	22.33	22.51	22.48	23.00	1
15	16-QAM	36	0	21.23	21.64	21.60	22.00	2
		36	18	21.37	21.59	21.36	22.00	2
		36	37	21.29	21.58	21.48	22.00	2
		75	0	21.30	21.60	21.44	22.00	2
		1	0	21.26	21.57	21.52	22.00	2
		1	36	21.30	21.47	21.48	22.00	2
		1	74	21.38	21.62	21.46	22.00	2
15	64-QAM	36	0	20.37	20.60	20.49	21.00	3
		36	18	20.29	20.55	20.48	21.00	3
		36	37	20.27	20.64	20.55	21.00	3
		75	0	20.35	20.64	20.51	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 130 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequency (MHz)			1715	1745	1775	Max. Tolerance	Allowed per
	Channel			132022	132322	132622	(dBm)	3GPP(dB)
	1 0				23.63	23.49	24.00	0
		1	25	23.39	23.48	23.42	24.00	0
		1	49	23.39	23.53	23.54	24.00	0
10	QPSK	25	0	22.37	22.59	22.46	23.00	1
		25	12	22.35	22.47	22.40	23.00	1
		25	25	22.24	22.69	22.48	23.00	1
		50	0	22.30	22.45	22.43	23.00	1
		1	0	22.47	22.58	22.46	23.00	1
		1	25	22.34	22.56	22.51	23.00	1
		1	49	22.34	22.50	22.38	23.00	1
10	16-QAM	25	0	21.29	21.57	21.53	22.00	2
		25	12	21.45	21.48	21.50	22.00	2
		25	25	21.45	21.58	21.39	22.00	2
		50	0	21.31	21.54	21.57	22.00	2
		1	0	21.25	21.63	21.48	22.00	2
		1	25	21.42	21.45	21.46	22.00	2
		1	49	21.29	21.63	21.56	22.00	2
10	64-QAM	25	0	20.34	20.47	20.39	21.00	3
		25	12	20.32	20.43	20.47	21.00	3
		25	25	20.34	20.61	20.53	21.00	3
		50	0	20.40	20.62	20.50	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 131 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		1712.5	1745	1777.5	Max. Tolerance	Allowed per
	Channel			131997	132322	132647	(dBm)	3GPP(dB)
	1 0				23.53	23.49	24.00	0
		1	12	23.33	23.47	23.54	24.00	0
		1	24	23.30	23.69	23.49	24.00	0
5	QPSK	12	0	22.43	22.49	22.42	23.00	1
		12	6	22.39	22.60	22.45	23.00	1
		12	13	22.33	22.55	22.55	23.00	1
		25	0	22.25	22.60	22.40	23.00	1
		1	0	22.28	22.60	22.51	23.00	1
		1	12	22.35	22.51	22.54	23.00	1
		1	24	22.36	22.70	22.50	23.00	1
5	16-QAM	12	0	21.40	21.46	21.48	22.00	2
		12	6	21.39	21.61	21.55	22.00	2
		12	13	21.40	21.47	21.47	22.00	2
		25	0	21.41	21.60	21.48	22.00	2
		1	0	21.24	21.60	21.42	22.00	2
		1	12	21.36	21.64	21.48	22.00	2
		1	24	21.34	21.53	21.42	22.00	2
5	64-QAM	12	0	20.28	20.56	20.53	21.00	3
		12	6	20.37	20.55	20.51	21.00	3
		12	13	20.32	20.57	20.47	21.00	3
		25	0	20.39	20.62	20.51	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 132 of 297

			LTE	Band 66				
BW(MHz)	Modulation	RB Size	RB Offset	Conducted power (dBm)			Target Power +	MPR
	Frequenc	y (MHz)		1711.5	1745	1778.5	Max. Tolerance	Allowed per
	Channel			131987	132322	132657	(dBm)	3GPP(dB)
	1 0				23.56	23.36	24.00	0
		1	7	23.38	23.57	23.43	24.00	0
		1	14	23.39	23.55	23.48	24.00	0
3	QPSK	8	0	22.47	22.62	22.40	23.00	1
		8	4	22.31	22.58	22.45	23.00	1
		8	7	22.46	22.56	22.38	23.00	1
		15	0	22.23	22.59	22.50	23.00	1
		1	0	22.37	22.59	22.44	23.00	1
		1	7	22.23	22.54	22.50	23.00	1
		1	14	22.39	22.52	22.50	23.00	1
3	16-QAM	8	0	21.33	21.63	21.50	22.00	2
		8	4	21.36	21.67	21.48	22.00	2
		8	7	21.29	21.55	21.42	22.00	2
		15	0	21.25	21.50	21.48	22.00	2
		1	0	21.34	21.56	21.42	22.00	2
		1	7	21.40	21.47	21.52	22.00	2
		1	14	21.35	21.53	21.45	22.00	2
3	64-QAM	8	0	20.42	20.44	20.37	21.00	3
		8	4	20.36	20.64	20.43	21.00	3
		8	7	20.36	20.56	20.44	21.00	3
		15	0	20.42	20.61	20.43	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 133 of 297

	LTE Band 66													
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR						
	Frequenc	y (MHz)		1710.7	1745	1779.3	Max. Tolerance	Allowed per						
	Char	nnel		131979	132322	132665	(dBm)	3GPP(dB)						
		1	0	23.39	23.59	23.50	24.00	0						
		1	2	23.43	23.47	23.57	24.00	0						
		1	5	23.41	23.68	23.43	24.00	0						
1.4	QPSK	3	0	22.31	22.67	22.48	24.00	0						
		3	2	22.29	22.53	22.52	24.00	0						
		3	3	22.29	22.59	22.51	24.00	0						
		6	0	22.44	22.60	22.46 23.00	1							
		1	0	22.40	22.54	22.51	23.00	1						
		1	2	22.34	22.53	22.54	23.00	1						
		1	5	22.30	22.56	22.49	23.00	1						
1.4	16-QAM	3	0	21.35	21.53	21.50	23.00	1						
		3	2	21.33	21.53	21.46	23.00	1						
		3	3	21.34	21.52	21.55	23.00	1						
		6	0	21.24	21.64	21.35	22.00	2						
		1	0	21.29	21.58	21.44	22.00	2						
		1	2	21.41	21.52	21.49	22.00	2						
		1	5	21.35	21.65	21.51	22.00	2						
1.4	64-QAM	3	0	21.34	21.55	21.42	22.00	2						
		3	2	21.33	21.53	21.54	22.00	2						
		3	3	21.38	21.58	21.53	22.00	2						
		6	0	20.30	20.54	20.49	21.00	3						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 134 of 297

			LTE	Band 71				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		673	680.5	688	Max.	MPR Allowed per 3GPP(dB)
	Char	nnel		133222	133297	133372	(dBm)	3GPP(UD)
		1	0	23.84	23.79	23.78	24.00	0
		1	50	23.62	23.57	23.70	24.00	0
		1	99	23.72	23.61	23.61	24.00	0
20	QPSK	50	0	22.81	22.74	22.82	23.00	1
		50	25	22.66	22.59	22.56	23.00	1
		50	50	22.65	22.62	22.62	23.00	1
		100	0	22.78	22.72	22.75	Power + Max. Tolerance (dBm)  24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 21.00 21.00 21.00	1
		1	0	22.59	22.69	22.63	23.00	1
		1	50	22.74	22.62	22.66	23.00	1
		1	99	22.70	22.69	22.52	23.00	1
20	16-QAM	50	0	21.68	21.58	21.70	22.00	2
		50	25	21.76	21.76	21.61	22.00	2
		50	50	21.66	21.68	21.62	22.00	2
		100	0	21.58	21.68	21.69	22.00	2
		1	0	21.82	21.69	21.55	22.00	2
		1	50	21.65	21.74	21.53	22.00	2
		1	99	21.58	21.68	21.68	22.00	2
20	64-QAM	50	0	20.74	20.54	20.64	21.00	3
		50	25	20.75	20.71	20.66	21.00	3
		50	50	20.68	20.57	20.58	Power + Max. Tolerance (dBm)  24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00	3
		100	0	20.77	20.64	20.60	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 135 of 297

			LTE	Band 71				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		670.5	680.5	690.5	Max.	MPR Allowed per 3GPP(dB)
	Char	nnel		133197	133297	133397	(dBm)	JGPP(UB)
		1	0	23.60	23.69	23.54	24.00	0
		1	36	23.67	23.70	23.54	24.00	0
		1	74	23.72	23.60	23.60	24.00	0
15	QPSK	36	0	22.67	22.62	22.76	23.00	1
		36	18	22.69	22.75	22.63	23.00	1
		36	37	22.72	22.69	22.59	23.00	1
		75	0	22.70	22.66	22.55	Power + Max. Tolerance (dBm)  24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00	1
		1	0	22.75	22.75	22.68		1
		1	36	22.70	22.64	22.67	23.00	1
		1	74	22.72	22.51	22.54	23.00	1
15	16-QAM	36	0	21.66	21.71	21.71	22.00	2
		36	18	21.68	21.58	21.64	22.00	2
		36	37	21.67	21.66	21.55	22.00	2
		75	0	21.69	21.64	21.72	22.00	2
		1	0	21.67	21.58	21.69	22.00	2
		1	36	21.61	21.69	21.57	22.00	2
		1	74	21.68	21.63	21.67	22.00	2
15	64-QAM	36	0	20.62	20.61	20.56	21.00	3
		36	18	20.72	20.70	20.57	21.00	3
		36	37	20.70	20.73	20.58	21.00	3
		75	0	20.78	20.62	20.62	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 136 of 297

			LTE	Band 71					
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD	
	Frequenc	y (MHz)		668	680.5	693	Power + Max.	MPR Allowed per 3GPP(dB)	
	Char	nnel		133172	133297	133422	(dBm)	JOFF (UD)	
		1	0	23.66	23.62	23.57	24.00	0	
		1	25	23.57	23.61	23.70	24.00	0	
		1	49	23.72	23.51	23.62	24.00	0	
10	QPSK	25	0	22.66	22.71	22.69	23.00	1	
		25	12	22.58	22.61	22.56	23.00	1	
		25	25	22.73	22.55	22.60	23.00	1	
		50	0	22.81	22.59	22.56	Tolerance (dBm)  24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00	1	
		1	0	22.68	22.50	22.56	23.00	1	
		1	25	22.62	22.67	22.61	23.00	1	
		1	49	22.67	22.66	22.72	23.00	1	
10	16-QAM	25	0	21.70	21.53	21.62	22.00	2	
		25	12	21.71	21.54	21.59	22.00	2	
		25	25	21.65	21.70	21.64	22.00	2	
		50	0	21.74	21.61	21.65	22.00	2	
		1	0	21.58	21.65	21.64	22.00	2	
		1	25	21.66	21.68	21.70	22.00	2	
		1	49	21.64	21.70	21.59	22.00	2	
10	64-QAM	25	0	20.79	20.68	20.63	21.00	3	
		25	12	20.67	20.61	20.72	21.00	3	
		25	25	20.78	20.62	20.75	21.00	3	
	-		50	0	20.66	20.58	20.53	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 137 of 297

			LTE	Band 71				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	
	Frequenc	y (MHz)		665.5	680.5	695.5	Max.	MPR Allowed per 3GPP(dB)
	Char	nnel		133147	133297	133447	(dBm)	JGPP(UB)
		1	0	23.69	23.65	23.54	24.00	0
		1	12	23.70	23.65	23.62	24.00	0
		1	24	23.67	23.54	23.63	24.00	0
5	QPSK	12	0	22.65	22.57	22.68	23.00	1
		12	6	22.68	22.67	22.64	23.00	1
		12	13	22.75	22.61	22.59	23.00	1
		25	0	22.64	22.71	22.54	Power + Max. Tolerance (dBm)  24.00 24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00	1
		1	0	22.63	22.64	22.68	23.00	1
		1	12	22.81	22.52	22.71	23.00	1
		1	24	22.72	22.63	22.68	23.00	1
5	16-QAM	12	0	21.81	21.62	21.59	22.00	2
		12	6	21.62	21.51	21.69	22.00	2
		12	13	21.64	21.65	21.62	22.00	2
		25	0	21.77	21.65	21.56	22.00	2
		1	0	21.64	21.66	21.66	22.00	2
		1	12	21.63	21.60	21.64	22.00	2
		1	24	21.62	21.64	21.68	22.00	2
5	64-QAM	12	0	20.70	20.72	20.65	21.00	3
		12	6	20.60	20.65	20.65	21.00	3
		12	13	20.75	20.57	20.53	24.00 24.00 23.00 23.00 23.00 23.00 23.00 23.00 23.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00 22.00	3
		25	0	20.75	20.60	20.67	21.00	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 138 of 297

## 6.3 **TDD LTE**

## Down Power

				LTE	Band 41					
BW(MHz)	Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR
	Frequenc	y (MHz)		2506	2549.5	2593	2636.5	2680	Power + Max. Tolerance	Allowed per
	Char	nnel		39750	40185	40620	41055	41490	(dBm)	3GPP(dB
		1	0	19.81	19.79	19.82	19.76	19.84	20.00	0
		1	50	19.68	19.63	19.67	19.68	19.74	20.00	0
		1	99	19.55	19.70	19.69	19.49	19.55	20.00	0
20	QPSK	50	0	19.64	19.63	19.76	19.66	19.71	20.00	0
		50	25	19.63	19.58	19.64	19.60	19.68	20.00	0
		50	50	19.62	19.53	19.65	19.55	19.63	20.00	0
		100	0	19.72	19.67	19.75	19.73	19.76	20.00	0
		1	0	19.63	19.67	19.78	19.59	19.75	20.00	0
		1	50	19.58	19.53	19.75	19.56	19.69	20.00	0
		1	99	19.66	19.57	19.60	19.58	19.64	20.00	0
20	16-QAM	50	0	19.68	19.64	19.67	19.54	19.80	20.00	0
		50	25	19.72	19.68	19.69	19.57	19.78	20.00	0
		50	50	19.75	19.67	19.74	19.59	19.68	20.00	0
		100	0	19.70	19.63	19.55	19.62	19.61	20.00	0
		1	0	19.73	19.54	19.60	19.65	19.69	20.00	0
		1	50	19.64	19.59	19.68	19.60	19.62	20.00	0
		1	99	19.59	19.57	19.57	19.61	19.69	20.00	0
20	64-QAM	50	0	19.68	19.59	19.62	19.63	19.79	20.00	0
		50	25	19.74	19.55	19.64	19.56	19.71	20.00	0
		50	50	19.66	19.57	19.76	19.56	19.70	20.00	0
		100	0	19.77	19.61	19.64	19.57	19.64	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 139 of 297

	LTE Band 41													
BW(MHz)	Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR				
	Frequenc	y (MHz)		2503.5	2548.3	2593	2637.8	2682.5	Power + Max. Tolerance	Allowed per				
	Char	nnel		39725	40173	40620	41068	41515	(dBm)	3GPP(dB)				
		1	0	19.69	19.50	19.78	19.71	19.62	20.00	0				
		1	36	19.75	19.66	19.70	19.61	19.58	20.00	0				
		1	74	19.63	19.75	19.67	19.64	19.69	20.00	0				
15	15 QPSK	36	0	19.71	19.57	19.77	19.64	19.69	20.00	0				
		36	18	19.66	19.66	19.60	19.57	19.68	20.00	0				
		36	37	19.73	19.60	19.71	19.60	19.55	20.00	0				
		75	0	19.77	19.69	19.67	19.47	19.66	20.00	0				
		1	0	19.65	19.76	19.63	19.69	19.74	20.00	0				
		1	36	19.65	19.73	19.64	19.47	19.56	20.00	0				
		1	74	19.58	19.64	19.78	19.52	19.73	20.00	0				
15	16-QAM	36	0	19.63	19.70	19.59	19.57	19.79	20.00	0				
		36	18	19.59	19.61	19.70	19.59	19.77	20.00	0				
		36	37	19.60	19.58	19.68	19.62	19.67	20.00	0				
		75	0	19.57	19.69	19.66	19.71	19.79	20.00	0				
		1	0	19.62	19.65	19.60	19.56	19.54	20.00	0				
		1	36	19.64	19.68	19.57	19.53	19.68	20.00	0				
		1	74	19.70	19.61	19.72	19.60	19.68	20.00	0				
15	64-QAM	36	0	19.62	19.64	19.63	19.63	19.59	20.00	0				
		36	18	19.63	19.65	19.64	19.55	19.68	20.00	0				
		36	37	19.65	19.58	19.58	19.68	19.59	20.00	0				
		75	0	19.69	19.60	19.64	19.65	19.58	20.00	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 140 of 297

				LTE I	Band 41					
BW(MHz)	Modulation	RB Size	RB Offset		Cond	ucted power	(dBm)		Target	MPR
	Frequenc	y (MHz)		2501	2547	2593	2639	2685	Power + Max. Tolerance	Allowed per
	Char	nnel		39700	40160	40620	41080	41540	(dBm)	3GPP(dB)
		1	0	19.66	19.63	19.72	19.54	19.75	20.00	0
		1	25	19.64	19.52	19.69	19.57	19.71	20.00	0
		1	49	19.61	19.56	19.55	19.61	19.68	20.00	0
10	10 QPSK	25	0	19.63	19.68	19.72	19.71	19.73	20.00	0
		25	12	19.70	19.69	19.55	19.63	19.74	20.00	0
		25	25	19.63	19.66	19.62	19.69	19.68	20.00	0
		50	0	19.63	19.72	19.70	19.52	19.66	20.00	0
		1	0	19.60	19.69	19.65	19.73	19.63	20.00	0
		1	25	19.78	19.63	19.61	19.59	19.70	20.00	0
		1	49	19.62	19.58	19.54	19.51	19.73	20.00	0
10	16-QAM	25	0	19.59	19.69	19.62	19.57	19.58	20.00	0
		25	12	19.70	19.68	19.58	19.51	19.80	20.00	0
		25	25	19.75	19.73	19.67	19.56	19.79	20.00	0
		50	0	19.76	19.65	19.63	19.55	19.78	20.00	0
		1	0	19.51	19.63	19.71	19.65	19.81	20.00	0
		1	25	19.73	19.69	19.55	19.58	19.65	20.00	0
		1	49	19.60	19.62	19.70	19.64	19.58	20.00	0
10	64-QAM	25	0	19.65	19.67	19.62	19.67	19.60	20.00	0
		25	12	19.59	19.57	19.57	19.65	19.66	20.00	0
		25	25	19.54	19.73	19.74	19.50	19.65	20.00	0
		50	0	19.57	19.63	19.62	19.53	19.75	20.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 141 of 297

	LTE Band 41													
BW(MHz)	Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR				
	Frequenc	y (MHz)		2498.5	2545.8	2593	2640.3	2687.5	Power + Max. Tolerance	Allowed per				
	Char	nnel		39675	40148	40620	41093	41565	(dBm)	3GPP(dB)				
		1	0	19.64	19.52	19.64	19.59	19.62	20.00	0				
		1	12	19.66	19.61	19.71	19.50	19.63	20.00	0				
		1	24	19.53	19.65	19.58	19.64	19.61	20.00	0				
5	5 QPSK	12	0	19.68	19.67	19.55	19.58	19.72	20.00	0				
		12	6	19.72	19.58	19.64	19.59	19.61	20.00	0				
		12	13	19.62	19.57	19.63	19.53	19.73	20.00	0				
		25	0	19.59	19.56	19.71	19.63	19.67	20.00	0				
		1	0	19.60	19.62	19.71	19.67	19.72	20.00	0				
		1	12	19.70	19.73	19.78	19.68	19.64	20.00	0				
		1	24	19.72	19.63	19.68	19.57	19.62	20.00	0				
5	16-QAM	12	0	19.75	19.62	19.71	19.55	19.70	20.00	0				
		12	6	19.66	19.65	19.67	19.55	19.65	20.00	0				
		12	13	19.63	19.69	19.73	19.61	19.63	20.00	0				
		25	0	19.68	19.56	19.63	19.55	19.69	20.00	0				
		1	0	19.53	19.52	19.67	19.58	19.78	20.00	0				
		1	12	19.59	19.58	19.66	19.64	19.70	20.00	0				
		1	24	19.54	19.62	19.59	19.51	19.67	20.00	0				
5	64-QAM	12	0	19.73	19.65	19.73	19.61	19.76	20.00	0				
		12	6	19.73	19.65	19.60	19.71	19.74	20.00	0				
		12	13	19.67	19.75	19.63	19.67	19.79	20.00	0				
		25	0	19.59	19.61	19.69	19.62	19.67	20.00	0				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 142 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	sy (MHz)		3610	3700	3790	Power + Max.	MPR Allowed per 3GPP(dB)
	Char	nnel		43690	44590	45490	(dBm)	JOFF (UD)
		1	0	20.71	20.76	20.78	21.00	0
		1	50	20.47	20.65	20.70	21.00	0
		1	99	20.63	20.52	20.71	21.00	0
20	QPSK	50	0	20.66	20.62	20.68	21.00	0
		50	25	20.52	20.61	20.63	21.00	0
		50	50	20.60	20.58	20.62	21.00	0
		100	0	20.69	20.52	20.53	21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00	0
		1	0	20.53	20.67	20.58	21.00	0
		1	50	20.58	20.57	20.61	21.00	0
		1	99	20.61	20.64	20.59	21.00	0
20	16-QAM	50	0	20.47	20.65	20.66	21.00	0
		50	25	20.62	20.59	20.56	21.00	0
		50	50	20.50	20.59	20.53	21.00	0
		100	0	20.60	20.68	20.63	21.00	0
		1	0	20.47	20.49	20.65	21.00	0
		1	50	20.44	20.62	20.68	21.00	0
		1	99	20.63	20.67	20.64	21.00	0
20	64-QAM	50	0	20.56	20.57	20.58	21.00	0
		50	25	20.50	20.56	20.54	21.00	0
		50	50	20.54	20.66	20.65	21.00	0
		100	0	20.51	20.55	20.65	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 143 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		3607.5	3700	3792.5	Max.	MPR Allowed per 3GPP(dB)
	Char	nnel		43665	44590	45515	(dBm)	JOFF (UD)
		1	0	20.51	20.56	20.61	21.00	0
		1	36	20.48	20.55	20.72	21.00	0
		1	74	20.52	20.53	20.56	21.00	0
15	QPSK	36	0	20.53	20.51	20.63	21.00	0
		36	18	20.48	20.64	20.50	21.00	0
		36	37	20.59	20.46	20.62	21.00	0
		75	0	20.52	20.53	20.62	Power + Max. Tolerance (dBm)  21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00 21.00	0
		1	0	20.53	20.56	20.60	21.00	0
		1	36	20.52	20.58	20.56	21.00	0
		1	74	20.64	20.69	20.61	21.00	0
15	16-QAM	36	0	20.53	20.59	20.49	21.00	0
		36	18	20.61	20.62	20.64	21.00	0
		36	37	20.57	20.55	20.51	21.00	0
		75	0	20.64	20.59	20.56	21.00	0
		1	0	20.42	20.73	20.72	21.00	0
		1	36	20.58	20.56	20.68	21.00	0
		1	74	20.57	20.69	20.65	21.00	0
15	64-QAM	36	0	20.67	20.62	20.57	21.00	0
		36	18	20.62	20.60	20.52	21.00	0
	36	37	20.61	20.65	20.70	21.00	0	
		75	0	20.56	20.65	20.58	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 144 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		3605	3700	3795	Power + Max. Tolerance	MPR Allowed per 3GPP(dB)
	Char	nnel		43640	44590	45540	(dBm)	JGFF(UB)
		1	0	20.57	20.52	20.58	21.00	0
		1	25	20.53	20.65	20.70	21.00	0
		1	49	20.63	20.52	20.58	21.00	0
10	QPSK	25	0	20.45	20.56	20.59	21.00	0
		25	12	20.48	20.65	20.67	21.00	0
		25	25	20.42	20.53	20.53	21.00	0
		50	0	20.47	20.56	20.60	21.00 21.00 21.00 21.00 21.00 21.00 21.00	0
		1	0	20.43	20.60	20.56	21.00	0
		1	25	20.48	20.53	20.63	21.00	0
		1	49	20.62	20.48	20.73	21.00	0
10	16-QAM	25	0	20.56	20.61	20.53	21.00	0
		25	12	20.52	20.54	20.66	21.00	0
		25	25	20.47	20.66	20.68	21.00	0
		50	0	20.53	20.59	20.60	21.00	0
		1	0	20.62	20.66	20.53	21.00	0
		1	25	20.47	20.56	20.54	21.00	0
		1	49	20.45	20.47	20.62	21.00	0
10	64-QAM	25	0	20.54	20.69	20.64	21.00	0
		25	12	20.52	20.72	20.61	21.00	0
		25	25	20.60	20.49	20.74	21.00	0
		50	0	20.49	20.69	20.62	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 145 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MDD
	Frequenc	y (MHz)		3602.5	3700	3797.5	Max. Tolerance	MPR Allowed per 3GPP(dB)
	Char	nnel		43615	44590	45565	(dBm)	JOFF (UD)
		1	0	20.52	20.46	20.71	21.00	0
		1	12	20.54	20.51	20.59	21.00	0
		1	24	20.53	20.49	20.49	21.00	0
5	QPSK	12	0	20.48	20.49	20.60	21.00	0
		12	6	20.61	20.68	20.57	21.00	0
		12	13	20.48	20.66	20.70	21.00	0
		25	0	20.50	20.58	20.59	21.00	0
		1	0	20.49	20.60	20.49	21.00	0
		1	12	20.52	20.56	20.56	21.00	0
		1	24	20.59	20.74	20.64	21.00	0
5	16-QAM	12	0	20.58	20.52	20.59	21.00	0
		12	6	20.55	20.64	20.59	21.00	0
		12	13	20.58	20.63	20.62	21.00	0
		25	0	20.56	20.59	20.63	21.00	0
		1	0	20.57	20.62	20.57	21.00	0
		1	12	20.55	20.49	20.67	21.00	0
		1	24	20.46	20.65	20.56	21.00	0
5 64-QAM	64-QAM	12	0	20.55	20.52	20.49	21.00	0
		12	6	20.65	20.49	20.52	21.00	0
		12	13	20.49	20.50	20.66	21.00	0
		25	0	20.49	20.58	20.63	21.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 146 of 297

				LTE Band	18				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted p	oower (dBm)		Target	MPR
	Frequenc	y (MHz)		3560	3609	3641	3690	Power + Max. Tolerance	Allowed per
	Char	nnel		55340	55830	56150	56640	(dBm)	3GPP(dB)
		1	0	21.65	21.71	21.80	21.74	22.00	0
		1	50	21.49	21.68	21.66	21.68	22.00	0
		1	99	21.58	21.44	21.64	21.56	22.00	0
20	QPSK	50	0	21.55	21.49	21.67	21.61	22.00	0
	50	25	21.52	21.46	21.64	21.59	22.00	0	
		50	50	21.53	21.48	21.62	21.54	22.00	0
		100	0	21.46	21.52	21.64	21.50	22.00	0
		1	0	21.55	21.50	21.70	21.63	22.00	0
		1	50	21.47	21.65	21.73	21.58	22.00	0
		1	99	21.42	21.50	21.61	21.64	22.00	0
20	16-QAM	50	0	21.46	21.53	21.66	21.58	22.00	0
		50	25	21.47	21.47	21.66	21.54	22.00	0
		50	50	21.43	21.61	21.61	21.66	22.00	0
		100	0	21.49	21.49	21.77	21.60	22.00	0
		1	0	21.53	21.54	21.73	21.71	22.00	0
		1	50	21.40	21.52	21.74	21.46	22.00	0
		1	99	21.40	21.62	21.67	21.65	22.00	0
20	64-QAM	50	0	21.52	21.52	21.73	21.61	22.00	0
		50	25	21.47	21.64	21.75	21.67	22.00	0
		50	50	21.46	21.56	21.56	21.62	22.00	0
		100	0	21.49	21.56	21.67	21.52	22.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 147 of 297

				LTE Band 4	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted p	power (dBm)		Target	MPR
	Frequenc	y (MHz)		3557.5	3608	3642	3692.5	Power + Max. Tolerance	Allowed per
	Char	nnel		55315	55820	56160	56665	(dBm)	3GPP(dB)
		1	0	21.36	21.58	21.54	21.61	22.00	0
		1	36	21.46	21.53	21.64	21.59	22.00	0
		1	74	21.46	21.55	21.65	21.51	22.00	0
15	QPSK	36	0	21.47	21.60	21.60	21.67	22.00	0
		36	18	21.50	21.58	21.65	21.69	22.00	0
		36	37	21.39	21.54	21.58	21.62	22.00	0
		75	0	21.57	21.51	21.74	21.46	22.00	0
		1	0	21.49	21.49	21.66	21.62	22.00	0
		1	36	21.45	21.41	21.53	21.48	22.00	0
		1	74	21.48	21.54	21.62	21.63	22.00	0
15	16-QAM	36	0	21.57	21.59	21.59	21.58	22.00	0
		36	18	21.43	21.54	21.63	21.65	22.00	0
		36	37	21.49	21.56	21.71	21.60	22.00	0
		75	0	21.51	21.50	21.66	21.56	22.00	0
		1	0	21.51	21.45	21.66	21.62	22.00	0
		1	36	21.56	21.62	21.72	21.67	22.00	0
		1	74	21.56	21.54	21.65	21.56	22.00	0
15	64-QAM	36	0	21.49	21.55	21.71	21.65	22.00	0
		36	18	21.61	21.69	21.73	21.52	22.00	0
		36	37	21.55	21.67	21.67	21.45	22.00	0
		75	0	21.49	21.67	21.69	21.50	22.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 148 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted p	oower (dBm)		Target	MPR
	Frequenc	y (MHz)		3555	3607.5	3642.5	3695	Power + Max. Tolerance	Allowed per
	Char	nnel		55290	55815	56165	56690	(dBm)	3GPP(dB)
		1	0	21.36	21.46	21.70	21.64	22.00	0
		1	25	21.47	21.64	21.59	21.45	22.00	0
		1	49	21.55	21.64	21.76	21.50	22.00	0
10	QPSK	25	0	21.47	21.59	21.59	21.61	22.00	0
		25	12	21.42	21.54	21.62	21.54	22.00	0
	25	25	21.58	21.56	21.68	21.66	22.00	0	
		50	0	21.50	21.59	21.73	21.59	22.00	0
		1	0	21.49	21.49	21.62	21.64	22.00	0
		1	25	21.43	21.54	21.78	21.62	22.00	0
		1	49	21.49	21.53	21.61	21.57	22.00	0
10	16-QAM	25	0	21.51	21.62	21.63	21.56	22.00	0
		25	12	21.58	21.55	21.66	21.53	22.00	0
		25	25	21.50	21.68	21.70	21.49	22.00	0
		50	0	21.46	21.55	21.63	21.45	22.00	0
		1	0	21.54	21.51	21.62	21.65	22.00	0
		1	25	21.55	21.60	21.61	21.52	22.00	0
		1	49	21.50	21.47	21.65	21.48	22.00	0
10	64-QAM	25	0	21.42	21.56	21.61	21.59	22.00	0
		25	12	21.51	21.55	21.57	21.55	22.00	0
		25	25	21.51	21.56	21.68	21.58	22.00	0
		50	0	21.54	21.56	21.64	21.60	22.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 149 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted <sub>I</sub>	power (dBm)		Target	MPR
	Frequenc	y (MHz)		3552.5	3607	3643	3697.5	Power + Max. Tolerance	Allowed per
	Char	nnel		55265	55810	56170	56715	(dBm)	3GPP(dB)
		1	0	21.37	21.60	21.53	21.50	22.00	0
		1	12	21.41	21.45	21.63	21.50	22.00	0
		1	24	21.47	21.66	21.74	21.55	22.00	0
5	QPSK	12	0	21.57	21.48	21.54	21.57	22.00	0
		12	6	21.35	21.67	21.53	21.59	22.00	0
		12	13	21.41	21.43	21.69	21.67	22.00	0
		25	0	21.58	21.51	21.63	21.71	22.00	0
		1	0	21.55	21.54	21.68	21.70	22.00	0
		1	12	21.53	21.58	21.64	21.54	22.00	0
		1	24	21.41	21.51	21.64	21.68	22.00	0
5	16-QAM	12	0	21.49	21.45	21.71	21.54	22.00	0
		12	6	21.43	21.54	21.63	21.55	22.00	0
		12	13	21.57	21.61	21.66	21.51	22.00	0
		25	0	21.56	21.50	21.62	21.64	22.00	0
		1	0	21.53	21.49	21.54	21.55	22.00	0
		1	12	21.41	21.61	21.59	21.57	22.00	0
		1	24	21.42	21.56	21.52	21.64	22.00	0
5	64-QAM	12	0	21.59	21.51	21.70	21.61	22.00	0
		12	6	21.41	21.67	21.63	21.53	22.00	0
		12	13	21.60	21.54	21.70	21.55	22.00	0
		25	0	21.58	21.50	21.72	21.62	22.00	0

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 150 of 297

### **Full Power**

er									
			LTE	Band 41					
Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR
Frequenc	y (MHz)		2506	2549.5	2593	2636.5	2680	Max.	Allowed per
Char	nnel		39750	40185	40620	41055	41490	(dBm)	3GPP(dB)
	1	0	23.52	23.64	23.61	23.59	23.53	23.80	0
	1	50	23.32	23.53	23.47	23.29	23.33	23.80	0
	1	99	23.37	23.39	23.42	23.49	23.27	23.80	0
QPSK	50	0	22.43	22.66	22.54	22.55	22.51	22.80	1
	50	25	22.34	22.52	22.40	22.40	22.45	22.80	1
	50	50	22.28	22.48	22.44	22.43	22.35	22.80	1
	100	0	22.47	22.55	22.48	22.52	22.49	22.80	1
	1	0	22.34	22.47	22.53	22.42	22.51	22.80	1
	1	50	22.33	22.45	22.43	22.30	22.42	22.80	1
	1	99	22.38	22.51	22.46	22.46	22.31	22.80	1
16-QAM	50	0	21.43	21.47	21.53	21.33	21.30	21.80	2
	50	25	21.33	21.58	21.48	21.41	21.34	21.80	2
	50	50	21.36	21.52	21.52	21.46	21.26	21.80	2
	100	0	21.37	21.55	21.56	21.55	21.37	21.80	2
	1	0	21.32	21.51	21.58	21.51	21.30	21.80	2
	1	50	21.34	21.50	21.42	21.39	21.34	21.80	2
	1	99	21.37	21.45	21.56	21.45	21.35	21.80	2
64-QAM	50	0	20.39	20.49	20.52	20.35	20.38	20.80	3
	50	25	20.36	20.38	20.47	20.32	20.39	20.80	3
	50	50	20.40	20.47	20.39	20.39	20.35	20.80	3
	100	0	20.40	20.55	20.36	20.44	20.43	20.80	3
	Modulation  Frequenc  Char  QPSK	Modulation   RB Size	Modulation   RB Size   RB Offset	Nodulation   RB Size   RB Offset	Modulation         RB Size         RB Offset         Condu           Frequency (MHz)         2506         2549.5           Charnel         39750         40185           QPSK         1         0         23.52         23.64           1         50         23.32         23.53           1         99         23.37         23.39           1         99         23.37         23.39           50         0         22.43         22.66           50         25         22.34         22.52           50         50         22.28         22.48           100         0         22.47         22.55           1         0         22.34         22.47           1         50         22.33         22.45           1         99         22.38         22.51           1         99         22.38         22.51           1         99         21.33         21.58           50         50         21.36         21.52           100         0         21.37         21.55           1         0         21.32         21.51	Conducted power	Conducted power (dBm)	Modulation         RB Size         RB Offset         Conducted power (dBm)           Frequency (MHz)         2506         2549.5         2593         2636.5         2680           Chamel         39750         40185         40620         41055         41490           Chamel         1         0         23.52         23.64         23.61         23.59         23.53           1         50         23.32         23.53         23.47         23.29         23.33           1         99         23.37         23.39         23.42         23.49         23.27           50         0         22.43         22.66         22.54         22.52         22.40         22.45           50         25         22.34         22.52         22.40         22.42         22.45           50         50         22.28         22.48         22.44         22.43         22.52           100         0         22.47         22.55         22.48         22.52         22.40           1         99         22.33         22.47         22.53         22.42         22.51           1         99         22.33         22.45         22.43<	Nodulation   RB Size   RB Offset   Conducted power (dBm)   Target Power + Max. Tolerance (dBm)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 151 of 297

				LTE	Band 41					
BW(MHz)	Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR
	Frequenc	y (MHz)		2503.5	2548.3	2593	2637.8	2682.5	Power + Max. Tolerance	Allowed per
	Char	nnel		39725	40173	40620	41068	41515	(dBm)	3GPP(dB)
		1	0	23.26	23.44	23.40	23.44	23.36	23.80	0
		1	36	23.36	23.48	23.49	23.37	23.23	23.80	0
		1	74	23.40	23.47	23.50	23.47	23.34	23.80	0
15	QPSK	36	0	22.40	22.54	22.40	22.39	22.34	22.80	1
		36	18	22.39	22.47	22.45	22.41	22.39	22.80	1
		36	37	22.45	22.44	22.42	22.47	22.36	22.80	1
		75	0	22.38	22.41	22.37	22.38	22.41	22.80	1
		1	0	22.28	22.34	22.37	22.50	22.42	22.80	1
		1	36	22.35	22.52	22.53	22.48	22.36	22.80	1
		1	74	22.42	22.57	22.38	22.40	22.36	22.80	1
15	16-QAM	36	0	21.46	21.45	21.42	21.45	21.35	21.80	2
		36	18	21.41	21.39	21.39	21.42	21.38	21.80	2
		36	37	21.48	21.50	21.46	21.36	21.41	21.80	2
		75	0	21.30	21.59	21.36	21.30	21.32	21.80	2
		1	0	21.33	21.48	21.51	21.31	21.25	21.80	2
		1	36	21.35	21.49	21.50	21.44	21.36	21.80	2
		1	74	21.26	21.53	21.43	21.35	21.40	21.80	2
15	64-QAM	36	0	20.35	20.47	20.45	20.42	20.36	20.80	3
		36	18	20.37	20.47	20.46	20.41	20.36	20.80	3
		36	37	20.25	20.49	20.40	20.37	20.32	20.80	3
		75	0	20.35	20.58	20.45	20.44	20.25	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 152 of 297

				LTE	Band 41					
BW(MHz)	Modulation	RB Size	RB Offset		Cond	ucted power	(dBm)		Target	MPR
	Frequenc	y (MHz)		2501	2547	2593	2639	2685	Power + Max. Tolerance	Allowed per
	Char	nnel		39700	40160	40620	41080	41540	(dBm)	3GPP(dB)
		1	0	23.40	23.41	23.43	23.42	23.43	23.80	0
		1	25	23.33	23.43	23.38	23.46	23.46	23.80	0
		1	49	23.33	23.49	23.34	23.43	23.24	23.80	0
10	QPSK	25	0	22.49	22.40	22.43	22.42	22.32	22.80	1
		25	12	22.36	22.55	22.45	22.37	22.47	22.80	1
		25	25	22.41	22.53	22.35	22.40	22.35	22.80	1
		50	0	22.40	22.48	22.40	22.40	22.38	22.80	1
		1	0	22.44	22.45	22.50	22.38	22.38	22.80	1
		1	25	22.39	22.48	22.49	22.43	22.43	22.80	1
		1	49	22.34	22.35	22.46	22.54	22.29	22.80	1
10	16-QAM	25	0	21.46	21.54	21.50	21.44	21.40	21.80	2
		25	12	21.46	21.57	21.43	21.36	21.38	21.80	2
		25	25	21.37	21.55	21.37	21.43	21.42	21.80	2
		50	0	21.46	21.44	21.39	21.46	21.49	21.80	2
		1	0	21.31	21.46	21.41	21.34	21.39	21.80	2
		1	25	21.42	21.40	21.54	21.42	21.42	21.80	2
		1	49	21.30	21.42	21.44	21.36	21.39	21.80	2
10	64-QAM	25	0	20.26	20.48	20.51	20.43	20.32	20.80	3
		25	12	20.33	20.56	20.42	20.48	20.49	20.80	3
		25	25	20.44	20.54	20.38	20.51	20.43	20.80	3
		50	0	20.39	20.55	20.50	20.37	20.29	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 153 of 297

				LTE	Band 41					
BW(MHz)	Modulation	RB Size	RB Offset		Condu	ucted power	(dBm)		Target	MPR
	Frequenc	y (MHz)		2498.5	2545.8	2593	2640.3	2687.5	Power + Max. Tolerance	Allowed per
	Char	nnel		39675	40148	40620	41093	41565	(dBm)	3GPP(dB)
		1	0	23.35	23.50	23.55	23.35	23.40	23.80	0
		1	12	23.36	23.46	23.46	23.44	23.37	23.80	0
		1	24	23.38	23.41	23.39	23.33	23.34	23.80	0
5	QPSK	12	0	22.32	22.59	22.36	22.42	22.46	22.80	1
		12	6	22.46	22.49	22.50	22.42	22.36	22.80	1
		12	13	22.31	22.50	22.45	22.45	22.44	22.80	1
		25	0	22.34	22.38	22.54	22.43	22.36	22.80	1
		1	0	22.37	22.54	22.53	22.52	22.39	22.80	1
		1	12	22.30	22.52	22.46	22.52	22.49	22.80	1
		1	24	22.33	22.43	22.35	22.44	22.39	22.80	1
5	16-QAM	12	0	21.35	21.39	21.49	21.51	21.34	21.80	2
		12	6	21.30	21.39	21.42	21.32	21.39	21.80	2
		12	13	21.40	21.53	21.48	21.51	21.32	21.80	2
		25	0	21.33	21.37	21.56	21.31	21.34	21.80	2
		1	0	21.27	21.43	21.41	21.45	21.45	21.80	2
		1	12	21.34	21.49	21.53	21.51	21.42	21.80	2
		1	24	21.29	21.50	21.42	21.56	21.26	21.80	2
5	64-QAM	12	0	20.31	20.56	20.39	20.42	20.34	20.80	3
		12	6	20.27	20.37	20.47	20.39	20.40	20.80	3
		12	13	20.48	20.47	20.44	20.46	20.45	20.80	3
		25	0	20.36	20.51	20.36	20.45	20.37	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 154 of 297

			LTE	Band 42				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target Power +	MPR
	Frequenc	y (MHz)		3410	3500	3590	Max. Tolerance	Allowed per
	Char	nnel		41690	42590	43490	(dBm)	3GPP(dB)
		1	0	23.79	23.66	23.72	23.80	0
		1	50	23.55	23.43	23.53	23.80	0
		1	99	23.59	23.44	23.46	23.80	0
20	QPSK	50	0	22.77	22.64	22.75	22.80	1
		50	25	22.63	22.45	22.58	22.80	1
		50	50	22.61	22.52	22.49	22.80	1
		100	0	22.75	22.61	22.76	22.80	1
		1	0	22.61	22.51	22.62	22.80	1
		1	50	22.71	22.48	22.49	22.80	1
		1	99	22.67	22.39	22.59	22.80	1
20	16-QAM	50	0	21.59	21.47	21.46	21.80	2
		50	25	21.58	21.53	21.55	21.80	2
		50	50	21.58	21.53	21.50	21.80	2
		100	0	21.56	21.48	21.50	21.80	2
		1	0	21.57	21.43	21.62	21.80	2
		1	50	21.56	21.53	21.60	21.80	2
		1	99	21.64	21.42	21.56	21.80	2
20 64-0	64-QAM	50	0	20.65	20.47	20.63	20.80	3
		50	25	20.60	20.43	20.48	20.80	3
		50	50	20.68	20.48	20.58	20.80	3
		100	0	20.61	20.43	20.68	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 155 of 297

			LTE	Band 42				
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		3407.5	3500	3592.5	Power + Max. Tolerance	Allowed per
	Char	nnel		41665	42590	43515	(dBm)	3GPP(dB)
		1	0	23.66	23.45	23.54	23.80	0
		1	36	23.62	23.44	23.53	23.80	0
		1	74	23.69	23.48	23.54	23.80	0
15	QPSK	36	0	22.61	22.40	22.51	22.80	1
		36	18	22.69	22.46	22.65	22.80	1
		36	37	22.66	22.43	22.55	22.80	1
		75	0	22.65	22.50	22.50	22.80	1
		1	0	22.59	22.45	22.55	22.80	1
		1	36	22.55	22.48	22.65	22.80	1
		1	74	22.53	22.48	22.56	22.80	1
15	16-QAM	36	0	21.68	21.64	21.55	21.80	2
		36	18	21.68	21.36	21.47	21.80	2
		36	37	21.74	21.57	21.61	21.80	2
		75	0	21.62	21.52	21.59	21.80	2
		1	0	21.68	21.48	21.57	21.80	2
		1	36	21.52	21.51	21.54	21.80	2
		1	74	21.63	21.42	21.68	21.80	2
15 64-QAM	64-QAM	36	0	20.58	20.57	20.52	20.80	3
		36	18	20.63	20.52	20.53	20.80	3
		36	37	20.67	20.45	20.49	20.80	3
		75	0	20.72	20.54	20.48	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 156 of 297

			LTE	Band 42				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MPR
	Frequenc	y (MHz)		3405	3500	3595	Power + Max. Tolerance	Allowed per
	Char	nnel		41640	42590	43540	(dBm)	3GPP(dB)
		1	0	23.54	23.50	23.55	23.80	0
		1	25	23.66	23.54	23.52	23.80	0
		1	49	23.62	23.62	23.58	23.80	0
10	QPSK	25	0	22.58	22.61	22.45	22.80	1
		25	12	22.52	22.53	22.60	22.80	1
		25	25	22.65	22.53	22.63	22.80	1
		50	0	22.70	22.40	22.51	22.80	1
		1	0	22.54	22.54	22.55	22.80	1
		1	25	22.53	22.47	22.53	22.80	1
		1	49	22.51	22.48	22.59	22.80	1
10	16-QAM	25	0	21.62	21.41	21.58	21.80	2
		25	12	21.60	21.46	21.62	21.80	2
		25	25	21.59	21.48	21.57	21.80	2
		50	0	21.62	21.50	21.58	21.80	2
		1	0	21.62	21.52	21.60	21.80	2
		1	25	21.68	21.48	21.51	21.80	2
		1	49	21.59	21.48	21.62	21.80	2
10 64-QAI	64-QAM	25	0	20.74	20.59	20.55	20.80	3
		25	12	20.60	20.51	20.60	20.80	3
		25	25	20.67	20.55	20.54	20.80	3
		50	0	20.59	20.49	20.60	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 157 of 297

			LTE	Band 42					
BW(MHz)	Modulation	RB Size	RB Offset	Condu	ucted power	(dBm)	Target Power +	MPR	
	Frequenc	y (MHz)		3402.5	3500	3597.5	Max. Tolerance	Allowed per	
	Char	nnel		41615	42590	43565	(dBm)	3GPP(dB)	
		1	0	23.60	23.57	23.63	23.80	0	
		1	12	23.68	23.52	23.56	23.80	0	
		1	24	23.70	23.60	23.45	23.80	0	
5	QPSK	12	0	22.75	22.50	22.57	22.80	1	
		12	6	22.60	22.52	22.60	22.80	1	
	-		12	13	22.59	22.56	22.68	22.80	1
		25	0	22.59			22.80	1	
		1	0	22.69	22.45	22.51	22.80	1	
		1	12	22.54	22.54	22.69	22.80	1	
		1	24	22.66	22.57	22.60	22.80	1	
5	16-QAM	12	0	21.59	21.57	21.53	21.80	2	
		12	6	21.64	21.48	21.62	21.80	2	
		12	13	21.64	21.47	21.55	21.80	2	
		25	0	21.62	21.46	21.64	21.80	2	
		1	0	21.65	21.50	21.68	21.80	2	
		1	12	21.59	21.49	21.51	21.80	2	
			24	21.70	21.53	21.67	21.80	2	
5	64-QAM	12	0	20.62	20.45	20.63	20.80	3	
		12	6	20.64	20.48	20.54	20.80	3	
		12	13	20.61	20.57	20.59	20.80	3	
		25	0	20.75	20.52	20.61	20.80	3	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 158 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		3610	3700	3790	Power + Max. Tolerance	MPR Allowed per 3GPP(dB)
	Char	nnel		43690	44590	45490	(dBm)	JGFF(UB)
		1	0	23.72	23.79	23.77	23.80	0
		1	50	23.50	23.66	23.61	23.80	0
		1	99	23.64	23.70	23.59	23.80	0
20	QPSK	50	0	22.67	22.72	22.76	22.80	1
		50	25	22.56	22.59	22.57	22.80	1
		50	50	22.55	22.60	22.65	22.80	1
		100	0	22.71	22.78	22.71	22.80	1
		1	0	22.66	22.69	22.53	22.80	1
		1	50	22.55	22.58	22.68	22.80	1
		1	99	22.57	22.65	22.55	22.80	1
20	16-QAM	50	0	21.46	21.69	21.61	21.80	2
		50	25	21.61	21.54	21.61	21.80	2
		50	50	21.45	21.58	21.62	21.80	2
		100	0	21.53	21.61	21.58	21.80	2
		1	0	21.55	21.66	21.48	21.80	2
		1	50	21.60	21.56	21.67	21.80	2
		1	99	21.56	21.64	21.67	21.80	2
20	64-QAM	50	0	20.53	20.68	20.70	20.80	3
		50	25	20.65	20.61	20.61	20.80	3
		50	50	20.62	20.54	20.64	20.80	3
		100	0	20.46	20.74	20.58	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 159 of 297

			LTE	Band 43				
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD
	Frequenc	y (MHz)		3607.5	3700	3792.5	Power + Max. Tolerance	MPR Allowed per 3GPP(dB)
	Char	nel		43665	44590	45515	(dBm)	JGFF(UB)
		1	0	23.56	23.68	23.62	23.80	0
		1	36	23.54	23.65	23.56	23.80	0
		1	74	23.59	23.72	23.64	23.80	0
15	QPSK	36	0	22.58	22.69	22.50	22.80	1
		36	18	22.50	22.66	22.68	22.80	1
		36	37	22.55	22.61	22.64	22.80	1
		75	0	22.53	22.61	22.63	22.80	1
		1	0	22.57	22.62	22.57	22.80	1
		1	36	22.52	22.56	22.58	22.80	1
		1	74	22.58	22.65	22.60	22.80	1
15	16-QAM	36	0	21.57	21.60	21.57	21.80	2
		36	18	21.55	21.62	21.58	21.80	2
		36	37	21.49	21.55	21.60	21.80	2
		75	0	21.64	21.61	21.64	21.80	2
		1	0	21.58	21.67	21.60	21.80	2
		1	36	21.56	21.65	21.52	21.80	2
		1	74	21.46	21.63	21.74	21.80	2
15	64-QAM	36	0	20.68	20.77	20.63	20.80	3
		36	18	20.62	20.71	20.71	20.80	3
		36	37	20.64	20.57	20.60	20.80	3
		75	0	20.53	20.56	20.70	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 160 of 297

			LTE	Band 43								
BW(MHz)	Modulation	RB Size	RB Offset	Cond	lucted power	(dBm)	Target	MDD				
	Frequenc	y (MHz)		3605	3700	3795	Power + Max. Tolerance	MPR Allowed per 3GPP(dB)				
	Char	nnel		43640	44590	45540	(dBm)	JOFF (UD)				
		1	0	23.56	23.71	23.61	23.80	0				
		1	25	23.63	23.67	23.67	23.80	0				
		1	49	23.65	23.50	23.65	23.80	0				
10	QPSK	25	0	22.51	22.68	22.56	22.80	1				
		25	12	22.54	22.55	22.59	22.80	1				
		25	25	22.65	22.60	22.56	22.80	1				
		50	0	22.56	22.67	22.48	22.80	1				
		1	0	22.53	22.56	22.61	22.80	1				
		1	25	22.60	22.57	22.60	22.80	1				
		1	49	22.43	22.64	22.66	22.80	1				
10	16-QAM	16-QAM	16-QAM	16-QAM	16-QAM	25	0	21.63	21.54	21.60	21.80	2
		25	12	21.57	21.60	21.69	21.80	2				
		25	25	21.47	21.58	21.58	21.80	2				
		50	0	21.51	21.76	21.60	21.80	2				
		1	0	21.65	21.60	21.61	21.80	2				
		1	25	21.52	21.55	21.57	21.80	2				
		1	49	21.45	21.67	21.57	21.80	2				
10	64-QAM	25	0	20.63	20.70	20.51	20.80	3				
		25	12	20.56	20.75	20.66	20.80	3				
		25	25	20.55	20.62	20.66	20.80	3				
		50	0	20.53	20.56	20.64	20.80	3				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 161 of 297

			LTE	Band 43					
BW(MHz)	Modulation	RB Size	RB Offset	Cond	ucted power	(dBm)	Target	MDD	
	Frequenc	y (MHz)		3602.5	3700	3797.5	Power + Max. Tolerance	MPR Allowed per 3GPP(dB)	
	Char	nnel		43615	44590	45565	(dBm)	JOFF (UD)	
		1	0	23.65	23.70	23.68	23.80	0	
		1	12	23.55	23.56	23.61	23.80	0	
		1	24	23.49	23.59	23.57	23.80	0	
5	QPSK	12	0	22.51	22.58	22.58	22.80	1	
		12	6	22.54	22.61	22.51	22.80	1	
		12	13	22.49	22.57	22.67	22.80	1	
		25	0	22.52	22.64	22.68	22.80	1	
		1	0	22.46	22.65	22.65	22.80	1	
		1	12	22.56	22.67	22.64	22.80	1	
		1	24	22.59	22.73	22.62	22.80	1	
5	16-QAM	12	0	21.60	21.60	21.62	21.80	2	
		12	6	21.64	21.60	21.54	21.80	2	
		12	13	21.60	21.60	21.62	21.80	2	
		25	0	21.56	21.56	21.62	21.80	2	
		1	0	21.49	21.71	21.65	21.80	2	
		1	12	21.69	21.59	21.68	21.80	2	
		1	24	21.55	21.66	21.66	21.80	2	
5	64-QAM	12	0	20.59	20.70	20.57	20.80	3	
		12	6	20.49	20.58	20.57	20.80	3	
		12	13	20.59	20.66	20.61	20.80	3	
		25	0	20.48	20.67	20.48	20.80	3	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 162 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted	power (dBm)		Target	MPR
	Frequenc	y (MHz)		3560	3609	3641	3690	Power + Max. Tolerance	Allowed per
	Char	nnel		55340	55830	56150	56640	(dBm)	3GPP(dB)
		1	0	23.55	23.71 23.78		23.61	23.80	0
		1	50	23.48	23.59	23.65	23.45	23.80	0
		1	99	23.40	23.52	23.59	23.50	23.80	0
20	QPSK	50	0	22.53	22.67	22.73	22.57	22.80	1
		50	25	22.29	22.59	22.55	22.44	22.80	1
		50	50	22.48	22.58	22.52	22.40	22.80	1
		100	0	22.51	22.69	22.71	22.59	22.80	1
		1	0	22.41	22.64	22.65	22.51	22.80	1
		1	50	22.40	22.47	22.68	22.44	22.80	1
		1	99	22.41	22.46	22.66	22.42	22.80	1
20	16-QAM	50	0	21.34	21.52	21.55	21.57	21.80	2
		50	25	21.35	21.58	21.67	21.39	21.80	2
		50	50	21.46	21.59	21.70	21.47	21.80	2
		100	0	21.42	21.49	21.63	21.55	21.80	2
		1	0	21.40	21.54	21.52	21.36	21.80	2
		1	50	21.30	21.58	21.64	21.49	21.80	2
		1	99	21.44	21.57	21.50	21.46	21.80	2
20	64-QAM	50	0	20.28	20.44	20.65	20.54	20.80	3
		50	25	20.44	20.56	20.65	20.43	20.80	3
		50	50	20.45	20.52	20.73	20.41	20.80	3
		100	0	20.33	20.65	20.72	20.39	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 163 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted	power (dBm)	)	Target	MPR
	Frequenc	y (MHz)		3557.5	3608	3642	3692.5	Power + Max. Tolerance	Allowed per
	Char	nnel		55315	55820	56160	56665	(dBm)	3GPP(dB)
		1	0	23.31	23.48	23.52	23.47	23.80	0
		1	36	23.40	23.62	23.65	23.39	23.80	0
		1	74	23.31	23.55	23.63	23.46	23.80	0
15	QPSK	36	0	22.33	22.50	22.61	22.35	22.80	1
		36	18	22.30	22.49	22.64	22.44	22.80	1
		36	37	22.35	22.54	22.69	22.41	22.80	1
		75	0	22.30	22.44	22.72	22.46	22.80	1
		1	0	22.29	22.68	22.65	22.41	22.80	1
		1	36	22.42	22.56	22.56	22.49	22.80	1
		1	74	22.46	22.67	22.68	22.45	22.80	1
15	16-QAM	36	0	21.37	21.61	21.64	21.51	21.80	2
		36	18	21.34	21.59	21.66	21.41	21.80	2
		36	37	21.35	21.44	21.65	21.47	21.80	2
		75	0	21.44	21.56	21.64	21.38	21.80	2
		1	0	21.41	21.55	21.62	21.50	21.80	2
		1	36	21.43	21.54	21.65	21.41	21.80	2
		1	74	21.45	21.51	21.67	21.48	21.80	2
15	64-QAM	36	0	20.37	20.56	20.60	20.42	20.80	3
		36	18	20.37	20.45	20.58	20.37	20.80	3
		36	37	20.39	20.54	20.63	20.48	20.80	3
		75	0	20.44	20.61	20.67	20.45	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 164 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted p	oower (dBm)		Target	MPR
	Frequenc	y (MHz)		3555	3607.5	3642.5	3695	Power + Max. Tolerance	Allowed per
	Char	nnel		55290	55815	56165	56690	(dBm)	3GPP(dB)
		1	0	23.34	23.52	23.68	23.36	23.80	0
		1	25	23.40	23.51	23.59	23.46	23.80	0
		1	49	23.49	23.55	23.59	23.34	23.80	0
10	QPSK	25	0	22.30	22.49	22.63	22.51	22.80	1
		25	12	22.43	22.50	22.60	22.38	22.80	1
		25	25	22.31	22.67	22.64	22.46	22.80	1
		50	0	22.38	22.57	22.59	22.47	22.80	1
		1	0	22.29	22.58	22.52	22.57	22.80	1
		1	25	22.48	22.51	22.71	22.48	22.80	1
		1	49	22.34	22.55	22.55	22.37	22.80	1
10	16-QAM	25	0	21.45	21.65	21.62	21.42	21.80	2
		25	12	21.30	21.42	21.53	21.45	21.80	2
		25	25	21.32	21.44	21.60	21.43	21.80	2
		50	0	21.37	21.60	21.67	21.46	21.80	2
		1	0	21.29	21.63	21.69	21.52	21.80	2
		1	25	21.45	21.58	21.60	21.38	21.80	2
		1	49	21.38	21.50	21.69	21.37	21.80	2
10	64-QAM	25	0	20.35	20.49	20.71	20.34	20.80	3
		25	12	20.32	20.48	20.62	20.49	20.80	3
		25	25	20.37	20.62	20.71	20.32	20.80	3
		50	0	20.48	20.49	20.60	20.46	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 165 of 297

				LTE Band	48				
BW(MHz)	Modulation	RB Size	RB Offset		Conducted	power (dBm)		Target	MPR
	Frequenc	y (MHz)		3552.5	3607	3643	3697.5	Power + Max. Tolerance	Allowed per
	Char	nnel		55265	55810	56170	56715	(dBm)	3GPP(dB)
		1	0	23.30	23.63	23.67	23.50	23.80	0
		1	12	23.36	23.67	23.63	23.44	23.80	0
		1	24	23.29	23.64	23.73	23.44	23.80	0
5	QPSK	12	0	22.48	22.55	22.64	22.53	22.80	1
		12	6	22.29	22.52	22.61	22.35	22.80	1
		12	13	22.44	22.48	22.55	22.46	22.80	1
		25	0	22.41	22.60	22.58	22.44	22.80	1
		1	0	22.38	22.42	22.51	22.45	22.80	1
		1	12	22.36	22.64	22.63	22.51	22.80	1
		1	24	22.30	22.63	22.57	22.55	22.80	1
5	16-QAM	12	0	21.28	21.58	21.59	21.52	21.80	2
		12	6	21.41	21.49	21.73	21.51	21.80	2
		12	13	21.43	21.56	21.60	21.46	21.80	2
		25	0	21.35	21.43	21.76	21.44	21.80	2
		1	0	21.35	21.60	21.66	21.42	21.80	2
		1	12	21.48	21.63	21.62	21.38	21.80	2
		1	24	21.38	21.56	21.60	21.47	21.80	2
5	64-QAM	12	0	20.43	20.61	20.63	20.44	20.80	3
		12	6	20.49	20.56	20.76	20.37	20.80	3
		12	13	20.46	20.50	20.64	20.52	20.80	3
		25	0	20.32	20.47	20.55	20.40	20.80	3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 166 of 297

#### 6.4 LTE DL CA

# LTE Downlink 2CA conducted power table

						Two Com	onent Carrie	r Maximum Co	onducted Pov	ver					
				PCC						sc	C		Po	wer	
PCC Band	PCC Bandwidth [MHz]	PCC (UL) Channel	PCC (UL) Frequency [MHz]		PCC (UL) RB	PCC (UL) RB Offset	PCC (DL) Channel	PCC (DL) Frequency [MHz]	SCC Band	SCC Bandwidth [MHz]	SCC (DL) Channel	SCC (DL) Frequency [MHz]	LTE Tx.Power with DL CA active (dBm)	LTE Tx.Power with DL CA inactive (dBm)	Configurations
2	20	19100	1900	QPSK	1	0	1100	1980	2	5	625	1932.5	23.73	23.88	CA_2A-2A
2	20	19100	1900	QPSK	1	0	1100	1980	5	10	2525	881.5	23.73	23.73	CA_2A-5A
2	20	19100	1900	QPSK	1	0	1100	1980	7	20	3100	2655	23.70	23.74	CA_2A-7A
2	20	19100	1900	QPSK	1	0	1100	1980	12	10	5095	737.5	23.75	23.82	CA_2A-12A
2	20	19100	1900	QPSK	1	0	1100	1980	13	10	5230	751	23.75	23.82	CA_2A-13A
2	20	19100	1900	QPSK	1	0	1100	1980	14	10	5330	763	23.77	23.84	CA_2A-14A
2	20	19100	1900	QPSK	1	0	1100	1980	71	20	68761	634.5	23.82	23.87	CA_2A-71A
4	20	20050	1720	QPSK	1	0	2050	2120	4	5	2375	2152.5	23.72	23.81	CA_4A-4A
4	10	20050	1720	QPSK	1	0	2050	2120	5	10	2525	881.5	23.70	23.78	CA_4A-5A
4	10	20050	1720	QPSK	1	0	2050	2120	7	20	3100	2655	23.69	23.76	CA_4A-7A
4	10	20050	1720	QPSK	1	0	2050	2120	12	10	5095	737.5	23.64	23.74	CA_4A-12A
4	20	20050	1720	QPSK	1	0	2050	2120	13	10	5230	751	23.65	23.74	CA_4A-13A
4	20	20050	1720	QPSK	1	0	2050	2120	71	20	68761	634.5	23.78	23.83	CA 4A-71A
5	10	20600	844	QPSK	1	0	2600	889	66	20	66886	2155	23.66	23.67	CA 5A-66A
7	20	21350	2560	QPSK	1	0	3350	2680	7	5	2775	2622.5	23.26	23.34	CA_7A-7A
7	20	21350	2560	QPSK	1	0	3350	2680	12	10	5095	737.5	23.24	23.26	CA_7A-12A
12	10	23130	711	QPSK	1	0	5130	741	66	10	66886	2155	23.43	23.47	CA 12A-66A
13	10	23230	782	QPSK	1	0	5230	751	66	20	66886	2155	23.49	23.51	CA_13A-66A
14	10	23330	793	QPSK	1	0	5330	763	66	20	66886	2155	23.45	23.47	CA 14A-66A
25	20	26365	1882.5	QPSK	1	0	8365	1962.5	25	5	8665	1992.5	23.67	23.77	CA 25A-25A
25	20	26365	1882.5	QPSK	1	0	8365	1962.5	26	15	8865	876.5	23.77	23.82	CA 25A-26A
26	15	26965	841.5	QPSK	1	0	8965	886.5	41	20	40620	2593	23.59	23.66	CA 26A-41A
41	20	40185	2549.5	QPSK	1	0	40185	2549.5	41	5	41565	2687.5	23.31	23.34	CA_41A-41A
42	20	41690	3410	QPSK	1	0	41690	3410	42	5	43565	3597.5	23.52	23.53	CA 42A-42A
48	20	56150	3641	QPSK	1	0	56150	3641	48	5	55265	3552.5	23.53	23.60	CA_48A-48A
66	20	132322	1745	QPSK	1	0	66886	2155	66	5	67311	2197.5	23.47	23.56	CA 66A-66A
66	20	132322	1745	QPSK	1	0	66886	2155	71	20	68761	634.5	23.46	23.47	CA_66A-71A
2	20	19100	1900	QPSK	1	0	1100	1980	2	20	902	1960.2	23.62	23.68	CA_2C
5	10	20600	844	QPSK	1	0	2600	889	5	10	879.1	2501	23.65	23.69	CA_5B
7	15	21375	2562.5	QPSK	1	0	3375	2682.5	7	5	2673.2	3282	23.34	23.36	CA_7B
7	20	21350	2560	QPSK	1	0	3350	2680	7	20	3152	2660.2	23.32	23.34	CA_7C
12	10	23130	711	QPSK	1	0	5130	741	12	10	5031	731.1	23.46	23.54	CA_12B
41	20	40185	2549.5	QPSK	1	0	40185	2549.5	41	20	40383	2569.3	23.42	23.50	CA_41C
42	20	41690	3410	QPSK	1	0	41690	3410	42	20	41888	3429.8	23.59	23.60	CA_42C
43	20	44590	3700	QPSK	1	0	44590	3700	43	20	44392	3680.2	23.51	23.54	CA_43C
48	20	56150	3641	QPSK	1	0	56150	3641	48	20	55952	3621.2	23.52	23.61	CA_48C
66	15	132322	1745	QPSK	1	0	66886	2155	66	5	66736	2140	23.36	23.42	CA 66B
66	20	132322	1745	QPSK	1	0	66886	2155	66	20	67084	2164.8	23.45	23.49	CA_66C

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 167 of 297

#### LTE CA information

A)

The device supports downlink LTE Carrier Aggregation (CA) only. Other Release 10 features or higher features are not supported, including Enhanced SC-FDMA, Uplink MIMO or other antenna diversity configurations etc. All uplink communications are identical to the Release 8 Specifications.

The possible downlink LTE CA combinations supported by this device are as below tables per 3GPP TS 36.521-1 V16.6.0. The conducted power measurement results of downlink LTE CA are provided as above per 3GPP TS 36.521-1 V16.6.0. According to KDB 941225 D05A and RF exposure procedures in TCB workshop April 2018, the downlink LTE CA SAR test is not required.



# CA combination table

			Completely Cayarad by
Index	2CC	Restriction	Completely Covered by Measurement Superset
2CC #1	CA 2A-2A		No No
2CC #2	CA 2A-5A		No
2CC #3	CA 2A-7A		No
2CC #4	CA_2A-12A		No
2CC #5	CA 2A-13A		No
2CC #6	CA 2A-14A		No
2CC #7	CA 2A-71A		No
2CC #8	CA 4A-4A		No
2CC #9	CA 4A-5A		No
2CC #10	CA 4A-7A		No
2CC #11	CA 4A-12A		No
2CC #12	CA 4A-13A		No
2CC #13	CA 4A-71A		No
2CC #14	CA 5A-66A		No
2CC #15	CA 7A-7A		No
2CC #16	CA 7A-12A		No
2CC #17	CA 12A-66A		No
2CC #18	CA 13A-66A		No
2CC #19	CA 14A-66A		No
2CC #20	CA 25A-25A		No
2CC #21	CA 25A-26A		No
2CC #22	CA 26A-41A		No
2CC #23	CA 41A-41A		No
2CC #24	CA 42A-42A		No
2CC #25	CA 48A-48A		No
2CC #26	CA 66A-66A		No
2CC #27	CA 66A-71A		No
2CC #28	CA 2C		No
2CC #29	CA 5B		No
2CC #30	CA_7B		No
2CC #31	CA_7C		No
2CC #32	CA 12B		No
2CC #33	CA 41C		No
2CC #34	CA 42C		No
2CC #35	CA 43C		No
2CC #36	CA 48C		No
2CC #37	CA 66B		No
2CC #38	CA 66C		No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 168 of 297



Page: 169 of 297

### Note:

- 1) The channel spacing and aggregated channel bandwidth for CA are identical to the associated specification in 3GPP TS 36.521-1 V16.6.0.
- 2) The reference test frequencies for CA refers to 3GPP TS 36.508 V16.6.0
- 3) Testing is not required in bands or modes not intended/allowed for US operation
- 4) Based on TCB workshop April 2018, only indicate "No" in CA combination table need power measurement



Page: 170 of 297

#### 6.5 LTE Intra-Band UL CA

#### Full Power

MEI													
						CA_5B							
					Combination 50	ORB + 50RB (10MI	Hz + 10MHz)						
	PCC						SCC					ULC	CA power
Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation Channel RB size RB Offset				MPR (dB)	Measured (dBm)	Tune-up limit (dBm)	
QPSK	829	20450	1	49	10	QPSK	838.9	20549	1	0	0	24.12	24.30
QPSK	831.6	20476	1	49	10	QPSK	841.5	20575	1	0	0	23.96	24.30
QPSK	834.1	20501	1	49	10	QPSK	844	20600	1	0	0	24.05	24.30
	Modulation  QPSK  QPSK	PCC           Modulation         Frequency [MHz]           QPSK         829           QPSK         831.6	PCC           Modulation         Frequency [MHz]         Channel           QPSK         829         20450           QPSK         831.6         20476	PCC           Modulation         Frequency [MHz]         Channel Properties         RB size           QPSK         829         20450         1           QPSK         831.6         20476         1	PCC           Modulation         Frequency [MHz]         Channel Channel Channel RB size         RB Offset           QPSK         829         20450         1         49           QPSK         831.6         20476         1         49	Combination 50   Combination 50	CA_5B   COmbination 50RB + 50RB (10Ml)	CA_5B   Combination 50RB + 50RB (10MHz + 10MHz)	CA_5B   Combination 50RB + 50RB (10MHz + 10MHz)	CA_5B   COmbination 50RB + 50RB (10MHz + 10MHz)   Channel   RB size   RB Offset   Bandwidth   [MHz]   Modulation   Frequency   [MHz]   Channel   RB size   RB Offset   Bandwidth   [MHz]   Modulation   Frequency   Channel   RB size   RB Offset   Bandwidth   Modulation   Frequency   Channel   RB size   RB Offset   Bandwidth   [MHz]   Modulation   Frequency   Channel   RB size   Channel   RB size   Channel   RB size   Channel   Channe	CA_5B   COmbination 50RB + 50RB (10MHz + 10MHz)	CA_5B   Combination 50RB + 50RB (10MHz + 10MHz)   Channel   RB size   RB Offset   RB Offset   CMHz   CMHz	CA_5B    Combination 50RB+50RB (10MHz+10MHz)   Combination 50RB+50RB

							CA_5B							
						Combination 5	0RB + 25RB (10M	Hz + 5MHz)						
		PCC						scc					ULC	A power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	829	20450	1	49	5	QPSK	836.2	20522	1	0	0	23.90	24.30
10	QPSK	834	20500	1	49	5	QPSK	841.2	20572	1	0	0	24.07	24.30
10	QPSK	839	20550	1	49	5	QPSK	846.2	20622	1	0	0	24.11	24.30

						•	CA_7C		•					•
						Combination	100RB + 100RB (	20MHz + 20MH	z)					
		PCC						scc					UL CA	power
Bandwidth [MHz]	dth Modulation Frequency Channel RB size R					Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	2510	20850	1	99	20	QPSK	2529.8	21048	1	0	0	23.69	23.80
20	QPSK	2525.1	21001	1	99	20	QPSK	2544.9	21199	1	0	0	23.53	23.80
20	QPSK	2540.2	21152	1	99	20	QPSK	2560	21350	1	0	0	23.62	23.80

							CA_7C							
						Combination	n 75RB + 100RB (1	5MHz + 20MHz	)				•	
		PCC						scc					ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2507.8	20828	1	74	20	QPSK	2524.9	20999	1	0	0	23.49	23.80
15	QPSK	2525.3	21003	1	74	20	QPSK	2542.4	21174	1	0	0	23.57	23.80
15	QPSK	2560	21350	1	74	20	QPSK	2577.1	21521	1	0	0	23.52	23.80

							CA_7C							
						Combinatio	n 75RB + 75RB (1	5MHz + 15MHz)						
	PCC SCC SCC MPR (dR)												ULCA	power
Bandwidth [MHz]	dth Modulation Frequency Channel RB size RB				RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2507.5	20825	1	74	15	QPSK	2522.5	20975	1	0	0	23.56	23.80
15	QPSK	2527.5	21025	1	74	15	QPSK	2542.5	21175	1	0	0	23.59	23.80
15	QPSK	2547.5	21225	1	74	15	QPSK	2562.5	21375	1	0	0	23.68	23.80

							CA_7C							
						Combinatio	n 75RB + 50RB (1	5MHz + 10MHz	)					
	PCC SCC												UL CA	power
Bandwidth [MHz]	th Modulation Frequency Channel RB size					Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2507.5	20825	1	74	10	QPSK	2519.5	20945	1	0	0	23.46	23.80
15	QPSK	2530.1	21051	1	74	10	QPSK	2542.1	21171	1	0	0	23.43	23.80
15	QPSK	2552.7	21277	1	74	10	QPSK	2564.7	21397	1	0	0	23.48	23.80

							CA_7C							
						Combination	n 50RB + 100RB (1	OMHz + 20MHz	)					
		PCC						SCC					UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	2505.5	20805	1	49	20	QPSK	2519.9	20949	1	0	0	23.43	23.80
10	QPSK	2525.6	21006	1	49	20	QPSK	2540	21150	1	0	0	23.42	23.80
10	QPSK	2545.6	21206	1	49	20	QPSK	2560	21350	1	0	0	23.49	23.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 171 of 297

								_41C						
						Combin	ation 100RB +	100RB (20MHz						
		PC	сс					SC	c				ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	2506	39750	1	99	20	QPSK	2525.8	39948	1	0	0	23.71	23.80
20	QPSK	2583.1	40521	1	99	20	QPSK	2602.9	40719	1	0	0	23.47	23.80
20	QPSK	2660.2	41292	1	99	20	QPSK	2680	41490	1	0	0	23.65	23.80
								_41C						
						Combir	nation 75RB + 1	.00RB (15MHz						
	1	PC	CC	1			I	sc	C				ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2503.8	39728	1	74	20	QPSK	2520.9	39899	1	0	0	23.41	23.80
15	QPSK	2583.3	40523	1	74	20	QPSK	2600.4	40694	1	0	0	23.66	23.80
15	QPSK	2662.9	41319	1	74	20	QPSK	2680	41490	1	0	0	23.43	23.80
						01.		_41C 75RB (15MHz +	455.01.					
		Pi				Combi	nation /5KB+	75KB (15IVIHZ +						
n	1		LC		1	D 1 1111						MPR (dB)		power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	WIFK (UB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2503.5	39725	1	74	15	QPSK	2518.5	39875	1	0	0	23.47	23.80
15	QPSK	2585.5	40545	1	74	15	QPSK	2600.5	40695	1	0	0	23.63	23.80
15	QPSK	2667.5	41365	1	74	15	QPSK	2682.5	41515	1	0	0	23.56	23.80
						0.11		_41C	. 202 411 \					
						Combir	nation 50RB + 1	.00RB (10MHz						
	1	PO	CC	1			I	sc	:C			MPR (dB)		power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	, ,	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	2501.5	39705	1	49	20	QPSK	2515.9	39849	1	0	0	23.65	23.80
10 10	QPSK QPSK	2583.6 2665.6	40526 41346	1	49 49	20	QPSK QPSK	2598 2680	40670 41490	1	0	0	23.51	23.80
10	QPSK	2005.0	41346	1	49	20	QPSK	2680	41490	1	0	U	23.42	23.80
							CA	41C						
						Combi	nation 50RB+	– 75RB (10MHz +	+ 15MHz)					
		P	сс					sc	c					power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	2501.3	39703	1	49	15	QPSK	2513.3	39823	1	0	0	23.57	23.80
10 10	QPSK QPSK	2585.9 2670.5	40549 41395	1	49 49	15 15	QPSK QPSK	2597.9 2682.5	40669 41515	1	0	0	23.56 23.48	23.80 23.80
	Ursk	20/0.5	41395	1	49	15	Ursk	2082.5	41515	1	U	U	25.40	23.00
							CA	41C						
						Combi		410 100RB (5MHz +	+ 20MHz)					
		P	СС			CC.1101		SC					ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
5	QPSK	2499.3	39683	1	24	20	QPSK	2511	39800	1	0	0	23.70	23.80
5	QPSK	2583.8	40528	1	24	20	QPSK	2595.5	40645	1	0	0	23.49	23.80
5	QPSK	2668.3	41373	1	24	20	QPSK	2680	41490	1	0	0	23.67	23.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 172 of 297

							CA_42	c						
						Combination	100RB + 100I	RB (20MHz + 2	20MHz)					
		UL CA	power											
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	3410	41690	1	99	20	QPSK	3429.8	41888	1	0	0	23.69	23.80
20	QPSK	3490.1	42491	1	99	20	QPSK	3509.9	42689	1	0	0	23.47	23.80
20	QPSK	3570.2	43292	1	99	20	QPSK	3590	43490	1	0	0	23.62	23.80

							CA_42							
						Combinatio	n 75RB + 100F	RB (15MHz + 2	OMHz)					
		PCC						scc					UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3407.8	41668	1	74	20	QPSK	3424.9	41839	1	0	0	23.65	23.80
15	QPSK	3490.3	42493	1	74	20	QPSK	3507.4	42664	1	0	0	23.52	23.80
15	QPSK	3572.9	43319	1	74	20	QPSK	3590	43490	1	0	0	23.43	23.80

							CA_42	C							
						Combinatio	n 50RB + 100R	B (10MHz + 2	OMHz)						
		PCC						scc					UL CA	power	
Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit	
[MHz]															
10	10 QPSK 3405.5 41645 1 49 20 QPSK 3419.9 41789 1 0 0 23.57 23.80														
10	QPSK	3490.6	42496	1	49	20	QPSK	3505	42640	1	0	0	23.62	23.80	
10	QPSK	3575.6	43346	1	49	20	QPSK	3590	43490	1	0	0	23.45	23.80	
	•					•	CA_42	C			•	•	•		
						Combination	on 25RB + 100I	RB (5MHz + 2	DMHz)		-	·	·		

							CA_42	С						
						Combination	on 25RB + 100I	RB (5MHz + 20	DMHz)					
		PCC						scc					UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
5	QPSK	3403.3	41623	1	24	20	QPSK	3415	41740	1	0	0	23.55	23.80
5	QPSK	3490.8	42498	1	24	20	QPSK	3502.5	42615	1	0	0	23.68	23.80
5	QPSK	3578.3	43373	1	24	20	QPSK	3590	43490	1	0	0	23.58	23.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) reter claimed to 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 173 of 297

							CA_43C			-				
						Combination 10	00RB + 100RB (20	MHz + 20MHz)						
		PC	CC					so	C				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	3610	43690	1	99	20	QPSK	3629.8	43888	1	0	0	23.71	23.80
20	QPSK	3700	44590	1	99	20	QPSK	3719.8	44788	1	0	0	23.41	23.80
20	QPSK	3770.2	45292	1	99	20	QPSK	3790	45490	1	0	0	23.49	23.80

							CA_43C							
						Combination 7	5RB + 100RB (15	MHz + 20MHz)						
		PC	CC					so	cc				UL CA	Apower
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3607.5	43665	1	74	20	QPSK	3624.6	43836	1	0	0	23.47	23.80
15	QPSK	3700	44590	1	74	20	QPSK	3717.1	44761	1	0	0	23.58	23.80
15	QPSK	3772.9	45319	1	74	20	QPSK	3790	45490	1	0	0	23.45	23.80

							CA_43C							
						Combination 7	75RB + 75RB (15)	MHz + 15MHz)						
		PC	cc					sc	C				ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3607.5	43665	1	74	15	QPSK	3622.5	43815	1	0	0	23.45	23.80
15	QPSK	3700	44590	1	74	15	QPSK	3715	44740	1	0	0	23.52	23.80
15	QPSK	3777.5	45365	11	74	15	QPSK	3792.5	45515	1	0	0	23.43	23.80

							CA_43C							
						Combination 5	0RB + 100RB (10	MHz + 20MHz)						
		PC	cc					so	c				ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	3605	43640	1	49	20	QPSK	3619.4	43784	1	0	0	23.56	23.80
10	QPSK	3700	44590	1	49	20	QPSK	3714.4	44734	1	0	0	23.59	23.80
10	QPSK	3775.6	45346	1	49	20	QPSK	3790	45490	1	0	0	23.53	23.80

							CA_43C							
						Combination	50RB + 75RB (10I							
		PC	CC					so	CC				UL CA	power
Bandwidth		Frequency	01		RB Offset	Bandwidth		Frequency	01	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Modulation	[MHz]	Channel	RB size	RB Offset	[MHz]	Modulation	[MHz]	Channel	RB SIZE	RB Offset		(dBm)	(dBm)
10	QPSK	3605	43640	1	49	15	QPSK	3617	43760	1	0	0	23.59	23.80
10	QPSK	3700	44590	1	49	15	QPSK	3712	44710	1	0	0	23.50	23.80
10	QPSK	3780.5	45395	1	49	15	QPSK	3792.5	45515	1	0	0	23.55	23.80

							CA_43C							
						Combination 2	25RB + 100RB (5	MHz + 20MHz)						
		PC	cc					so	CC				UL CA	Apower
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
5	QPSK	3602.5	43615	1	24	20	QPSK	3614.2	43732	1	0	0	23.70	23.80
5	QPSK	3700	44590	1	24	20	QPSK	3711.7	44707	1	0	0	23.61	23.80
	ODCK	2770.2	45272	4	24	20	ODCK	2700	45400	4	0	0	22.62	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 174 of 297

							CA_4	48C						
						Combination	on 100RB + 10	00RB (20MHz	+ 20MHz)					
		PC	С					SC	0				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	3560	55340	1	99	20	QPSK	3579.8	55538	1	0	0	23.70	23.80
20	QPSK	3615.1	55891	1	99	20	QPSK	3634.9	56089	1	0	0	23.49	23.80
20	QPSK	3670.2	56442	1	99	20	QPSK	3690	56640	1	0	0	23.42	23.80

							CA_4	I8C						
						Combinati	ion 75RB + 10	ORB (15MHz	+ 20MHz)					
		PC	C					SC	3				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3557.8	55318	1	74	20	QPSK	3574.9	55489	1	0	0	23.62	23.80
15	QPSK	3615.3	55893	1	74	20	QPSK	3632.4	56064	1	0	0	23.64	23.80
15	QPSK	3672.9	56469	1	74	20	QPSK	3690	56640	1	0	0	23.65	23.80

•		-				Combinati	CA_4 on 50RB + 10	-	+ 20MHz)						
	Modulation       Channel   RR size   RR Offset														
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)	
10	QPSK	3555.5	55295	1	49	20	QPSK	3569.9	55439	1	0	0	23.41	23.80	
10	QPSK	3615.6	55896	1	49	20	QPSK	3630	56040	1	0	0	23.60	23.80	
10	QPSK	3675.6	56496	1	49	20	QPSK	3690	56640	1	0	0	23.64	23.80	

							CA_4	18C							
						Combinat	ion 25RB + 10	ORB (5MHz -	+ 20MHz)						
	PCC SCC UL CA power														
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)	
5	QPSK	3553.3	55273	1	24	20	QPSK	3565	55390	1	0	0	23.69	23.80	
5	QPSK	3615.8	55898	1	24	20	QPSK	3627.5	56015	1	0	0	23.61	23.80	
5	QPSK	3678.3	56523	1	24	20	QPSK	3690	56640	1	0	0	23.47	23.80	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the research and the seasons british in this test report test of unity to the samples he seed and united states the seasons of the seasons british in this test report test of unity to the samples he seasons british the seasons british seasons between the seasons british seasons between the seasons british seasons brites british seasons british seasons british seasons british seaso Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 175 of 297

### Down Power

DOWIL	Power													
				-		,	CA_5B							
					Co	mbination 50R	B + 50RB (10N	/Hz + 10MHz)	)					
		PCC						scc					ULC	Apower
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	829	20450	1	49	10	QPSK	838.9	20549	1	0	0	20.87	21.00
10	QPSK	831.6	20476	1	49	10	QPSK	841.5	20575	1	0	0	20.76	21.00
10	QPSK	834.1	20501	1	49	10	QPSK	844	20600	1	0	0	20.86	21.00

							CA_5B							
					Co	mbination 50F	RB + 25RB (10I	MHz + 5MHz)						
		PCC						scc					UL C	Apower
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	829	20450	1	49	5	QPSK	836.2	20522	1	0	0	20.86	21.00
10	QPSK	834	20500	1	49	5	QPSK	841.2	20572	1	0	0	20.76	21.00
10	QPSK	839	20550	1	49	5	QPSK	846.2	20622	1	0	0	20.76	21.00

				,	,		CA_7C	,		,		,		
					C	ombination 1	00RB + 100RB	(20MHz + 20M	ИHz)					
		PCC						SCC					UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	2510	20850	1	99	20	QPSK	2529.8	21048	1	0	0	19.41	19.50
20	QPSK	2525.1	21001	1	99	20	QPSK	2544.9	21199	1	0	0	19.23	19.50
20	QPSK	2540.2	21152	1	99	20	QPSK	2560	21350	1	0	0	19.38	19.50

CA_7C		
Combination 75RB + 100RB (15MHz + 20MHz)		
PCC SCC	UL CA	power
Bandwidth [MHz] Modulation Frequency [MHz] Channel RB size RB Offset Bandwidth [MHz] Modulation Frequency [MHz] Channel RB size RB Offset PR Offset RB Offse	Measured (dBm)	Tune-up limit (dBm)
15 QPSK 2507.8 20828 1 74 20 QPSK 2524.9 20999 1 0 0	19.40	19.50
15 QPSK 2525.3 21003 1 74 20 QPSK 2542.4 21174 1 0 0	19.28	19.50
15 QPSK 2560 21350 1 74 20 QPSK 2577.1 21521 1 0 0	19.33	19.50

							CA_7C							
						Combination 1	75RB + 75RB (	15MHz + 15M	Hz)					
		PCC						scc					UL CA	power
Bandwidth	dwidth Modulation Frequency Channel RB size RB					Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Wodulation	[MHz]	Chamie	IND SIZE	ND Oliset	[MHz]	Wodulation	[MHz]	Citatillei	IND SIZE	KD Oliset		(dBm)	(dBm)
15	QPSK	2507.5	20825	1	74	15	QPSK	2522.5	20975	1	0	0	19.19	20.30
15	QPSK	2527.5	21025	1	74	15	QPSK	2542.5	21175	1	0	0	19.37	20.30
15	QPSK	2547.5	21225	1	74	15	QPSK	2562.5	21375	1	0	0	19.39	20.30

				•			CA_7C							
						Combination 1	75RB + 50RB (	15MHz + 10M	Hz)					
		PCC						SCC					UL CA	power
Bandwidth	andwidth Modulation Frequency Channel PR size					Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Modulation	[MHz]	Gildillici	IND SIZE	RB Offset	[MHz]	Wodalation	[MHz]	Onamici	IND SIEC	NB Oliset		(dBm)	(dBm)
15	QPSK	2507.5	20825	1	74	10	QPSK	2519.5	20945	1	0	0	19.30	19.50
15	QPSK	2530.1	21051	1	74	10	QPSK	2542.1	21171	1	0	0	19.38	19.50
	MHZ    MHZ													
15	QPSK	2552.7	21277	1	74	10	QPSK	2564.7	21397	1	0	0	19.31	19.50

							CA_7C							
					(	Combination 5	0RB + 100RB	(10MHz + 20N	ИHz)					
		PCC						SCC					UL CA	power
Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Wodulation	[MHz]	Channel	RD SIZE	KB Oliset	[MHz]	Wodulation	[MHz]	Channel	KD SIZE	KB Oliset		(dBm)	(dBm)
10	QPSK	2505.5	20805	1	49	20	QPSK	2519.9	20949	1	0	0	19.23	19.50
10	QPSK	2525.6	21006	1	49	20	QPSK	2540	21150	1	0	0	19.37	19.50
10	QPSK	2545.6	21206	1	49	20	QPSK	2560	21350	1	0	0	19.30	19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satest time tessues shared in the test report test or may be used analysely are testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the samp Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 176 of 297

							CA	41C						
						Combination	on 100RB +	100RB (20MH	lz + 20MHz)					•
		PC	CC					SC	С				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	2506	39750	1	99	20	QPSK	2525.8	39948	1	0	0	19.83	20.00
20	QPSK	2583.1	40521	1	99	20	QPSK	2602.9	40719	1	0	0	19.75	20.00
20	QPSK	2660.2	41292	1	99	20	QPSK	2680	41490	1	0	0	19.62	20.00
							CA	41C						

							CA	_41C						
						Combinat	ion 75RB + 1	100RB (15MH	z + 20MHz)					
												power		
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	2503.8	39728	1	74	20	QPSK	2520.9	39899	1	0	0	19.80	20.00
15	QPSK	2583.3	40523	1	74	20	QPSK	2600.4	40694	1	0	0	19.70	20.00
15	QPSK	2662.9	41319	1	74	20	QPSK	2680	41490	1	0	0	19.82	20.00

	Modulation														
							CA	_41C							
						Combina	tion 75RB +	75RB (15MH:	z + 15MHz)						
		PC	C						C				UL CA	power	
Bandwidth	Modulation	Frequency	Channel	DP cizo	DR Officet	Bandwidth	Modulation	Frequency	Channel	DP cizo	PP Officet	MPR (dB)	Measured	Tune-up limit	
[MHz]	Wiodulation	[MHz]	Chaine	ND SIZE	KB Oliset	[MHz]	Wiodulation	[MHz]	Citatille	KD SIZE	KB Oliset		(dBm)	(dBm)	
15	QPSK	2503.5	39725	1	74	15	QPSK	2518.5	39875	1	0	0	19.80	20.00	
15	QPSK	2585.5	40545	1	74	15	QPSK	2600.5	40695	1	0	0	19.82	20.00	
15	QPSK	2667.5	41365	1	74	15	QPSK	2682.5	41515	1	0	0	19.68	20.00	
		_										·			

	•						CA	41C		•				•
						Combinati	ion 50RB + 1	00RB (10MH	z + 20MHz)					
	PCC Statistic PCC							sc	C				UL CA	power
Bandwidth [MHz]	dwidth Modulation Frequency [MHz] Channel RB size RB Of					Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	2501.5	39705	1	49	20	QPSK	2515.9	39849	1	0	0	19.65	20.00
10	QPSK	2583.6	40526	1	49	20	QPSK	2598	40670	1	0	0	19.73	20.00
10	0 QPSK 251.5 39705 1 49 20 QPSK 2515.9 39849 1 0 0 19.65 20.00 QPSK 2583.6 40526 1 49 20 QPSK 2598 40670 1 0 0 19.73 20.00													

	Modulation   Channel   RR size   RR Offset   Modulation   Channel   RR size   RR Offset													
							CA	_41C						
						Combinat	tion 50RB + 7	75RB (10MH:	z + 15MHz)					
	-	PC	C					sc	c			-	UL CA	power
Bandwidth	M	Frequency	01	DD -:	DD 0#4	Bandwidth		Frequency	01	DD -:	DD 0#4	MPR (dB)	Measured	Tune-up limit
[MHz]	Modulation [MHz] Channel RB size RE					[MHz]	wodulation	[MHz]	Channel	RB SIZE	RB Offset		(dBm)	(dBm)
10	QPSK	2501.3	39703	1	49	15	QPSK	2513.3	39823	1	0	0	19.76	20.00
							QI OIL	2010.0	33023			0	10.70	20.00
10	QPSK	2585.9	40549	1	49	15	QPSK	2597.9	40669	1	0	0	19.70	20.00
10 10	QPSK QPSK	2585.9 2670.5		1						1	0	0		

	CA_41C  Combination 25RB + 100RB (5MHz + 20MHz)  PCC SCC UL CA power														
						Combinat	tion 25RB + 1	100RB (5MH:	z + 20MHz)						
		PC	C					sc	C				UL CA	power	
Bandwidth [MHz]	dwidth Hodulation Frequency   Channel   RB size   RB					Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)	
5	QPSK	2499.3	39683	1	24	20	QPSK	2511	39800	1	0	0	19.72	20.00	
5	QPSK	2583.8	40528	1	24	20	QPSK	2595.5	40645	1	0	0	19.80	20.00	
5	QPSK	2668.3	41373	1	24	20	QPSK	2680	41490	1	0	0	19.78	20.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 177 of 297

							CA_43C							-
						Combination 10	00RB + 100RB (20	MHz + 20MHz)						
		PC	cc					sc	c				ULCA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	3610	43690	1	99	20	QPSK	3629.8	43888	1	0	0	20.91	21.00
20	QPSK	3700	44590	1	99	20	QPSK	3719.8	44788	1	0	0	20.85	21.00
20	QPSK	3770.2	45292	1	99	20	QPSK	3790	45490	1	0	0	20.87	21.00

							CA_43C							
						Combination 7	5RB + 100RB (15	MHz + 20MHz)						
		PC	CC					sc	CC				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3607.5	43665	1	74	20	QPSK	3624.6	43836	1	0	0	20.83	21.00
15	QPSK	3700	44590	1	74	20	QPSK	3717.1	44761	1	0	0	20.63	21.00
15	QPSK	3772.9	45319	1	74	20	QPSK	3790	45490	1	0	0	20.77	21.00

							CA_43C							
						Combination 7	75RB + 75RB (15I	MHz + 15MHz)						
	PCC							so			UL CA	power		
Bandwidth [MHz]							Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3607.5	43665	1	74	15	QPSK	3622.5	43815	1	0	0	20.60	21.00
15	QPSK	3700	44590	1	74	15	QPSK	3715	44740	1	0	0	20.80	21.00
15	QPSK	3777.5	45365	1	74	15	QPSK	3792.5	45515	1	0	0	20.86	21.00

							CA_43C							
						Combination 5	ORB + 100RB (10	MHz + 20MHz)						
		PC	cc							UL CA	power			
Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Wodulation	[MHz]	Channel	RD SIZE	KB Oliset	[MHz]	Wodulation	[MHz]	Channel	RD SIZE	KB Oliset		(dBm)	(dBm)
10	QPSK	3605	43640	1	49	20	QPSK	3619.4	43784	1	0	0	20.84	21.00
10	QPSK	3700	44590	1	49	20	QPSK	3714.4	44734	1	0	0	20.85	21.00
10	QPSK	3775.6	45346	1	49	20	QPSK	3790	45490	1	0	0	20.90	21.00

						Combination	CA_43C 50RB + 75RB (10I	MHz + 15MHz)						
		PC	CC					sc	:C				UL CA	power
Bandwidth [MHz]							Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
10	QPSK	3605	43640	1	49	15	QPSK	3617	43760	1	0	0	20.81	21.00
10	QPSK	3700	44590	1	49	15	QPSK	3712	44710	1	0	0	20.65	21.00
10	10 QPSK 3780.5 45395 1 49						QPSK	3792.5	45515	1	0	0	20.84	21.00

							CA_43C							
						Combination	25RB + 100RB (5	MHz + 20MHz)						
		PC	CC					S	CC				UL CA	Apower
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
5	QPSK	3602.5	43615	1	24	20	QPSK	3614.2	43732	1	0	0	20.67	21.00
5	QPSK	3700	44590	1	24	20	QPSK	3711.7	44707	1	0	0	20.86	21.00
5	OPSK	3778 3	45373	1	24	20	OPSK	3700	45490	- 1	0	0	20.60	21.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the research and the seasons british in this test report test of unity to the samples he seed and united states the seasons of the seasons british in this test report test of unity to the samples he seasons british the seasons british seasons between the seasons british seasons between the seasons british seasons brites british seasons british seasons british seasons british seaso Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 178 of 297

	,						CA_4	18C						
						Combination	on 100RB + 10	00RB (20MHz	+ 20MHz)					
		PC	С					SC	3			UL CA	power	
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
20	QPSK	3560	55340	1	99	20	QPSK	3579.8	55538	1	0	0	21.87	22.00
20	QPSK	3615.1	55891	1	99	20	QPSK	3634.9	56089	1	0	0	21.74	22.00
20	QPSK	3670.2	56442	1	99	20	QPSK	3690	56640	1	0	0	21.69	22.00

							CA_4	18C						
						Combinati	on 75RB + 10	ORB (15MHz	+ 20MHz)					
		PC	С					SC	3				UL CA	power
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)
15	QPSK	3557.8	55318	1	74	20	QPSK	3574.9	55489	1	0	0	21.77	22.00
15	QPSK	3615.3	55893	1	74	20	QPSK	3632.4	56064	1	0	0	21.72	22.00
15	QPSK	3672.9	56469	1	74	20	QPSK	3690	56640	1	0	0	21.78	22.00

	•	•		•	•	CA_48C  Combination 50RB + 100RB (10MHz + 20MHz)											
	PCC SCC UL CApower												power				
Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	Bandwidth [MHz]	Modulation	Frequency [MHz]	Channel	RB size	RB Offset	MPR (dB)	Measured (dBm)	Tune-up limit (dBm)			
10	QPSK	3555.5	55295	1	49	20	QPSK	3569.9	55439	1	0	0	21.62	22.00			
10	QPSK	3615.6	55896	1	49	20	QPSK	3630	56040	1	0	0	21.86	22.00			
10	QPSK	3675.6	56496	1	49	20	QPSK	3690	56640	1	0	0	21.67	22.00			

							CA_4	18C						
						Combinat	ion 25RB + 10	ORB (5MHz -	+ 20MHz)					
		PC	C					SC	3			UL CA	power	
Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	Bandwidth	Modulation	Frequency	Channel	RB size	RB Offset	MPR (dB)	Measured	Tune-up limit
[MHz]	Wiodulation	[MHz]	Chamilei	ND SIZE	KB Oliset	[MHz]	Wodulation	[MHz]	Citatillei	ND SIZE	KB Oliset		(dBm)	(dBm)
5	QPSK	3553.3	55273	1	24	20	QPSK	3565	55390	1	0	0	21.65	22.00
5	QPSK	3615.8	55898	1	24	20	QPSK	3627.5	56015	1	0	0	21.61	22.00
5	OPSK	3678.3	56523	1	24	20	QPSK	3690	56640	1	0	0	21.83	22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 179 of 297

# **WLAN**

		N	Main			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		21.00	20.96
	802.11b	6	2437	1Mbps	21.00	20.98
		11	2462		21.00	20.97
		1	2412		19.00	18.94
	802.11g	6	2437	6Mbps	21.00	20.87
		11	2462		18.50	18.28
		1	2412		19.00	18.89
	802.11n20-HT0	6	2437	MCS0	21.00	20.79
2.45GHz		11	2462		18.50	18.39
2.400112		1	2412		19.00	18.90
	802.11ax20-HE0	6	2437	MCS0	21.00	20.86
		11	2462		18.50	18.41
		3	2422		18.25	18.00
	802.11n40-HT0	6	2437	MCS0	17.50	17.31
		9	2452		12.00	11.95
		3	2422		18.25	18.16
	802.11ax40-HE0	6	2437	MCS0	17.50	17.46
		9	2452		12.00	11.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 180 of 297

	•					
			Main			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		19.25	19.22
	802.11a	40	5200	6Mbps	21.00	20.80
	002.11a	44	5220	Olvibbs	21.00	20.78
		48	5240		21.00	20.85
		36	5180		19.25	19.09
	802.11n20-HT0	40	5200	MCS0	21.00	20.71
	002.111120-1110	44	5220	MCSU	21.00	20.89
		48	5240		21.00	20.85
		36	5180		19.25	19.15
5.15-5.25 GHz	802.11ax20-HE0	40	5200	MCS0	21.00	20.89
5.15-5.25 GHZ	002.11ax20-FIE0	44	5220	MCSU	21.00	20.77
		48	5240		21.00	20.82
	802.11n40-HT0	38	5190	MCS0	18.25	18.17
	002.111 <del>4</del> 0-1110	46	5230	IVICSU	21.00	20.98
	802.11ax40-HE0	38	5190	MCS0	18.25	18.20
	002.11dX40-11EU	46	5230	IVICOU	21.00	20.88
	802.11ac80-VHT0	42	5210	MCS0	18.00	17.88
	802.11ax80-HE0	42	5210	MCS0	18.00	17.79
	802.11ac160-VHT0	50	5250	MCS0	14.50	14.28
	802.11ax160-HE0	50	5250	MCS0	14.50	14.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 181 of 297

		<u> </u>	Main			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		21.00	20.82
	802.11a	56	5280	6Mbps	21.00	20.89
	002.114	60	5300	Olvibps	21.00	20.85
		64	5320		19.75	19.61
		52	5260	MCS0	21.00	20.79
	802.11n20-HT0	56	5280		21.00	20.87
	002.111120-1110	60	5300		21.00	20.88
		64	5320		19.75	19.46
5.25-5.35 GHz		52	5260		21.00	20.76
3.23-3.33 GHZ	802.11ax20-HE0	56	5280	MCS0	21.00	20.79
	002.11ax20-11L0	60	5300	IVICOU	21.00	20.80
		64	5320		19.75	19.67
	902 11p40 UT0	54	5270	MCS0	21.00	20.98
	802.11n40-HT0	62	5310	MCSU	16.50	16.49
		54	5270	MCSO	21.00	20.84
	802.11ax40-HE0	62	5310	MCS0	16.50	16.29
	802.11ac80-VHT0	58	5290	MCS0	17.00	16.93
	802.11ax80-HE0	58	5290	MCS0	17.00	16.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 182 of 297

		<u></u>	Main	1		
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		20.25	20.00
	802.11a	120	5600	6Mbps	21.00	20.80
		140	5700	•	20.50	20.29
		100	5500		20.25	20.14
	802.11n20-HT0	120	5600	MCS0	21.00	20.94
		140	5700	1	20.50	20.40
		100	5500		20.25	20.14
	802.11ax20-HE0	120	5600	MCS0	21.00	20.79
		140	5700		20.50	20.31
		102	5510		19.50	19.33
	802.11n40-HT0	118	5590	MCS0	21.00	20.84
	002.11140-H10	134	5670	IVICSU	20.75	20.53
5.6GHz		142	5710	]	21.00	20.97
		102	5510		19.50	19.26
	802.11ax40-HE0	118	5590	MCS0	21.00	20.86
	002.11ax40-nE0	134	5670	IVICSU	20.75	20.49
		142	5710	1	21.00	20.72
		106	5530		19.25	19.14
	802.11ac80-VHT0	122	5610	MCS0	21.00	20.93
		138	5690	]	21.00	20.99
		106	5530		19.25	19.17
	802.11ax80-HE0	122	5610	MCS0	21.00	20.78
		138	5690	]	21.00	20.80
l	802.11ac160-VHT0	114	5570	MCS0	17.25	17.14
<u> </u>	802.11ax160-HE0	114	5570	MCS0	17.25	17.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 183 of 297

		N	Main			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745		21.00	20.71
	802.11a	157	5785	6Mbps	21.00	20.84
		165	5825		21.00	20.92
		149	5745		21.00	20.82
	802.11n20-HT0	157	5785	MCS0	21.00	20.90
		165	5825		21.00	20.88
		149	5745		21.00	20.74
5.8GHz	802.11ax20-HE0	157	5785	MCS0	21.00	20.91
		165	5825		21.00	20.79
	802.11n40-HT0	151	5755	MCS0	21.00	20.98
	002.111 <del>4</del> 0-F110	159	5795	IVICOU	21.00	20.92
	000 44 5 40 1150	151	5755	MCS0	21.00	20.86
	802.11ax40-HE0	159	5795	IVICSU	21.00	20.88
	802.11ac80-VHT0	155	5775	MCS0	20.25	20.11
	802.11ax80-HE0	155	5775	MCS0	20.25	20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 184 of 297

			Δ.			
		1	Aux			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		21.00	20.97
	802.11b	6	2437	1Mbps	21.00	20.99
		11	2462		21.00	20.98
		1	2412		19.75	19.53
	802.11g	6	2437	6Mbps	21.00	20.90
		11	2462		18.75	18.68
		1	2412		19.75	19.55
	802.11n20-HT0	6	2437	MCS0	21.00	20.80
2.45GHz		11	2462		18.75	18.62
2.430112		1	2412		19.75	19.50
	802.11ax20-HE0	6	2437	MCS0	21.00	20.89
		11	2462		18.75	18.58
		3	2422		18.25	18.01
	802.11n40-HT0	6	2437	MCS0	18.00	17.88
		9	2452		12.50	12.43
		3	2422		18.25	18.22
	802.11ax40-HE0	6	2437	MCS0	18.00	17.94
		9	2452		12.50	12.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 185 of 297

			A i nz			
	1	·	Aux	1		
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		19.00	18.82
	802.11a	40	5200	6Mbps	21.00	20.83
	002.11a	44	5220	6Mbps	21.00	20.73
		48	5240		21.00	20.90
		36	5180	MCS0	19.00	18.85
	802.11n20-HT0	40	5200		21.00	20.79
	002.111120-1110	44	5220	MCSU	21.00	20.91
		48	5240		21.00	20.96
		36	5180		19.00	18.74
5.15-5.25 GHz	802.11ax20-HE0	40	5200	MCS0	21.00	20.95
5.15-5.25 GHZ	002.11ax20-FIE0	44	5220	MCSU	21.00	20.83
		48	5240		21.00	20.86
	802.11n40-HT0	38	5190	MCS0	18.50	18.46
	002.11140-1110	46	5230	MCSU	21.00	20.97
	802.11ax40-HE0	38	5190	MCS0	18.50	18.35
	002.11ax40-HEU	46	5230	IVICOU	21.00	20.84
	802.11ac80-VHT0	42	5210	MCS0	18.75	18.57
	802.11ax80-HE0	42	5210	MCS0	18.75	18.62
	802.11ac160-VHT0	50	5250	MCS0	15.00	14.83
	802.11ax160-HE0	50	5250	MCS0	15.00	14.78

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 186 of 297

	•		Aux			
	I		Aux I			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		21.00	20.76
	802.11a	56	5280	6Mbps	21.00	20.76
	002.11a	60	5300	Olvibps	21.00	20.82
		64	5320		19.25	19.12
		52	5260	MCS0	21.00	20.93
	802.11n20-HT0	56	5280		21.00	20.89
	002.111120-1110	60	5300		21.00	20.82
		64	5320		19.25	19.19
5.25-5.35 GHz		52	5260		21.00	20.74
5.25-5.35 GHZ	802.11ax20-HE0	56	5280	MCS0	21.00	20.90
	002.11ax20-FIE0	60	5300	MCSU	21.00	20.85
		64	5320		19.25	19.14
	802.11n40-HT0	54	5270	MCS0	21.00	20.98
	002.11140-Π10	62	5310	IVICOU	16.75	16.73
	802.11ax40-HE0	54	5270	MCSO	21.00	20.75
	002.118X4U-NEU	62	5310	MCS0	16.75	16.53
	802.11ac80-VHT0	58	5290	MCS0	17.50	17.38
	802.11ax80-HE0	58	5290	MCS0	17.50	17.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 187 of 297

	•					
			Aux	1		
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		20.00	19.86
	802.11a	120	5600	6Mbps	21.00	20.90
		140	5700	·	20.50	20.37
		100	5500		20.00	19.80
	802.11n20-HT0	120	5600	MCS0	21.00	20.93
		140	5700	1	20.50	20.40
		100	5500		20.00	19.81
	802.11ax20-HE0	120	5600	MCS0	21.00	20.86
		140	5700		20.50	20.40
		102	5510		19.75	19.59
	802.11n40-HT0	118	5590	MCS0	21.00	20.77
	002.11140-H10	134	5670	IVICSU	20.50	20.23
5.6GHz		142	5710	]	21.00	20.89
		102	5510		19.75	19.60
	802.11ax40-HE0	118	5590	MCS0	21.00	20.85
	002.11ax40-HE0	134	5670	MCSU	20.50	20.31
		142	5710		21.00	20.87
		106	5530		19.00	18.96
	802.11ac80-VHT0	122	5610	MCS0	21.00	20.94
		138	5690		21.00	20.96
		106	5530		19.00	18.92
	802.11ax80-HE0	122	5610	MCS0	21.00	20.84
		138	5690	]	21.00	20.78
	802.11ac160-VHT0	114	5570	MCS0	17.00	16.86
	802.11ax160-HE0	114	5570	MCS0	17.00	16.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 188 of 297

			Aux			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745		21.00	20.83
	802.11a	157	5785	6Mbps	21.00	20.97
		165	5825		21.00	20.86
		149	5745		21.00	20.75
	802.11n20-HT0	157	5785	MCS0	21.00	20.86
		165	5825		21.00	20.85
		149	5745		21.00	20.79
5.8GHz	802.11ax20-HE0	157	5785	MCS0	21.00	20.82
		165	5825		21.00	20.86
	802.11n40-HT0	151	5755	MCS0	21.00	20.96
	002.111H0-H10	159	5795	IVICSU	21.00	20.98
	802.11ax40-HE0	151	5755	MCS0	21.00	20.82
	002.118X4U-FEU	159	5795	IVICSU	21.00	20.87
	802.11ac80-VHT0	155	5775	MCS0	20.25	20.20
	802.11ax80-HE0	155	5775	MCS0	20.25	20.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 189 of 297

# WIFI 6E

			Main			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	5955		5.00	4.90
	802.11a	45	6175	6Mbps	5.00	4.78
		93	6415	·	5.00	4.89
		1	5955		5.00	4.97
	802.11n20-HT0	45	6175	MCS0	5.00	4.76
		93	6415		5.00	4.75
		1	5955		5.00	4.89
	802.11ax20-HE0	45	6175	MCS0	5.00	4.85
		93	6415		5.00	4.87
		3	5965	]	8.00	7.77
	802.11n40-HT0	43	6165	MCS0	8.00	7.89
		91	6405		8.00	7.86
U-NII-5		3	5965		8.00	7.84
6.2GHz	802.11ax40-HE0	43	6165	MCS0	8.00	7.86
0.20112		91	6405		8.00	7.92
		7	5985		11.00	10.77
	802.11ac80-VHT0	39	6145	MCS0	11.00	10.76
		87	6385		11.00	10.86
		7	5985		11.00	10.82
	802.11ax80-HE0	39	6145	MCS0	11.00	10.85
		87	6385		11.00	10.81
		15	6025		13.50	13.48
	802.11ac160-VHT0	47	6185	MCS0	13.50	13.45
		79	6345		13.50	13.47
		15	6025		13.50	13.31
	802.11ax160-HE0	47	6185	MCS0	13.50	13.34
		79	6345		13.50	13.36

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 190 of 297

			Main			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		97	6435		5.00	4.73
	802.11a	105	6475	6Mbps	5.00	4.75
		113	6515		5.00	4.81
		97	6435		5.00	4.84
	802.11n20-HT0	105	6475	MCS0	5.00	4.91
		113	6515		5.00	4.87
		97	6435	MCS0	5.50	5.39
	802.11ax20-HE0	105	6475		5.50	5.38
U-NII-6		113	6515		5.50	5.33
6.5GHz	802.11n40-HT0	99	6445	MCS0	8.50	8.42
0.5G112	002.111140-1110	107	6485	MCSU	8.50	8.45
	802.11ax40-HE0	99	6445	MCS0	8.50	8.42
	002.11ax40-11L0	107	6485	WCSU	8.50	8.43
	802.11ac80-VHT0	103	6465	MCS0	10.50	10.35
	002.11acou-VITTU	119	6545	IVICOU	10.50	10.29
	802.11ax80-HE0	103	6465	MCSO	11.00	10.78
	002.11ax00-11EU	119	6545	MCS0	11.00	10.93
	802.11ac160-VHT0	111	6505	MCS0	13.50	13.46
	802.11ax160-HE0	111	6505	MCS0	13.50	13.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 191 of 297

			Main			
			Wall			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		117	6535		5.00	4.79
	802.11a	149	6695	6Mbps	5.00	4.98
		181	6855		5.00	4.89
		117	6535		5.00	4.88
	802.11n20-HT0	149	6695	MCS0	5.00	4.79
		181	6855		5.00	4.81
		117	6535		5.50	5.31
	802.11ax20-HE0	149	6695	MCS0	5.50	5.36
		181	6855		5.50	5.46
		115	6525		8.50	8.41
	802.11n40-HT0	147	6685	MCS0	8.50	8.23
U-NII-7		179	6845		8.50	8.28
6.7GHz		115	6525		8.50	8.31
0.7 GHZ	802.11ax40-HE0	147	6685	MCS0	8.50	8.32
		179	6845		8.50	8.36
		135	6625		11.00	10.87
	802.11ac80-VHT0	151	6705	MCS0	11.00	10.81
		167	6785		11.00	10.74
		135	6625		11.00	10.75
	802.11ax80-HE0	151	6705	MCS0	11.00	10.80
		167	6785		11.00	10.82
	802.11ac160-VHT0	143	6665	MCS0	13.50	13.49
	002.11a0100-V1110	175	6825	IVIOOU	13.50	13.43
	802.11ax160-HE0	143	6665	MCS0	13.50	13.42
	802.11ax160-HE0	175	6825	101000	13.50	13.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 192 of 297

			Main			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		185	6875		5.00	4.86
	802.11a	209	6995	6Mbps	5.00	4.82
		233	7115		5.00	4.92
		185	6875		5.00	4.82
	802.11n20-HT0	209	6995	MCS0	5.00	4.92
		233	7115		5.00	4.80
		185	6875		5.50	5.39
	802.11ax20-HE0	209	6995	MCS0	5.50	5.36
		233	7115		5.50	5.38
U-NII-8	802.11n40-HT0	187	6885	MCS0	8.50	8.40
7.0GHz	002.111140-1110	227	7085	MCSU	8.50	8.44
1.0GHZ	802.11ax40-HE0	187	6885	MCS0	8.50	8.39
	002.11ax+0-11L0	227	7085	WCGO	8.50	8.25
		183	6865		10.50	10.40
	802.11ac80-VHT0	199	6945	MCS0	10.50	10.44
		215	7025		10.50	10.39
		183	6865		11.00	10.77
	802.11ax80-HE0	199	6945	MCS0	11.00	10.85
		215	7025		11.00	10.81
	802.11ac160-VHT0	207	6985	MCS0	13.50	13.49
	802.11ax160-HE0	207	6985	MCS0	13.50	13.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 193 of 297

			Aux			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	5955		5.00	4.91
	802.11a	45	6175	6Mbps	5.00	4.92
		93	6415		5.00	4.84
		1	5955		5.00	4.71
	802.11n20-HT0	45	6175	MCS0	5.00	4.76
		93	6415		5.00	4.80
		1	5955		5.00	4.82
	802.11ax20-HE0	45	6175	MCS0	5.00	4.76
		93	6415		5.00	4.87
		3	5965		8.00	7.84
	802.11n40-HT0	43	6165	MCS0	8.00	7.78
		91	6405		8.00	7.98
U-NII-5		3	5965		8.00	7.86
6.2GHz	802.11ax40-HE0	43	6165	MCS0	8.00	7.86
0.20112		91	6405		8.00	7.80
		7	5985		11.00	10.74
	802.11ac80-VHT0	39	6145	MCS0	11.00	10.84
		87	6385		11.00	10.82
		7	5985		11.00	10.77
	802.11ax80-HE0	39	6145	MCS0	11.00	10.93
		87	6385		11.00	10.74
		15	6025		13.50	13.49
	802.11ac160-VHT0	47	6185	MCS0	13.50	13.47
		79	6345		13.50	13.41
		15	6025		13.50	13.32
	802.11ax160-HE0	47	6185	MCS0	13.50	13.30
		79	6345		13.50	13.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 194 of 297

			Aux			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		97	6435		5.00	4.84
	802.11a	105	6475	6Mbps	5.00	4.91
		113	6515		5.00	4.83
		97	6435		5.00	4.78
	802.11n20-HT0	105	6475	MCS0	5.00	4.80
		113	6515		5.00	4.91
		97	6435		5.50	5.41
	802.11ax20-HE0	105	6475	MCS0	5.50	5.44
U-NII-6		113	6515		5.50	5.40
6.5GHz	802.11n40-HT0	99	6445	MCS0	8.50	8.39
0.5GHZ	002.111140-1110	107	6485	MCSU	8.50	8.30
	802.11ax40-HE0	99	6445	MCS0	8.50	8.37
	002.11ax40-11E0	107	6485	MCSU	8.50	8.28
	802.11ac80-VHT0	103	6465	MCS0	10.50	10.42
	002.11acou-v1110	119	6545	MCSU	10.50	10.39
	802.11ax80-HE0	103	6465	MCS0	11.00	10.81
	טטב. ו ומגסט-חבט	119	6545	IVICOU	11.00	10.84
	802.11ac160-VHT0	111	6505	MCS0	13.50	13.48
	802.11ax160-HE0	111	6505	MCS0	13.50	13.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 195 of 297

	· ·		Aux			
			Aux			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		117	6535		5.00	4.80
	802.11a	149	6695	6Mbps	5.00	4.86
		181	6855		5.00	4.83
		117	6535		5.00	4.90
	802.11n20-HT0	149	6695	MCS0	5.00	4.77
		181	6855		5.00	4.90
		117	6535		5.50	5.21
	802.11ax20-HE0	149	6695	MCS0	5.50	5.41
		181	6855		5.50	5.22
		115	6525		8.50	8.43
	802.11n40-HT0	147	6685	MCS0	8.50	8.28
U-NII-7		179	6845		8.50	8.35
6.7GHz		115	6525		8.50	8.35
0.7 GHZ	802.11ax40-HE0	147	6685	MCS0	8.50	8.43
		179	6845		8.50	8.40
		135	6625		11.00	10.84
	802.11ac80-VHT0	151	6705	MCS0	11.00	10.90
		167	6785		11.00	10.87
		135	6625		11.00	10.89
	802.11ax80-HE0	151	6705	MCS0	11.00	10.82
		167	6785		11.00	10.90
	802.11ac160-VHT0	143	6665	MCS0	13.50	13.42
	502.11ac100-V1110	175	6825	IVIOOU	13.50	13.46
	802.11ax160-HE0	143	6665	MCS0	13.50	13.36
	302.11ax100-11L0	175	6825	101000	13.50	13.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 196 of 297

			Aux			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		185	6875		5.00	4.78
	802.11a	209	6995	6Mbps	5.00	4.83
		233	7115		5.00	4.90
		185	6875		5.00	4.98
	802.11n20-HT0	209	6995	MCS0	5.00	4.87
		233	7115		5.00	4.80
		185	6875		5.50	5.27
	802.11ax20-HE0	209	6995	MCS0	5.50	5.34
		233	7115		5.50	5.41
U-NII-8	802.11n40-HT0	187	6885	MCS0	8.50	8.44
7.0GHz	002.111140-1110	227	7085	MCSU	8.50	8.25
7.0GHZ	802.11ax40-HE0	187	6885	MCS0	8.50	8.38
	002.11ax40-11L0	227	7085	MCSU	8.50	8.33
		183	6865		10.50	10.28
	802.11ac80-VHT0	199	6945	MCS0	10.50	10.36
		215	7025		10.50	10.26
		183	6865		11.00	10.85
	802.11ax80-HE0	199	6945	MCS0	11.00	10.85
		215	7025		11.00	10.91
	802.11ac160-VHT0	207	6985	MCS0	13.50	13.48
	802.11ax160-HE0	207	6985	MCS0	13.50	13.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



6.8 **Bluetooth**  Report No.: TESA2211000479EN

Page: 197 of 297

			1Mbps		2Mbps		3Mbps		
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	
	CH 00	2402		10.14		9.63		9.57	
BR/EDR	CH 39	2441	11.50	10.37	11.00	9.76	11.00	9.66	
	CH 78	2480		10.43		9.88		9.72	

#### 6.9 BLE

Mode	Channal	Frequency	(	GFSK
Mode	Channel	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		8.76
BLE_1M	CH 19	2440	10	9.02
	CH 39	2480		9.07
Mode	Channel	Frequency	(	GFSK
Mode	Chamer	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		8.16
BLE_2M	CH 19	2440	10	8.22
	CH 39	2480		8.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 198 of 297

# **DUTY CYCLE**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 199 of 297




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 200 of 297



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 201 of 297

# **SUMMARY OF RESULTS**

#### 8.1 **Decision rules**

Reported measurement data comply with Test Methodology in section 1.1.

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

#### 8.2 **Summary of SAR Results**

# **WWAN**

### **Full Power**

Band	Position	Distance	Channel	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		AR over 1g (kg)	Plot page
		(mm)		(MHz)	Tolerance (dBm)	(dBm)		Measured	Reported	]
WCDMA Band II	Back Surface	5	9262	1852.4	24.0	23.11	122.74%	0.132	0.162	030
WCDMA Band II	Back Surface	5	9400	1880	24.0	23.17	121.06%	0.121	0.146	-
WCDMA Band II	Back Surface	5	9538	1907.6	24.0	23.31	117.22%	0.115	0.135	-
WCDMA Band II	Top Edge	10	9538	1907.6	24.0	23.31	117.22%	0.072	0.084	-
WCDMA Band II	Bottom Edge	0	9538	1907.6	24.0	23.31	117.22%	0.002	0.002	-
WCDMA Band II	Right Edge	0	9538	1907.6	24.0	23.31	117.22%	0.054	0.064	-
WCDMA Band II	Left Edge	0	9538	1907.6	24.0	23.31	117.22%	0.003	0.004	-
WCDMA Band IV	Back Surface	5	1312	1712.4	24.0	23.31	117.22%	0.231	0.271	-
WCDMA Band IV	Back Surface	5	1412	1732.4	24.0	23.29	117.76%	0.235	0.277	031
WCDMA Band IV	Back Surface	5	1513	1752.6	24.0	23.33	116.68%	0.234	0.273	-
WCDMA Band IV	Top Edge	10	1513	1752.6	24.0	23.33	116.68%	0.197	0.230	-
WCDMA Band IV	Bottom Edge	0	1513	1752.6	24.0	23.33	116.68%	0.003	0.004	-
WCDMA Band IV	Right Edge	0	1513	1752.6	24.0	23.33	116.68%	0.097	0.113	-
WCDMA Band IV	Left Edge	0	1513	1752.6	24.0	23.33	116.68%	0.004	0.005	-
WCDMA Band V	Back Surface	5	4132	826.4	24.3	23.43	122.18%	0.066	0.080	-
WCDMA Band V	Back Surface	5	4183	836.6	24.3	23.57	118.30%	0.071	0.084	-
WCDMA Band V	Back Surface	5	4233	846.6	24.3	23.61	117.22%	0.073	0.086	032
WCDMA Band V	Top Edge	10	4233	846.6	24.3	23.61	117.22%	0.036	0.042	-
WCDMA Band V	Bottom Edge	0	4233	846.6	24.3	23.61	117.22%	0.002	0.003	-
WCDMA Band V	Right Edge	0	4233	846.6	24.3	23.61	117.22%	0.019	0.023	-
WCDMA Band V	Left Edge	0	4233	846.6	24.3	23.61	117.22%	0.002	0.003	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 202 of 297

									Max. Rated Avg.	Measured			4 04/0 )	
Mode	Bandwidth (MHz)	Modulation	RB Size	RB start	Position	Distance (mm)	Channel	Freq. (MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Scaling	Averaged SAR Measured	over 1g (W/kg) Reported	Plot page
LTE Band 2			1	0	Back Surface	5	18700	1860	24.00	23.82	104.23%	0.336	0.350	033
LTE Band 2			1	0	Back Surface	5	18900	1880	24.00	23.79	104.95%	0.314	0.330	-
LTE Band 2			1	0	Back Surface	5	19100	1900	24.00	23.98	100.46%	0.292	0.293	-
LTE Band 2			50	0	Back Surface	5	19100	1860	23.00	22.98	100.46%	0.248	0.249	-
LTE Band 2	ļ		- 1	0	Top Edge	10	19100	1900	24.00	23.98	100.46%	0.173	0.174	-
LTE Band 2	20MHz	QPSK	50	0	Top Edge	10	19100	1860	23.00	22.98	100.46%	0.145	0.146	-
	ļ		1	0	Bottom Edge Bottom Edge	0	19100	1900	24.00	23.98	100.46%	0.003	0.003	-
LTE Band 2 LTE Band 2			50	0	,	0	19100 19100	1860 1900	23.00 24.00	22.98 23.98	100.46%	0.002	0.002	
LTE Band 2	1		50	0	Right Edge Right Edge	0	19100	1860	23.00	23.98	100.46%	0.135	0.136	-
LTE Band 2			1	0	Left Edge	0	19100	1900	24.00	23.98	100.46%	0.004	0.004	
LTE Band 2	ł		50	0	Left Edge	0	19100	1860	23.00	22.98	100.46%	0.002	0.002	
ETE BUILD E					con cage		15100	1000	20.00	22.00	100.4070	0.002	0.002	
LTE Band 4			- 1	0	Back Surface	5	20050	1720	24.00	23.94	101.39%	0.453	0.459	
LTE Band 4	1		1	0	Back Surface	5	20175	1732.5	24.00	23.82	104.23%	0.494	0.515	034
LTE Band 4	1		1	0	Back Surface	5	20300	1745	24.00	23.92	101.86%	0.456	0.464	-
LTE Band 4	1		50	0	Back Surface	5	20300	1745	23.00	22.97	100.69%	0.397	0.400	-
LTE Band 4			1	0	Top Edge	10	20050	1720	24.00	23.94	101.39%	0.447	0.453	-
LTE Band 4	20MHz	QPSK	50	0	Top Edge	10	20300	1745	23.00	22.97	100.69%	0.342	0.344	-
LTE Band 4	2011112	Qi Oit	1	0	Bottom Edge	0	20050	1720	24.00	23.94	101.39%	0.005	0.005	-
LTE Band 4			50	0	Bottom Edge	0	20300	1745	23.00	22.97	100.69%	0.003	0.003	-
LTE Band 4			1	0	Right Edge	0	20050	1720	24.00	23.94	101.39%	0.220	0.223	-
LTE Band 4	ļ		50	0	Right Edge	0	20300	1745	23.00	22.97	100.69%	0.142	0.143	-
LTE Band 4	ļ		1	0	Left Edge	0	20050	1720	24.00	23.94	101.39%	0.003	0.003	-
LTE Band 4			50	0	Left Edge	0	20300	1745	23.00	22.97	100.69%	0.002	0.002	-
LTE Band 5			1	0	Back Surface	5	20450	829	24.30	23.73	114.02%	0.125	0.143	
LTE Band 5 LTE Band 5			1	0	Back Surface Back Surface	5	20450	829 836.5	24.30 24.30	23.73	114.02%	0.125	0.143	-
LTE Band 5			1	0	Back Surface Back Surface	5	20525	836.5	24.30	23.77	112.98%	0.127	0.143	035
LTE Band 5	1		25	0	Back Surface	5	20600	844	23.30	22.76	113.24%	0.109	0.145	-
LTE Band 5	1		1	0	Top Edge	10	20600	844	24.30	23.86	110.66%	0.070	0.123	-
LTE Band 5	1		25	0	Top Edge	10	20600	844	23.30	22.76	113.24%	0.058	0.066	-
LTE Band 5	10MHz	QPSK	1	0	Bottom Edge	0	20600	844	24.30	23.86	110.66%	0.000	0.000	-
LTE Band 5			25	0	Bottom Edge	0	20600	844	23.30	22.76	113.24%	0.000	0.000	-
LTE Band 5			1	0	Right Edge	0	20600	844	24.30	23.86	110.66%	0.039	0.043	-
LTE Band 5			25	0	Right Edge	0	20600	844	23.30	22.76	113.24%	0.029	0.032	-
LTE Band 5			1	0	Left Edge	0	20600	844	24.30	23.86	110.66%	0.000	0.000	-
LTE Band 5			25	0	Left Edge	0	20600	844	23.30	22.76	113.24%	0.000	0.000	-
CA_5B			1/1	49/0	Back Surface	5	20450+20549	829+838.9	24.30	24.12	104.23%	0.124	0.129	-
LTE Band 7	ļ		1	0	Back Surface	5	20850	2510	23.80	23.51	106.91%	0.162	0.173	-
LTE Band 7 LTE Band 7			1	0	Back Surface Back Surface	5	21100 21350	2535 2560	23.80 23.80	23.43 23.52	108.89% 106.66%	0.170 0.175	0.185 0.187	036
LTE Band 7	ł					5	21350		22.80		108.39%		0.172	030
LTE Band 7	ł		50	0	Back Surface	10	21350	2560 2560	22.80	22.45	106.66%	0.159	0.172	-
LTE Band 7			50	0	Top Edge Top Edge	10	21350	2560	22.80	22.45	108.39%	0.124	0.134	-
LTE Band 7	20MHz	QPSK	1	0	Bottom Edge	0	21350	2560	23.80	23.52	106.66%	0.001	0.001	
LTE Band 7	2011112	Qi Oit	50	0	Bottom Edge	0	21350	2560	22.80	22.45	108.39%	0.000	0.000	
LTE Band 7	İ		1	0	Right Edge	0	21350	2560	23.80	23.52	106.66%	0.072	0.077	-
LTE Band 7	İ		50	0	Right Edge	0	21350	2560	22.80	22.45	108.39%	0.054	0.059	-
LTE Band 7	İ		1	0	Left Edge	0	21350	2560	23.80	23.52	106.66%	0.000	0.000	-
LTE Band 7	İ		50	0	Left Edge	0	21350	2560	22.80	22.45	108.39%	0.000	0.000	-
CA_7C	1		1/1	99/0	Back Surface	5	20850+21048	2510+2529.8	23.80	23.69	102.57%	0.165	0.169	-
LTE Band 12			1	0	Back Surface	0	23060	704	24.00	23.62	109.14%	0.480	0.524	-
LTE Band 12			1	0	Back Surface	0	23095	707.5	24.00	23.53	111.43%	0.499	0.556	-
LTE Band 12			1	0	Back Surface	0	23130	711	24.00	23.74	106.17%	0.523	0.555	037
LTE Band 12			25	0	Back Surface	0	23130	711	23.00	22.63	108.89%	0.415	0.452	-
LTE Band 12			1	0	Top Edge	0	23130	711	24.00	23.74	106.17%	0.245	0.260	-
LTE Band 12	10MHz	QPSK	25	0	Top Edge	0	23130	711	23.00	22.63	108.89%	0.192	0.209	-
LTE Band 12			1	0	Bottom Edge	0	23130	711	24.00	23.74	106.17%	0.001	0.001	-
LTE Band 12			25	0	Bottom Edge	0	23130	711	23.00	22.63	108.89%	0.000	0.000	-
LTE Band 12			1	0	Right Edge	0	23130	711	24.00	23.74	106.17%	0.023	0.025	-
LTE Band 12			25 1	0	Right Edge	0	23130	711	23.00	22.63	108.89%	0.017	0.018	-
LTE Band 12 LTE Band 12	1		25	0	Left Edge	0	23130 23130	711 711	24.00 23.00	23.74 22.63	106.17% 108.89%	0.000	0.000	-
LIE DANG 12			25	U	Left Edge	U	23130	/11	23.00	22.63	100.89%	0.000	0.000	-
LTE Band 13			1	0	Back Surface	0	23230	782	24.00	23.71	106.91%	0.397	0.424	-
LTE Band 13	1		25	0	Back Surface	0	23230	782	23.00	22.59	109.90%	0.381	0.419	-
LTE Band 13	1		1	0	Top Edge	0	23230				106.91%	0.429	0.459	038
LTE Band 13	1							782	24.00	23.71	100.5176		0.435	
LTE Band 13			25	0	Top Edge	0	23230	782 782	24.00 23.00	23.71 22.59	109.90%	0.355	0.390	-
	401	OPOU	25 1	0	Top Edge Bottom Edge	0						0.355 0.001		-
LTE Band 13	10MHz	QPSK	25 1 25				23230	782	23.00	22.59	109.90%		0.390	-
LTE Band 13 LTE Band 13	10MHz	QPSK	1 25 1	0 0	Bottom Edge Bottom Edge Right Edge	0 0	23230 23230 23230 23230 23230	782 782 782 782	23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71	109.90% 106.91% 109.90% 106.91%	0.001 0.000 0.032	0.390 0.001 0.000 0.034	-
LTE Band 13 LTE Band 13 LTE Band 13	10MHz	QPSK	1 25	0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge	0 0 0 0	23230 23230 23230 23230 23230 23230	782 782 782 782 782 782	23.00 24.00 23.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59	109.90% 106.91% 109.90% 106.91% 109.90%	0.001 0.000 0.032 0.026	0.390 0.001 0.000 0.034 0.029	-
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13	10MHz	QPSK	1 25 1 25 1	0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge	0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230	782 782 782 782 782 782 782	23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71	109.90% 106.91% 109.90% 106.91% 109.90% 106.91%	0.001 0.000 0.032 0.026 0.001	0.390 0.001 0.000 0.034 0.029 0.001	-
LTE Band 13 LTE Band 13 LTE Band 13	10MHz	QPSK	1 25 1	0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge	0 0 0 0	23230 23230 23230 23230 23230 23230	782 782 782 782 782 782	23.00 24.00 23.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59	109.90% 106.91% 109.90% 106.91% 109.90%	0.001 0.000 0.032 0.026	0.390 0.001 0.000 0.034 0.029	-
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13	10MHz	QPSK	1 25 1 25 1 25	0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge	0 0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230 23230	782 782 782 782 782 782 782 782	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90%	0.001 0.000 0.032 0.026 0.001 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.000	-
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14	10MHz	QPSK	1 25 1 25 1 25 1 25 1 1 25 1	0 0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Back Surface	0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23230	782 782 782 782 782 782 782 782 782	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90%	0.001 0.000 0.032 0.026 0.001 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.000	-
LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14	10MHz	QPSK	1 25 1 25 1 25 1 25 25 25	0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface	0 0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23330 23330	782 782 782 782 782 782 782 782 782 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 23.72	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.66% 106.66%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109	
LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14	10MHz	QPSK	1 25 1 25 1 25 1 25 1 25 1 1 25 1 1	0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Left Edge Left Edge Togs Back Surface Back Surface Top Edge	0 0 0 0 0 0 0 5 5	23230 23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 23.72 23.72	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.66% 106.41% 106.66%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049	
LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface Top Edge Top Edge	0 0 0 0 0 0 0 0 5 5 5	23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 782 793 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.66% 106.41% 106.66%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14	10MHz	QPSK	1 25 1 25 1 25 1 25 1 25 1 25 1 25 1	0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface Top Edge Top Edge Bottom Edge	0 0 0 0 0 0 0 0 5 5 5 10	23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.41% 106.66% 106.41% 106.66%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049 0.048 0.000	
UTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0	Bottom Edge Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface Top Edge Top Edge Bottom Edge Bottom Edge	0 0 0 0 0 0 0 5 5 5 10 0	23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 793 793 793 793 793	23.00 24.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.66% 106.41% 106.66% 106.41%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049 0.048 0.000 0.000	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1	0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface Top Edge Bottom Edge Bottom Edge Right Edge	0 0 0 0 0 0 0 0 5 5 5 10	23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72	109.90% 106.91% 109.90% 109.90% 109.90% 109.90% 109.90% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049 0.048 0.000	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1	0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Left Edge Left Edge Left Edge Back Surface Back Surface Back Surface Back Surface Back Surface Fop Edge Top Edge Bottom Edge Bottom Edge Right Edge Right Edge	0 0 0 0 0 0 0 5 5 5 10 10 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793 793 793 793	23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 22.73 22.73 23.72 22.73 23.72	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.66% 106.41% 106.66% 106.41%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.000 0.126 0.109 0.049 0.048 0.000 0.000 0.039	
UTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Right Edge Left Edge Left Edge Back Surface Back Surface Top Edge Bottom Edge Bottom Edge Right Edge	0 0 0 0 0 0 0 5 5 10 10 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 782 783 793 793 793 793 793 793	23.00 24.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 23.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 109.90% 109.90% 109.90% 109.90% 109.41% 109.66% 109.41% 109.66% 109.41% 109.66% 109.41%	0.001 0.000 0.002 0.0026 0.001 0.000 0.118 0.102 0.046 0.046 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.126 0.109 0.048 0.000 0.000 0.000 0.000	039
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Right Edge Left Edge Left Edge Left Edge Left Edge Eask Surface Bask Surface Bask Surface Bask Surface Right Edge Top Edge Bottom Edge Right Edge Right Edge Right Edge Right Edge	0 0 0 0 0 0 0 5 5 10 10 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793 793 793 793 793 793 793	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72	109.90% 106.91% 109.90% 109.90% 106.91% 109.90% 106.61% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66%	0.001 0.000 0.002 0.032 0.026 0.001 0.000  0.118 0.102 0.046 0.045 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.126 0.109 0.049 0.048 0.000 0.000 0.000 0.000 0.000	039
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Bottom Edge Right Edge Right Edge Right Edge Left Edge Left Edge Left Edge Left Edge Eask Surface Bask Surface Bask Surface Bask Surface Right Edge Top Edge Bottom Edge Right Edge Right Edge Right Edge Right Edge	0 0 0 0 0 0 0 5 5 10 10 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 793 793 793 793 793 793 793 793 793	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72	109.90% 106.91% 109.90% 109.90% 106.91% 109.90% 106.61% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66%	0.001 0.000 0.002 0.032 0.026 0.001 0.000  0.118 0.102 0.046 0.045 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.126 0.109 0.049 0.048 0.000 0.000 0.000 0.000 0.000	039
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 15 LTE Band 25 LTE Band 25			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Botton Edge Roth Edge Roth Edge Roth Edge Roth Edge Roth Edge Roth Edge Loft Edge Loft Edge Loft Edge Back Surface Back Surface Top Edge Botton Edge Roth Edge Roth Edge Loft Edge Loft Edge Loft Edge Roth Edge Roth Edge Roth Edge Loft Edge Loft Edge Loft Edge Loft Edge Loft Edge Back Surface Back Surface Back Surface Back Surface Back Surface	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 782 783 783 783 783 783 783 783 783 783 783	23.00 24.00 24.00 24.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 109.90% 109.90% 100.91% 109.90% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66%	0.001 0.000 0.032 0.026 0.001 0.000 0.018 0.118 0.102 0.046 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.000 0.000 0.128 0.109 0.049 0.049 0.049 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.	039
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Ba			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Left Edge Left Edge Left Edge Edge Back Surface Back Surface Top Edge Top Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge	0 0 0 0 0 0 0 0 5 5 5 10 10 0 0 0 0 0 0	23230 23230 23230 23230 23230 23230 23230 23230 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330 23330	782 782 782 782 782 782 782 782 783 793 793 793 793 793 793 793 793 793	23.00 24.00 23.00 24.00 22.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 109.90% 109.90% 109.90% 109.90% 109.90% 100.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41%	0.001 0.000 0.032 0.026 0.001 0.000 0.118 0.102 0.046 0.045 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.002 0.003 0.003 0.003 0.001 0.000 0.126 0.109 0.048 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 15 LTE Band 25 LTE Band 25			1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rottom Edge Roght Edge Roght Edge Roght Edge Roght Edge Left Edge Left Edge Left Edge Back Surface Back Surface Top Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rotto	0 0 0 0 0 0 0 5 5 10 0 0 0 0 0 0 0 0 0 0	23200 23200 23200 23200 23200 23200 23200 23200 23200 23300 23300 23300 23300 23300 23300 23300 23300 23300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 230	782 782 782 782 782 782 782 782 782 783 783 783 783 783 783 783 783 783 783	23.00 24.00 24.00 24.00 24.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 109.90% 109.90% 109.90% 109.90% 109.90% 100.66% 106.41% 100.66% 106.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41%	0.001 0.000 0.002 0.002 0.001 0.000 0.001 0.000 0.018 0.118 0.102 0.046 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.002 0.001 0.000 0.128 0.049 0.049 0.049 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 16 LTE Band 16 LTE Band 16 LTE Band 17 LTE Band 18 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25			1 25 1 25 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 1 25 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rottom Rott	0 0 0 0 0 0 0 0 5 5 10 10 0 0 0 0 0 0 0	2320 2320 2320 2320 2320 2320 2320 2320	782 782 782 782 782 782 782 782 782 783 783 783 783 783 783 783 783 783 783	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.81	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 106.61% 109.90% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41%	0.001 0.000 0.003 0.026 0.000 0.000 0.000 0.000 0.118 0.102 0.045 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006	0.390 0.001 0.001 0.0034 0.029 0.011 0.000 0.126 0.109 0.049 0.000 0.009 0.009 0.009 0.009 0.000 0.000	
UTE Band 13  UTE Band 13  UTE Band 13  UTE Band 13  UTE Band 13  UTE Band 13  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 14  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 15  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25  UTE Band 25	10MHz	OPSK	1 25 1 25 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 25 1 1 1 25 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Bottom Edge Ropht Edge Ropht Edge Ropht Edge Ropht Edge Laft Edge Laft Edge Laft Edge Laft Edge Back Surface Back Surface Top Edge Sottom Edge Ropht Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge	0 0 0 0 0 0 0 0 5 5 5 10 0 0 0 0 0 0 0 0	23200 23200 23200 23200 23200 23200 23200 23200 23200 23300 23300 23300 23300 23300 23300 23300 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500	782 782 782 782 782 782 782 782 782 782	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 25.00 24.00 25.00 24.00 25.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73 23.73	109.90% 106.91% 109.90% 109.90% 109.90% 109.90% 109.90% 109.90% 109.60% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.41% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60% 109.60	0.001 0.000 0.032 0.028 0.001 0.000 0.118 0.102 0.045 0.006 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.000 0.034 0.029 0.001 0.128 0.109 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 15 LTE Band 16 LTE Band 16 LTE Band 17 LTE Band 16 LTE Band 17 LTE Band 18 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Ba			1 25 1 25 1 25 1 1 25 1 1 50 1 1 50 1 1 50 1 1 50 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rottom Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Left Edge Left Edge Left Edge Back Surface Top Edge Bottom Edge Bottom Edge Bottom Edge Bottom Edge Rognt Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Left Edge Left Edge Left Edge Left Edge Left Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edge Rognt Edg	0 0 0 0 0 0 0 0 5 5 5 5 10 0 0 0 0 0 0 0	23200 22200 22200 22200 22200 22200 22200 22200 22200 22200 22200 22200 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300	782 782 782 782 782 782 782 783 783 783 783 783 783 783 783 783 783	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73	109.90% 106.91% 109.90% 106.91% 109.90% 106.91% 109.90% 100.60% 106.60% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 100.40% 100.40% 100.40%	0.001 0.000 0.002 0.002 0.002 0.000 0.001 0.000 0.118 0.102 0.046 0.045 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.003 0.003 0.003 0.003 0.003 0.001 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 16 LTE Band 16 LTE Band 17 LTE Band 18 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Ba	10MHz	OPSK	1 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rothin Edge Ropht Edge Ropht Edge Ropht Edge Ropht Edge Laft Edge Laft Edge Laft Edge Laft Edge Back Surface Back Surface Top Edge Rothin Edge Rothin Edge Rothin Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Edge Laft Ed	0 0 0 0 0 0 0 0 5 5 5 10 0 0 0 0 0 0 0 0	22200 22200 22200 22200 22200 22200 22200 22200 22200 22300 22300 22300 22300 22300 22300 22300 23300 23300 23300 23300 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500 23500	782 782 782 782 782 782 782 782 782 782	23.00 24.00 24.00 24.00 24.00 24.00 25.00 24.00 25.00 24.00 25.00 24.00 25.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00 26.00	22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.98 23.98 23.98 22.96 23.98 22.96	109.90% 106.91% 106.91% 106.91% 109.90% 106.91% 109.90% 106.61% 106.66% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.41% 106.66% 106.40% 106.66% 106.40% 106.66% 106.40% 106.66% 106.40% 106.66% 106.40% 106.66% 106.40% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66% 106.66	0.001 0.000 0.032 0.028 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.990 0.001 0.002 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.000 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003	
LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 13 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 14 LTE Band 15 LTE Band 15 LTE Band 16 LTE Band 16 LTE Band 17 LTE Band 18 LTE Band 19 LTE Band 19 LTE Band 19 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Band 25 LTE Ba	10MHz	OPSK	1 25 1 25 1 25 1 25 1 1 25 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rott Edge Rott Edge Rott Edge Loft Edge Loft Edge Loft Edge Bottom Edge Bottom Edge Bottom Edge Rottom Edge	0 0 0 0 0 0 0 0 0 10 10 10 0 0 0 0 0 0	23200 22200 22200 22200 22230 22230 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300	782   782   782   782   782   782   782   782   782   782   782   782   782   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72	109.09% 109.91% 109.91% 109.95% 106.91% 109.90% 100.41% 109.90% 100.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41% 100.69% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49%	0.001 0.002 0.002 0.002 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.000 0.003 0.003 0.003 0.003 0.003 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	
LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 15  LTE Band 15  LTE Band 16  LTE Band 16  LTE Band 17  LTE Band 18  LTE Band 19  LTE Band 19  LTE Band 19  LTE Band 19  LTE Band 19  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25	10MHz	OPSK	1 25 1 25 25 25 25 1 25 1 25 1 25 1 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Left Edge Left Edge Left Edge Top Edge Top Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Left Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge Rothin Edge	0 0 0 0 0 0 0 0 5 5 5 10 0 0 0 0 0 0 0 0	22200 22200 22200 22200 22200 22200 22200 22200 22200 22200 22200 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300 22300	782 782 782 782 782 782 782 782 782 782	23.00 24.00 23.00 24.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 25.00	22.59 22.59 23.71 22.59 23.71 22.59 23.71 22.59 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72	109.90% 108.91% 108.91% 109.90% 100.91% 100.90% 100.90% 100.90% 100.60% 100.41% 100.44% 100.44% 100.66% 100.44% 100.66% 100.44% 100.66% 100.44% 100.66% 100.44% 100.66% 100.44% 100.66% 100.45% 100.66% 100.45% 100.66% 100.45% 100.66% 100.46% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69% 100.69	0.001 0.000 0.032 0.026 0.001 0.000 0.001 0.118 0.102 0.046 0.045 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.001 0.002 0.003 0.003 0.003 0.004 0.003 0.128 0.109 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	
LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 13  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 14  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 15  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25  LTE Band 25	10MHz	OPSK	1 25 1 25 1 25 1 25 1 1 25 1 1 1 1 1 1 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Bottom Edge Rottom Edge Rottom Edge Rottom Edge Rottom Edge Rott Edge Rott Edge Rott Edge Loft Edge Loft Edge Loft Edge Bottom Edge Bottom Edge Bottom Edge Rottom Edge	0 0 0 0 0 0 0 0 0 10 10 10 0 0 0 0 0 0	23200 22200 22200 22200 22230 22230 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 22330 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 23300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300 2300	782   782   782   782   782   782   782   782   782   782   782   782   782   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783   783	23.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00 24.00	22.59 23.71 22.59 23.71 22.59 23.71 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 22.73 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72 23.72	109.09% 109.91% 109.91% 109.95% 106.91% 109.90% 100.41% 109.90% 100.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41% 100.66% 100.41% 100.69% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49% 100.49%	0.001 0.002 0.002 0.002 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.390 0.000 0.003 0.003 0.003 0.003 0.003 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 203 of 297

	Bandwidth		RB	RB		Distance		Freq.	Max. Rated Avg.	Measured		Averaged SAR	over 1g (W/kg)	
Mode	(MHz)	Modulation	Size	start	Position	(mm)	Channel	(MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Scaling	Measured	Reported	_ Plot page
LTE Band 26_FCC			1	0	Back Surface	5	26765	821.5	24.00	23.71	106.91%	0.120	0.128	-
LTE Band 26_FCC			1	0	Back Surface	5	26865	831.5	24.00	23.72	106.66%	0.125	0.133	-
LTE Band 26_FCC	1		1	0	Back Surface	5	26965	841.5	24.00	23.81	104.47%	0.129	0.135	041
LTE Band 26_FCC			36	0	Back Surface	5	26965	841.5	23.00	22.74	106.17%	0.110	0.117	-
LTE Band 26_FCC			1	0	Top Edge	10	26965	841.5	24.00	23.81	104.47%	0.071	0.074	-
LTE Band 26_FCC	15MHz	QPSK	36	0	Top Edge	10	26965	841.5	23.00	22.74	106.17%	0.065	0.069	-
LTE Band 26_FCC	10111111	an on	1	0	Bottom Edge	0	26965	841.5	24.00	23.81	104.47%	0.000	0.000	-
LTE Band 26_FCC	4		36	0	Bottom Edge	0	26965	841.5	23.00	22.74	106.17%	0.000	0.000	-
LTE Band 26_FCC	_		1	0	Right Edge	0	26965	841.5	24.00	23.81	104.47%	0.031	0.032	-
LTE Band 26_FCC	-		36	0	Right Edge	0	26965	841.5	23.00	22.74	106.17%	0.027	0.028	-
LTE Band 26_FCC	-		1	0	Left Edge	0	26965	841.5	24.00	23.81	104.47%	0.000	0.000	-
LTE Band 26_FCC			36	0	Left Edge	0	26965	841.5	23.00	22.74	106.17%	0.000	0.000	<u> </u>
LTE Band 66			- 1	0	Back Surface	5	132322	1745	24.00	23.72	106.66%	0.415	0.443	
LTE Band 66	-		50	0	Back Surface	5	132322	1745	23.00	22.68	107.65%	0.365	0.393	+
LTE Band 66	1		1	0	Top Edge	10	132072	1720	24.00	23.51	111.94%	0.459	0.514	042
LTE Band 66	1		1	0	Top Edge	10	132322	1745	24.00	23.72	106.66%	0.440	0.469	-
LTE Band 66	1		1	0	Top Edge	10	132572	1770	24.00	23.64	108.64%	0.379	0.412	-
LTE Band 66	20MHz	QPSK	50	0	Top Edge	10	132322	1745	23.00	22.68	107.65%	0.353	0.380	-
LTE Band 66	ZUIVITZ	uran	1	0	Bottom Edge	0	132322	1745	24.00	23.72	106.66%	0.004	0.005	-
LTE Band 66			50	0	Bottom Edge	0	132322	1745	23.00	22.68	107.65%	0.003	0.003	-
LTE Band 66			1	0	Right Edge	0	132322	1745	24.00	23.72	106.66%	0.225	0.240	-
LTE Band 66			50	0	Right Edge	0	132322	1745	23.00	22.68	107.65%	0.171	0.184	-
LTE Band 66			1	0	Left Edge	0	132322	1745	24.00	23.72	106.66%	0.003	0.003	-
LTE Band 66			50	0	Left Edge	0	132322	1745	23.00	22.68	107.65%	0.002	0.002	-
ITE D 174					DI-C /		400000	070	24.00	00.01	400 7501	0.000	0.011	
LTE Band 71	4		1	0	Back Surface	0	133222	673	24.00	23.84	103.75%	0.300	0.311	-
LTE Band 71 LTE Band 71	1		1	0	Back Surface Back Surface	0	133297 133372	680.5 688	24.00 24.00	23.79	104.95% 105.20%	0.432	0.453 0.499	043
LTE Band 71 LTE Band 71	1		50	0	Back Surface Back Surface	0	133372	688	24.00	23.78	105.20%	0.474	0.499	043
LTE Band 71	1		1	0	Top Edge	0	133372	673	24.00	23.84	104.23%	0.392	0.409	+
LTE Band 71	1		50	0	Top Edge	0	133222	688	24.00	23.84	103.75%	0.204	0.212	<del>-</del>
LTE Band 71	20MHz	QPSK	1	0	Bottom Edge	0	133222	673	24.00	23.84	104.23%	0.001	0.001	<del>+ -</del>
LTE Band 71	1		50	0	Bottom Edge	0	133372	688	23.00	22.82	103.75%	0.000	0.000	+
LTE Band 71	1		1	0	Right Edge	0	133222	673	24.00	23.84	103.75%	0.010	0.011	-
LTE Band 71	1		50	0	Right Edge	0	133372	688	23.00	22.82	104.23%	0.009	0.010	-
LTE Band 71			1	0	Left Edge	0	133222	673	24.00	23.84	103.75%	0.000	0.000	-
LTE Band 71			50	0	Left Edge	0	133372	688	23.00	22.82	104.23%	0.000	0.000	-
LTE Band 41			1	0	Back Surface	5	39750	2506	23.80	23.52	106.66%	0.102	0.109	-
LTE Band 41			1	0	Back Surface	5	40185	2549.5	23.80	23.64	103.75%	0.112	0.116	-
LTE Band 41			1	0	Back Surface	5	40620	2593	23.80	23.61	104.47%	0.139	0.145	-
LTE Band 41			1	0	Back Surface	5	41055	2636.5	23.80	23.59	104.95%	0.165	0.173	044
LTE Band 41			1	0	Back Surface	5	41490	2680	23.80	23.53	106.41%	0.156	0.166	-
LTE Band 41			50	0	Back Surface	5	40185	2549.5	22.80	22.66	103.28%	0.095	0.098	
LTE Band 41			1	0	Top Edge	10	40185	2549.5	23.80	23.64	103.75%	0.089	0.092	-
LTE Band 41	20MHz	QPSK	50	0	Top Edge	10	40185	2549.5	22.80	22.66	103.28%	0.069	0.071	
LTE Band 41	1		1	0	Bottom Edge	0	40185	2549.5	23.80	23.64	103.75%	0.008	0.008	-
LTE Band 41	-		50	0	Bottom Edge	0	40185	2549.5	22.80	22.66	103.28%	0.005	0.006	<del></del>
LTE Band 41	-		50	0	Right Edge	0	40185	2549.5 2549.5	23.80 22.80	23.64	103.75%	0.029	0.030	
LTE Band 41	-		50	0	Right Edge		40185	2549.5 2549.5		22.66	103.28%	0.021	0.022	<del></del>
LTE Band 41 LTE Band 41	-		50	0	Left Edge Left Edge	0	40185 40185	2549.5 2549.5	23.80	23.64	103.75%	0.008	0.008	
CA 41C	1		1/1	99/0	Back Surface	5	39750+39948	2506+2525.8	23.80	23.71	103.26%	0.006	0.007	
CA_41C			1/1	3310	Dack Surface	,	39730+39940	230012323.0	23.00	23.71	102.0570	0.134	0.137	<del></del>
LTE Band 42			1	0	Back Surface	0	41690	3410	23.80	23.79	100.23%	0.286	0.287	<del></del>
LTE Band 42	1		1	0	Back Surface	0	42590	3500	23.80	23.66	103.28%	0.314	0.324	
LTE Band 42	1		1	0	Back Surface	0	43490	3590	23.80	23.72	101.86%	0.725	0.738	045
LTE Band 42			50	0	Back Surface	0	41690	3410	22.80	22.77	100.69%	0.227	0.229	-
LTE Band 42	1		1	0	Top Edge	0	41690	3410	23.80	23.79	100.23%	0.279	0.280	-
LTE Band 42	1		50	0	Top Edge	0	41690	3410	22.80	22.77	100.69%	0.219	0.221	-
LTE Band 42	20MHz	QPSK	1	0	Bottom Edge	0	41690	3410	23.80	23.79	100.23%	0.008	0.008	-
LTE Band 42			50	0	Bottom Edge	0	41690	3410	22.80	22.77	100.69%	0.006	0.006	-
LTE Band 42	1		1	0	Right Edge	0	41690	3410	23.80	23.79	100.23%	0.008	0.008	
LTE Band 42	1		50	0	Right Edge	0	41690	3410	22.80	22.77	100.69%	0.007	0.007	
LTE Band 42	4		1	0	Left Edge	0	41690	3410	23.80	23.79	100.23%	0.004	0.004	<u> </u>
LTE Band 42	4		50	0	Left Edge	0	41690	3410	22.80	22.77	100.69%	0.004	0.004	<del></del>
CA_42C		1	1/1	99/0	Back Surface	5	41690+41888	3429.8	23.80	23.69	102.57%	0.712	0.730	<del></del>
ITE B 40				0	Back Surface	5	43690	3610	23.80	22 70	101.86%	0.268	0.273	+
LTE Band 43	1		1	0	Back Surface Back Surface	5	43690 44590	3610 3700	23.80	23.72	101.86%	0.268	0.273	046
LTE Band 43	1		1	0	Back Surface	5	45490	3790	23.80	23.79	100.23%	0.333	0.347	-
LTE Band 43	1		50	0	Back Surface	5	45490	3790	22.80	22.76	100.93%	0.257	0.259	<del>-</del>
LTE Band 43	1		1	0	Top Edge	10	44590	3700	23.80	23.79	100.23%	0.255	0.256	-
LTE Band 43	1		50	0	Top Edge	10	45490	3790	22.80	22.76	100.93%	0.217	0.219	<del>-</del>
LTE Band 43	20MHz	QPSK	1	0	Bottom Edge	0	44590	3700	23.80	23.79	100.23%	0.001	0.001	-
LTE Band 43	1		50	0	Bottom Edge	0	45490	3790	22.80	22.76	100.93%	0.000	0.000	-
LTE Band 43	1		1	0	Right Edge	0	44590	3700	23.80	23.79	100.23%	0.037	0.037	-
LTE Band 43			50	0	Right Edge	0	45490	3790	22.80	22.76	100.93%	0.029	0.029	-
LTE Band 43	]		1	0	Left Edge	0	44590	3700	23.80	23.79	100.23%	0.001	0.001	
LTE Band 43	1		50	0	Left Edge	0	45490	3790	22.80	22.76	100.93%	0.000	0.000	-
CA_43C			1/1	99/0	Back Surface	5	43690+43888	3610+3629.8	23.80	23.71	102.09%	0.328	0.335	
LTE Band 48	1		1	0	Back Surface	5	55340	3560	23.80	23.55	105.93%	0.132	0.140	
LTE Band 48	1		1	0	Back Surface	5	55830	3609	23.80	23.71	102.09%	0.269	0.275	-
LTE Band 48	4		1	0	Back Surface	5	56150	3641	23.80	23.78	100.46%	0.327	0.329	-
LTE Band 48	4		1	0	Back Surface	5	56640	3690	23.80	23.61	104.47%	0.350	0.366	047
LTE Band 48	4		50	0	Back Surface	5	56150	3641	22.80	22.73	101.62%	0.164	0.167	-
LTE Band 48	4		1	0	Top Edge	10	56150	3641	23.80	23.78	100.46%	0.199	0.200	-
	20MHz	QPSK	50	0	Top Edge	10	56150	3641	22.80	22.73	101.62%	0.100	0.102	-
LTE Band 48			1 1	0	Bottom Edge	0	56150	3641	23.80	23.78	100.46%	0.000	0.000	-
LTE Band 48 LTE Band 48	4		r-		D #		F0:	00	00	00		0	0.6	
LTE Band 48 LTE Band 48 LTE Band 48	1		50	0	Bottom Edge	0	56150 66160	3641	22.80	22.73	101.62%	0.000	0.000	-
LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48			1	0	Right Edge	0	56150	3641	23.80	23.78	100.46%	0.031	0.031	-
LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48	-		1 50	0	Right Edge Right Edge	0	56150 56150	3641 3641	23.80 22.80	23.78 22.73	100.46% 101.62%	0.031 0.015	0.031 0.015	-
LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48	-		1 50 1	0 0 0	Right Edge Right Edge Left Edge	0 0	56150 56150 56150	3641 3641 3641	23.80 22.80 23.80	23.78 22.73 23.78	100.46% 101.62% 100.46%	0.031 0.015 0.000	0.031 0.015 0.000	-
LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48 LTE Band 48	-		1 50	0	Right Edge Right Edge	0	56150 56150	3641 3641	23.80 22.80	23.78 22.73	100.46% 101.62%	0.031 0.015	0.031 0.015	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 204 of 297

### **Down Power**

Band	Position	Distance	Channel	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Scaling		SAR over 1g (kg)	Plot page
		(mm)		(MHz)	Tolerance (dBm)	(dBm)	ŭ	Measured	Reported	1
WCDMA Band II	Back Surface	0	9538	1907.6	20.0	19.79	104.95%	0.384	0.403	-
WCDMA Band II	Top Edge	0	9262	1852.4	20.0	19.58	110.15%	0.419	0.462	-
WCDMA Band II	Top Edge	0	9400	1880	20.0	19.65	108.39%	0.432	0.468	-
WCDMA Band II	Top Edge	0	9538	1907.6	20.0	19.79	104.95%	0.451	0.473	048
WCDMA Band IV	Back Surface	0	1312	1712.4	20.5	20.33	103.99%	0.544	0.566	-
WCDMA Band IV	Back Surface	0	1412	1732.4	20.5	20.35	103.51%	0.609	0.630	049
WCDMA Band IV	Back Surface	0	1513	1752.6	20.5	20.29	104.95%	0.576	0.605	-
WCDMA Band IV	Top Edge	0	1412	1732.4	20.5	20.35	103.51%	0.517	0.535	-
WCDMA Band V	Back Surface	0	4233	846.6	21.0	20.86	103.28%	0.247	0.255	-
WCDMA Band V	Top Edge	0	4132	826.4	21.0	20.73	106.41%	0.381	0.405	-
WCDMA Band V	Top Edge	0	4183	836.6	21.0	20.83	103.99%	0.372	0.387	-
WCDMA Band V	Top Edge	0	4233	846.6	21.0	20.86	103.28%	0.398	0.411	050

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 205 of 297

	Bandwidth		RB	RB		Distance		Freq.	Max. Rated Avg.	Measured		Averaged SAR	over 1g (W/kg)	
Mode	(MHz)	Modulation	Size	start	Position	(mm)	Channel	(MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Scaling	Measured	Reported	Plot page
LTE Band 2			1	0	Back Surface	0	19100	1900	20.00	19.72	106.66%	0.380	0.405	-
LTE Band 2 LTE Band 2	-		50	0	Back Surface	0	19100 18700	1860 1860	20.00	19.59 19.31	109.90% 117.22%	0.370	0.407	-
LTE Band 2	20MHz	QPSK	1	0	Top Edge Top Edge	0	18900	1880	20.00	19.55	110.92%	0.388	0.430	-
LTE Band 2	1		1	0	Top Edge	0	19100	1900	20.00	19.72	106.66%	0.429	0.458	051
LTE Band 2	Ť		50	0	Top Edge	0	19100	1860	20.00	19.59	109.90%	0.409	0.449	-
LTE Band 4			1	0	Back Surface	0	20050	1720	20.50	20.49	100.23%	0.605	0.606	-
LTE Band 4	1		1	0	Back Surface	0	20175	1732.5	20.50	20.47	100.69%	0.623	0.627	-
LTE Band 4 LTE Band 4	20MHz	QPSK	1 50	0	Back Surface Back Surface	0	20300 20175	1745 1732.5	20.50 20.50	20.41	102.09% 102.80%	0.644 0.584	0.657 0.600	052
LTE Band 4	1		1	0	Top Edge	0	20050	1720	20.50	20.49	100.23%	0.516	0.517	-
LTE Band 4	1		50	0	Top Edge	0	20175	1732.5	20.50	20.38	102.80%	0.515	0.529	-
LTE Band 5			1	0	Back Surface	0	20600	844	21.00	20.83	103.99%	0.240	0.250	-
LTE Band 5	1		25	0	Back Surface	0	20600	844	21.00	20.72	106.66%	0.245	0.261	-
LTE Band 5			1	0	Top Edge	0	20450	829	21.00	20.66	108.14%	0.343	0.371	-
LTE Band 5	10MHz	QPSK	1	0	Top Edge	0	20525 20600	836.5	21.00 21.00	20.77	105.44%	0.248	0.261	053
LTE Band 5 LTE Band 5	-		1 25	0	Top Edge Top Edge	0	20600	844 844	21.00	20.83	103.99% 106.66%	0.372	0.387	- 053
CA_5B	1		1/1	49/0	Top Edge	0	20450+20549	829+838.9	21.00	20.72	103.04%	0.358	0.369	-
G. ( <u>G</u> . 2				40,0	Top Eago		20100120010	020 - 000.0	21.00	20.01	100.0170	0.000	0.000	
LTE Band 7			1	0	Back Surface	0	21350	2560	19.50	19.49	100.23%	0.317	0.318	
LTE Band 7	1	1	50	0	Back Surface	0	20850	2510	19.50	19.33	103.99%	0.315	0.328	-
LTE Band 7	]	1	1	0	Top Edge	0	20850	2510	19.50	19.48	100.46%	0.404	0.406	-
LTE Band 7	20MHz	QPSK	1	0	Top Edge	0	21100	2535	19.50	19.41	102.09%	0.423	0.432	-
LTE Band 7	1	1	1	0	Top Edge	0	21350	2560	19.50	19.49	100.23%	0.500	0.501	054
LTE Band 7	1		50	0	Top Edge	0	20850	2510	19.50	19.33	103.99%	0.438	0.455	-
CA_7C			1/1	99/0	Top Edge	0	20850+21048	2510+2529.8	19.50	19.41	102.09%	0.472	0.482	-
LTE Band 14			1	0	Back Surface	0	23330	793	22.00	21.88	102.80%	0.287	0.295	-
LTE Band 14	1		25	0	Back Surface	0	23330	793	22.00	21.77	105.44%	0.282	0.297	
LTE Band 14	10MHz	QPSK	1	0	Top Edge	0	23330	793	22.00	21.88	102.80%	0.347	0.357	055
LTE Band 14	Ī		25	0	Top Edge	0	23330	793	22.00	21.77	105.44%	0.343	0.362	-
LTE Band 25			1	0	Back Surface	0	26590	1905	20.00	19.86	103.28%	0.388	0.401	
LTE Band 25			50	0	Back Surface	0	26590	1905	20.00	19.79	104.95%	0.390	0.409	-
LTE Band 25	20MHz	QPSK	1	0	Top Edge	0	26140	1860	20.00	19.61	109.40%	0.390	0.427	-
LTE Band 25	1		1	0	Top Edge	0	26365	1882.5	20.00	19.66	108.14%	0.398	0.430	-
LTE Band 25 LTE Band 25	1		1 50	0	Top Edge	0	26590 26590	1905 1905	20.00	19.86 19.79	103.28% 104.95%	0.452 0.441	0.467 0.463	056
LIE Ballu 23			30	0	Top Edge	0	20090	1905	20.00	19.79	104.9376	0.441	0.403	
LTE Band 26_FCC			1	0	Back Surface	0	26965	841.5	21.00	20.82	104.23%	0.262	0.273	-
LTE Band 26_FCC	1		36	0	Back Surface	0	26965	841.5	21.00	20.72	106.66%	0.249	0.266	-
LTE Band 26_FCC	15MHz	OPSK	1	0	Top Edge	0	26765	821.5	21.00	20.72	106.66%	0.307	0.327	-
LTE Band 26_FCC	TOWINZ	QFSK	1	0	Top Edge	0	26865	831.5	21.00	20.74	106.17%	0.341	0.362	-
LTE Band 26_FCC			1	0	Top Edge	0	26965	841.5	21.00	20.82	104.23%	0.378	0.394	057
LTE Band 26_FCC			36	0	Top Edge	0	26965	841.5	21.00	20.72	106.66%	0.368	0.393	-
LTE Band 66			1	0	Back Surface	0	132072	1720	20.50	20.31	104.47%	0.590	0.616	-
LTE Band 66			1	0	Back Surface	0	132322	1745	20.50	20.39	104.47%	0.631	0.647	058
LTE Band 66	1		1	0	Back Surface	0	132572	1770	20.50	20.45	101.16%	0.606	0.613	-
LTE Band 66	20MHz	QPSK	50	0	Back Surface	0	132572	1770	20.50	20.32	104.23%	0.576	0.600	-
LTE Band 66	1		1	0	Top Edge	0	132572	1770	20.50	20.45	101.16%	0.548	0.554	-
LTE Band 66			50	0	Top Edge	0	132572	1770	20.50	20.32	104.23%	0.521	0.543	-
LTE Band 41	1	1	1	0	Back Surface	0	41490	2680	20.00	19.84	103.75%	0.188	0.195	-
LTE Band 41	1	1	50	0	Back Surface	0	40620	2593	20.00	19.76	105.68%	0.173	0.183	-
LTE Band 41 LTE Band 41	1	1	1	0	Top Edge Top Edge	0	39750 40185	2506 2549.5	20.00	19.81 19.79	104.47% 104.95%	0.175 0.191	0.183 0.200	-
LTE Band 41	20MHz	QPSK	1	0	Top Edge	0	40620	2549.5	20.00	19.79	104.95%	0.191	0.200	-
LTE Band 41		2.51	1	0	Top Edge	0	41055	2636.5	20.00	19.76	105.68%	0.212	0.259	-
LTE Band 41	1	1	1	0	Top Edge	0	41490	2680	20.00	19.84	103.75%	0.291	0.302	059
LTE Band 41	1	1	50	0	Top Edge	0	40620	2593	20.00	19.76	105.68%	0.218	0.230	-
CA_41C	L	<u></u>	1/1	99/0	Top Edge	0	39750+39948	2506+2525.8	20.00	19.83	103.99%	0.275	0.286	-
LTE Band 43	1	1	1	0	Back Surface	0	45490	3790	21.00	20.78	105.20%	0.429	0.451	-
LTE Band 43	+	1	50	0	Back Surface	0	45490	3790	21.00	20.68	107.65%	0.398	0.428	-
LTE Band 43 LTE Band 43	20MHz	QPSK	1	0	Top Edge	0	43690 44590	3610 3700	21.00 21.00	20.71	106.91% 105.68%	0.271 0.412	0.290 0.435	-
LTE Band 43	ZUNITZ	GI-OK	1	0	Top Edge Top Edge	0	45490 45490	3790	21.00	20.78	105.00%	0.412	0.480	060
LTE Band 43	†	1	50	0	Top Edge	0	45490	3790	21.00	20.78	107.65%	0.430	0.465	-
CA_43C	t	1	1/1	99/0	Top Edge	0	43690+43888	3610+3629.8	21.00	20.91	102.09%	0.439	0.448	-
LTE Band 48			1	0	Back Surface	0	55340	3560	22.00	21.65	108.39%	0.367	0.398	-
LTE Band 48	]	1	1	0	Back Surface	0	55830	3609	22.00	21.71	106.91%	0.549	0.587	-
LTE Band 48	1	1	1	0	Back Surface	0	56150	3641	22.00	21.80	104.71%	0.628	0.658	061
LTE Band 48	20MHz	QPSK	1	0	Back Surface	0	56640	3690	22.00	21.74	106.17%	0.619	0.657	-
LTE Band 48	1		50	0	Back Surface	0	56150	3641	22.00	21.67	107.89%	0.594	0.641	-
LTE Band 48	1	1	1 50	0	Top Edge	0	56150	3641	22.00	21.80	104.71%	0.445	0.466	-
LTE Band 48	+	1	50	0	Top Edge	0	56150	3641	22.00	21.67	107.89%	0.421	0.454	-
CA_48C	1	1	1/1	99/0	Back Surface	0	55340+55538	3560+3579.8	22.00	21.87	103.04%	0.612	0.631	-

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 206 of 297

### **WLAN**

Mode         Antenna         Position         Distance (mm)         CH         Freq. (MHz)         Max. Rated Avg. Power HMax. Tolerance (dBm)         Measured Avg. Power day. Power by Scaling (dBm)         Duty cycle scaling (dBm)         Power scaling (dBm)           WLAN 802.11b         Main         Back Surface         0         6         2437         21.00         20.98         1.022         100.46%           WLAN 802.11b         Main         Top Edge         0         6         2437         21.00         20.98         1.022         100.46%           WLAN 802.11b         Main         Bottom Edge         0         6         2437         21.00         20.98         1.022         100.46%	Averaged SAR		
MLAN 802.11b   Main   Back Surface   0   6   2437   21.00   20.98   1.022   100.46%   WLAN 802.11b   Main   Top Edge   0   6   2437   21.00   20.98   1.022   100.46%		t over 1g (W/kg)	ID
WLAN 802.11b Main Top Edge 0 6 2437 21.00 20.98 1.022 100.46%	Measured	Reported	ib
	0.016	0.016	
WLAN 802 11b Main Bottom Edge 0 6 2437 21 00 20 98 1 022 100 469	0.004	0.004	
	0.001	0.001	
WLAN 802.11b Main Right Edge 0 1 2412 21.00 20.96 1.022 100.93%	0.061	0.063	-
WLAN 802.11b Main Right Edge 0 6 2437 21.00 20.98 1.022 100.46%	0.062	0.063	001
WLAN 802.11b Main Right Edge 0 11 2462 21.00 20.97 1.022 100.69%	0.057	0.058	
WLAN 802.11b Main Left Edge 0 6 2437 21.00 20.98 1.022 100.46%	0.001	0.001	
Mode Antenna Position Distance (mm) CH Freq. (MHz) Power + Max. Tolerance (dBm) Avg. Power scaling Scaling	Averaged SAR Measured	t over 1g (W/kg)	ID
WLAN 802.11n(40M) 5.2G Main Back Surface 0 46 5230 21.00 20.98 1.032 100.46%	0.332	0.344	
WLAN 802.11n(40M) 5.2G Main Top Edge 0 46 5230 21.00 20.98 1.032 100.409		0.043	
WLAN 802.11n(40M) 5.2G Main Bottom Edge 0 46 5230 21.00 20.98 1.032 100.409		0.016	
WLAN 802.11n(40M) 5.2G Main Right Edge 0 38 5190 18.25 18.17 1.032 101.807		0.550	
WLAN 802.11n(40M) 5.2G Main Right Edge 0 46 5230 21.00 20.98 1.032 100.46%		1.140	002
WLAN 802.11n(40M) 5.2G Main Right Edge* 0 46 5230 21.00 20.98 1.032 100.46%		1.120	-
WLAN 802.11n(40M) 5.2G Main Left Edge 0 46 5230 21.00 20.98 1.032 100.46%		0.011	
Mode Antenna Position Distance (mm) CH Freq. (MHz) Max. Rated Avg. Power + Max. Tolerance (dBm) GBm) Scaling Scaling	Averaged SAR Measured	Reported	ID
WLAN 802.11n(40M) 5.3G Main Back Surface 0 54 5270 21.00 20.98 1.032 100.46%	0.364	0.377	
WLAN 802.11n(40M) 5.3G Main Top Edge 0 54 5270 21.00 20.98 1.032 100.46%		0.050	-
WLAN 802.11n(40M) 5.3G Main Bottom Edge 0 54 5270 21.00 20.98 1.032 100.46%	0.012	0.013	
WLAN 802.11n(40M) 5.3G Main Right Edge 0 54 5270 21.00 20.98 1.032 100.46%		1.068	003
WLAN 802.11n(40M) 5.3G Main Right Edge 0 62 5310 16.50 16.49 1.032 100.23%		0.348	
WLAN 802.11n(40M) 5.3G Main Right Edge* 0 54 5270 21.00 20.98 1.032 100.46%		1.047	-
WLAN 802.11n(40M) 5.3G Main Left Edge 0 54 5270 21.00 20.98 1.032 100.46%	0.002	0.002	
Mode Antenna Position Distance (mm) CH Freq. (MHz) Max. Rated Avg. Power + Max. Tolerance (dBm) Avg. Power scaling scaling	Averaged SAR Measured	t over 1g (W/kg)	ID
WLAN 802.11ac(80M) 5.6G Main Back Surface 0 138 5690 21.00 20.99 1.042 100.23%	0.325	0.339	
		0.055	-
		0.033	-
WLAN 802.11ac(80M) 5.6G Main Top Edge 0 138 5690 21.00 20.99 1.042 100.23% WLAN 802.11ac(80M) 5.6G Main Bottom Edge 0 138 5690 21.00 20.99 1.042 100.23%		0.669	004
WLAN 802.11ac(80M) 5.6G Main Bottom Edge 0 138 5690 21.00 20.99 1.042 100.23%		0.001	-
WLAN 802.11ac(80M) 5.6G         Main         Bottom Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(80M) 5.6G         Main         Right Edge         0         138         5690         21.00         20.99         1.042         100.23%	0.001		
WLAN 80.2 11ac(36M) 5.6G         Main         Bottom Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 80.2 11ac(36M) 5.6G         Main         Right Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(36M) 5.6G         Main         Left Edge         0         138         5690         21.00	Averaged SAR	t over 1g (vv/kg)	ID
WLAN 802.11ac(80M) 5.6G         Main         Bottom Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(80M) 5.6G         Main         Right Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(80M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           WLAN 802.11ac(80M) 5.6G         Main         Left Edge         0         138         5690         21.00         20.99         1.042         100.23%           Mode         Antenna         Position         Distance (mm)         CH         Freq. (MHz)         Max. Rated Avg. Power Avg. Power (dBm)         Duty cycle scaling         Power scaling	Measured	Reported	ID
WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Right Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Position   Distance (mm)   CH   Freq. (MHz)   Freq. (MHz)   Max. Rated Avg. Power + Max. Tolerance (dBm)   Gelm   CH   Power scaling   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   Value   V	Measured 0.267	Reported 0.277	ID -
WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Right Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   151   5755   21.00   20.98   1.032   100.46%   WLAN 802.11n(40M) 5.8G   Main   Top Edge   0   151   5755   21.00   20.98   1.032   100.46%   VLAN 802.11n(40M) 5.6G   Main   Top Edge   0   151   5755   21.00   20.98   1.032   100.46%   VLAN 802.11n(40M) 5.6G   Main   Top Edge   0   151   5755   21.00   20.98   1.032   100.46%   VLAN 802.11n(40M) 5.6G   Main   Top Edge   0   151   5755   21.00   20.98   1.032   100.46%   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.11n(40M) 5.6G   VLAN 802.1	Measured 0.267 0.039	Reported 0.277 0.040	
WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Right Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Position   Distance (mm)   CH   Freq. (MHz)   Freq. (MHz)   Tolerance (dSm) (dSm) (dSm) (dSm)   Main   Sack Surface   0   151   5755   21.00   20.98   1.032   100.46%   WLAN 802.11n(40M) 5.8G   Main   Bottom Edge   0   151   5755   21.00   20.98   1.032   100.46%   WLAN 802.11n(40M) 5.8G   Main   Bottom Edge   0   151   5755   21.00   20.98   1.032   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   100.46%   1	Measured  0 0.267  0 0.039  0 0.008	Reported 0.277 0.040 0.008	-
WLAN 802.11ac(80M) 5.6G   Main   Bottom Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Right Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Left Edge   0   138   5690   21.00   20.99   1.042   100.23%   WLAN 802.11ac(80M) 5.6G   Main   Position   Distance (mm)   CH   Freq. (MH±2)   Toward Max. Tolerance (dBm)   Measured Avg. Power + Max. Tolerance (dBm)   Measured Avg. Power (dBm)   Tope Edge   0   151   5755   21.00   20.98   1.032   100.46%   WLAN 802.11n(40M) 5.8G   Main   Tope Edge   0   151   5755   21.00   20.98   1.032   100.46%   1.002   100.46%   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.002   1.	Measured  0.267  0.039  0.008  0.487	Reported 0.277 0.040	:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satesture results shown in this test report teller only to the satisfies (sever an source satisfies) and source satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies the satisfies t Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 207 of 297

		D. W.	Distance	au.	Freq.	Max. Rated Avg.	Measured	Duty cycle	Power	Averaged SAR	over 1g (W/kg)	
Mode	Antenna	Position	(mm)	CH	(MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	scaling	scaling	Measured	Reported	ID
WLAN 802.11b	Aux	Back Surface	0	6	2437	21.00	20.99	1.022	100.23%	0.015	0.015	-
WLAN 802.11b	Aux	Top Edge	0	1	2412	21.00	20.97	1.022	100.69%	0.133	0.137	006
WLAN 802.11b	Aux	Top Edge	0	6	2437	21.00	20.99	1.022	100.23%	0.114	0.117	-
WLAN 802.11b	Aux	Top Edge	0	11	2462	21.00	20.98	1.022	100.46%	0.103	0.106	-
WLAN 802.11b	Aux	Bottom Edge	0	6	2437	21.00	20.99	1.022	100.23%	0.003	0.003	-
WLAN 802.11b	Aux	Right Edge	0	6	2437	21.00	20.99	1.022	100.23%	0.001	0.001	-
WLAN 802.11b	Aux	Left Edge	0	6	2437	21.00	20.99	1.022	100.23%	0.002	0.002	-
Mode	Antenna	Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
						` ′	` ′			Measured	Reported	
Bluetooth(GFSK)	Aux	Back Surface	0	78	2480	11.50	10.43	1.309	127.94%	0.005	0.008	
Bluetooth(GFSK)	Aux	Top Edge	0	78	2480	11.50	10.43	1.309	127.94%	0.022	0.037	007
Bluetooth(GFSK)	Aux	Bottom Edge	0	78	2480	11.50	10.43	1.309	127.94%	0.000	0.000	-
Bluetooth(GFSK)	Aux	Right Edge	0	78	2480	11.50	10.43	1.309	127.94%	0.000	0.000	-
Bluetooth(GFSK)	Aux	Left Edge	0	78	2480	11.50	10.43	1.309	127.94%	0.001	0.002	
Mode	Antenna	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		SAR over 1g /kg) Reported	ID
WLAN 802.11n(40M) 5.2G	Aux	Back Surface	0	46	5230	21.00	20.97	1.032	100.69%	0.058	0.060	
WLAN 802.11n(40M) 5.2G	Aux	Top Edge	0	46	5230	21.00	20.97	1.032	100.69%	0.271	0.282	008
WLAN 802.11n(40M) 5.2G	Aux	Bottom Edge	0	46	5230	21.00	20.97	1.032	100.69%	0.004	0.004	-
WLAN 802.11n(40M) 5.2G	Aux	Right Edge	0	46	5230	21.00	20.97	1.032	100.69%	0.008	0.008	
WLAN 802.11n(40M) 5.2G	Aux	Left Edge	0	46	5230	21.00	20.97	1.032	100.69%	0.001	0.001	-
Mode	Antenna	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg)	ID
WLAN 802.11n(40M) 5.3G	Aux	Back Surface	0	54	5270	21.00	20.98	1.032	100.46%	0.053	0.055	-
WLAN 802.11n(40M) 5.3G	Aux	Top Edge	0	54	5270	21.00	20.98	1.032	100.46%	0.242	0.251	009
WLAN 802.11n(40M) 5.3G	Aux	Bottom Edge	0	54	5270	21.00	20.98	1.032	100.46%	0.007	0.008	-
WLAN 802.11n(40M) 5.3G	Aux	Right Edge	0	54	5270	21.00	20.98	1.032	100.46%	0.011	0.011	-
WLAN 802.11n(40M) 5.3G	Aux	Left Edge	0	54	5270	21.00	20.98	1.032	100.46%	0.002	0.002	
Mode	Antenna	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg)  Reported	ID
WLAN 802.11ac(80M) 5.6G	Aux	Back Surface	0	138	5690	21.00	20.96	1.042	100.93%	0.099	0.105	-
WLAN 802.11ac(80M) 5.6G	Aux	Top Edge	0	122	5610	21.00	20.94	1.042	101.39%	0.807	0.103	
WLAN 802.11ac(80M) 5.6G	Aux	Top Edge	0	138	5690	21.00	20.96	1.042	100.93%	0.866	0.833	010
WLAN 802.11ac(80M) 5.6G	Aux	Top Edge*	0	138	5690	21.00	20.96	1.042	100.93%	0.842	0.885	010
WLAN 802.11ac(80M) 5.6G WLAN 802.11ac(80M) 5.6G	Aux	Bottom Edge	0	138	5690	21.00	20.96	1.042	100.93%	0.012	0.013	<del></del>
WLAN 802.11ac(80M) 5.6G	Aux	Right Edge	0	138	5690	21.00	20.96	1.042	100.93%	0.012	0.013	<del></del>
WLAN 802.11ac(80M) 5.6G WLAN 802.11ac(80M) 5.6G			0	138	5690	21.00	20.96	1.042	100.93%	0.012	0.013	
WLAN 802:11ac(80M) 5.6G	Aux	Left Edge Position	Distance (mm)	CH	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
WLAN 802.11n(40M) 5.8G	Aux	Back Surface	0	159	5795	21.00	20.98	1.032	100.46%	0.089	0.092	-
WLAN 802.11n(40M) 5.8G	Aux	Top Edge	0	159	5795	21.00	20.98	1.032	100.46%	0.421	0.436	011
WLAN 802.11n(40M) 5.8G	Aux	Bottom Edge	0	159	5795	21.00	20.98	1.032	100.46%	0.044	0.436	-
WLAN 802.11n(40M) 5.8G	Aux	Right Edge	0	159	5795	21.00	20.98	1.032	100.46%	0.062	0.045	<del></del>
WLAN 802.11n(40M) 5.8G WLAN 802.11n(40M) 5.8G	Aux	Left Edge	0	159	5795 5795	21.00	20.98	1.032	100.46%	0.062	0.064	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 208 of 297

### WIFI 6E

Main Mode	Position	Distance (mm)	СН	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Measured Estimated APD	Reported Estimated APD	ID
		, ,		,	Tolerance (dBm)	(aBm)	,	Ÿ	Measured	Reported	W/m <sup>2</sup> (4cm <sup>2</sup> )	W/m^2 (4cm^2)	
U-NII-5 6.2GHz802.11ac(160M)	Back Surface	0	15	6025	13.50	13.48	1.032	100.46%	0.020	0.021	0.16	0.166	-
U-NII-5 6.2GHz802.11ac(160M)	Top Edge	0	15	6025	13.50	13.48	1.032	100.46%	0.002	0.002	0.025	0.026	-
U-NII-5 6.2GHz802.11ac(160M)	Bottom Edge	Ö	15		13.50	13.48	1.032		0.001	0.001	0.013	0.013	
			15	6025	13.50	13.40	1.032	100.46%					-
U-NII-5 6.2GHz802.11ac(160M)	Right Edge	0	15	6025	13.50	13.48	1.032	100.46%	0.042	0.044	0.232	0.241	-
U-NII-5 6.2GHz802.11ac(160M)	Right Edge	0	79	6345	13.50	13.47	1.032	100.69%	0.043	0.045	0.278	0.289	012
U-NII-5 6.2GHz802.11ac(160M)	Left Edge	0	15	6025	13.50	13.48	1.032	100.46%	0.002	0.002	0.018	0.019	-
	v										Measured	Reported	
Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR		Estimated APD W/m <sup>2</sup>	Estimated APD W/m*2	ID
U-NII-6 6.5GHz802.11ac(160M)	Back Surface	0	111	6505	13.50	13.46	1.032	100.93%	Measured 0.030	Reported 0.031	(4cm/2) 0.201	(4cm^2) 0.209	-
U-NII-6 6.5GHz802.11ac(160M)	Top Edge	0	111	6505	13.50	13.46	1.032	100.93%	0.006	0.006	0.065	0.068	_
U-NII-6 6.5GHz802.11ac(160M)	Bottom Edge	ő	111	6505	13.50	13.46	1.032	100.93%	0.003	0.003	0.034	0.035	
		0	111										013
U-NII-6 6.5GHz802.11ac(160M)	Right Edge			6505	13.50	13.46	1.032	100.93%	0.060	0.062	0.336	0.350	013
U-NII-6 6.5GHz802.11ac(160M)	Left Edge	0	111	6505	13.50	13.46	1.032	100.93%	0.002	0.002	0.023	0.024	-
Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR		Measured Estimated APD W/m*2	Reported Estimated APD W/m²2	ID
U-NII-7 6.7GHz802.11ac(160M)	Back Surface	0	143	6665	13.50	13.49	1.032	100.23%	Measured 0.033	Reported 0.034	(4cm/2) 0.237	(4cm^2) 0.245	-
U-NII-7 6.7GHz802.11ac(160M)	Top Edge	0	143	6665	13.50	13.49	1.032	100.23%	0.004	0.004	0.043	0.044	-
U-NII-7 6.7GHz802.11ac(160M)	Bottom Edge	0	143	6665	13.50	13.49	1.032	100.23%	0.001	0.001	0.014	0.014	-
U-NII-7 6.7GHz802.11ac(160M)	Right Edge	0	143	6665	13.50	13.49	1.032	100.23%	0.069	0.071	0.385	0.398	014
								100.2376					U14
U-NII-7 6.7GHz802.11ac(160M)	Left Edge	0	143	6665	13.50	13.49	1.032	100.23%	0.001	0.001	0.011	0.011	-
Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		over 1g (W/kg)	Measured Estimated APD W/m*2	Reported Estimated APD W/m*2	ID
U-NII-8 7.0GHz802.11ac(160M)	Back Surface	0	207	6985	13.50	13.49	1.032	100.23%	Measured 0.030	Reported 0.031	(4cm/2) 0.213	(4cm <sup>2</sup> ) 0.220	-
U-NII-8 7.0GHz802.11ac(160M)	Top Edge	0	207	6985	13.50	13.49	1.032	100.23%	0.004	0.004	0.038	0.039	_
U-NII-8 7.0GHz802.11ac(160M)	Bottom Edge	ő	207	6985	13.50	13.49	1.032	100.23%	0.002	0.002	0.026	0.033	-
U-NII-8 7.0GHz802.11ac(160M)	Right Edge	0	207	6985	13.50	13.49	1.032	100.23%	0.087	0.090	0.513	0.531	015
U-NII-8 7.0GHz802.11ac(160M)	Left Edge	0	207	6985	13.50	13.49	1.032	100.23%	0.002	0.002	0.024	0.025	-
Aux Mode	Position	Distance (mm)	СН	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	Measured Estimated APD W/m*2	Reported Estimated APD W/m*2	ID
Mode  U-NII-5 6.2GHz802.11ac(160M)	Back Surface	(mm) 0	15	(MHz) 6025	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	scaling 1.032	scaling 100.23%	Measured 0.016	Reported 0.017	Estimated APD W/m*2 (4cm*2) 0.101	Estimated APD W/m^2 (4cm^2)	ID -
Mode U-NII-5 6.2GHz802.11ac(160M)	Back Surface	(mm) 0	15	(MHz) 6025	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	scaling	scaling 100.23%	Measured 0.016	Reported	Estimated APD W/m*2 (4cm*2) 0.101	Estimated APD W/m^2 (4cm^2)	ID -
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)	Back Surface Top Edge	(mm) 0 0	15 15	(MHz) 6025 6025	Power + Max. Tolerance (dBm) 13.50 13.50	Avg. Power (dBm) 13.49 13.49	1.032 1.032	scaling 100.23% 100.23%	Measured 0.016 0.074	Reported 0.017 0.077	Estimated APD W/m*2 (4cm*2) 0.101 0.456	Estimated APD W/m*2 (4cm*2) 0.104 0.472	-
Mode  U-NIL-5 6.2GHz802.11ac(160M) U-NIL-5 6.2GHz802.11ac(160M) U-NIL-5 6.2GHz802.11ac(160M)	Back Surface Top Edge Top Edge	(mm) 0 0	15 15 47	(MHz) 6025 6025 6185	Power + Max. Tolerance (dBm) 13.50 13.50 13.50	Avg. Power (dBm) 13.49 13.49 13.47	1.032 1.032 1.032	scaling 100.23% 100.23% 100.69%	0.016 0.074 0.141	0.017 0.077 0.147	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876	ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge	0 0 0 0	15 15 47 15	(MHz) 6025 6025 6185 6025	Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50	Avg. Power (dBm) 13.49 13.49 13.47 13.49	1.032 1.032 1.032 1.032	100.23% 100.23% 100.69% 100.23%	0.016 0.074 0.141 0.005	0.017 0.077 0.147 0.005	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843 0.038	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039	- - 016 -
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 8.2GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge	(mm) 0 0 0 0	15 15 47 15 15	(MHz) 6025 6025 6185 6025 6025	Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm) 13.49 13.47 13.47 13.49	1.032 1.032 1.032 1.032 1.032	100.23% 100.23% 100.69% 100.23% 100.23%	0.016 0.074 0.141 0.005 0.003	0.017 0.077 0.147 0.005 0.003	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027	-
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge	0 0 0 0	15 15 47 15	(MHz) 6025 6025 6185 6025	Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50	Avg. Power (dBm) 13.49 13.49 13.47 13.49	1.032 1.032 1.032 1.032	100.23% 100.23% 100.69% 100.23%	0.016 0.074 0.141 0.005	0.017 0.077 0.147 0.005	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843 0.038 0.026 0.049	Estimated APD W/m <sup>2</sup> 2 (4cm <sup>2</sup> 2) 0.104 0.472 0.876 0.039 0.027 0.051	- - 016 -
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 8.2GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge	(mm) 0 0 0 0	15 15 47 15 15	(MHz) 6025 6025 6185 6025 6025	Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.47 13.49 13.49 13.49 13.49 Avg. Power  Measured Avg. Power	1.032 1.032 1.032 1.032 1.032	100.23% 100.23% 100.69% 100.23% 100.23%	0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026 0.049 Measured Estimated APD	Estimated APD W/m²2 (4cm²2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD	- - 016 -
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge Position Back Surface	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15 16	(MHz) 6025 6025 6185 6025 6025 6025 Freq. (MHz)	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50  Max. Rated Avg. Power + Max. Tolerance (dBm)	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49  Measured Avg. Power (dBm)	1.032 1.032 1.032 1.032 1.032 1.032 1.032  Duty cycle scaling	scaling  100.23% 100.23% 100.23% 100.69% 100.23% 100.23% Power scaling	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045	Reported  0.017 0.077 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843 0.026 0.049  Measured Estimated APD W/m*2 (4cm*2) 0.268	Estimated APD W/m²2 (4cm²2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD W/m²2 (4cm²2) 0.278	- 016 
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) Mode	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge Position Back Surface	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15 16	(MHz) 6025 6025 6185 6025 6025 6025 Freq. (MHz)	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50  Max. Rated Avg. Power + Max. Tolerance (dBm)	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49  Measured Avg. Power (dBm)	1.032 1.032 1.032 1.032 1.032 1.032 1.032  Duty cycle scaling	scaling  100.23% 100.23% 100.69% 100.23% 100.23% 100.23% Power scaling	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured	Reported  0.017 0.077 0.147 0.005 0.003 0.003 0.006  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026 0.049  Measured Estimated APD W/m²2 (4cm²2)	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051  Reported Estimated APD W/m*2 (4cm*2)	- 016 
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15	(MHz)  6025 6025 6185 6025 6025 6025 6025 6025 6025  Freq. (MHz)	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50	Avg. Power (dBm)  13.49 13.47 13.49 13.47 13.49 13.49 13.49 Measured Avg. Power (dBm)  13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.69% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured  0.045 0.111	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843 0.026 0.049  Measured Estimated APD W/m*2 (4cm*2) 0.268 0.65	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD W/m*2 (4cm*2) 0.278 0.674	
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 5GHz802 11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge	(mm)  0 0 0 0 0 0 0 0 0 Distance (mm)	15 15 47 15 15 15 15 15 15	(MHz)  6025 6025 6185 6025 6025 6025 6025 6025 6025 605 605 605 6505 65	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 Amax. Rated Avg. Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.49 13.49 13.49 13.49 13.49  Measured Avg. Power (dBm)  13.48 13.48 13.48	1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46%	0.016 0.0174 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.026 0.049  Measured Estimated APD W/m²2 (4cm²2) 0.268 0.055	Estimated APD Whm'2 (4cm'2) (4cm'2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD Whm'2 (4cm'2) 0.278 0.674 0.044	ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 5.5GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Right Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15 15 15 15 11 11 111 111	(MHz) 6025 6025 6025 6185 6025 6025 6025 6025 6025 6505 6505 650	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50  Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm) 13.49 13.47 13.49 13.49 13.49 13.49 Measured Avg. Power (dBm) 13.48 13.48 13.48 13.48	1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 Duty cycle scaling	scaling  100.23% 100.23% 100.63% 100.23% 100.23% 100.23%  Power scaling  100.46% 100.46% 100.46% 100.46%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured  0.045 0.111 0.006 0.004	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.65 0.042 0.031	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD W/m*2 (4cm*2) 0.278 0.674 0.032	- 016
Mode  U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M)  Mode  U-NII-6 6 5GHz802.11ac(160M) U-NII-6 6 5GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge	(mm)  0 0 0 0 0 0 0 0 0 Distance (mm)	15 15 47 15 15 15 15 15 15	(MHz)  6025 6025 6185 6025 6025 6025 6025 6025 6025 605 605 605 6505 65	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 Amax. Rated Avg. Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.49 13.49 13.49 13.49 13.49  Measured Avg. Power (dBm)  13.48 13.48 13.48	1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46%	0.016 0.0174 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.026 0.049  Measured Estimated APD W/m²2 (4cm²2) 0.268 0.055	Estimated APD Whm'2 (4cm'2) (4cm'2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD Whm'2 (4cm'2) 0.278 0.674 0.044	ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge  Position  Position  Position	(mm)  0 0 0 0 0 0 0 0 0 0 Distance (mm)	15 15 47 15 15 15 15 15 15 15 15 111 111 111 11	(MHz) 6025 6025 6025 6025 6025 6025 6025 6025	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 Measured Avg. Power (dBm)  13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.69% 100.23% 100.23% 100.23%  100.23%  100.46% 100.46% 100.46% 100.46% 100.46% Power scaling	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured  0.045 0.111 0.006 Averaged SAR  Measured	Reported  0.017 0.017 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006 0.006  over 1g (W/kg)	Estimated APD APPO APPO APPO APPO APPO APPO APPO	Estimated APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Estimated APD W/m*2 (4cm*2) 0.278 0.674 0.044 0.032 0.072 Estimated APD W/m*2 (4cm*2) 0.072 Estimated APD W/m*2 (4cm*2) 0.072 Estimated APD W/m*2 (4cm*2) 0.072	- 016
Mode  U-NII-5 6 2GHz802.11ac(160M) U-NII-5 5 2GHz802.11ac(160M) U-NII-5 5 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-5 6 2GHz802.11ac(160M) U-NII-6 6 5GHz802.11ac(160M) U-NII-6 7GHz802.11ac(160M) U-NII-6 7GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Fop Edge Bottom Edge Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15 15 15 15 11 111 111 111 11	(MHz) 6025 6025 6025 6025 6025 6025 6025 6025	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49  Measured Avg. Power (dBm)  13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 Averaged SAR	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  cover 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.65 0.042 0.031 0.669 Measured Estimated APD W/m²2 (4cm²2) 0.288 0.042 0.031 0.669 Measured Estimated APD W/m²2 (4cm²2) 0.238	Estimated APD APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 0.034 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.024 0.024 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.248 0.248 0.024	ID ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M)  Mode  U-NII-7 6.7GHz802.11ac(160M)  U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Left Edge  Position  Back Surface Top Edge Left Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 47 15 15 15 15 15 15 16 CH	(MHz)  6025 6025 6025 6185 6025 6025 6025 6025 Freq. (MHz) 6505 6505 6505 6505 6505 6505 6505 650	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23%  Power scaling 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 Averaged SAR  Measured 0.006	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047 0.115 0.006  over 1g (W/kg)  Reported 0.007 0.006  over 1g (W/kg)  Reported 0.008	Estimated APD W/m*2 (4cm*2) 0.101 0.456 0.843 0.026 0.049 Measured Estimated APD W/m*2 (4cm*2) 0.268 0.065 0.042 0.069 Measured Estimated APD W/m*2 (4cm*2) 0.268 0.069 Measured Estimated APD W/m*2 (4cm*2) 0.31 0.069 Measured Estimated APD W/m*2 (4cm*2) 0.238 0.381	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.044 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.074 0.044 0.032 0.072	- 016
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M)  Mode	Back Surface Top Edge Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Fop Edge Bottom Edge Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 47 15 15 15 15 15 15 15 11 111 111 111 11	(MHz) 6025 6025 6025 6025 6025 6025 6025 6025	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49  Measured Avg. Power (dBm)  13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 Averaged SAR	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  cover 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.65 0.042 0.031 0.669 Measured Estimated APD W/m²2 (4cm²2) 0.288 0.042 0.031 0.669 Measured Estimated APD W/m²2 (4cm²2) 0.238	Estimated APD APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 0.034 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.024 0.024 0.032 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.248 0.248 0.024	ID ID
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 5 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Bottom Edge Bottom Edge Top Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 47 15 15 15 15 15 15 15 111 111 111 111 1	(MHz) 6025 6025 6025 6185 6025 6025 6025 6025 6025 6025 6025 602	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004  Averaged SAR  Measured 0.032 0.004 0.006	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  0.006  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.038 0.065 0.042 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.031 0.069 Measured Estimated APD W/m²2 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.238 0.381 0.034	Estimated APD APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Estimated APD W/m*2 (4cm*2) 0.278 0.032 0.072 0.035 Estimated APD W/m*2 (4cm*2) 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.072 0.032 0.072 0.032 0.072 0.033 0.033 0.033 0.033 0.033 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035	- 016 017 018 - 018
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M)	Back Surface Top Edge Bottom Edge Right Edge Left Edge Position  Back Surface Top Edge Right Edge Left Edge Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge Right Edge Right Edge Right Edge Right Edge Right Edge Right Edge Right Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	(MHz)  6025 6025 6025 6185 6025 6025 6025  Freq. (MHz)  5505 6505 6505 6505 6505 6505 6505 65	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50  Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23%  100.23%  Power scaling  100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured  0.045 0.111 0.006  Averaged SAR  Measured 0.004 0.006  Averaged SAR  Measured 0.007 0.007 0.007 0.007 0.007 0.007	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047 0.115 0.006  0.004 0.004 0.006  over 1g (W/kg)  Reported 0.008 0.004 0.008	Estimated APD APPO APPO APPO APPO APPO APPO APPO	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.044 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.074 0.044 0.032 0.072	- 016 017 018 - 018
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 5 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M)	Back Surface Top Edge Top Edge Bottom Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Bottom Edge Bottom Edge Top Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 Distance (mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 47 15 15 15 15 15 15 15 111 111 111 111 1	(MHz) 6025 6025 6025 6185 6025 6025 6025 6025 6025 6025 6025 602	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004  Averaged SAR  Measured 0.032 0.0078 0.003 0.0078 0.003 0.001 0.009	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  0.006  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.038 0.065 0.042 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.031 0.069 Measured Estimated APD W/m²2 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.031 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.238 0.381 0.034	Estimated APD APD W/m*2 (4cm*2) 0.104 0.472 0.876 0.039 0.027 0.051 Estimated APD W/m*2 (4cm*2) 0.278 0.032 0.072 0.035 Estimated APD W/m*2 (4cm*2) 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.072 Reported Estimated APD W/m*2 (4cm*2) 0.072 0.032 0.072 0.032 0.072 0.033 0.033 0.033 0.033 0.033 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035 0.035	- 016 017 018 - 018
Mode  U-NIL-5 6 2G1-2602 11:ac(160M) U-NII-5 6 2G1-2602 11:ac(160M) U-NII-5 6 2G1-2602 11:ac(160M) U-NII-5 6 2G1-2602 11:ac(160M) U-NII-5 6 2G1-2602 11:ac(160M)  Mode  U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-6 6 5G1-2602 11:ac(160M) U-NII-7 6 7G1-2602 11:ac(160M) Mode	Back Surface Top Edge Bottom Edge Right Edge Left Edge Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 17 17 18 18 19 19 19 19 10 111 111 111 111 111 111	(MHz)  6025 6025 6025 6185 6025 6025 6025 6025 6025  Freq. (MHz)  6505 6505 6505 6505 6505 6505 Freq. (MHz)  6825 6825 6825 6825 6825	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  Max. Rated Avg. Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,03	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23%  100.23%  100.23%  100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured  0.045 0.111 0.006  Averaged SAR  Measured  0.032 0.032 0.078 0.003 0.001 0.009  Averaged SAR  Measured	Reported  0.017 0.077 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047 0.115 0.006 0.004 0.006  over 1g (W/kg)  Reported 0.033 0.001 0.003 0.003 0.001 0.003 0.001 0.009	Estimated APD W/m*2 (4cm*2) 0.268 0.042 0.049 Western APD W/m*2 (4cm*2) 0.038 0.026 0.049 Western APD W/m*2 (4cm*2) 0.268 0.065 0.042 0.069 Western APD W/m*2 (4cm*2) 0.268 0.055 0.0013 0.069 Western APD W/m*2 (4cm*2) 0.238 0.381 0.034 0.013 0.105	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.044 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.248 0.397 0.035 0.014 0.109  Reported Estimated APD W/m*2 (4cm*2) 0.248 0.397 0.035 0.014 0.109	
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 5 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M)  Mode	Back Surface Top Edge Top Edge Top Edge Top Edge Right Edge Left Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 15 15 15 15 15 175 175 175 175	(MHz)  6025 6025 6025 6185 6025 6025 6025 6026 6026 6026 6026 602	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  Max. Rated Avg. Power + Max. Tolerance (dBm)  Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48	scaling  1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032 1.032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 Averaged SAR  Measured 0.032 0.078 0.078 0.001 0.009  Averaged SAR	Reported  0.017 0.017 0.147 0.005 0.005 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.033 0.081 0.091 0.001 0.009	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.026 0.049 Measured Estimated APD W/m²2 (4cm²2) 0.268 0.65 0.065 0.069 Measured Estimated APD W/m²2 (4cm²2) 0.238 0.381 0.013 0.105 Measured Estimated APD W/m²2 (4cm²2) 0.238 0.381 0.013 0.105	Estimated APD W/m*2 (4cm*2) 0.039 0.027 0.051    Reported Estimated APD W/m*2 (4cm*2) 0.051    Reported Estimated APD W/m*2 (4cm*2) 0.072    0.072    Reported Estimated APD W/m*2 (4cm*2) 0.072    Reported Estimated APD W/m*2 (4cm*2) 0.072    Reported Estimated APD W/m*2 (4cm*2) 0.014   0.094   0.097    Reported Estimated APD W/m*2 (4cm*2) 0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.014   0.019    Reported Estimated APD W/m*2 (4cm*2) (4cm*2) 0.009    Reported Estimated APD APD W/m*2 (4cm*2) 0.009    Reported Estimated APD APD APD APD APD APD APD APD APD APD	ID ID ID ID ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 5.2GHz802.11ac(160M) U-NII-5 5.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M)  Mode  U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M)  Mode  U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M)  Mode	Back Surface Top Edge Bottom Edge Right Edge Left Edge Position  Back Surface Top Edge Right Edge Left Edge Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge Left Edge  Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 15 17 15 15 15 15 15 15 15 16 17 111 111 111 111 111 111 111 111 1	(MHz)  6025 6025 6025 6185 6185 6025 6025 6025 6025  Freq. (MHz) 6505 6505 6505 6505 6505 6505 6505 650	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  Max. Rated Avg. Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.49 13.49 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.48 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46	1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,03	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23%  100.23%  100.23%  100.46% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006  Averaged SAR  Measured 0.004 0.006  Averaged SAR  Measured 0.009  Averaged SAR  Measured 0.032 0.078 0.003 0.001 0.009  Averaged SAR	Reported  0.017 0.017 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047 0.115 0.006 0.004 0.006  voer 1g (W/kg)  Reported 0.031 0.003 0.001 0.009  over 1g (W/kg)	Estimated APD W/m*2 (4cm*2) 0.268 0.045 0.045 0.049 W/m*2 (4cm*2) 0.266 0.049 W/m*2 (4cm*2) 0.268 0.055 0.042 0.069 W/m*2 (4cm*2) 0.268 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.042 0.055 0.055 0.042 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.035 0.014 0.109  Reported Estimated APD W/m*2 (4cm*2) 0.035 0.014 0.109	ID ID ID ID ID ID ID ID ID ID ID ID ID I
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 5 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 5 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M)	Back Surface Top Edge Top Edge Top Edge Top Edge Rottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 15 15 15 15 15 175 175 175 175	(MHz)  6025 6025 6025 6185 6025 6025 6025 6025 6025 6025 6025 602	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46	1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,03	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 Averaged SAR  Measured 0.032 0.078 0.001 0.009  Averaged SAR  Measured 0.032 0.078 0.001 0.009	Reported  0.017 0.017 0.147 0.005 0.005 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.033 0.081 0.003 0.001 0.009  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.049 0.049 0.049 0.056 0.049 0.056 0.049 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.014 0.014 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.019	ID ID ID ID ID
Mode  U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 6.2GHz802.11ac(160M) U-NII-5 5.2GHz802.11ac(160M) U-NII-5 5.2GHz802.11ac(160M)  Mode  U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M) U-NII-6 6.5GHz802.11ac(160M)  Mode  U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M) U-NII-7 6.7GHz802.11ac(160M)	Back Surface Top Edge Bottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Bottom Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Right Edge Right Edge Right Edge Right Edge Right Edge Right Edge Right Edge Right Edge	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 15 15 15 15 15 15 15 15 15 16 17 17 17 17 17 17 17 17 17 17 17 17 17	(MHz)  6025 6025 6025 6185 6185 6025 6025 6025 6025  Freq. (MHz) 6505 6505 6505 6505 6505 6505 6505 6705 67	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  Max. Rated Avg. Power + Max. Tolerance (dBm) 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46	scaling  1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032 1,032	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23%  Power scaling 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 0.004 0.006  Averaged SAR  Measured 0.032 0.078 0.003 0.001 0.009  Averaged SAR	Reported  0.017 0.017 0.147 0.005 0.003 0.006  over 1g (W/kg)  Reported 0.047 0.115 0.006 0.006  over 1g (W/kg)  Reported 0.031 0.003 0.001 0.009  Reported 0.033 0.001 0.009	Estimated APD W/m*2 (4cm*2) 0.268 0.042 0.049 Weasured Estimated APD W/m*2 (4cm*2) 0.268 0.049 Weasured Estimated APD W/m*2 (4cm*2) 0.268 0.042 0.042 0.056 0.042 0.056 0.042 0.056 0.056 0.042 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.052 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055 0.055	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.278 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.044 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.044 0.035 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.035 0.014 0.109  Reported Estimated APD W/m*2 (4cm*2) 0.248 0.035 0.014 0.109	ID ID ID ID ID ID ID ID ID ID ID ID ID I
Mode  U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M) U-NII-5 6 2GHz802 11ac(160M)  Mode  U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 6 5GHz802 11ac(160M) U-NII-6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-7 6 7GHz802 11ac(160M) U-NII-8 7 0GHz802 11ac(160M) U-NII-8 7 0GHz802 11ac(160M) U-NII-8 7 0GHz802 11ac(160M)	Back Surface Top Edge Top Edge Top Edge Top Edge Rottom Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Left Edge  Position  Back Surface Top Edge Right Edge Right Edge Left Edge  Position	(mm)  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15 15 15 15 15 15 15 15 175 175 175 175	(MHz)  6025 6025 6025 6185 6025 6025 6025 6025 6025 6025 6025 602	Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 Max. Rated Avg. Power + Max. Tolerance (dBm)  13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50 13.50	Avg. Power (dBm)  13.49 13.49 13.47 13.49 13.49 13.49 13.49 13.49 13.48 13.48 13.48 13.48 13.48 13.48 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46 13.46	1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,032   1,03	scaling  100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.23% 100.46% 100.46% 100.46% 100.46% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93% 100.93%	Measured  0.016 0.074 0.141 0.005 0.003 0.006  Averaged SAR  Measured 0.045 0.111 0.006 0.004 Averaged SAR  Measured 0.032 0.078 0.001 0.009  Averaged SAR  Measured 0.032 0.078 0.001 0.009	Reported  0.017 0.017 0.147 0.005 0.005 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.047 0.115 0.006  over 1g (W/kg)  Reported  0.033 0.081 0.003 0.001 0.009  over 1g (W/kg)	Estimated APD W/m²2 (4cm²2) 0.101 0.456 0.843 0.038 0.049 0.049 0.049 0.056 0.049 0.056 0.049 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.056 0.	Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.051  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.032 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.072  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.014 0.014 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.014 0.019  Reported Estimated APD W/m*2 (4cm*2) 0.019	ID ID ID ID ID ID ID ID ID ID ID ID ID I

# Note:

Reported SAR = measured SAR \* Power scaling \* Duty cycle scaling Reported APD = measured APD \* Power scaling \* Duty cycle scaling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 209 of 297

# **Summary of PD Results**

Main														
					Max. Rated Avg.	Measured			Measurement uncertainty	PD result(4cm)				
Mode	Position	Distance (mm)	СН	Freq. (MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling		Measured Total psPD (W/m^2)	Reported Total psPD (W/m^2)	Measured Normal psPD (W/m^2)	Reported Normal psPD (W/m^2)	ID
WLAN 6E 802.11ax(160M)	Right Edge	2	15	6025	13.50	13.48	100.46%	1.00	1.55	0.846	1.317	0.831	1.294	020
U-NII-5	Right Edge	2	79	6345	13.50	13.47	100.69%	1.00	1.55	0.796	1.242	0.785	1.225	021
WLAN 6E 802.11ax(160M) U-NII-6	Right Edge	2	111	6505	13.50	13.46	100.93%	1.00	1.55	0.619	0.968	0.598	0.935	022
WLAN 6E 802.11ax(160M) U-NII-7	Right Edge	2	143	6665	13.50	13.49	100.23%	1.00	1.55	0.763	1.185	0.732	1.137	023
WLAN 6E 802.11ax(160M) U-NII-8	Right Edge	2	207	6985	13.50	13.49	100.23%	1.00	1.55	0.742	1.153	0.728	1.131	024

Aux														
					Max. Rated Avg.	Measured				PD result(4cm)				
Mode	Position	Distance (mm)	СН	Freq. (MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Tune-up Scaling	Duty cycle scaling	Measurement uncertainty	Measured Total psPD (W/m^2)	Reported Total psPD (W/m^2)	Measured Normal psPD (W/m^2)	Reported Normal psPD (W/m^2)	ID
WLAN 6E 802.11ax(160M)	Top Edge	2	15	6025	13.50	13.49	100.23%	1.00	1.55	0.775	1.204	0.767	1.192	025
U-NII-5	Top Edge	2	47	6185	13.50	13.47	100.69%	1.00	1.55	0.911	1.422	0.802	1.252	026
WLAN 6E 802.11ax(160M) U-NII-6	Top Edge	2	111	6505	13.50	13.48	100.46%	1.00	1.55	1.080	1.682	1.060	1.651	027
WLAN 6E 802.11ax(160M) U-NII-7	Top Edge	2	175	6825	13.50	13.46	100.93%	1.00	1.55	0.861	1.347	0.853	1.334	028
WLAN 6E 802.11ax(160M) U-NII-8	Top Edge	2	207	6985	13.50	13.48	100.46%	1.00	1.55	0.787	1.225	0.701	1.092	029

Note:

Reported PD = measured PD \* Power scaling \* Duty cycle scaling \* Uncertainty scaling

#### 8.4 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

#### Conclusion 8.5

The device is compliant because all the standalone results are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 210 of 297

# SIMULTANEOUS TRANSMISSION ANALYSIS

#### 9.1 **Simultaneous Transmission Scenarios:**

Simultaneous Transmit Configurations	Body
WWAN+WLAN 2.4GHz Main + BT Aux	Yes
WWAN+WLAN 2.4GHz Main + WLAN 2.4GHz Aux	Yes
WWAN+WLAN 5GHz Main + BT Aux	Yes
WWAN+WLAN 5GHz Main + WLAN 5GHz Aux	Yes
WWAN+WLAN 5GHz Main + WLAN 5GHz Aux + BT Aux	Yes
WWAN+WLAN 6GHz Main + BT Aux	Yes
WWAN+WLAN 6GHz Main + WLAN 6GHz Aux	Yes
WWAN+WLAN 6GHz Main + WLAN 6GHz Aux + BT Aux	Yes

### Note:

- 1. Bluetooth and WLAN Aux share the same antenna path, and BT can transmit with WLAN Main simultaneously.
- 2. For 2.4/5GHz WLAN Main and Aux antennas, the maximum output power of each antenna during simultaneous transmission is the same with or less than that used in standalone transmission, and we used the sum of 1-g SAR provision in KDB447498D01 to exclude the simultaneous transmitted SAR measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 211 of 297

#### 9.2 **Estimated SAR calculation**

According to KDB447498 D01v06 - When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

Estimated SAR = 
$$\frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{\text{f(GHz)}}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

#### 9.3 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by (SAR1 + SAR2)^1.5/Ri, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 212 of 297

# **Simultaneous Transmission Combination Full**

ruii																		
					2	FCC Rep	orted SAR	7		0	Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			<u>'</u>	2 4GHz WI AN	2 4GHz WLAN	5GHz WI AN	5GHz WLAN	Rivetooth	6GHz WI AN	6GHz WI AN	1+2+3	1+4+5	1+2+7	1+4+7	1+4+5+7	1+7+8	1+8+9	1+7+8+9
	Exposure Pos	ition	WWAN	Main Main	Aux	5GHz WLAN Main	Aux	Aux	6GHz WLAN Main	6GHz WLAN Aux	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed
			1g SAR (W/kg)	1g SAR	1g SAR	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR	1g SAR	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
	Back Surface	-	(W/kg) 0.162	(W/kg) 0.016	(W/kg) 0.015	(W/kg) 0.377	(W/kg) 0.105	(W/kg) 0.008	(W/kg) 0.034	(W/kg) 0.047	0.193	0.644	0.186	0.547	0.652	0.204	0.243	0.251
	Top Edge	10	0.084	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.193	1.050	0.125	0.176	1.087	0.127	0.237	0.274
WCDMA Band II	Bottom Edge	0	0.002	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.006	0.063	0.003	0.018	0.063	0.005	0.011	0.011
	Right Edge	0	0.064	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.067	0.083	0.067	0.077	0.085	0.068	0.075	0.077
	Left Edge	0	0.004	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.068	1.208	0.067	1.144	1.208	0.094	0.098	0.098
	Back Surface	5	0.277	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.308	0.759	0.301	0.662	0.767	0.319	0.358	0.366
	Top Edge	10	0.230	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.371	1.196	0.271	0.322	1.233	0.273	0.383	0.420
WCDMA Band IV	Bottom Edge	0	0.004	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.008	0.065	0.005	0.020	0.065	0.007	0.013	0.013
	Right Edge	0	0.113	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.116	0.132	0.116	0.126	0.134	0.117	0.124	0.126
	Left Edge	0	0.005	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.069	1.209	0.068	1.145	1.209	0.095	0.099	0.099
	Back Surface	5	0.086	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.117	0.568	0.110	0.471	0.576	0.128	0.167	0.175
	Top Edge	10	0.042	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.183	1.008	0.083	0.134	1.045	0.085	0.195	0.232
WCDMA Band V	Bottom Edge	0	0.003	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.007	0.064	0.004	0.019	0.064	0.006	0.012	0.012
	Right Edge	0	0.023	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.026	0.042	0.026	0.036	0.044	0.027	0.034	0.036
	Left Edge	0	0.003	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.067	1.207	0.066	1.143	1.207	0.093	0.097	0.097
	Back Surface	5	0.350	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.381	0.832	0.374	0.735	0.840	0.392	0.431	0.439
LTE	Top Edge	10	0.174	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.315	1.140	0.215	0.266	1.177	0.217	0.327	0.364
Band 2	Bottom Edge	0	0.003	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.007	0.064	0.004	0.019	0.064	0.006	0.012	0.012
	Right Edge	0	0.136	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.139	0.155	0.139	0.149	0.157	0.140	0.147	0.149
	Left Edge	0	0.004	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.068	1.208	0.067	1.144	1.208	0.094	0.098	0.098
	Back Surface	5	0.515	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.546	0.997	0.539	0.900	1.005	0.557	0.596	0.604
LTE	Top Edge	10	0.453	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.594	1.419	0.494	0.545	1.456	0.496	0.606	0.643
Band 4	Bottom Edge	0	0.005	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.009	0.066	0.006	0.021	0.066	800.0	0.014	0.014
	Right Edge	0	0.223	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.226 0.067	0.242	0.226	0.236	0.244	0.227	0.234	0.236 0.097
<b>——</b>	Left Edge	0	0.003	0.063	0.001	1.140	0.064	0.000	0.090	0.004		1.207	0.066	1.143	1.207	0.093	0.097	
	Back Surface	5 10	0.145 0.077	0.016	0.015	0.377	0.105 0.911	0.008	0.034	0.047	0.176 0.218	0.627 1.043	0.169	0.530 0.169	0.635 1.080	0.187 0.120	0.226 0.230	0.234 0.267
LTE Band 5	Top Edge Bottom Edge	10	0.077	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.218	1.043 0.061	0.118 0.001	0.169	1.080	0.120	0.230	0.267
Band 5	Right Edge	0	0.000	0.001	0.003	0.016	0.045	0.000	0.003	0.008	0.004	0.061	0.001	0.016	0.061	0.003	0.009	0.009
	Right Edge Left Edge	0	0.043	0.001	0.002	1.140	0.008	0.002	0.002	0.009	0.046	1,204	0.046	1.140	1,204	0.047	0.054	0.056
	Back Surface	5	0.000	0.063	0.001	0.377	0.064	0.000	0.090	0.004	0.064	0.669	0.063	0.572	0.677	0.090	0.094	0.094
	Top Edge	10	0.158	0.016	0.013	0.377	0.100	0.008	0.034	0.047	0.218	1.124	0.199	0.072	1.161	0.229	0.266	0.276
LTE	Bottom Edge	0	0.138	0.004	0.137	0.005	0.911	0.007	0.000	0.147	0.295	0.062	0.199	0.250	0.062	0.004	0.010	0.010
Band 7	Right Edge	0	0.001	0.001	0.003	0.010	0.045	0.000	0.003	0.000	0.000	0.096	0.002	0.017	0.092	0.004	0.010	0.010
	Left Edge	0	0.000	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.064	1.204	0.063	1.140	1.204	0.090	0.094	0.094
	Back Surface	0	0.556	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.587	1.038	0.580	0.941	1.046	0.598	0.637	0.645
	Top Edge	0	0.260	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.401	1.226	0.301	0.352	1.263	0.303	0.413	0.450
LTE	Bottom Edge	0	0.001	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.005	0.062	0.002	0.017	0.062	0.004	0.010	0.010
Band 12	Right Edge	0	0.025	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.028	0.044	0.028	0.038	0.046	0.029	0.036	0.038
	Left Edge	0	0.000	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.064	1.204	0.063	1.140	1.204	0.090	0.094	0.094
	Back Surface	0	0.424	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.455	0.906	0.448	0.809	0.914	0.466	0.505	0.513
	Top Edge	0	0.459	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.600	1.425	0.500	0.551	1.462	0.502	0.612	0.649
LTE Band 13	Bottom Edge	0	0.001	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.005	0.062	0.002	0.017	0.062	0.004	0.010	0.010
Band 13	Right Edge	0	0.034	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.037	0.053	0.037	0.047	0.055	0.038	0.045	0.047
	Left Edge	0	0.001	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.065	1.205	0.064	1.141	1.205	0.091	0.095	0.095
	Back Surface	5	0.126	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.157	0.608	0.150	0.511	0.616	0.168	0.207	0.215
	Top Edge	10	0.049	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.190	1.015	0.090	0.141	1.052	0.092	0.202	0.239
LTE Band 14	Bottom Edge	0	0.000	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.004	0.061	0.001	0.016	0.061	0.003	0.009	0.009
Band 14	Right Edge	0	0.039	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.042	0.058	0.042	0.052	0.060	0.043	0.050	0.052
	Left Edge	0	0.000	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.064	1.204	0.063	1.140	1.204	0.090	0.094	0.094
	Back Surface	5	0.319	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.350	0.801	0.343	0.704	0.809	0.361	0.400	0.408
	Top Edge	10	0.208	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.349	1.174	0.249	0.300	1.211	0.251	0.361	0.398
LTE Band 25	Bottom Edge	0	0.004	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.008	0.065	0.005	0.020	0.065	0.007	0.013	0.013
Dana 20	Right Edge	0	0.139	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.142	0.158	0.142	0.152	0.160	0.143	0.150	0.152
	Left Edge	0	0.002	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.066	1.206	0.065	1.142	1.206	0.092	0.096	0.096
	Back Surface	5	0.135	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.166	0.617	0.159	0.520	0.625	0.177	0.216	0.224
LTE	Top Edge	10	0.074	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.215	1.040	0.115	0.166	1.077	0.117	0.227	0.264
Band 26_FCC	Bottom Edge	0	0.000	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.004	0.061	0.001	0.016	0.061	0.003	0.009	0.009
_	Right Edge	0	0.032	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.035	0.051	0.035	0.045	0.053	0.036	0.043	0.045
	Left Edge	0	0.000	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.064	1.204	0.063	1.140	1.204	0.090	0.094	0.094
	Back Surface	5 10	0.443	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.474	0.925	0.467	0.828	0.933	0.485	0.524	0.532 0.704
LTE	Top Edge	_	0.514	0.004	0.137	0.055 0.016	0.911	0.037	0.006	0.147	0.655	1.480 0.066	0.555	0.606	1.517	0.557	0.667	
Band 66	Bottom Edge Right Edge	0	0.005	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.009	0.066	0.006	0.021 0.253	0.066	0.008	0.014 0.251	0.014 0.253
	Left Edge	0	0.240	0.001	0.002	1.140	0.008	0.002	0.002	0.009	0.243	1.207	0.243	1.143	1.207	0.244	0.251	0.253
	Back Surface	0	0.499	0.063	0.001	0.377	0.004	0.000	0.090	0.004	0.067	0.981	0.066	0.884	0.989	0.093	0.580	0.097
	Top Edge	0	0.499	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.530	1,178	0.523	0.884	1,215	0.541	0.365	0.588
LTE	Bottom Edge	0	0.212	0.004	0.137	0.005	0.911	0.000	0.008	0.147	0.353	0.062	0.263	0.304	0.062	0.255	0.365	0.402
Band 71	Right Edge	0	0.001	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.005	0.062	0.002	0.017	0.062	0.004	0.010	0.010
	Left Edge	0	0.000	0.063	0.002	1.140	0.008	0.002	0.002	0.009	0.014	1.204	0.014	1.140	1.204	0.015	0.022	0.024
<b>——</b>	Back Surface	5	0.173	0.063	0.001	0.377	0.064	0.000	0.090	0.004	0.064	0.655	0.063	0.558	0.663	0.090	0.094	0.094
	Top Edge	10	0.092	0.004	0.013	0.055	0.103	0.037	0.034	0.147	0.233	1.058	0.133	0.184	1.095	0.215	0.245	0.282
LTE Band 41	Bottom Edge	0	0.092	0.004	0.137	0.000	0.911	0.000	0.006	0.147	0.233	0.069	0.133	0.184	0.069	0.135	0.245	0.282
Band 41	Right Edge	0	0.008	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.012	0.069	0.009	0.024	0.069	0.011	0.017	0.017
Ì	Left Edge	0	0.008	0.063	0.002	1.140	0.064	0.002	0.002	0.009	0.033	1.212	0.033	1.148	1.212	0.098	0.102	0.102
	Back Surface	0	0.738	0.016	0.015	0.377	0.105	0.008	0.034	0.004	0.769	1.220	0.762	1.123	1.212	0.780	0.819	0.102
	Top Edge	0	0.421	0.004	0.013	0.055	0.911	0.037	0.006	0.147	0.562	1.387	0.462	0.513	1.424	0.464	0.574	0.611
LTE	Bottom Edge	0	0.008	0.004	0.003	0.016	0.045	0.000	0.003	0.147	0.002	0.069	0.462	0.024	0.069	0.464	0.017	0.017
Band 42	Right Edge	0	0.008	0.001	0.003	0.016	0.045	0.000	0.003	0.006	0.012	0.069	0.009	0.024	0.069	0.011	0.017	0.017
	Left Edge	0	0.004	0.063	0.002	1.140	0.064	0.002	0.090	0.009	0.068	1.208	0.067	1.144	1.208	0.012	0.019	0.021
<b></b>	Back Surface	5	0.004	0.063	0.001	0.377	0.064	0.008	0.090	0.004	0.068	0.829	0.067	0.732	0.837	0.094	0.428	0.098
	Top Edge	10	0.347	0.004	0.015	0.377	0.105	0.008	0.034	0.047	0.378	1.222	0.371	0.732	1.259	0.389	0.428	0.436
LTE	Bottom Edge	0	0.001	0.004	0.003	0.016	0.045	0.000	0.003	0.006	0.005	0.062	0.002	0.017	0.062	0.004	0.010	0.010
Band 43	Right Edge	0	0.037	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.040	0.056	0.040	0.050	0.058	0.004	0.048	0.010
1	Left Edge	0	0.037	0.063	0.002	1.140	0.008	0.002	0.002	0.009	0.040	1.205	0.040	1.141	1.205	0.041	0.048	0.050
	Back Surface	5	0.366	0.063	0.001	0.377	0.105	0.008	0.090	0.004	0.065	0.848	0.390	0.751	0.856	0.408	0.447	0.455
	Top Edge	10	0.200	0.004	0.013	0.055	0.103	0.037	0.034	0.147	0.341	1.166	0.390	0.792	1.203	0.400	0.353	0.390
LTE	Bottom Edge	0	0.000	0.004	0.003	0.016	0.045	0.000	0.003	0.006	0.004	0.061	0.001	0.016	0.061	0.003	0.009	0.009
Band 48	Right Edge	0	0.031	0.001	0.002	0.011	0.008	0.002	0.002	0.009	0.034	0.050	0.034	0.044	0.052	0.035	0.042	0.044
	Left Edge	0	0.000	0.063	0.001	1.140	0.064	0.000	0.090	0.004	0.064	1.204	0.063	1.140	1.204	0.090	0.094	0.094
				,														

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices duterwise satest time tessues shared in the test report test or may be used analysely are testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the testallied to a days only. Weith James and the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samples of the samp Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 213 of 297

# Down

				FCC Reported SAR								Scenario 2	Scenario 3	Scenario 4	Scenario 5	Scenario 6	Scenario 7	Scenario 8
			1	2	3	4	5	7	8	9	1+2+3	1+4+5	1+2+7	1+4+7	1+4+5+7	1+7+8	1+8+9	1+7+8+9
	Exposure Pos	Olion.	WWAN	2.4GHz WLAN Main	2.4GHz WLAN	5GHz WLAN Main	5GHz WLAN	Bluetooth	6GHz WLAN Main	6GHz WLAN	Summed	Summed	Summed	Summed	Summed	Summed	Summed	Summed
	Exposure Pos	auon	1g SAR	1g SAR	Aux 1g SAR	1g SAR	Aux 1g SAR	Aux 1g SAR	1g SAR	Aux 1g SAR	1g SAR (W/kg)	1a SAR (W/ka)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)
			(W/kg)	(W/kg)	(W/kg)	(W/kg)	(W/kg)	(W/kg)	(W/kg)	(W/kg)	ig CAR (FF/Ag)	ig OAR (FF/Ag)	ig Oak (Wing)	ig CAR (Wag)	ig Cour (Fing)	ig CAR (FF/Ag)	ig OAR (Ming)	ig Oak (Wing)
WCDMA Band II	Back Surface	0	0.403	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.434	0.885	0.427	0.788	0.893	0.445	0.484	0.492
WCDMA Band II	Top Edge	0	0.473	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.614	1.439	0.514	0.565	1.476	0.516	0.626	0.663
WCDMA Band IV	Back Surface	0	0.630	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.661	1.112	0.654	1.015	1.120	0.672	0.711	0.719
WCDWA Band IV	Top Edge	0	0.535	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.676	1.501	0.576	0.627	1.538	0.578	0.688	0.725
WCDMA Band V	Back Surface	0	0.255	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.286	0.737	0.279	0.640	0.745	0.297	0.336	0.344
WCDWA Band V	Top Edge	0	0.411	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.552	1.377	0.452	0.503	1.414	0.454	0.564	0.601
LTE	Back Surface	0	0.407	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.438	0.889	0.431	0.792	0.897	0.449	0.488	0.496
Band 2	Top Edge	0	0.458	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.599	1.424	0.499	0.550	1.461	0.501	0.611	0.648
LTE	Back Surface	0	0.657	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.688	1.139	0.681	1.042	1.147	0.699	0.738	0.746
Band 4	Top Edge	0	0.533	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.674	1.499	0.574	0.625	1.536	0.576	0.686	0.723
LTE	Back Surface	0	0.261	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.292	0.743	0.285	0.646	0.751	0.303	0.342	0.350
Band 5	Top Edge	0	0.387	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.528	1.353	0.428	0.479	1.390	0.430	0.540	0.577
LTE	Back Surface	0	0.331	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.362	0.813	0.355	0.716	0.821	0.373	0.412	0.420
Band 7	Top Edge	0	0.501	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.642	1.467	0.542	0.593	1.504	0.544	0.654	0.691
LTE	Back Surface	0	0.303	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.334	0.785	0.327	0.688	0.793	0.345	0.384	0.392
Band 14	Top Edge	0	0.365	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.506	1.331	0.406	0.457	1.368	0.408	0.518	0.555
LTE	Back Surface	0	0.421	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.452	0.903	0.445	0.806	0.911	0.463	0.502	0.510
Band 25	Top Edge	0	0.467	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.608	1.433	0.508	0.559	1.470	0.510	0.620	0.657
LTE	Back Surface	0	0.273	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.304	0.755	0.297	0.658	0.763	0.315	0.354	0.362
Band 26_FCC	Top Edge	0	0.394	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.535	1.360	0.435	0.486	1.397	0.437	0.547	0.584
LTE	Back Surface	0	0.647	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.678	1.129	0.671	1.032	1.137	0.689	0.728	0.736
Band 66	Top Edge	0	0.554	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.695	1.520	0.595	0.646	1.557	0.597	0.707	0.744
LTE	Back Surface	0	0.195	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.226	0.677	0.219	0.580	0.685	0.237	0.276	0.284
Band 41	Top Edge	0	0.302	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.443	1.268	0.343	0.394	1.305	0.345	0.455	0.492
LTE	Back Surface	0	0.451	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.482	0.933	0.475	0.836	0.941	0.493	0.532	0.540
Band 43	Top Edge	0	0.480	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.621	1.446	0.521	0.572	1.483	0.523	0.633	0.670
LTE	Back Surface	0	0.658	0.016	0.015	0.377	0.105	0.008	0.034	0.047	0.689	1.140	0.682	1.043	1.148	0.700	0.739	0.747
Band 48	Top Edge	0	0.466	0.004	0.137	0.055	0.911	0.037	0.006	0.147	0.607	1.432	0.507	0.558	1.469	0.509	0.619	0.656

#### 9.4 Conclusion

The simultaneous transmission is compliant because both SAR sum and/or SPLSR are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 214 of 297

# **10 INSTRUMENTS LIST**

Equipment List										
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration					
SPEAG	Data acquisition Electronics	DAE4	1260	Sep/22/2022	Sep/21/2023					
SPEAG	Dosimetric E-Field Probe	EX3DV4	7466	Jan/26/2022	Jan/25/2023					
SPEAG	System Validation Dipole	D750V3	1015	Oct/09/2023	Oct/08/2023					
SPEAG	System Validation Dipole	D835V2	4d063	Sep/26/2022	Sep/25/2023					
SPEAG	System Validation Dipole	D1750V2	1008	Sep/27/2022	Sep/26/2023					
SPEAG	System Validation Dipole	D1900V2	5d173	Apr/28/2022	Apr/27/2023					
SPEAG	System Validation Dipole	D2600V2	1005	Jan/18/2022	Jan/17/2023					
SPEAG	System Validation Dipole	D3500V2	1009	Oct/09/2022	Oct/08/2023					
SPEAG	System Validation Dipole	D3700V2	1074	Jan/25/2022	Jan/24/2023					
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/28/2022	Feb/27/2023					
Agilent	MXG Analog Signal Generator	N5181A	MY50144143	May/19/2022	May/18/2023					
Agilent	Dual-directional coupler	772D	MY52180142	Oct/19/2022	Oct/18/2023					
Agilent	Dual-directional coupler	778D	MY52180302	Oct/19/2022	Oct/18/2023					
EMCI	Amplifier	EMC 074225P	980155	Calibration not required	Calibration not required					
EMCI	Amplifier	EMC 2830P	980156	Calibration not required	Calibration not required					
R&S	Power Sensor	NRP18S	101358	Jan/22/2022	Jan/21/2023					
R&S	Power Meter	NRX	102034	Dec/28/2021	Dec/27/2022					
R&S	Power Sensor	NRP18S	101974	Oct/18/2022	Oct/17/2023					
SPEAG	Software	DASY 52 V52.10.4.152 7	N/A	Calibration not required	Calibration not required					
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required					
R&S	Radio Communication Test	CMW 500	165070	Oct/20/2022	Oct/19/2023					
TECPEL	Digital thermometer	DTM-303A	TP131515	Sep/29/2022	Sep/28/2023					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the research and the seasons british in this test report test of unity to the samples he seed and united states the seasons of the seasons british in this test report test of unity to the samples he seasons british the seasons british seasons between the seasons british seasons between the seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons british seasons brites british seasons british seasons british seasons british seaso Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 215 of 297

SAR Test Site: SAR_2											
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration						
SPEAG	Dosimetric E-Field Probe	EX3DV4	3770	May/02/2022	May/01/2023						
SPEAG	Data acquisition Electronics	DAE4	856	Apr/21/2022	Apr/20/2023						
SPEAG	System Validation Dipole	D2450V2	727	Apr/25/2022	Apr/24/2023						
SPEAG	System Validation Dipole	D5GHzV2	1023	Jan/27/2022	Jan/26/2023						
SPEAG	Software	DASY 52 V52.10.4.15 27	N/A	Calibration not required	Calibration not required						
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required						
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/28/2022	Feb/27/2023						
Agilent	Dual-directional coupler	778D	MY48220468	Aug/16/2021	Aug/15/2022						
Agilent	Dual-directional coupler	772D	MY46151242	Aug/16/2021	Aug/15/2022						
R&S	MXG Analog Signal Generator	SMB100A03	182012	Jun/13/2022	Jun/12/2023						
EMCI	Amplifier	EMC 2830P	980156	Calibration not required	Calibration not required						
R&S	Power Meter	NRX	102034	Dec/28/2021	Dec/27/2022						
R&S	Power Sensor	NRP18S	101974	Oct/12/2021	Oct/11/2022						
R&S	Power Sensor	NRP18S	109066	Oct/12/2021	Oct/11/2022						
TECPEL	Digital thermometer	DTM-303A	TP190085	Jan/14/2022	Jan/13/2023						

# Note:

Instruments List of the original test report TESA2206000138EN.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 216 of 297

SAR Test Site: SAR_6											
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration						
SPEAG	Dosimetric E-Field Probe	EX3DV4	7466	Jan/26/2022	Jan/25/2023						
SPEAG	E-field Probe for Near Field Application	EUmmWV4	9579	Oct/06/2021	Oct/05/2022						
SPEAG	Data acquisition Electronics	DAE4	558	Nov/23/2021	Nov/22/2022						
SPEAG	System Validation Dipole	D6.5GHzV2	1006	Aug/26/2021	Aug/25/2022						
SPEAG	System Validation Dipole	D7GHzV2	1007	Aug/26/2021	Aug/25/2022						
SPEAG	5G Verification Source 10GHz	5G-Veri10	1021	Jan/24/2022	Jan/23/2023						
SPEAG	Software	DASY 6 V16.0.2.136	N/A	Calibration not required	Calibration not required						
SPEAG	Software	DASY 6 mmWave V2.4.2.62	N/A	Calibration not required	Calibration not required						
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required						
SPEAG	Phantom	mmWave Phantom	N/A	Calibration not required	Calibration not required						
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/28/2022	Feb/27/2023						
Agilent	Dual-directional coupler	778D	MY48220468	Aug/16/2021	Aug/15/2022						
Agilent	Dual-directional coupler	772D	MY46151242	Aug/16/2021	Aug/15/2022						
R&S	MXG Analog Signal Generator	SMB100A03	182012	Jun/13/2022	Jun/12/2023						
EMCI	Amplifier	EMC 2830P	980156	Calibration not required	Calibration not required						
R&S	Power Meter	NRX	102034	Dec/28/2021	Dec/27/2022						
R&S	Power Sensor	NRP18S	101974	Oct/12/2021	Oct/11/2022						
R&S	Power Sensor	NRP18S	109066	Oct/12/2021	Oct/11/2022						
TECPEL	Digital thermometer	DTM-303A	TP130074	May/13/2022	May/12/2023						

Instruments List of the original test report TESA2206000138EN.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 217 of 297

# 11 UNCERTAINTY BUDGET

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

Α	С	D	e		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Vef
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	00
Isotropy , Axial	3.50%	R	√ 3	1.732	1	1	2.02%	2.02%	œ
lsotropy, Hemispherical	9.60%	R	√ 3	1.732	1	1	5.54%	5.54%	œ
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√ 3	1.732	1	1	0.58%	0.58%	œ
Linearity	4.70%	R	√ 3	1.732	1	1	2.71%	2.71%	œ
Detection Limits	1.00%	R	√ 3	1.732	1	1	0.58%	0.58%	œ
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	œ
Response time	0.80%	R	√ 3	1.732	1	1	0.46%	0.46%	œ
Integration Time	2.60%	R	√ 3	1.732	1	1	1.50%	1.50%	œ
Measurement drift (class A evaluation)	1.75%	R	√ 3	1.732	1	1	1.01%	1.01%	œ
RF ambient condition - noise	3.00%	R	√ 3	1.732	1	1	1.73%	1.73%	œ
RF ambient conditions - reflections	3.00%	R	√ 3	1.732	1	1	1.73%	1.73%	œ
Probe positioner  Mechanical restrictions	0.40%	R	√ 3	1.732	1	1	0.23%	0.23%	œ
Probe Positioning with respect to phantom shell	2.90%	R	√ 3	1.732	1	1	1.67%	1.67%	œ
Post-processing	1.00%	R	√ 3	1.732	1	1	0.58%	0.58%	œ
Max SAR Eval	1.00%	R	√ 3	1.732	1	1	0.58%	0.58%	œ
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√ 3	1.732	1	1	2.89%	2.89%	œ
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√ 3	1.732	1	1	2.31%	2.31%	œ
Liquid permittivity (mea.)	2.85%	N	1	1	0.64	0.43	1.82%	1.23%	М
Liquid Conductivity (mea.)	0.74%	N	1	1	0.6	0.49	0.44%	0.36%	М
Combined standard uncertainty		RSS					11.87%	11.78%	
Expant uncertainty (95% confidence interval), K=2			_				23.73%	23.55%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 218 of 297

### Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	∞
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	1.17%	N	1	1	0.64	0.43	0.75%	0.50%	М
Liquid Conductivity (mea.)	4.69%	N	1	1	0.6	0.49	2.81%	2.30%	М
Combined standard uncertainty		RSS					11.78%	11.65%	
Expant uncertainty (95% confidence interval), K=2							23.57%	23.30%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 219 of 297

# **DASY6 Uncertainty Budget** According to IEC/IEEE 62209-1528 (Frequency band: 6GHz - 10GHz range)

	(	1401109	Dalla.	<b>U U U U U</b>		,, , , , , , , , , , , , , , , , , , ,	90/	
а	b	С	d		е	е	f=b * e / d	f=b * e / d
Source of Uncertainty	Uncertainty Value (±%)	Probability Distributioin	Div.	Div. Value	(ci) 1g	(ci) 10g	Std. uncertainty (1g) (±%)	Std. uncertainty (10g) (±%)
Measurement system errors								
Probe calibration	18.6	N	2	2	1	1	9.3	9.3
Probe Calibration Drift	1.7	R	√3	1.732	1	1	1.0	1.0
Probe Linearity	4.7	R	√3	1.732	1	1	2.7	2.7
Broadband Signal	2.8	R	√3	1.732	1	1	1.6	1.6
Probe Isotropy	7.6	R	√3	1.732	1	1	4.4	4.4
Data Acquisition	0.3	N	1	1	1	1	0.3	0.3
RF Ambient	1.8	N	1	1	1	1	1.8	1.8
Probe positioning	0.2	N	1	1	0.67	0.67	0.1	0.1
Data Processing	3.5	N	1	1	1	1	3.5	3.5
Phantom and device errors								
Conductivity (meas.)DAK	2.5	N	1	1	0.78	0.71	2.0	1.8
Conductivity (temp.)BB	2.4	R	√3	1.732	0.78	0.71	1.1	1.0
Phantom Permittivity	14.0	R	√3	1.732	0.5	0.5	4.0	4.0
Distance DUT - TSL	2.0	N	1	1	2	2	4.0	4.0
Device Positioning (±0.5mm)	1.0	N	1	1	1	1	1.0	1.0
Device Holder	3.6	N	1	1	1	1	3.6	3.6
DUT Modulationm	2.4	R	√3	1.732	1	1	1.4	1.4
Time-average SAR	0.0	R	√3	1.732	1	1	0.0	0.0
DUT drift	2.5	N	1	1	1	1	2.5	2.5
Val Antenna Unc.	0.0	N	1	1	1	1	0.0	0.0
Unc. Input Power	0.0	N	1	1	1	1	0.0	0.0
Correction to the SAR results								
Deviation to Target	1.90	N	1	1	1	0.84	1.9	1.6
SAR scaling	0.147	R	√3	1.732	1	1	0.1	0.1
Combined Std. uncertainty							14.0	13.9
Expanded Std. uncertainty (95% confidence interval), K=2							28.0	27.8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 220 of 297

# cDASY6 Module mmWave Uncertainty Budget for PD Evaluation Distances to the Antennas $\geq \lambda / 5$ In Compliance with IEC/IEEE 63195

a	b	С	d		е	f=b * e / d	g
Source of Uncertainty	Uncertainty Value (+-dB)	Probability Distributioin	Div.	Div. Value	ci	Std. uncertainty (+-dB)	(vi) Veff
Uncertainty terms dependent on the	measurement	system					
Probe calibration	0.49	N	1	1	1	0.49	œ
Probe correction	0.00	R	√3	1.732	1	0.00	∞
Frequency response (BW ≦1GHz)	0.20	R	√3	1.732	1	0.12	∞
Sensor cross coupling	0.00	R	√3	1.732	1	0.00	œ
Isotropy	0.50	R	√3	1.732	1	0.29	œ
Linearity	0.20	R	√3	1.732	1	0.12	œ
Probe scattering	0.00	R	√3	1.732	1	0.00	œ
Probe positioning offset	0.30	R	√3	1.732	1	0.17	œ
Probe positioning repeatability	0.04	R	√3	1.732	1	0.02	œ
Sensor mechanical offset	0.00	R	√3	1.732	1	0.00	œ
Probe spatial resolution	0.00	R	√3	1.732	1	0.00	00
Field impedance dependance	0.00	R	√3	1.732	1	0.00	∞
Amplitude and phase drift	0.00	R	√3	1.732	1	0.00	∞
Amplitude and phase noise	0.04	R	√3	1.732	1	0.02	∞
Measurement area truncation	0.00	R	√3	1.732	1	0.00	∞
Data acquisition	0.03	N	1	1	1	0.03	œ
Sampling	0.00	R	√3	1	1	0.00	œ
Field reconstruction	2.00	R	√3	1.732	1	1.15	œ
Forward transformation	0.00	R	√3	1.732	1	0.00	œ
Power density scaling	-	R	√3	1.732	1	-	œ
Spatial averaging	0.10	R	√3	1.732	1	0.06	œ
System detection limit	0.04	R	√3	1.732	1	0.02	œ
Uncertainty terms dependent on the	DUT and envir	onmental facto	ors			I	!
Probe coupling with DUT	0.00	R	√3	1.732	1	0.00	∞
Modulation response	0.40	R	√3	1.732	1	0.23	œ
Integration time	0.00	R	√3	1.732	1	0.00	œ
Response time	0.00	R	√3	1.732	1	0.00	œ
Device holder influence	0.10	R	√3	1.732	1	0.06	œ
DUT alignment	0.00	R	√3	1.732	1	0.00	œ
RF ambient conditions	0.04	R	√3	1.732	1	0.02	œ
Ambient reflections	0.04	R	√3	1.732	1	0.02	œ
Immunity / secondary reception	0.00	R	√3	1.732	1	0.00	00
Drift of the DUT	-	R	√3	1.732	1	-	œ
Combined Std. uncertainty						1.33	
Expanded Std. uncertainty (95% confidence interval), K=2						2.67	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



Page: 221 of 297

# 12 SAR MEASUREMENT RESULTS

Date: 2022/6/20

ID: 001

Report No.: TESA2206000138EN

WLAN 802.11b\_Body\_Right Edge\_CH 6\_0mm\_Main

Communication System: WLAN 2.45G; Frequency: 2437 MHz; Duty cycle= 1:1.022 Medium parameters used: f = 2437 MHz;  $\sigma = 1.832$  S/m;  $\epsilon_r = 37.721$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.1°C

## **DASY5** Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.2, 8.2, 8.2) @ 2437 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (81x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.127 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.558 V/m: Power Drift = 0.14 dB


Peak SAR (extrapolated) = 0.156 W/kg

SAR(1 g) = 0.062 W/kg; SAR(10 g) = 0.026 W/kg

Smallest distance from peaks to all points 3 dB below = 6 mm

Ratio of SAR at M2 to SAR at M1 = 50%

Maximum value of SAR (measured) = 0.0978 W/kg



0 dB = 0.0978 W/kg = -10.10 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

505 laiwan Eta.



Page: 222 of 297

Date: 2022/6/21

ID: 002

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.2G\_Body\_Right Edge\_CH 46\_0mm\_Main

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5230 MHz;  $\sigma = 4.635 \text{ S/m}$ ;  $\epsilon_r = 36.93$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.6, 5.6, 5.6) @ 5230 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.06 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 4.225 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 3.75 W/kg

SAR(1 g) = 1.1 W/kg; SAR(10 g) = 0.364 W/kg

Smallest distance from peaks to all points 3 dB below = 5.8 mm

Ratio of SAR at M2 to SAR at M1 = 61.6%

Maximum value of SAR (measured) = 2.09 W/kg



0 dB = 2.09 W/kg = 3.20 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 223 of 297

Date: 2022/6/21

ID: 003

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.3G\_Body\_Right Edge\_CH 54\_0mm\_Main

Communication System: WLAN 5G; Frequency: 5270 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5270 MHz;  $\sigma$  = 4.696 S/m; ε<sub>r</sub> = 36.876;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.49, 5.49, 5.49) @ 5270 MHz; Calibrated: 2022/5/2

• Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 2.10 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.485 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 3.55 W/kg

SAR(1 g) = 1.03 W/kg; SAR(10 g) = 0.343 W/kg

Smallest distance from peaks to all points 3 dB below = 6.4 mm

Ratio of SAR at M2 to SAR at M1 = 61.3%

Maximum value of SAR (measured) = 1.99 W/kg



0 dB = 1.99 W/kg = 2.99 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279



Page: 224 of 297

Date: 2022/6/22

ID: 004

Report No.: TESA2206000138EN

WLAN 802.11ac(80M) 5.6G\_Body\_Right Edge\_CH 138\_0mm\_Main

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:1.042 Medium parameters used: f = 5690 MHz;  $\sigma$  = 5.234 S/m; ε<sub>r</sub> = 35.632;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.0°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5, 5, 5) @ 5690 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.28 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.089 V/m; Power Drift = 0.15 dB


Peak SAR (extrapolated) = 2.96 W/kg

SAR(1 g) = 0.641 W/kg; SAR(10 g) = 0.167 W/kg

Smallest distance from peaks to all points 3 dB below = 5.1 mm

Ratio of SAR at M2 to SAR at M1 = 55.4%

Maximum value of SAR (measured) = 1.30 W/kg



0 dB = 1.30 W/kg = 1.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279



Page: 225 of 297

Date: 2022/6/23

ID: 005

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.8G\_Body\_Right Edge\_CH 151\_0mm\_Main

Communication System: WLAN 5G; Frequency: 5755 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5755 MHz;  $\sigma$  = 5.396 S/m; ε<sub>r</sub> = 36.356;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.3°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.05, 5.05, 5.05) @ 5755 MHz; Calibrated: 2022/5/2

• Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (91x111x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.17 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 4.005 V/m; Power Drift = -0.16 dB


Peak SAR (extrapolated) = 2.44 W/kg

SAR(1 g) = 0.487 W/kg; SAR(10 g) = 0.142 W/kg

Smallest distance from peaks to all points 3 dB below = 4.3 mm

Ratio of SAR at M2 to SAR at M1 = 53.9%

Maximum value of SAR (measured) = 1.02 W/kg



0 dB = 1.02 W/kg = 0.09 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279



Page: 226 of 297

Date: 2022/6/20

ID: 006

Report No.: TESA2206000138EN

WLAN 802.11b\_Body\_Top Edge\_CH 1\_0mm\_Aux

Communication System: WLAN 2.45G; Frequency: 2412 MHz; Duty cycle= 1:1.022 Medium parameters used: f = 2412 MHz;  $\sigma$  = 1.812 S/m;  $ε_r$  = 37.758; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.1°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.2, 8.2, 8.2) @ 2412 MHz; Calibrated: 2022/5/2

• Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.224 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.028 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 0.329 W/kg

SAR(1 g) = 0.133 W/kg; SAR(10 g) = 0.053 W/kg

Smallest distance from peaks to all points 3 dB below = 5.8 mm

Ratio of SAR at M2 to SAR at M1 = 45.8%

Maximum value of SAR (measured) = 0.231 W/kg



0 dB = 0.231 W/kg = -6.36 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

t (886-2) 2299-3279



Page: 227 of 297

Date: 2022/6/20

ID: 007

Report No.: TESA2206000138EN

Bluetooth(GFSK)\_Body\_Top Edge\_CH 78\_0mm\_Aux

Communication System: Bluetooth; Frequency: 2480 MHz; Duty cycle= 1:1.309 Medium parameters used: f = 2480 MHz;  $\sigma = 1.867$  S/m;  $\epsilon_r = 37.677$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.1°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.2, 8.2, 8.2) @ 2480 MHz; Calibrated: 2022/5/2

• Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

· Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x121x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.0600 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.532 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 0.0560 W/kg

SAR(1 g) = 0.022 W/kg; SAR(10 g) = 0.010 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 49.7%

Maximum value of SAR (measured) = 0.0342 W/kg



0 dB = 0.0342 W/kg = -14.66 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sqs.com.tw/Terms-and-Conditions">http://www.sqs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 228 of 297

Date: 2022/6/21

ID: 008

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.2G\_Body\_Top Edge\_CH 46\_0mm\_Aux

Communication System: WLAN 5G; Frequency: 5230 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5230 MHz;  $\sigma = 4.635 \text{ S/m}$ ;  $\epsilon_r = 36.93$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.6, 5.6, 5.6) @ 5230 MHz; Calibrated: 2022/5/2

• Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.656 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.742 V/m; Power Drift = 0.16 dB


Peak SAR (extrapolated) = 1.24 W/kg

SAR(1 g) = 0.271 W/kg; SAR(10 g) = 0.066 W/kg

Smallest distance from peaks to all points 3 dB below = 5.4 mm

Ratio of SAR at M2 to SAR at M1 = 55.8%

Maximum value of SAR (measured) = 0.612 W/kg



0 dB = 0.612 W/kg = -2.13 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 229 of 297

Date: 2022/6/21

ID: 009

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.3G\_Body\_Top Edge\_CH 54\_0mm\_Aux

Communication System: WLAN 5G; Frequency: 5270 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5270 MHz;  $\sigma$  = 4.696 S/m; ε<sub>r</sub> = 36.876;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.8°C

DASY5 Configuration:

- Probe: EX3DV4 SN3770; ConvF(5.49, 5.49, 5.49) @ 5270 MHz; Calibrated: 2022/5/2
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2022/4/21
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 0.633 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.962 V/m; Power Drift = 0.12 dB

Peak SAR (extrapolated) = 1.05 W/kg

SAR(1 g) = 0.242 W/kg; SAR(10 g) = 0.058 W/kg

Smallest distance from peaks to all points 3 dB below = 5.7 mm

Ratio of SAR at M2 to SAR at M1 = 57.5%

Maximum value of SAR (measured) = 0.517 W/kg

**Zoom Scan (7x7x12)/Cube 1:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.962 V/m: Power Drift = 0.12 dB


Peak SAR (extrapolated) = 1.12 W/kg

SAR(1 g) = 0.240 W/kg; SAR(10 g) = 0.062 W/kg

Smallest distance from peaks to all points 3 dB below = 5.4 mm

Ratio of SAR at M2 to SAR at M1 = 55.1%

Maximum value of SAR (measured) = 0.524 W/kg



0 dB = 0.524 W/kg = -2.81 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 230 of 297

Date: 2022/6/22

ID: 010

Report No.: TESA2206000138EN

WLAN 802.11ac(80M) 5.6G\_Body\_Top Edge\_CH 138\_0mm\_Aux

Communication System: WLAN 5G; Frequency: 5690 MHz; Duty cycle= 1:1.042 Medium parameters used: f = 5690 MHz;  $\sigma$  = 5.234 S/m; ε<sub>r</sub> = 35.632;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.0°C

# DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5, 5, 5) @ 5690 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.84 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 2.872 V/m; Power Drift = -0.19 dB


Peak SAR (extrapolated) = 3.93 W/kg

SAR(1 g) = 0.866 W/kg; SAR(10 g) = 0.206 W/kg

Smallest distance from peaks to all points 3 dB below = 5.1 mm

Ratio of SAR at M2 to SAR at M1 = 56.9%

Maximum value of SAR (measured) = 1.91 W/kg



0 dB = 1.91 W/kg = 2.81 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 231 of 297

Date: 2022/6/23

ID: 011

Report No.: TESA2206000138EN

WLAN 802.11n(40M) 5.8G\_Body\_Top Edge\_CH 159\_0mm\_Aux

Communication System: WLAN 5G; Frequency: 5795 MHz; Duty cycle= 1:1.032 Medium parameters used: f = 5795 MHz;  $\sigma = 5.438 \text{ S/m}$ ;  $\epsilon_r = 35.313$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.3°C

DASY5 Configuration:

- Probe: EX3DV4 SN3770; ConvF(5.05, 5.05, 5.05) @ 5795 MHz; Calibrated: 2022/5/2
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn856; Calibrated: 2022/4/21
- Phantom: ELI
- DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (71x121x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 1.04 W/kg

Zoom Scan (7x7x12)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.114 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 1.94 W/kg

SAR(1 q) = 0.412 W/kq; SAR(10 q) = 0.097 W/kq

Smallest distance from peaks to all points 3 dB below = 4.9 mm

Ratio of SAR at M2 to SAR at M1 = 54.8%

Maximum value of SAR (measured) = 0.901 W/kg

**Zoom Scan (7x7x12)/Cube 1:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 3.114 V/m: Power Drift = 0.15 dB


Peak SAR (extrapolated) = 2.21 W/kg

SAR(1 g) = 0.421 W/kg; SAR(10 g) = 0.092 W/kg

Smallest distance from peaks to all points 3 dB below = 4.5 mm

Ratio of SAR at M2 to SAR at M1 = 52.7%

Maximum value of SAR (measured) = 1.08 W/kg



0 dB = 1.08 W/kg = 0.33 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

t (886-2) 2299-3279



Page: 232 of 297

ID: 012

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 79 (6345.0 MHz)\_Main

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.65	6.048	35.778

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.031	0.043
psSAR8g [W/kg]	0.008	0.014
psSAR10g [W/kg]	0.007	0.012
psPDab (4.0cm2, sq) [W/m2]		0.278
Power Drift [dB]	-0.09	0.12
M2/M1 [%]		33.3
Dist 3dB Peak [mm]		4.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 233 of 297

ID: 013

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-6,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 111 (6505.0 MHz)\_Main

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.65	6.221	35.586

**Hardware Setup** 


Phant	tom	Probe, Calibration Date	DAE, Calibration Date
ELI		EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.2
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.054	0.060
psSAR8g [W/kg]	0.015	0.017
psSAR10g [W/kg]	0.013	0.014
psPDab (4.0cm2, sq) [W/m2]		0.336
Power Drift [dB]	0.04	0.05
M2/M1 [%]		58.5
Dist 3dB Peak [mm]		4.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 234 of 297

ID: 014

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-7,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 143 (6665.0 MHz)\_Main

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.65	6.396	35.394

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.070	0.069
psSAR8g [W/kg]	0.018	0.019
psSAR10g [W/kg]	0.015	0.016
psPDab (4.0cm2, sq) [W/m2]		0.385
Power Drift [dB]	0.08	-0.12
M2/M1 [%]		50.6
Dist 3dB Peak [mm]		4.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 235 of 297

ID: 015

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-8,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 207 (6985.0 MHz)\_Main

Ambient temperature: 22.5°C; Liquid temperature: 22.2°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Right Edge, 0.00	5.85	6.749	35.01

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.094	0.087
psSAR8g [W/kg]	0.023	0.026
psSAR10g [W/kg]	0.019	0.022
psPDab (4.0cm2, sq) [W/m2]		0.513
Power Drift [dB]	-0.04	-0.02
M2/M1 [%]		59.3
Dist 3dB Peak [mm]		4.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 236 of 297

ID: 016

Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 47 (6185.0 MHz)\_Aux

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Top Edge, 0.00	5.65	5.875	35.97

**Hardware Setup** 


Phant	tom	Probe, Calibration Date	DAE, Calibration Date
ELI		EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.122	0.141
psSAR8g [W/kg]	0.035	0.042
psSAR10g [W/kg]	0.030	0.036
psPDab (4.0cm2, sq) [W/m2]		0.843
Power Drift [dB]	0.13	-0.18
M2/M1 [%]		52.7
Dist 3dB Peak [mm]		5.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 237 of 297

ID: 017

Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-6,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 111 (6505.0 MHz)\_Aux

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Top Edge, 0.00	5.65	6.221	35.586

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.2
Sensor Surface [mm]	3.0	1.4

### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.099	0.111
psSAR8g [W/kg]	0.032	0.033
psSAR10g [W/kg]	0.028	0.029
psPDab (4.0cm2, sq) [W/m2]		0.650
Power Drift [dB]	0.19	-0.17
M2/M1 [%]		61.4
Dist 3dB Peak [mm]		4.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-7,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 175 (6825.0 MHz) Aux

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Top Edge, 0.00	5.65	6.572	35.202

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.072	0.078
psSAR8g [W/kg]	0.017	0.019
psSAR10g [W/kg]	0.014	0.016
psPDab (4.0cm2, sq) [W/m2]		0.381
Power Drift [dB]	0.06	-0.03
M2/M1 [%]		61.9
Dist 3dB Peak [mm]		4.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 238 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-8,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 207 (6985.0 MHz) Aux

Ambient temperature: 22.5°C; Liquid temperature: 22.2°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Top Edge, 0.00	5.85	6.749	35.01

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	68.0 x 102.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	8.5 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	0.103	0.128
psSAR8g [W/kg]	0.031	0.033
psSAR10g [W/kg]	0.026	0.028
psPDab (4.0cm2, sq) [W/m2]		0.669
Power Drift [dB]	0.08	-0.09
M2/M1 [%]		44.4
Dist 3dB Peak [mm]		5.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 239 of 297



Page: 240 of 297


ID: 020

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 15 (6025.0 MHz)\_Main

Exposure Condi	tions				
Phantom Section		Position, Test Distance [mm]		Conversion Factor	
5G		Right Edge, 2.00		1.0	
<b>Hardware Setup</b>					
Phantom	Medium	Probe, Calibration Date		DAE, Calibration Date	
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021	-10-06	DAE4 Sn558, 2021-11-23	
Scans Setup					
Scan Type				5G Scan	
Grid Extents [mm]			100.0 x 100.0		
Grid Steps [lambda]			0.0625 x 0.0625		
Sensor Surface [mm]				2.0	
Measurement Re	esults				
Scan Type				5G Scan	
Date				2022-06-25	
Avg. Area [cm²]				4.00	
psPDn+ [W/m²]				0.831	
psPDtot+ [W/m²]				0.846	
psPDmod+ [W/m²]				0.878	
E <sub>max</sub> [V/m]				21.2	
Power Drift [dB]				0.07	



... Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 79 (6345.0 MHz) Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### **Measurement Results**

mode di omont recounts	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	0.785
psPDtot+ [W/m²]	0.796
psPDmod+ [W/m²]	0.820
E <sub>max</sub> [V/m]	19.0
Power Drift [dB]	0.05



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Report No.: TESA2211000479EN

Page: 241 of 297



Report No.: TESA2211000479EN

Page: 242 of 297

Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-6,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 111 (6505.0 MHz) Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### Measurement Results

measurement results	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	0.598
psPDtot+ [W/m²]	0.619
psPDmod+ [W/m²]	0.637
E <sub>max</sub> [V/m]	17.4
Power Drift [dB]	-0.03



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-7,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 143 (6665.0 MHz) Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### **Measurement Results**

inododi omone recodito	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	0.732
psPDtot+ [W/m²]	0.763
psPDmod+ [W/m²]	0.792
E <sub>max</sub> [V/m]	20.2
Power Drift [dB]	0.08



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 243 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Right Edge, U-NII-8,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 207 (6985.0 MHz) Main

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Right Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### Measurement Results

measurement results	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	0.728
psPDtot+ [W/m²]	0.742
psPDmod+ [W/m²]	0.757
E <sub>max</sub> [V/m]	20.2
Power Drift [dB]	0.04



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 244 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 15 (6025.0 MHz) Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Top Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### **Measurement Results**

inododi omone recodito	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	0.767
psPDtot+ [W/m²]	0.775
psPDmod+ [W/m²]	0.786
E <sub>max</sub> [V/m]	19.4
Power Drift [dB]	0.13



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TESA2211000479EN

Page: 245 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-5,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 47 (6185.0 MHz) Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Top Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### Measurement Results

5G Scan
2022-06-25
4.00
0.802
0.911
0.996
21.0
0.04



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 246 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-6,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 111 (6505.0 MHz) Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Top Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### Measurement Results

measurement results	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	1.06
psPDtot+ [W/m²]	1.08
psPDmod+ [W/m²]	1.11
E <sub>max</sub> [V/m]	22.3
Power Drift [dB]	0.11



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 247 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-7,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 175 (6825.0 MHz) Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Top Edge, 2.00	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

#### **Measurement Results**

mode di omont recounts	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	0.853
psPDtot+ [W/m²]	0.861
psPDmod+ [W/m²]	0.886
E <sub>max</sub> [V/m]	20.3
Power Drift [dB]	0.09



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Report No.: TESA2211000479EN

Page: 248 of 297



Report No.: TESA2206000138EN

Measurement Report for Luna, Top Edge, U-NII-8,

IEEE 802.11ac (160MHz, MCS0, 90pc duty cycle), Channel 207 (6985.0 MHz) Aux

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	Top Edge, 2.00"	1.0

## **Hardware Setup**


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave - 1076	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

#### Scans Setup

Scan Type	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0625 x 0.0625
Sensor Surface [mm]	2.0

### Measurement Results

5G Scan
2022-06-25
4.00
0.701
0.787
0.924
22.6
-0.07



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 249 of 297



Page: 250 of 297

Date: 2022/11/20

ID: 030

Report No.: TESA2211000479EN

WCDMA Band II\_Body\_Back Surface\_CH 9262\_5mm

Communication System: WCDMA; Frequency: 1852.4 MHz; Duty cycle= 1:1

Medium parameters used: f = 1852.4 MHz;  $\sigma$  = 1.399 S/m;  $ε_r$  = 40.311; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

## DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1852.4 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.166 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.543 V/m; Power Drift = -0.06 dB


Peak SAR (extrapolated) = 0.231 W/kg

SAR(1 g) = 0.132 W/kg; SAR(10 g) = 0.072 W/kg

Smallest distance from peaks to all points 3 dB below = 12.2 mm

Ratio of SAR at M2 to SAR at M1 = 58.4%

Maximum value of SAR (measured) = 0.186 W/kg



0 dB = 0.166 W/kg = -7.80 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

,No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 251 of 297

Date: 2022/11/19

ID: 031

Report No.: TESA2211000479EN

WCDMA Band IV\_Body\_Back Surface\_CH 1412\_5mm

Communication System: WCDMA; Frequency: 1732.4 MHz; Duty cycle= 1:1

Medium parameters used: f = 1732.4 MHz;  $\sigma$  = 1.356 S/m;  $ε_r$  = 40.516; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

## DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1732.4 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.288 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.846 V/m: Power Drift = -0.05 dB


Peak SAR (extrapolated) = 0.397 W/kg

SAR(1 g) = 0.235 W/kg; SAR(10 g) = 0.130 W/kg

Smallest distance from peaks to all points 3 dB below = 12.2 mm

Ratio of SAR at M2 to SAR at M1 = 60.4%

Maximum value of SAR (measured) = 0.315 W/kg



0 dB = 0.288 W/kg = -5.41 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 252 of 297

Date: 2022/11/18

ID: 032

Report No.: TESA2211000479EN

WCDMA Band V\_Body\_Back Surface\_CH 4233 5mm

Communication System: WCDMA; Frequency: 846.6 MHz; Duty cycle= 1:1

Medium parameters used: f = 847 MHz;  $\sigma = 0.908 \text{ S/m}$ ;  $\varepsilon_r = 41.913$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

## DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 846.6 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.103 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.193 V/m; Power Drift = 0.01 dB


Peak SAR (extrapolated) = 0.129 W/kg

SAR(1 g) = 0.073 W/kg; SAR(10 g) = 0.042 W/kg

Smallest distance from peaks to all points 3 dB below = 10.7 mm

Ratio of SAR at M2 to SAR at M1 = 58.4%

Maximum value of SAR (measured) = 0.101 W/kg



0 dB = 0.101 W/kg = -9.96 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 253 of 297

Date: 2022/11/20

ID: 033

Report No.: TESA2211000479EN

LTE Band 2 (20MHz)\_Body\_Back Surface\_CH 18700\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 1860 MHz; Duty cycle= 1:1

Medium parameters used: f = 1860 MHz;  $\sigma$  = 1.407 S/m;  $\varepsilon_r$  = 40.303;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1860 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.438 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.426 V/m: Power Drift = 0.07 dB


Peak SAR (extrapolated) = 0.586 W/kg

SAR(1 g) = 0.336 W/kg; SAR(10 g) = 0.181 W/kg

Smallest distance from peaks to all points 3 dB below = 11.3 mm

Ratio of SAR at M2 to SAR at M1 = 58.7%

Maximum value of SAR (measured) = 0.460 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 254 of 297

Date: 2022/11/19

ID: 034

Report No.: TESA2211000479EN

LTE Band 4 (20MHz)\_Body\_Back Surface\_CH 20175\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 1732.5 MHz; Duty cycle= 1:1

Medium parameters used: f = 1732.5 MHz;  $\sigma$  = 1.355 S/m;  $ε_r$  = 40.515; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1732.5 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.654 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.629 V/m: Power Drift = -0.02 dB


Peak SAR (extrapolated) = 0.846 W/kg

SAR(1 g) = 0.494 W/kg; SAR(10 g) = 0.273 W/kg

Smallest distance from peaks to all points 3 dB below = 10.2 mm

Ratio of SAR at M2 to SAR at M1 = 59.5%

Maximum value of SAR (measured) = 0.657 W/kg



0 dB = 0.654 W/kg = -1.85 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 255 of 297

Date: 2022/11/18

ID: 035

Report No.: TESA2211000479EN

# LTE Band 5 (10MHz)\_Body\_Back Surface\_CH 20600\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 844 MHz; Duty cycle= 1:1

Medium parameters used: f = 844 MHz;  $\sigma = 0.904 \text{ S/m}$ ;  $\epsilon_r = 41.92$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

• Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 844 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.171 W/kg

# Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.034 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 0.236 W/kg

# SAR(1 g) = 0.131 W/kg; SAR(10 g) = 0.075 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 59.6%

Maximum value of SAR (measured) = 0.177 W/kg



0 dB = 0.171 W/kg = -7.67 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 256 of 297

Date: 2022/11/21

ID: 036

Report No.: TESA2211000479EN

# LTE Band 7 (20MHz)\_Body\_Back Surface\_CH 21350\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 2560 MHz; Duty cycle= 1:1

Medium parameters used: f = 2560 MHz;  $\sigma$  = 1.932 S/m;  $\varepsilon_r$  = 39.175;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2560 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.261 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.302 V/m: Power Drift = 0.02 dB


Peak SAR (extrapolated) = 0.349 W/kg

SAR(1 g) = 0.175 W/kg; SAR(10 g) = 0.080 W/kg

Smallest distance from peaks to all points 3 dB below = 7.8 mm

Ratio of SAR at M2 to SAR at M1 = 53.3%

Maximum value of SAR (measured) = 0.260 W/kg



0 dB = 0.261 W/kg = -5.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 257 of 297

Date: 2022/11/17

ID: 037

Report No. :TESA2211000479EN

LTE Band 12 (10MHz)\_Body\_Back Surface\_CH 23130\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 711 MHz; Duty cycle= 1:1

Medium parameters used: f = 711 MHz;  $\sigma$  = 0.865 S/m;  $\varepsilon_r$  = 42.272;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 711 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

• Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.699 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.623 V/m; Power Drift = 0.11 dB


Peak SAR (extrapolated) = 1.12 W/kg

SAR(1 g) = 0.523 W/kg; SAR(10 g) = 0.269 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 54.4%

Maximum value of SAR (measured) = 0.723 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 258 of 297

Date: 2022/11/17

ID: 038

Report No.: TESA2211000479EN

# LTE Band 13 (10MHz)\_Body\_Top Edge\_CH 23230\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 782 MHz; Duty cycle= 1:1

Medium parameters used: f = 782 MHz;  $\sigma = 0.925 \text{ S/m}$ ;  $\epsilon_r = 42.01$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 782 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.633 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.287 V/m: Power Drift = 0.06 dB


Peak SAR (extrapolated) = 0.787 W/kg

SAR(1 g) = 0.429 W/kg; SAR(10 g) = 0.250 W/kg

Smallest distance from peaks to all points 3 dB below = 10.7 mm

Ratio of SAR at M2 to SAR at M1 = 62.3%

Maximum value of SAR (measured) = 0.589 W/kg



0 dB = 0.633 W/kg = -1.98 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 259 of 297

Date: 2022/11/17

ID: 039

Report No.: TESA2211000479EN

# LTE Band 14 (10MHz)\_Body\_Back Surface\_CH 23330\_QPSK\_1-0 5mm

Communication System: LTE; Frequency: 793 MHz; Duty cycle= 1:1

Medium parameters used: f = 793 MHz;  $\sigma$  = 0.937 S/m;  $\epsilon_r$  = 41.926;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 793 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.151 W/kg

# **Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.859 V/m: Power Drift = 0.04 dB


Peak SAR (extrapolated) = 0.226 W/kg

# SAR(1 g) = 0.118 W/kg; SAR(10 g) = 0.067 W/kg

Smallest distance from peaks to all points 3 dB below = 8.3 mm

Ratio of SAR at M2 to SAR at M1 = 58.1%

Maximum value of SAR (measured) = 0.162 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 260 of 297

Date: 2022/11/20

ID: 040

Report No. :TESA2211000479EN

# LTE Band 25 (20MHz)\_Body\_Back Surface\_CH 26365\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 1882.5 MHz; Duty cycle= 1:1

Medium parameters used: f = 1882.5 MHz;  $\sigma$  = 1.428 S/m;  $ε_r$  = 40.288; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

#### DASY5 Configuration:

 Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1882.5 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.390 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.677 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 0.554 W/kg

SAR(1 g) = 0.318 W/kg; SAR(10 g) = 0.172 W/kg

Smallest distance from peaks to all points 3 dB below = 10.7 mm

Ratio of SAR at M2 to SAR at M1 = 59.2%

Maximum value of SAR (measured) = 0.427 W/kg



0 dB = 0.390 W/kg = -4.09 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此规生处甲酰基则能产之稀具有类,同时供养具体保现00千。大规生主领大公司非否论可,无可如公泊制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 261 of 297

Date: 2022/11/18

ID: 041

Report No.: TESA2211000479EN

# LTE Band 26 (15MHz)\_Body\_Back Surface\_CH 26965\_QPSK\_1-0 5mm

Communication System: LTE; Frequency: 841.5 MHz; Duty cycle= 1:1

Medium parameters used: f = 841.5 MHz;  $\sigma$  = 0.9 S/m;  $\epsilon_r$  = 41.921;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 841.5 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.169 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.028 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 0.232 W/kg

SAR(1 g) = 0.129 W/kg; SAR(10 g) = 0.074 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 57.6%

Maximum value of SAR (measured) = 0.174 W/kg



0 dB = 0.169 W/kg = -7.72 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 262 of 297

Date: 2022/11/19

ID: 042

Report No.: TESA2211000479EN

# LTE Band 66 (20MHz)\_Body\_Top Edge\_CH 132072\_QPSK\_1-0 10mm

Communication System: LTE; Frequency: 1720 MHz; Duty cycle= 1:1

Medium parameters used: f = 1720 MHz;  $\sigma$  = 1.343 S/m;  $\varepsilon_r$  = 40.529;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1720 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.636 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.01 V/m: Power Drift = -0.15 dB


Peak SAR (extrapolated) = 0.722 W/kg

SAR(1 g) = 0.459 W/kg; SAR(10 g) = 0.268 W/kg

Smallest distance from peaks to all points 3 dB below = 11.2 mm

Ratio of SAR at M2 to SAR at M1 = 64.8%

Maximum value of SAR (measured) = 0.601 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 263 of 297

Date: 2022/11/17

ID: 043

Report No.: TESA2211000479EN

LTE Band 71 (20MHz)\_Body\_Back Surface\_CH 133372\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 688 MHz; Duty cycle= 1:1

Medium parameters used: f = 688 MHz;  $\sigma$  = 0.859 S/m;  $\varepsilon_r$  = 42.435;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 688 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.606 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.605 V/m; Power Drift = 0.03 dB


Peak SAR (extrapolated) = 1.05 W/kg

SAR(1 g) = 0.474 W/kg; SAR(10 g) = 0.240 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 53.1%

Maximum value of SAR (measured) = 0.662 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 264 of 297

Date: 2022/11/21

ID: 044

Report No.: TESA2211000479EN

# LTE Band 41 (20MHz)\_Body\_Back Surface\_CH 41055\_QPSK\_1-0 5mm

Communication System: LTE; Frequency: 2636.5 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 2636.5 MHz;  $\sigma = 1.994 \text{ S/m}$ ;  $\varepsilon_r = 39.012$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2636.5 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.254 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.318 V/m; Power Drift = 0.07 dB


Peak SAR (extrapolated) = 0.345 W/kg

SAR(1 g) = 0.165 W/kg; SAR(10 g) = 0.074 W/kg

Smallest distance from peaks to all points 3 dB below = 8.1 mm

Ratio of SAR at M2 to SAR at M1 = 50.2%

Maximum value of SAR (measured) = 0.256 W/kg



0 dB = 0.254 W/kg = -5.95 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 265 of 297

Date: 2022/11/23

ID: 045

Report No.: TESA2211000479EN

# LTE Band 42 (20MHz)\_Body\_Back Surface\_CH 43490\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 3590 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 3590 MHz;  $\sigma = 2.985 \text{ S/m}$ ;  $\epsilon_r = 38.832$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.01, 7.01, 7.01) @ 3590 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

• Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.39 W/kg

# **Zoom Scan (7x7x8)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=4mm

Reference Value = 4.936 V/m: Power Drift = 0.04 dB


Peak SAR (extrapolated) = 1.96 W/kg

# SAR(1 g) = 0.725 W/kg; SAR(10 g) = 0.244 W/kg

Smallest distance from peaks to all points 3 dB below = 5.4 mm

Ratio of SAR at M2 to SAR at M1 = 46.6%

Maximum value of SAR (measured) = 1.34 W/kg



0 dB = 1.39 W/kg = 1.42 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 266 of 297

Date: 2022/11/24

ID: 046

Report No.: TESA2211000479EN

# LTE Band 43 (20MHz)\_Body\_Back Surface\_CH 44590\_QPSK\_1-0 5mm

Communication System: LTE; Frequency: 3700 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 3700 MHz;  $\sigma = 3.095 \text{ S/m}$ ;  $\epsilon_r = 38.607$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.7°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(6.9, 6.9, 6.9) @ 3700 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.582 W/kg

# **Zoom Scan (7x7x8)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=4mm

Reference Value = 2.573 V/m: Power Drift = 0.08 dB


Peak SAR (extrapolated) = 0.804 W/kg

# SAR(1 g) = 0.346 W/kg; SAR(10 g) = 0.134 W/kg

Smallest distance from peaks to all points 3 dB below = 7.6 mm

Ratio of SAR at M2 to SAR at M1 = 51.7%

Maximum value of SAR (measured) = 0.580 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 267 of 297

Date: 2022/11/24

ID: 047

Report No.: TESA2211000479EN

# LTE Band 48 (20MHz)\_Body\_Back Surface\_CH 56640\_QPSK\_1-0\_5mm

Communication System: LTE; Frequency: 3690 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 3690 MHz;  $\sigma$  = 3.086 S/m;  $\varepsilon_r$  = 38.621;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.7°C

# **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(6.9, 6.9, 6.9) @ 3690 MHz; Calibrated: 2022/1/26

• Sensor-Surface: 2mm (Mechanical Surface Detection)

• Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.535 W/kg

# Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=4mm

Reference Value = 3.666 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 0.798 W/kg

# SAR(1 g) = 0.350 W/kg; SAR(10 g) = 0.134 W/kg

Smallest distance from peaks to all points 3 dB below = 7.6 mm

Ratio of SAR at M2 to SAR at M1 = 53.2%

Maximum value of SAR (measured) = 0.581 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

505 laiwan Eta.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 268 of 297

Date: 2022/11/20

ID: 048

Report No.: TESA2211000479EN

WCDMA Band II\_Body\_Top Edge\_CH 9538\_0mm

Communication System: WCDMA; Frequency: 1907.6 MHz; Duty cycle= 1:1

Medium parameters used: f = 1908 MHz;  $\sigma = 1.456$  S/m;  $\epsilon_r = 40.267$ ;  $\rho = 1000$  kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1907.6 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.650 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.685 V/m; Power Drift = 0.18 dB


Peak SAR (extrapolated) = 0.812 W/kg

SAR(1 g) = 0.451 W/kg; SAR(10 g) = 0.215 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 59.6%

Maximum value of SAR (measured) = 0.628 W/kg



0 dB = 0.650 W/kg = -1.87 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 269 of 297

Date: 2022/11/19

ID: 049

Report No.: TESA2211000479EN

WCDMA Band IV\_Body\_Back Surface\_CH 1412\_0mm

Communication System: WCDMA; Frequency: 1732.4 MHz; Duty cycle= 1:1

Medium parameters used: f = 1732.4 MHz;  $\sigma$  = 1.356 S/m;  $ε_r$  = 40.516; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1732.4 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.947 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 5.074 V/m: Power Drift = 0.12 dB


Peak SAR (extrapolated) = 1.17 W/kg

SAR(1 g) = 0.609 W/kg; SAR(10 g) = 0.305 W/kg

Smallest distance from peaks to all points 3 dB below = 8.6 mm

Ratio of SAR at M2 to SAR at M1 = 51%

Maximum value of SAR (measured) = 0.878 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 270 of 297

Date: 2022/11/18

ID: 050

Report No.: TESA2211000479EN

WCDMA Band V\_Body\_Top Edge\_CH 4233\_0mm

Communication System: WCDMA; Frequency: 846.6 MHz; Duty cycle= 1:1

Medium parameters used: f = 847 MHz;  $\sigma = 0.908 \text{ S/m}$ ;  $\varepsilon_r = 41.913$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

#### **DASY5** Configuration:

 Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 846.6 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x91x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.558 W/kg

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.949 V/m; Power Drift = 0.06 dB


Peak SAR (extrapolated) = 0.718 W/kg

SAR(1 g) = 0.398 W/kg; SAR(10 g) = 0.220 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 58.4%

Maximum value of SAR (measured) = 0.551 W/kg



0 dB = 0.558 W/kg = -2.53 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非星有的阻,此数华结果做影响建立核晶色香,同时此樣是做保留的手。木数华主领木公司畫而達可,不可無价複制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Idiwan Eta.



Page: 271 of 297

Date: 2022/11/20

ID: 051

Report No. :TESA2211000479EN

# LTE Band 2 (20MHz)\_Body\_Top Edge\_CH 19100\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 1900 MHz; Duty cycle= 1:1

Medium parameters used: f = 1900 MHz;  $\sigma = 1.446 \text{ S/m}$ ;  $\varepsilon_r = 40.276$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1900 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x91x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.627 W/kg

# Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.892 V/m; Power Drift = 0.14 dB


Peak SAR (extrapolated) = 0.756 W/kg

# SAR(1 g) = 0.429 W/kg; SAR(10 g) = 0.207 W/kg

Smallest distance from peaks to all points 3 dB below = 8.3 mm

Ratio of SAR at M2 to SAR at M1 = 60.1%

Maximum value of SAR (measured) = 0.599 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 272 of 297

Date: 2022/11/19

ID: 052

Report No.: TESA2211000479EN

LTE Band 4 (20MHz)\_Body\_Back Surface\_CH 20300\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 1745 MHz; Duty cycle= 1:1

Medium parameters used: f = 1745 MHz;  $\sigma$  = 1.37 S/m;  $\varepsilon_r$  = 40.499;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1745 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.954 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 5.798 V/m: Power Drift = 0.12 dB


Peak SAR (extrapolated) = 1.24 W/kg

SAR(1 g) = 0.644 W/kg; SAR(10 g) = 0.325 W/kg

Smallest distance from peaks to all points 3 dB below = 9.3 mm

Ratio of SAR at M2 to SAR at M1 = 52%

Maximum value of SAR (measured) = 0.931 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 273 of 297

Date: 2022/11/18

ID: 053

Report No.: TESA2211000479EN

# LTE Band 5 (10MHz)\_Body\_Top Edge\_CH 20600\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 844 MHz; Duty cycle= 1:1

Medium parameters used: f = 844 MHz;  $\sigma = 0.904 \text{ S/m}$ ;  $\epsilon_r = 41.92$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

• Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 844 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.521 W/kg

# Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.807 V/m; Power Drift = 0.08 dB


Peak SAR (extrapolated) = 0.661 W/kg

# SAR(1 g) = 0.372 W/kg; SAR(10 g) = 0.207 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 59%

Maximum value of SAR (measured) = 0.511 W/kg



0 dB = 0.521 W/kg = -2.83 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 274 of 297

Date: 2022/11/22

ID: 054

Report No.: TESA2211000479EN

LTE Band 7 (20MHz)\_Body\_Top Edge\_CH 21350\_QPSK\_1-0\_0mm

Communication System: LTE; Frequency: 2560 MHz; Duty cycle= 1:1

Medium parameters used: f = 2560 MHz;  $\sigma = 1.926 \text{ S/m}$ ;  $\epsilon_r = 39.257$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 22.0°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2560 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x111x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.766 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 4.512 V/m: Power Drift = 0.11 dB


Peak SAR (extrapolated) = 0.995 W/kg

SAR(1 g) = 0.500 W/kg; SAR(10 g) = 0.230 W/kg

Smallest distance from peaks to all points 3 dB below = 6.7 mm

Ratio of SAR at M2 to SAR at M1 = 55.8%

Maximum value of SAR (measured) = 0.709 W/kg



0 dB = 0.766 W/kg = -1.16 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www

documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 275 of 297

Date: 2022/11/17

ID: 055

Report No.: TESA2211000479EN

# LTE Band 14 (10MHz)\_Body\_Top Edge\_CH 23330\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 793 MHz; Duty cycle= 1:1

Medium parameters used: f = 793 MHz;  $\sigma$  = 0.937 S/m;  $\epsilon_r$  = 41.926;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 793 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

• Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x91x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.486 W/kg

# **Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.825 V/m: Power Drift = 0.14 dB


Peak SAR (extrapolated) = 0.579 W/kg

# SAR(1 g) = 0.347 W/kg; SAR(10 g) = 0.203 W/kg

Smallest distance from peaks to all points 3 dB below = 11.2 mm

Ratio of SAR at M2 to SAR at M1 = 60.8%

Maximum value of SAR (measured) = 0.460 W/kg



0 dB = 0.486 W/kg = -3.14 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 276 of 297

Date: 2022/11/20

ID: 056

Report No.: TESA2211000479EN

# LTE Band 25 (20MHz)\_Body\_Top Edge\_CH 26590\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 1905 MHz; Duty cycle= 1:1

Medium parameters used: f = 1905 MHz;  $\sigma = 1.452 \text{ S/m}$ ;  $\epsilon_r = 40.271$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1905 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (41x91x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.644 W/kg

# **Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.692 V/m: Power Drift = 0.13 dB


Peak SAR (extrapolated) = 0.807 W/kg

# SAR(1 g) = 0.452 W/kg; SAR(10 g) = 0.216 W/kg

Smallest distance from peaks to all points 3 dB below = 8.2 mm

Ratio of SAR at M2 to SAR at M1 = 59.9%

Maximum value of SAR (measured) = 0.631 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 277 of 297

Date: 2022/11/18

ID: 057

Report No.: TESA2211000479EN

# LTE Band 26 (15MHz)\_Body\_Top Edge\_CH 26965\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 841.5 MHz; Duty cycle= 1:1

Medium parameters used: f = 841.5 MHz;  $\sigma$  = 0.9 S/m;  $\epsilon_r$  = 41.921;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 841.5 MHz; Calibrated:

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x91x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.527 W/kg

# Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 2.371 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 0.673 W/kg

# SAR(1 g) = 0.378 W/kg; SAR(10 g) = 0.211 W/kg

Smallest distance from peaks to all points 3 dB below = 9.6 mm

Ratio of SAR at M2 to SAR at M1 = 58.6%

Maximum value of SAR (measured) = 0.520 W/kg



0 dB = 0.527 W/kg = -2.79 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 278 of 297

Date: 2022/11/19

ID: 058

Report No.: TESA2211000479EN

LTE Band 66 (20MHz)\_Body\_Back Surface\_CH 132322\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 1745 MHz; Duty cycle= 1:1

Medium parameters used: f = 1745 MHz;  $\sigma$  = 1.37 S/m;  $\epsilon_r$  = 40.499;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1745 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x81x1):** Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 0.949 W/kg

**Zoom Scan (5x5x7)/Cube 0:** Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 5.231 V/m: Power Drift = 0.09 dB


Peak SAR (extrapolated) = 1.21 W/kg

SAR(1 g) = 0.631 W/kg; SAR(10 g) = 0.319 W/kg

Smallest distance from peaks to all points 3 dB below = 9.1 mm

Ratio of SAR at M2 to SAR at M1 = 52.5%

Maximum value of SAR (measured) = 0.929 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 279 of 297

Date: 2022/11/22

ID: 059

Report No.: TESA2211000479EN

LTE Band 41 (20MHz)\_Body\_Top Edge\_CH 41490\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 2680 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 2680 MHz;  $\sigma = 2.024 \text{ S/m}$ ;  $\epsilon_r = 39.017$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 22.0°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2680 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x111x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.438 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.251 V/m: Power Drift = 0.05 dB


Peak SAR (extrapolated) = 0.638 W/kg

SAR(1 g) = 0.291 W/kg; SAR(10 g) = 0.128 W/kg

Smallest distance from peaks to all points 3 dB below = 8 mm

Ratio of SAR at M2 to SAR at M1 = 48.2%

Maximum value of SAR (measured) = 0.466 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 280 of 297

Date: 2022/11/24

ID: 060

Report No.: TESA2211000479EN

LTE Band 43 (20MHz)\_Body\_Top Edge\_CH 45490\_QPSK\_1-0 0mm

Communication System: LTE; Frequency: 3790 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 3790 MHz;  $\sigma = 3.188 \text{ S/m}$ ;  $\epsilon_r = 38.474$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.7°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(6.9, 6.9, 6.9) @ 3790 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (51x111x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 0.783 W/kg

**Zoom Scan (7x7x8)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=4mm

Reference Value = 3.952 V/m: Power Drift = 0.06 dB


Peak SAR (extrapolated) = 1.21 W/kg

SAR(1 g) = 0.456 W/kg; SAR(10 g) = 0.164 W/kg

Smallest distance from peaks to all points 3 dB below = 6.7 mm

Ratio of SAR at M2 to SAR at M1 = 46.2%

Maximum value of SAR (measured) = 0.805 W/kg



0 dB = 0.783 W/kg = -1.06 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www. documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 281 of 297

Date: 2022/11/24

ID: 061

Report No.: TESA2211000479EN

LTE Band 48 (20MHz) Body Back Surface CH 56150 QPSK 1-0 0mm

Communication System: LTE; Frequency: 3641 MHz; Duty cycle= 1:1.59956

Medium parameters used: f = 3641 MHz;  $\sigma = 3.038 \text{ S/m}$ ;  $\varepsilon_r = 38.705$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.7°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(6.9, 6.9, 6.9) @ 3641 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x101x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 1.22 W/kg

# **Zoom Scan (7x7x8)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=4mm

Reference Value = 3.015 V/m; Power Drift = 0.09 dB


Peak SAR (extrapolated) = 1.71 W/kg

### SAR(1 q) = 0.628 W/kq; SAR(10 q) = 0.208 W/kq

Smallest distance from peaks to all points 3 dB below = 5.1 mm

Ratio of SAR at M2 to SAR at M1 = 46.5%

Maximum value of SAR (measured) = 1.17 W/kg



0 dB = 1.22 W/kg = 0.85 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 282 of 297

Date: 2022/11/17

Report No.: TESA2211000479EN

**Dipole 750 MHz\_SN:1015** 

Communication System: CW; Frequency: 750 MHz; Duty cycle= 1:1

Medium parameters used: f = 750 MHz;  $\sigma = 0.906 \text{ S/m}$ ;  $\varepsilon_r = 42.112$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 21.9°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.2, 10.2, 10.2) @ 750 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x141x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 2.57 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 54.65 V/m; Power Drift = 0.02 dB


Peak SAR (extrapolated) = 2.97 W/kg

SAR(1 g) = 2.09 W/kg; SAR(10 g) = 1.41 W/kg

Smallest distance from peaks to all points 3 dB below: Larger than measurement grid

Ratio of SAR at M2 to SAR at M1 = 70%

Maximum value of SAR (measured) = 2.60 W/kg



0 dB = 2.60 W/kg = 4.15 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

,No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 283 of 297

Date: 2022/11/18

Report No.: TESA2211000479EN Dipole 835 MHz SN:4d063

Communication System: CW; Frequency: 835 MHz; Duty cycle= 1:1

Medium parameters used: f = 835 MHz;  $\sigma = 0.888 \text{ S/m}$ ;  $\epsilon_r = 41.957$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.4°C; Liquid temperature: 21.8°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(10.04, 10.04, 10.04) @ 835 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (81x121x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 3.18 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 60.94 V/m: Power Drift = 0.08 dB


Peak SAR (extrapolated) = 3.75 W/kg

SAR(1 g) = 2.53 W/kg; SAR(10 g) = 1.66 W/kg

Smallest distance from peaks to all points 3 dB below = 19.4 mm

Ratio of SAR at M2 to SAR at M1 = 67.2%

Maximum value of SAR (measured) = 3.17 W/kg



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 284 of 297

Date: 2022/11/19

Report No.: TESA2211000479EN Dipole 1750 MHz\_SN:1008

Communication System: UID 10000, CW; Frequency: 1750 MHz; Duty cycle= 1:1 Medium parameters used: f = 1750 MHz;  $\sigma = 1.375 \text{ S/m}$ ;  $\varepsilon_r = 40.48$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.6°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.9, 8.9, 8.9) @ 1750 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (41x71x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 13.6 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 85.38 V/m; Power Drift = -0.02 dB


Peak SAR (extrapolated) = 17.0 W/kg

SAR(1 g) = 8.98 W/kg; SAR(10 g) = 4.7 W/kg

Smallest distance from peaks to all points 3 dB below = 11 mm

Ratio of SAR at M2 to SAR at M1 = 53.3%

Maximum value of SAR (measured) = 13.0 W/kg



0 dB = 13.6 W/kg = 11.32 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

,No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 285 of 297

Date: 2022/11/20

Report No.: TESA2211000479EN **Dipole 1900 MHz SN:5d173** 

Communication System: CW; Frequency: 1900 MHz; Duty cycle= 1:1

Medium parameters used: f = 1900 MHz;  $\sigma = 1.446 \text{ S/m}$ ;  $\epsilon_r = 40.276$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.1°C; Liquid temperature: 22.4°C

# DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(8.44, 8.44, 8.44) @ 1900 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x81x1): Interpolated grid: dx=15 mm, dy=15 mm

Maximum value of SAR (interpolated) = 15.7 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 99.16 V/m; Power Drift = 0.13 dB


Peak SAR (extrapolated) = 19.3 W/kg

SAR(1 g) = 10.2 W/kg; SAR(10 g) = 5.28 W/kg

Smallest distance from peaks to all points 3 dB below = 10 mm

Ratio of SAR at M2 to SAR at M1 = 52.9%

Maximum value of SAR (measured) = 14.8 W/kg



0 dB = 15.7 W/kg = 11.97 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 286 of 297

Date: 2022/11/21

Report No.: TESA2211000479EN **Dipole 2600 MHz SN:1005** 

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: f = 2600 MHz;  $\sigma = 1.964 \text{ S/m}$ ;  $\epsilon_r = 39.086$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 21.9°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2600 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 22.9 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 101.1 V/m; Power Drift = 0.12 dB


Peak SAR (extrapolated) = 32.0 W/kg

SAR(1 g) = 14.1 W/kg; SAR(10 g) = 6.14 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 43.9%

Maximum value of SAR (measured) = 22.5 W/kg



0 dB = 22.9 W/kg = 13.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 287 of 297

Date: 2022/11/22

Report No.: TESA2211000479EN Dipole 2600 MHz\_SN:1005

Communication System: CW; Frequency: 2600 MHz; Duty cycle= 1:1

Medium parameters used: f = 2600 MHz;  $\sigma = 1.958 \text{ S/m}$ ;  $\epsilon_r = 39.168$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 21.5°C; Liquid temperature: 22.0°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.78, 7.78, 7.78) @ 2600 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 23.3 W/kg

**Zoom Scan (7x7x7)/Cube 0:** Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 103.2 V/m; Power Drift = 0.05 dB


Peak SAR (extrapolated) = 32.5 W/kg

SAR(1 g) = 14.3 W/kg; SAR(10 g) = 6.18 W/kg

Smallest distance from peaks to all points 3 dB below = 9 mm

Ratio of SAR at M2 to SAR at M1 = 43.9%

Maximum value of SAR (measured) = 22.9 W/kg



0 dB = 23.3 W/kg = 13.68 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 288 of 297

Date: 2022/11/23

Report No. :TESA2211000479EN Dipole 3500 MHz\_SN:1009

Communication System: CW; Frequency: 3500 MHz; Duty cycle= 1:1

Medium parameters used: f = 3500 MHz;  $\sigma$  = 2.901 S/m;  $ε_r$  = 38.951; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 21.9°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(7.01, 7.01, 7.01) @ 3500 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

• Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (71x81x1):** Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 11.1 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 66.21 V/m; Power Drift = -0.04 dB


Peak SAR (extrapolated) = 15.6 W/kg

SAR(1 g) = 6.52 W/kg; SAR(10 g) = 2.61 W/kg

Smallest distance from peaks to all points 3 dB below = 8.8 mm

Ratio of SAR at M2 to SAR at M1 = 68.8%

Maximum value of SAR (measured) = 10.7 W/kg



0 dB = 10.7 W/kg = 10.29 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 289 of 297

Date: 2022/11/24

Report No. :TESA2211000479EN Dipole 3700 MHz\_SN:1074

Communication System: CW; Frequency: 3700 MHz; Duty cycle= 1:1

Medium parameters used: f = 3700 MHz;  $\sigma$  = 3.095 S/m; ε<sub>r</sub> = 38.607;  $\rho$  = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.7°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN7466; ConvF(6.9, 6.9, 6.9) @ 3700 MHz; Calibrated: 2022/1/26

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1260; Calibrated: 2022/9/22

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (61x71x1):** Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 12.5 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 56.91 V/m; Power Drift = 0.06 dB


Peak SAR (extrapolated) = 16.3 W/kg

SAR(1 g) = 6.7 W/kg; SAR(10 g) = 2.56 W/kg

Smallest distance from peaks to all points 3 dB below = 8.8 mm

Ratio of SAR at M2 to SAR at M1 = 70%

Maximum value of SAR (measured) = 11.5 W/kg



0 dB = 11.5 W/kg = 10.61 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 290 of 297

Date: 2022/6/20

Report No. :TESA2206000138EN

Dipole 2450 MHz\_SN:727

Communication System: CW; Frequency: 2450 MHz; Duty cycle= 1:1

Medium parameters used: f = 2450 MHz;  $\sigma = 1.842 \text{ S/m}$ ;  $\epsilon_r = 37.709$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.4°C; Liquid temperature: 22.1°C

# **DASY5** Configuration:

Probe: EX3DV4 - SN3770; ConvF(8.2, 8.2, 8.2) @ 2450 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

· Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (51x61x1):** Interpolated grid: dx=12 mm, dy=12 mm

Maximum value of SAR (interpolated) = 18.1 W/kg

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 99.69 V/m; Power Drift = 0.04 dB


Peak SAR (extrapolated) = 25.9 W/kg

SAR(1 g) = 13 W/kg; SAR(10 g) = 6.25 W/kg

Smallest distance from peaks to all points 3 dB below = 9.8 mm

Ratio of SAR at M2 to SAR at M1 = 51.1%

Maximum value of SAR (measured) = 16.7 W/kg



0 dB = 16.7 W/kg = 12.23 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Idiwali Etd.



Page: 291 of 297

Date: 2022/6/21

Report No.: TESA2206000138EN Dipole 5250 MHz SN:1023

Communication System: CW; Frequency: 5250 MHz; Duty cycle= 1:1

Medium parameters used: f = 5250 MHz;  $\sigma = 4.666 \text{ S/m}$ ;  $\epsilon_r = 36.897$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.2°C; Liquid temperature: 21.8°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.6, 5.6, 5.6) @ 5250 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 15.2 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 61.79 V/m; Power Drift = 0.12 dB


Peak SAR (extrapolated) = 28.5 W/kg

SAR(1 g) = 7.79 W/kg; SAR(10 g) = 2.3 W/kg

Smallest distance from peaks to all points 3 dB below = 7.2 mm

Ratio of SAR at M2 to SAR at M1 = 58%

Maximum value of SAR (measured) = 15.6 W/kg



0 dB = 15.6 W/kg = 11.93 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 292 of 297

Date: 2022/6/22

Report No. :TESA2206000138EN Dipole 5600 MHz SN:1023

Communication System: CW; Frequency: 5600 MHz; Duty cycle= 1:1

Medium parameters used: f = 5600 MHz;  $\sigma = 5.119 \text{ S/m}$ ;  $\epsilon_r = 35.917$ ;  $\rho = 1000 \text{ kg/m}^3$ 

Phantom section: Flat Section

Ambient temperature: 22.3°C; Liquid temperature: 22.0°C

#### **DASY5** Configuration:

Probe: EX3DV4 - SN3770; ConvF(5, 5, 5) @ 5600 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

**Area Scan (61x61x1):** Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 15.4 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 61.81 V/m; Power Drift = 0.06 dB


Peak SAR (extrapolated) = 30.9 W/kg

SAR(1 g) = 8.03 W/kg; SAR(10 g) = 2.37 W/kg

Smallest distance from peaks to all points 3 dB below = 7.2 mm

Ratio of SAR at M2 to SAR at M1 = 55.2%

Maximum value of SAR (measured) = 15.9 W/kg



0 dB = 15.9 W/kg = 12.01 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

505 laiwan Eta.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 293 of 297

Date: 2022/6/23

Report No.: TESA2206000138EN Dipole 5750 MHz SN:1023

Communication System: CW; Frequency: 5750 MHz; Duty cycle= 1:1

Medium parameters used: f = 5750 MHz;  $\sigma$  = 5.391 S/m;  $ε_r$  = 36.357; ρ = 1000 kg/m<sup>3</sup>

Phantom section: Flat Section

Ambient temperature: 21.9°C; Liquid temperature: 22.3°C

#### DASY5 Configuration:

Probe: EX3DV4 - SN3770; ConvF(5.05, 5.05, 5.05) @ 5750 MHz; Calibrated: 2022/5/2

Sensor-Surface: 2mm (Mechanical Surface Detection)

Electronics: DAE4 Sn856; Calibrated: 2022/4/21

Phantom: ELI

DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)

Area Scan (61x61x1): Interpolated grid: dx=10 mm, dy=10 mm

Maximum value of SAR (interpolated) = 15.9 W/kg

**Zoom Scan (7x7x12)/Cube 0:** Measurement grid: dx=4mm, dy=4mm, dz=2mm

Reference Value = 58.14 V/m; Power Drift = 0.06 dB


Peak SAR (extrapolated) = 32.5 W/kg

SAR(1 g) = 7.81 W/kg; SAR(10 g) = 2.25 W/kg

Smallest distance from peaks to all points 3 dB below = 7.2 mm

Ratio of SAR at M2 to SAR at M1 = 54%

Maximum value of SAR (measured) = 16.2 W/kg



0 dB = 16.2 W/kg = 12.10 dBW/kg

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Report No.: TESA2206000138EN

Measurement Report for Device, FRONT, Validation band,

CW, Channel 6500 (6500.0 MHz), SN:1006

Ambient temperature: 22.6°C; Liquid temperature: 22.4°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 5.00	5.65	6.216	35.592

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	36.0 x 51.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	6.0 x 8.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	25.0	29.5
psSAR8g [W/kg]	6.19	6.80
psSAR10g [W/kg]	5.13	5.59
psPDab (4.0cm2, sq) [W/m2]		136
Power Drift [dB]	-0.02	0.02
M2/M1 [%]		51.6
Dist 3dB Peak [mm]		4.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

United States the results shown in this test report test only to the samples) result and such samples) are tested at the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Report No.: TESA2211000479EN

Page: 294 of 297



Page: 295 of 297

Report No.: TESA2206000138EN

Measurement Report for Device, FRONT, Validation band,

CW, Channel 7000 (7000.0 MHz), SN:1007

Ambient temperature: 22.5°C; Liquid temperature: 22.2°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 5.00	5.85	6.766	34.992

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7466, 2022-01-26	DAE4 Sn558, 2021-11-23

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	36.0 x 45.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	6.0 x 7.5	3.0 x 3.0 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-06-24	2022-06-24
psSAR1g [W/kg]	23.9	26.7
psSAR8g [W/kg]	5.75	5.98
psSAR10g [W/kg]	4.77	4.90
psPDab (4.0cm2, sq) [W/m2]		120
Power Drift [dB]	-0.05	-0.09
M2/M1 [%]		51.7
Dist 3dB Peak [mm]		4.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 296 of 297

# 15 PD SYSTEM CHECK RESULT

Report No.: TESA2206000138EN

Measurement Report for 5G Verification Source 10GHz, FRONT, Validation band,

CW, Channel 10000 (10000.0 MHz), SN:1021

**Exposure Conditions** 

Phantom Section	Position, Test Distance [mm]	Conversion Factor
5G	FRONT, 10.00	1.0
Hardware Setup		


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave	Air -	EUmmWV4 - SN9579_F1-55GHz, 2021-10-06	DAE4 Sn558, 2021-11-23

**Scans Setup** 

Scan Type	5G Scan
Grid Extents [mm]	120.0 x 120.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0

#### Massurament Results

weasurement itesuits	
Scan Type	5G Scan
Date	2022-06-25
Avg. Area [cm <sup>2</sup> ]	4.00
psPDn+ [W/m²]	54.0
psPDtot+ [W/m²]	54.2
psPDmod+ [W/m²]	54.3
E <sub>max</sub> [V/m]	158
Power Drift [dB]	0.09



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 297 of 297

# Refer to separated files for the following appendixes.

- 16.1 SAR\_Appendix A Photographs
- 16.2 SAR Appendix B DAE & Probe Cal. Certificate
- SAR Appendix C Phantom Description & Dipole Cal. Certificate 16.3

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.