Product Name: MWC01 Bluetooth® Rechargeable badge

**Product Pictures:** 



## **Product Overview**

MWC01 is a rechargeable badge created by Minew for personnel management, which allows check-in/ out and flow monitoring. The charging port is magnetic that is easy to recharge. It is equipped with an external button and a vibration motor that is friendly to the visually impaired and can be used for first aid or status reports of the wearer.

# **Key Features**

Smart magnetic charging
Visual or auditory disability-friendly with vibration motor
Multiple RFID frequencies
492 ft (150 m) broadcast distance

# **Market Applications**

# Personnel management

With a broadcast distance of 492 ft (150 m) and a high level protection, MWC01 can be widely used in museums, aquariums and other large indoor places. Wearers' movement can be tracked so that resources can be efficiently allocated. External buttons are accompanied by vibration feedback. Functions such as first response in hospitals and task completion report in factories can be achieved with further development.

# **Smart office**

MWC01 with built-in RFID can be used for office check-ins, personnel flow monitoring, and employees' route tracing to human utilization.ts geofencing function allows access control as levels of permissions for different areas can be set. Such visitor management protects company privacy to the greatest extent possible.

# **Product Specifications**

# Basic Specifications

Body material	ABS + PC	
Color	White	
Size (L * W * H)	86 * 55 * 6 mm	
Weight	19 g ( without accessories )	
Battery	1 rechargeable battery, 290 mAh	
Charging time	Approximate 2 h (room temperature, 5 V/1 A power adapter)	
Battery life	Up to 3 months (less than average amount of clicking)	
Sensor	Accelerometer	
Button	1	
Vibration motor	1	
LED	1 RGB light	
RFID	LF/ HF/ UHF optinal	
OTA	Supported	
Configuration App	BeaconSET+ <sup>[1]</sup>	

<sup>[1]</sup> Bluetooth related SDKs are available, please contact our sales team for details.

# **Technical Specifications**

Chip	nRF52 series	
Bluetooth version	Bluetooth® LE 5.0	
Broadcast frequency	100 ms ~ 5 s	
Broadcast distance	Up to 492 ft / 150 m (open area)	
Working temperature	-20°C ~ 60°C	
Security	Password verification to change settings, restart, non-connectable mode,	
	malicious connecting proof supported	

# **Broadcast Specifications**

Type (channel)	Items	Default settings
	UUID (16 bytes)	E2C56DB5-DFFB-48D2-B060-D0F5A71096E0 (configurable)
	Major (2 bytes)	0 (0 – 65535, configurable)
	Minor (2 bytes)	0 (0 - 65535, configurable)
iBeacon	Measured power	-59 dBm (0xC5) @1 m
(on)	Tx power	0 dBm
	Interval	900 ms

UID (off)	Instance ID	00112233445566778899 (configurable)	
	Namespace ID	Random	
	Measured power	-24 dBm (0xE8) @0 m	
	Tx power	0 dBm	
	Interval	2000 ms	
	URL	https://www.minew.com/ (configurable )	
URL	Measured power	-24 dBm (0xE8) @0 m	
(off)	Tx power	0 dBm	
	Interval	2000 ms	
	Electricity mV	System built-in	
	Boot up time	System built-in	
TLM (on)	PDU packets	System built-in	
	Tx power	0 dBm	
	Interval	4000 ms	
	Device name	MWC01	
INFO	Battery level	System built-in	
(on)	MAC address	Assigned at factory	
	Tx power	-8 dBm	
	Interval	4000 ms	
ACC	Tx power	0 dBm	
(on)	(on) Interval 1000 ms		
Password	Password	minew123 (default)	
Connectable mode	Connectable or not	connectable	

# Compatibilities

Supported systems	Supported models
iOS 10.0 and above	iPhone6 /6 Plus /6S/ 6S Plus /7 /7 Plus /8 /8 Plus /x /xr /xs /xs max /SE /SE2 /11 /11 pro /11 pro max
Android 4.3 and above	LG, Samsung, Xiaomi, Huawei, Honor, OnePlus, Google Pixel, etc

### **Instruction**

#### Boot

After hold the button for 3 s, the blue light will be on for 3 s and vibrate once.

#### Shutdown

When on, you only can turn it off by the BeaconSET+ App. The blue light flashes 5 times means that it has been powered off.

## **Battery level**

When the battery is lower than 20%, the red light flashes once every 3 s. When being charged, the red light remains on. When the charging is completed, the green light remains on.

## App connection and disconnection

When connected the blue light will flash twice. When disconnected, the blue light will flash 3 times.

#### Connectable mode

MWC01 defaults to connectable mode and can be set to non-connectable mode after connecting the App. MWC01 can return to connectable mode after re-powering in non-connectable mode.

#### **Broadcast:**

Click the button once can enter the configurable mode in 1 minute.

You can set click the button twice or three times to trigger a broadcast. When click the button twice, the blue light flashes twice and the motor vibrates once. When click the button 3 times, the blue light flashes 3 times and the motor vibrates 2 times.

## **Precautions**

- 1. When the power is low, the red-light will flash to give an alarm, and please replace the battery in time.
- 2. The use time and broadcast distance fluctuate due to the environment, and the specific time is subject to the actual use.
- 3. The product can only be immersed in water for a short time and does not support use underwater.
- 4. Do not use the product above the designed working temperature to avoid damage.
- 5. It is recommended that store the product under -20°C to 40°C while charge and discharge the product per 3 months during storage when not in use.
- 6. Avoid being exposed to direct sunlight for an extended period to mitigate shell aging.
- 7. Minew will not be responsible for any damage resulting from disassembling manually.

# Certifications



### FCC Requirement

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different
- from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

# **Packaging information**

Details	Inner carton	External box
Pictures		Secret in the second in the se
Quantities	16 pcs	160 pcs
Sizes	30.5 x 11 x 7.2 cm	32 x 23.5 x 40 cm
Gross weight (with accessories)	0.57 kg	6.2 kg

# **Quality Assurance**

The factory has already obtained the certification of ISO9001 Quality System. Each product has been strictly tested (tests include transmission power, sensitivity, power consumption, stability, aging, etc.).

Warranty Period: 12 months from the date of shipping (Battery and other accessories excluded).

## **Declaration**

### **Statement of Rights:**

The contents of this manual belong to the Manufacturer of Minew Technologies Co., LTD, Shenzhen, and are protected by Chinese laws and applicable international conventions related to copyright laws. The contents can be revised by the company according to the technological development without prior notice. Anyone, companies, or organizations cannot modify the contents and cite the contents of this manual without Minew's permission, otherwise, Violators will be held accountable according to law.

#### Disclaimer:

Minew team reserves the right to the final explanation of the document and product differences. The Minew group is not responsible for liability of property or personal injury with the wrong operation if users develop related products without checking the technical specifications of this manual.

### **FCC Requirement:**

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

# **Contact Information**

# SHENZHEN MINEW TECHNOLOGIES CO., LTD.



+86 (755) 2103 8160



www.minew.com



info@minew.com



www.minewstore.com



No.8, Qinglong Road, Longhua District, Shenzhen, China