



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Wireless Speaker

Test Model: HKKARMACH

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.962	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.034	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.026	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.282	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.278	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.326	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.28	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.303	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.75	21	Pass
NVNT	1-DH5	2441	Ant1	-0.14	21	Pass
NVNT	1-DH5	2480	Ant1	0.15	21	Pass
NVNT	2-DH5	2402	Ant1	0.18	21	Pass
NVNT	2-DH5	2441	Ant1	-0.39	21	Pass
NVNT	2-DH5	2480	Ant1	-0.11	21	Pass
NVNT	3-DH5	2402	Ant1	0.27	21	Pass
NVNT	3-DH5	2441	Ant1	-0.40	21	Pass
NVNT	3-DH5	2480	Ant1	-0.07	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.002	2403.004	1.002	0.689	Pass
NVNT	2-DH5	Ant1	2402.154	2403.152	0.998	0.884	Pass
NVNT	3-DH5	Ant1	2402.142	2403	0.858	0.869	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	308.374	107	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.88	316.8	110	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	326.118	113	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-48	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-52.52	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-45.92	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.07	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.25	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.96	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.7	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-56.45	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.85	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.51	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-55.27	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.05	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.44	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.23	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.89	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.61	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.12	-20	Pass
NVNT	2-DH5	2480	Ant1	-53.22	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.1	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.42	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.22	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx, Spurious NVNT 1-DH5 2441MHz Ant1 Ref



Tx, Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx, Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx, Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx, Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx, Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx, Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx, Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx, Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx, Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx, Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx, Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx, Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx, Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx, Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx, Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.91	1.14	0.35
NVNT	2-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-49.9	2	-	47.36	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.51	2	1.14	39.89	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2355.792	-47.07	2	-	50.19	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2351.376	-57.67	2	1.14	40.73	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.18	2	-	47.08	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.27	2	1.14	40.13	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.08	2	-	47.18	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.02	2	1.14	40.38	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.288	-38.01	2	-	59.25	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.608	-55.61	2	1.14	42.79	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-48.57	2	-	48.69	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.03	2	1.14	40.37	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.7	2	-	47.56	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.73	2	1.13	39.66	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2318.16	-47.47	2	-	49.79	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2383.152	-57.6	2	1.13	40.79	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.51	2	-	46.75	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.4	2	1.13	39.99	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.81	2	-	47.45	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-58.15	2	1.14	40.25	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.184	-39.95	2	-	57.31	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.04	-56.86	2	1.14	41.54	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.85	2	-	47.41	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.32	2	1.14	40.08	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.36	2	-	46.90	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.04	2	1.13	39.35	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2362.992	-47.64	2	-	49.62	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2358.192	-57.61	2	1.13	40.78	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.74	2	-	46.52	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.04	2	1.13	40.35	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.79	2	-	47.47	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.88	2	1.13	40.51	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2497.528	-46.95	2	-	50.31	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.664	-57.09	2	1.13	41.30	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.62	2	-	48.64	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.74	2	1.13	40.65	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

