



## 802.11ax HE20 CH97



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	40.73	---	68.20	27.47	500.0	100.0	V	45.0	-8.0
1404.250000	---	29.75	54.00	24.25	500.0	100.0	H	41.0	-7.4
1700.000000	---	30.77	54.00	23.23	500.0	100.0	H	0.0	-5.9
1997.500000	43.77	---	68.20	24.43	500.0	200.0	H	335.0	-4.5
2506.750000	45.69	---	68.20	22.51	500.0	100.0	V	182.0	-2.4
2811.250000	---	34.33	54.00	19.67	500.0	200.0	H	19.0	-1.3
3471.875000	48.95	---	68.20	19.25	500.0	200.0	H	101.0	1.2
3985.500000	---	38.51	54.00	15.49	500.0	100.0	H	46.0	2.9
4491.250000	49.61	---	68.20	18.59	500.0	100.0	H	46.0	4.3
4516.625000	---	38.71	54.00	15.29	500.0	100.0	V	194.0	4.3
7541.500000	---	41.05	54.00	12.95	500.0	200.0	V	89.0	7.4
7884.500000	52.84	---	68.20	15.36	500.0	100.0	V	45.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8052.500000	---	32.34	54.00	21.66	500.0	100.0	V	334.0	-1.5
8916.250000	43.47	---	68.20	24.73	500.0	100.0	H	187.0	-1.4
9458.750000	---	33.02	54.00	20.98	500.0	200.0	H	133.0	-0.3
9633.750000	43.53	---	68.20	24.67	500.0	100.0	H	142.0	-0.8
10521.250000	43.79	---	68.20	24.41	500.0	100.0	V	7.0	-0.9
11200.000000	---	32.79	54.00	21.21	500.0	200.0	H	280.0	-0.4
13302.500000	---	34.84	54.00	19.16	500.0	200.0	H	152.0	3.3
13526.250000	46.04	---	68.20	22.16	500.0	100.0	V	268.0	3.6
15246.250000	48.30	---	68.20	19.90	500.0	100.0	H	213.0	5.8
15540.000000	---	37.79	54.00	16.21	500.0	200.0	H	140.0	6.5
17690.000000	50.72	---	68.20	17.48	500.0	100.0	V	32.0	10.2
17980.000000	---	40.53	54.00	13.47	500.0	100.0	H	356.0	10.9

## 802.11ax HE20 CH105



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	40.50	---	68.20	27.70	500.0	100.0	H	241.0	-8.0
1408.625000	---	29.99	54.00	24.01	500.0	100.0	V	319.0	-7.4
1721.875000	---	30.77	54.00	23.23	500.0	100.0	H	86.0	-5.8
1986.125000	43.55	---	68.20	24.65	500.0	200.0	V	49.0	-4.6
2610.000000	45.18	---	68.20	23.02	500.0	200.0	H	246.0	-2.1
2808.625000	---	34.14	54.00	19.86	500.0	200.0	H	320.0	-1.3
3555.000000	49.21	---	68.20	18.99	500.0	200.0	H	207.0	1.4
3990.750000	---	38.55	54.00	15.45	500.0	100.0	H	117.0	2.9
4429.125000	49.87	---	68.20	18.33	500.0	100.0	H	56.0	3.9
5122.125000	---	38.84	54.00	15.16	500.0	200.0	V	75.0	5.2
7534.500000	---	41.17	54.00	12.83	500.0	200.0	H	163.0	7.4
7965.000000	52.64	---	68.20	15.56	500.0	200.0	V	193.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8051.250000	---	32.15	54.00	21.85	500.0	200.0	H	123.0	-1.5
8512.500000	44.16	---	68.20	24.04	500.0	200.0	V	157.0	-1.6
9458.750000	---	33.11	54.00	20.89	500.0	200.0	H	239.0	-0.3
9630.000000	43.49	---	68.20	24.71	500.0	200.0	H	4.0	-0.8
10511.250000	44.02	---	68.20	24.18	500.0	100.0	V	341.0	-0.9
10665.000000	---	33.20	54.00	20.80	500.0	200.0	V	342.0	-0.7
12913.750000	46.64	---	68.20	21.56	500.0	200.0	V	226.0	2.2
13316.250000	---	34.41	54.00	19.59	500.0	200.0	H	91.0	3.3
15348.750000	49.05	---	68.20	19.15	500.0	100.0	H	267.0	6.0
15572.500000	---	38.03	54.00	15.97	500.0	100.0	V	264.0	6.6
17672.500000	51.75	---	68.20	16.45	500.0	100.0	V	118.0	10.2
17982.500000	---	40.09	54.00	13.91	500.0	100.0	H	144.0	11.0

## 802.11ax HE20 CH113



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	<b>40.80</b>	---	68.20	27.40	500.0	200.0	H	97.0	-8.2
1374.500000	---	29.63	54.00	24.37	500.0	100.0	V	0.0	-7.6
1687.750000	---	30.90	54.00	23.10	500.0	200.0	V	315.0	-5.9
1890.750000	43.14	---	68.20	25.06	500.0	200.0	V	0.0	-5.0
2676.500000	45.21	---	68.20	22.99	500.0	200.0	V	14.0	-1.9
2826.125000	---	34.46	54.00	19.54	500.0	200.0	V	22.0	-1.2
3484.125000	49.04	---	68.20	19.16	500.0	100.0	H	323.0	1.2
3988.125000	---	38.47	54.00	15.53	500.0	200.0	V	302.0	2.9
4493.875000	49.74	---	68.20	18.46	500.0	100.0	V	316.0	4.3
5430.125000	---	38.81	54.00	15.19	500.0	100.0	V	86.0	5.8
7495.125000	---	41.07	54.00	12.93	500.0	200.0	V	172.0	7.2
7961.500000	52.24	---	68.20	15.96	500.0	200.0	V	264.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8026.250000	---	32.31	54.00	21.69	500.0	200.0	H	147.0	-1.5
8856.250000	43.45	---	68.20	24.75	500.0	100.0	V	132.0	-1.4
9468.750000	---	33.04	54.00	20.96	500.0	100.0	V	248.0	-0.3
9630.000000	45.03	---	68.20	23.17	500.0	200.0	H	0.0	-0.8
10560.000000	43.41	---	68.20	24.79	500.0	200.0	H	212.0	-0.8
10672.500000	---	32.74	54.00	21.26	500.0	200.0	V	332.0	-0.7
13308.750000	---	34.27	54.00	19.73	500.0	100.0	H	231.0	3.3
13552.500000	45.93	---	68.20	22.27	500.0	200.0	H	38.0	3.6
15322.500000	48.56	---	68.20	19.64	500.0	100.0	V	72.0	5.9
15588.750000	---	37.99	54.00	16.01	500.0	100.0	H	12.0	6.7
17683.750000	50.54	---	68.20	17.66	500.0	100.0	V	114.0	10.2
17977.500000	---	40.16	54.00	13.84	500.0	100.0	V	1.0	10.9

## 802.11ax HE20 CH117



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1285.250000	40.64	---	68.20	27.56	500.0	200.0	H	65.0	-8.1
1407.750000	---	29.77	54.00	24.23	500.0	100.0	H	129.0	-7.4
1582.750000	---	30.87	54.00	23.13	500.0	100.0	V	191.0	-6.4
1928.375000	43.43	---	68.20	24.77	500.0	100.0	H	111.0	-4.8
2647.625000	45.12	---	68.20	23.08	500.0	200.0	V	108.0	-1.9
2820.875000	---	34.43	54.00	19.57	500.0	200.0	H	41.0	-1.3
3475.375000	49.07	---	68.20	19.13	500.0	200.0	H	194.0	1.2
3986.375000	---	38.83	54.00	15.17	500.0	100.0	H	195.0	2.9
4449.250000	50.51	---	68.20	17.69	500.0	100.0	V	216.0	3.9
5393.375000	---	38.77	54.00	15.23	500.0	100.0	V	296.0	5.7
7645.625000	---	41.22	54.00	12.78	500.0	200.0	V	282.0	7.6
7968.500000	51.93	---	68.20	16.27	500.0	200.0	H	97.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8031.250000	---	32.09	54.00	21.91	500.0	200.0	H	75.0	-1.5
8815.000000	43.82	---	68.20	24.38	500.0	200.0	V	221.0	-1.5
9466.250000	---	33.19	54.00	20.81	500.0	200.0	V	99.0	-0.3
9680.000000	44.63	---	68.20	23.57	500.0	200.0	V	0.0	-0.8
10553.750000	43.72	---	68.20	24.48	500.0	100.0	H	198.0	-0.8
10678.750000	---	33.14	54.00	20.86	500.0	200.0	V	112.0	-0.7
13301.250000	---	34.44	54.00	19.56	500.0	200.0	H	137.0	3.3
13735.000000	45.87	---	68.20	22.33	500.0	200.0	V	0.0	3.9
15256.250000	48.62	---	68.20	19.58	500.0	100.0	V	27.0	5.8
15567.500000	---	37.91	54.00	16.09	500.0	100.0	H	307.0	6.6
17675.000000	51.58	---	68.20	16.62	500.0	100.0	H	95.0	10.2
17977.500000	---	40.65	54.00	13.35	500.0	100.0	V	339.0	10.9

## 802.11ax HE20 CH157



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	40.79	---	68.20	27.41	500.0	100.0	H	201.0	-8.2
1392.875000	---	29.90	54.00	24.10	500.0	100.0	H	299.0	-7.5
1686.000000	---	30.79	54.00	23.21	500.0	100.0	V	214.0	-6.0
1923.125000	44.01	---	68.20	24.19	500.0	100.0	H	275.0	-4.8
2646.750000	45.58	---	68.20	22.62	500.0	200.0	V	306.0	-2.0
2822.625000	---	34.17	54.00	19.83	500.0	200.0	H	295.0	-1.3
3543.625000	49.05	---	68.20	19.15	500.0	100.0	H	116.0	1.4
3985.500000	---	38.77	54.00	15.23	500.0	100.0	V	141.0	2.9
4456.250000	49.99	---	68.20	18.21	500.0	100.0	H	221.0	4.0
4938.375000	---	38.77	54.00	15.23	500.0	200.0	H	76.0	5.1
7485.500000	---	41.18	54.00	12.82	500.0	100.0	V	281.0	7.2
7863.500000	52.24	---	68.20	15.96	500.0	100.0	V	287.0	8.1



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8478.750000	---	32.14	54.00	21.86	500.0	200.0	V	349.0	-1.6
8526.250000	43.83	---	68.20	24.37	500.0	100.0	V	294.0	-1.6
9456.250000	---	33.18	54.00	20.82	500.0	200.0	H	58.0	-0.3
9946.250000	44.41	---	68.20	23.79	500.0	200.0	H	147.0	-0.9
10547.500000	43.93	---	68.20	24.27	500.0	200.0	H	13.0	-0.8
10675.000000	---	32.98	54.00	21.02	500.0	200.0	H	51.0	-0.7
13312.500000	---	34.50	54.00	19.50	500.0	200.0	H	39.0	3.3
13551.250000	46.10	---	68.20	22.10	500.0	200.0	V	349.0	3.6
15297.500000	48.97	---	68.20	19.23	500.0	100.0	V	182.0	5.9
15592.500000	---	37.95	54.00	16.05	500.0	200.0	V	180.0	6.7
17688.750000	51.49	---	68.20	16.71	500.0	100.0	V	127.0	10.2
17986.250000	---	40.23	54.00	13.77	500.0	100.0	H	253.0	11.0

## 802.11ax HE20 CH181



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	<b>40.56</b>	---	68.20	27.64	500.0	100.0	H	193.0	-8.2
1393.750000	---	<b>29.88</b>	54.00	24.12	500.0	100.0	V	351.0	-7.5
1578.375000	---	<b>30.90</b>	54.00	23.10	500.0	100.0	H	298.0	-6.5
1933.625000	<b>43.59</b>	---	68.20	24.61	500.0	100.0	V	129.0	-4.8
2462.125000	<b>44.76</b>	---	68.20	23.44	500.0	200.0	V	265.0	-2.6
2728.125000	---	<b>34.27</b>	54.00	19.73	500.0	100.0	H	304.0	-1.6
3577.750000	<b>49.33</b>	---	68.20	18.87	500.0	200.0	H	72.0	1.5
3991.625000	---	<b>38.90</b>	54.00	15.10	500.0	200.0	H	325.0	2.9
4491.250000	<b>49.86</b>	---	68.20	18.34	500.0	100.0	V	283.0	4.3
4520.125000	---	<b>38.69</b>	54.00	15.31	500.0	100.0	H	273.0	4.3
7538.875000	---	<b>41.11</b>	54.00	12.89	500.0	100.0	V	68.0	7.4
7963.250000	<b>52.59</b>	---	68.20	15.61	500.0	200.0	V	181.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	32.29	54.00	21.71	500.0	100.0	V	126.0	-1.5
8986.250000	43.89	---	68.20	24.31	500.0	100.0	V	156.0	-1.4
9453.750000	---	33.18	54.00	20.82	500.0	100.0	V	58.0	-0.4
9877.500000	44.61	---	68.20	23.59	500.0	100.0	V	65.0	-0.7
10536.250000	44.54	---	68.20	23.66	500.0	100.0	H	0.0	-0.9
10670.000000	---	32.77	54.00	21.23	500.0	200.0	V	261.0	-0.7
13318.750000	---	34.67	54.00	19.33	500.0	200.0	H	235.0	3.3
13518.750000	46.17	---	68.20	22.03	500.0	100.0	H	348.0	3.6
15283.750000	49.12	---	68.20	19.08	500.0	100.0	H	291.0	5.9
15573.750000	---	37.91	54.00	16.09	500.0	200.0	H	204.0	6.6
17668.750000	51.11	---	68.20	17.09	500.0	100.0	V	4.0	10.2
17983.750000	---	40.22	54.00	13.78	500.0	200.0	V	298.0	11.0

## 802.11ax HE20 CH185



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.000000	40.47	---	68.20	27.73	500.0	200.0	V	277.0	-8.2
1391.125000	---	29.69	54.00	24.31	500.0	100.0	V	0.0	-7.5
1688.625000	---	30.65	54.00	23.35	500.0	100.0	V	257.0	-5.9
1915.250000	43.86	---	68.20	24.34	500.0	100.0	H	356.0	-4.9
2679.125000	45.11	---	68.20	23.09	500.0	200.0	H	137.0	-1.9
2809.500000	---	33.92	54.00	20.08	500.0	100.0	H	0.0	-1.3
3434.250000	49.68	---	68.20	18.52	500.0	200.0	V	271.0	1.0
3989.875000	---	38.47	54.00	15.53	500.0	100.0	V	96.0	2.9
4499.125000	49.55	---	68.20	18.65	500.0	100.0	V	158.0	4.3
4513.125000	---	38.81	54.00	15.19	500.0	100.0	H	204.0	4.3
7550.250000	---	41.11	54.00	12.89	500.0	200.0	V	355.0	7.4
7956.250000	52.65	---	68.20	15.55	500.0	200.0	V	0.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8040.000000	---	32.02	54.00	21.98	500.0	100.0	H	78.0	-1.5
8526.250000	44.22	---	68.20	23.98	500.0	200.0	H	240.0	-1.6
9166.250000	---	35.79	54.00	18.21	500.0	100.0	V	92.0	-1.0
9535.000000	43.16	---	68.20	25.04	500.0	200.0	V	356.0	-0.6
10552.500000	43.66	---	68.20	24.54	500.0	100.0	V	153.0	-0.8
11941.250000	---	32.75	54.00	21.25	500.0	200.0	H	74.0	0.3
13335.000000	---	34.30	54.00	19.70	500.0	100.0	H	338.0	3.3
13731.250000	45.82	---	68.20	22.38	500.0	200.0	V	232.0	3.8
15297.500000	48.32	---	68.20	19.88	500.0	200.0	V	308.0	5.9
15600.000000	---	38.23	54.00	15.77	500.0	200.0	V	356.0	6.7
17667.500000	51.54	---	68.20	16.66	500.0	100.0	V	20.0	10.2
17985.000000	---	40.00	54.00	14.00	500.0	100.0	H	141.0	11.0

## 802.11ax HE20 CH189



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.875000	40.90	---	68.20	27.30	500.0	100.0	H	341.0	-8.2
1386.750000	---	29.62	54.00	24.38	500.0	200.0	H	355.0	-7.5
1699.125000	---	30.97	54.00	23.03	500.0	200.0	H	313.0	-5.9
1887.250000	43.78	---	68.20	24.42	500.0	200.0	V	284.0	-5.0
2648.500000	45.03	---	68.20	23.17	500.0	100.0	H	42.0	-1.9
2809.500000	---	34.17	54.00	19.83	500.0	100.0	H	112.0	-1.3
3541.000000	49.63	---	68.20	18.57	500.0	200.0	H	107.0	1.4
3989.875000	---	38.83	54.00	15.17	500.0	100.0	H	150.0	2.9
4497.375000	50.33	---	68.20	17.87	500.0	200.0	H	38.0	4.3
5396.875000	---	38.65	54.00	15.35	500.0	100.0	H	17.0	5.7
7492.500000	---	41.12	54.00	12.88	500.0	200.0	V	76.0	7.2
7967.625000	52.52	---	68.20	15.68	500.0	100.0	H	5.0	8.3



## Final Result


Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8027.500000	---	32.11	54.00	21.89	500.0	200.0	V	217.0	-1.5
8508.750000	43.27	---	68.20	24.93	500.0	200.0	V	332.0	-1.6
9192.500000	---	35.74	54.00	18.26	500.0	100.0	V	90.0	-0.9
9635.000000	44.43	---	68.20	23.77	500.0	200.0	H	221.0	-0.8
10515.000000	43.89	---	68.20	24.31	500.0	200.0	V	97.0	-0.9
10676.250000	---	32.75	54.00	21.25	500.0	100.0	V	114.0	-0.7
13313.750000	---	34.91	54.00	19.09	500.0	200.0	H	88.0	3.3
13542.500000	46.29	---	68.20	21.91	500.0	200.0	H	356.0	3.6
15291.250000	49.06	---	68.20	19.14	500.0	200.0	V	339.0	5.9
15556.250000	---	38.10	54.00	15.90	500.0	100.0	H	325.0	6.6
17678.750000	51.47	---	68.20	16.73	500.0	100.0	V	0.0	10.2
17981.250000	---	39.95	54.00	14.05	500.0	200.0	H	144.0	11.0

## 802.11ax HE20 CH209



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1263.375000	40.83	---	68.20	27.37	500.0	100.0	H	33.0	-8.2
1400.750000	---	30.16	54.00	23.84	500.0	100.0	H	33.0	-7.5
1604.625000	---	31.11	54.00	22.89	500.0	100.0	H	52.0	-6.3
1991.375000	43.78	---	68.20	24.42	500.0	100.0	H	21.0	-4.5
2533.875000	45.49	---	68.20	22.71	500.0	100.0	H	128.0	-2.3
2818.250000	---	34.94	54.00	19.06	500.0	100.0	H	183.0	-1.3
3565.500000	49.98	---	68.20	18.22	500.0	100.0	H	115.0	1.4
3857.750000	---	39.75	54.00	14.25	500.0	100.0	H	115.0	2.4
4485.125000	51.21	---	68.20	16.99	500.0	100.0	H	236.0	4.3
5082.750000	---	40.63	54.00	13.37	500.0	100.0	H	115.0	5.2
7692.875000	---	43.30	54.00	10.70	500.0	100.0	H	134.0	7.9
7888.000000	55.08	---	68.20	13.12	500.0	200.0	H	0.0	8.1



## Final Result

Frequency (MHz)	MaxPeak (dB $\mu$ V/m)	Average (dB $\mu$ V/m)	Limit (dB $\mu$ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8038.750000	---	32.05	54.00	21.95	500.0	200.0	H	229.0	-1.5
8965.000000	44.33	---	68.20	23.87	500.0	200.0	V	289.0	-1.4
9326.250000	---	36.45	54.00	17.55	500.0	100.0	V	101.0	-0.9
9670.000000	44.76	---	68.20	23.44	500.0	100.0	V	166.0	-0.8
10562.500000	43.85	---	68.20	24.35	500.0	100.0	H	0.0	-0.8
11208.750000	---	32.90	54.00	21.10	500.0	200.0	H	217.0	-0.4
13307.500000	---	34.64	54.00	19.36	500.0	200.0	H	192.0	3.3
13583.750000	46.22	---	68.20	21.98	500.0	200.0	V	218.0	3.7
15273.750000	48.95	---	68.20	19.25	500.0	200.0	V	167.0	5.9
15508.750000	---	37.94	54.00	16.06	500.0	200.0	H	67.0	6.3
16866.250000	51.05	---	68.20	17.15	500.0	200.0	H	86.0	8.7
17975.000000	---	40.19	54.00	13.81	500.0	100.0	H	313.0	10.9