



802.11a CH52



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1086.625000     | ---              | 28.64            | 54.00          | 25.36       | 500.0           | 100.0       | V   | 108.0         | -9.4         |
| 1280.000000     | 40.93            | ---              | 68.20          | 27.27       | 500.0           | 200.0       | V   | 86.0          | -8.1         |
| 1355.250000     | ---              | 29.40            | 54.00          | 24.60       | 500.0           | 100.0       | V   | 53.0          | -7.7         |
| 1827.750000     | 42.66            | ---              | 68.20          | 25.54       | 500.0           | 100.0       | H   | 11.0          | -5.2         |
| 2639.750000     | 44.74            | ---              | 68.20          | 23.46       | 500.0           | 200.0       | V   | 244.0         | -2.0         |
| 2799.875000     | ---              | 33.66            | 54.00          | 20.34       | 500.0           | 200.0       | H   | 208.0         | -1.4         |
| 3506.000000     | 48.52            | ---              | 68.20          | 19.68       | 500.0           | 100.0       | V   | 191.0         | 1.3          |
| 3798.250000     | ---              | 37.51            | 54.00          | 16.49       | 500.0           | 100.0       | H   | 271.0         | 2.1          |
| 4486.875000     | 49.60            | ---              | 68.20          | 18.60       | 500.0           | 200.0       | V   | 79.0          | 4.3          |
| 4631.250000     | ---              | 38.27            | 54.00          | 15.73       | 500.0           | 200.0       | H   | 67.0          | 4.3          |
| 7013.875000     | 57.04            | ---              | 68.20          | 11.16       | 500.0           | 100.0       | V   | 24.0          | 6.5          |
| 7595.750000     | ---              | 41.02            | 54.00          | 12.98       | 500.0           | 100.0       | H   | 50.0          | 7.4          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8430.000000     | ---              | 30.30            | 54.00          | 23.70       | 500.0           | 100.0       | H   | 244.0         | -1.9         |
| 8987.500000     | 43.38            | ---              | 68.20          | 24.82       | 500.0           | 200.0       | V   | 47.0          | -1.4         |
| 9462.500000     | ---              | 33.03            | 54.00          | 20.97       | 500.0           | 100.0       | H   | 88.0          | -0.3         |
| 9707.500000     | 44.92            | ---              | 68.20          | 23.28       | 500.0           | 200.0       | V   | 134.0         | -0.7         |
| 10508.750000    | 43.58            | ---              | 68.20          | 24.62       | 500.0           | 200.0       | V   | 176.0         | -0.9         |
| 11938.750000    | ---              | 33.05            | 54.00          | 20.95       | 500.0           | 200.0       | H   | 345.0         | 0.3          |
| 13316.250000    | ---              | 35.11            | 54.00          | 18.89       | 500.0           | 200.0       | H   | 199.0         | 3.3          |
| 13556.250000    | 46.85            | ---              | 68.20          | 21.35       | 500.0           | 200.0       | V   | 0.0           | 3.7          |
| 15301.250000    | 48.76            | ---              | 68.20          | 19.44       | 500.0           | 100.0       | H   | 54.0          | 5.9          |
| 15556.250000    | ---              | 38.02            | 54.00          | 15.98       | 500.0           | 200.0       | H   | 107.0         | 6.6          |
| 17671.250000    | 51.08            | ---              | 68.20          | 17.12       | 500.0           | 200.0       | H   | 51.0          | 10.2         |
| 17868.750000    | ---              | 40.15            | 54.00          | 13.85       | 500.0           | 100.0       | H   | 19.0          | 10.2         |

## 802.11a CH60



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1144.375000     | ---              | 28.04            | 54.00          | 25.96       | 500.0           | 100.0       | V   | 281.0         | -9.0         |
| 1277.375000     | 40.95            | ---              | 68.20          | 27.26       | 500.0           | 200.0       | V   | 359.0         | -8.2         |
| 1509.250000     | ---              | 29.84            | 54.00          | 24.16       | 500.0           | 200.0       | H   | 38.0          | -6.8         |
| 1995.750000     | 42.94            | ---              | 68.20          | 25.26       | 500.0           | 200.0       | H   | 113.0         | -4.5         |
| 2652.875000     | 45.26            | ---              | 68.20          | 22.94       | 500.0           | 200.0       | H   | 287.0         | -1.9         |
| 2851.500000     | ---              | 33.10            | 54.00          | 20.90       | 500.0           | 100.0       | V   | 230.0         | -1.1         |
| 3093.000000     | 45.64            | ---              | 68.20          | 22.56       | 500.0           | 200.0       | H   | 0.0           | -0.2         |
| 3524.375000     | 48.43            | ---              | 68.20          | 19.77       | 500.0           | 200.0       | H   | 187.0         | 1.3          |
| 4029.250000     | ---              | 37.07            | 54.00          | 16.93       | 500.0           | 200.0       | V   | 173.0         | 2.8          |
| 4988.250000     | ---              | 36.78            | 54.00          | 17.22       | 500.0           | 200.0       | V   | 243.0         | 4.9          |
| 7067.250000     | 56.35            | ---              | 68.20          | 11.85       | 500.0           | 100.0       | V   | 21.0          | 6.6          |
| 7451.375000     | ---              | 40.50            | 54.00          | 13.50       | 500.0           | 200.0       | V   | 328.0         | 7.1          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8287.500000     | ---              | 29.96            | 54.00          | 24.04       | 500.0           | 200.0       | H   | 228.0         | -1.9         |
| 8506.250000     | 43.95            | ---              | 68.20          | 24.25       | 500.0           | 100.0       | H   | 233.0         | -1.6         |
| 9471.250000     | ---              | 32.94            | 54.00          | 21.06       | 500.0           | 100.0       | H   | 68.0          | -0.2         |
| 10045.000000    | 44.95            | ---              | 68.20          | 23.25       | 500.0           | 200.0       | V   | 83.0          | -0.7         |
| 10577.500000    | 43.92            | ---              | 68.20          | 24.28       | 500.0           | 200.0       | V   | 113.0         | -0.8         |
| 11937.500000    | ---              | 32.77            | 54.00          | 21.23       | 500.0           | 200.0       | H   | 266.0         | 0.3          |
| 13303.750000    | ---              | 35.00            | 54.00          | 19.00       | 500.0           | 100.0       | H   | 2.0           | 3.3          |
| 13727.500000    | 46.70            | ---              | 68.20          | 21.50       | 500.0           | 100.0       | V   | 248.0         | 3.8          |
| 15222.500000    | 48.26            | ---              | 68.20          | 19.94       | 500.0           | 100.0       | V   | 274.0         | 5.7          |
| 15588.750000    | ---              | 38.08            | 54.00          | 15.92       | 500.0           | 100.0       | H   | 125.0         | 6.7          |
| 16915.000000    | 51.47            | ---              | 68.20          | 16.73       | 500.0           | 100.0       | V   | 201.0         | 8.7          |
| 17906.250000    | ---              | 40.49            | 54.00          | 13.51       | 500.0           | 200.0       | H   | 203.0         | 10.2         |

## 802.11a CH64



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1117.250000     | ---              | 28.47            | 54.00          | 25.53       | 500.0           | 100.0       | H   | 96.0          | -9.2         |
| 1263.375000     | 39.29            | ---              | 68.20          | 28.91       | 500.0           | 100.0       | H   | 33.0          | -8.2         |
| 1376.250000     | ---              | 28.67            | 54.00          | 25.33       | 500.0           | 200.0       | H   | 303.0         | -7.6         |
| 1796.250000     | 41.38            | ---              | 68.20          | 26.82       | 500.0           | 100.0       | H   | 19.0          | -5.4         |
| 2246.875000     | ---              | 31.79            | 54.00          | 22.21       | 500.0           | 100.0       | H   | 106.0         | -3.5         |
| 2417.500000     | 42.48            | ---              | 68.20          | 25.72       | 500.0           | 100.0       | H   | 72.0          | -2.8         |
| 2591.625000     | 44.39            | ---              | 68.20          | 23.81       | 500.0           | 100.0       | H   | 101.0         | -2.2         |
| 2764.000000     | ---              | 33.27            | 54.00          | 20.73       | 500.0           | 100.0       | V   | 204.0         | -1.5         |
| 3821.000000     | ---              | 37.85            | 54.00          | 16.15       | 500.0           | 100.0       | H   | 24.0          | 2.2          |
| 4442.250000     | 48.42            | ---              | 68.20          | 19.78       | 500.0           | 100.0       | H   | 245.0         | 3.9          |
| 4836.875000     | ---              | 37.93            | 54.00          | 16.07       | 500.0           | 200.0       | V   | 60.0          | 4.5          |
| 7094.375000     | 54.52            | ---              | 68.20          | 13.68       | 500.0           | 100.0       | V   | 23.0          | 6.7          |




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8417.500000     | ---              | 30.92            | 54.00          | 23.08       | 500.0           | 200.0       | H   | 0.0           | -1.9         |
| 8986.250000     | 43.57            | ---              | 68.20          | 24.63       | 500.0           | 200.0       | H   | 258.0         | -1.4         |
| 9475.000000     | ---              | 32.91            | 54.00          | 21.09       | 500.0           | 200.0       | V   | 296.0         | -0.2         |
| 10312.500000    | 45.68            | ---              | 68.20          | 22.52       | 500.0           | 100.0       | H   | 150.0         | -0.9         |
| 10563.750000    | 43.75            | ---              | 68.20          | 24.45       | 500.0           | 100.0       | V   | 155.0         | -0.8         |
| 11963.750000    | ---              | 32.80            | 54.00          | 21.20       | 500.0           | 100.0       | H   | 76.0          | 0.3          |
| 13382.500000    | ---              | 35.09            | 54.00          | 18.91       | 500.0           | 200.0       | H   | 151.0         | 3.3          |
| 13503.750000    | 47.08            | ---              | 68.20          | 21.12       | 500.0           | 200.0       | H   | 213.0         | 3.5          |
| 15180.000000    | 48.54            | ---              | 68.20          | 19.66       | 500.0           | 200.0       | V   | 213.0         | 5.6          |
| 15570.000000    | ---              | 38.19            | 54.00          | 15.81       | 500.0           | 100.0       | H   | 155.0         | 6.6          |
| 17676.250000    | 51.29            | ---              | 68.20          | 16.91       | 500.0           | 200.0       | H   | 76.0          | 10.2         |
| 17906.250000    | ---              | 40.42            | 54.00          | 13.58       | 500.0           | 100.0       | H   | 19.0          | 10.2         |




## 802.11a CH100



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1176.750000     | ---              | 28.09            | 54.00          | 25.91       | 500.0           | 100.0       | V   | 81.0          | -8.8         |
| 1264.250000     | 38.99            | ---              | 68.20          | 29.21       | 500.0           | 200.0       | H   | 35.0          | -8.2         |
| 1595.875000     | ---              | 28.25            | 54.00          | 25.75       | 500.0           | 100.0       | H   | 135.0         | -6.3         |
| 1834.750000     | 42.57            | ---              | 68.20          | 25.63       | 500.0           | 100.0       | H   | 0.0           | -5.1         |
| 2153.250000     | 42.55            | ---              | 68.20          | 25.65       | 500.0           | 100.0       | V   | 91.0          | -3.7         |
| 2258.250000     | ---              | 31.35            | 54.00          | 22.65       | 500.0           | 100.0       | H   | 289.0         | -3.4         |
| 2644.125000     | 43.65            | ---              | 68.20          | 24.55       | 500.0           | 100.0       | V   | 0.0           | -2.0         |
| 2807.750000     | ---              | 33.27            | 54.00          | 20.73       | 500.0           | 200.0       | V   | 49.0          | -1.4         |
| 3062.375000     | 44.96            | ---              | 68.20          | 23.24       | 500.0           | 100.0       | V   | 27.0          | -0.4         |
| 3453.500000     | 47.40            | ---              | 68.20          | 20.80       | 500.0           | 200.0       | H   | 188.0         | 1.1          |
| 3968.875000     | ---              | 36.56            | 54.00          | 17.44       | 500.0           | 100.0       | V   | 32.0          | 2.7          |
| 5027.625000     | ---              | 37.27            | 54.00          | 16.73       | 500.0           | 200.0       | V   | 260.0         | 4.9          |




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8365.000000     | ---              | 30.98            | 54.00          | 23.02       | 500.0           | 200.0       | H   | 17.0          | -2.0         |
| 8581.250000     | 43.47            | ---              | 68.20          | 24.73       | 500.0           | 100.0       | H   | 314.0         | -1.7         |
| 9463.750000     | ---              | 33.09            | 54.00          | 20.91       | 500.0           | 200.0       | V   | 280.0         | -0.3         |
| 9672.500000     | 44.76            | ---              | 68.20          | 23.44       | 500.0           | 100.0       | H   | 235.0         | -0.8         |
| 10540.000000    | 43.78            | ---              | 68.20          | 24.42       | 500.0           | 200.0       | V   | 109.0         | -0.9         |
| 11211.250000    | ---              | 32.99            | 54.00          | 21.01       | 500.0           | 200.0       | V   | 286.0         | -0.4         |
| 13298.750000    | ---              | 35.33            | 54.00          | 18.67       | 500.0           | 200.0       | H   | 51.0          | 3.3          |
| 13502.500000    | 47.33            | ---              | 68.20          | 20.87       | 500.0           | 200.0       | H   | 213.0         | 3.5          |
| 15278.750000    | 48.67            | ---              | 68.20          | 19.53       | 500.0           | 100.0       | H   | 182.0         | 5.9          |
| 15583.750000    | ---              | 38.26            | 54.00          | 15.74       | 500.0           | 100.0       | V   | 0.0           | 6.7          |
| 17671.250000    | 51.31            | ---              | 68.20          | 16.89       | 500.0           | 100.0       | H   | 235.0         | 10.2         |
| 17885.000000    | ---              | 40.27            | 54.00          | 13.73       | 500.0           | 200.0       | V   | 211.0         | 10.2         |




## 802.11a CH116



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1268.625000     | 40.03            | ---              | 68.20          | 28.17       | 500.0           | 100.0       | V   | 45.0          | -8.2         |
| 1369.250000     | ---              | 29.73            | 54.00          | 24.27       | 500.0           | 200.0       | V   | 73.0          | -7.6         |
| 1699.125000     | ---              | 30.65            | 54.00          | 23.35       | 500.0           | 200.0       | V   | 245.0         | -5.9         |
| 1922.250000     | 43.22            | ---              | 68.20          | 24.98       | 500.0           | 100.0       | V   | 147.0         | -4.8         |
| 2616.125000     | 45.16            | ---              | 68.20          | 23.04       | 500.0           | 200.0       | H   | 3.0           | -2.1         |
| 2787.625000     | ---              | 33.92            | 54.00          | 20.08       | 500.0           | 100.0       | H   | 113.0         | -1.5         |
| 3452.625000     | 49.49            | ---              | 68.20          | 18.71       | 500.0           | 100.0       | H   | 320.0         | 1.1          |
| 3989.000000     | ---              | 38.35            | 54.00          | 15.65       | 500.0           | 100.0       | H   | 87.0          | 2.9          |
| 4445.750000     | 49.62            | ---              | 68.20          | 18.58       | 500.0           | 100.0       | H   | 191.0         | 3.9          |
| 4517.500000     | ---              | 38.83            | 54.00          | 15.17       | 500.0           | 100.0       | H   | 250.0         | 4.3          |
| 7537.125000     | ---              | 41.28            | 54.00          | 12.73       | 500.0           | 100.0       | V   | 26.0          | 7.4          |
| 7949.250000     | 53.26            | ---              | 68.20          | 14.94       | 500.0           | 100.0       | H   | 276.0         | 8.3          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8461.250000     | ---              | 30.92            | 54.00          | 23.08       | 500.0           | 200.0       | V   | 271.0         | -1.7         |
| 8927.500000     | 43.29            | ---              | 68.20          | 24.91       | 500.0           | 100.0       | V   | 264.0         | -1.4         |
| 9471.250000     | ---              | 33.09            | 54.00          | 20.91       | 500.0           | 100.0       | V   | 172.0         | -0.2         |
| 10247.500000    | 44.50            | ---              | 68.20          | 23.70       | 500.0           | 200.0       | H   | 121.0         | -0.9         |
| 10572.500000    | 43.85            | ---              | 68.20          | 24.35       | 500.0           | 200.0       | H   | 49.0          | -0.8         |
| 11962.500000    | ---              | 32.84            | 54.00          | 21.16       | 500.0           | 200.0       | V   | 261.0         | 0.3          |
| 13301.250000    | ---              | 35.26            | 54.00          | 18.74       | 500.0           | 100.0       | V   | 203.0         | 3.3          |
| 13580.000000    | 46.49            | ---              | 68.20          | 21.71       | 500.0           | 200.0       | H   | 24.0          | 3.7          |
| 15262.500000    | 48.65            | ---              | 68.20          | 19.55       | 500.0           | 200.0       | H   | 121.0         | 5.9          |
| 15597.500000    | ---              | 38.19            | 54.00          | 15.81       | 500.0           | 100.0       | V   | 260.0         | 6.7          |
| 17685.000000    | 51.74            | ---              | 68.20          | 16.46       | 500.0           | 200.0       | H   | 59.0          | 10.2         |
| 17902.500000    | ---              | 40.48            | 54.00          | 13.52       | 500.0           | 200.0       | V   | 0.0           | 10.2         |

## 802.11a CH140



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1273.000000     | 45.50            | ---              | 68.20          | 22.70       | 500.0           | 100.0       | V   | 274.0         | 3.0          |
| 1401.625000     | ---              | 34.39            | 54.00          | 19.61       | 500.0           | 200.0       | V   | 322.0         | 3.9          |
| 1720.125000     | ---              | 35.44            | 54.00          | 18.56       | 500.0           | 100.0       | V   | 0.0           | 5.3          |
| 1882.000000     | 47.82            | ---              | 68.20          | 20.38       | 500.0           | 100.0       | H   | 235.0         | 6.0          |
| 2673.875000     | 50.22            | ---              | 68.20          | 17.98       | 500.0           | 200.0       | V   | 64.0          | 8.7          |
| 2792.000000     | ---              | 38.19            | 54.00          | 15.81       | 500.0           | 100.0       | V   | 71.0          | 9.1          |
| 3464.000000     | 52.17            | ---              | 68.20          | 16.03       | 500.0           | 200.0       | V   | 142.0         | 11.4         |
| 3992.500000     | ---              | 41.53            | 54.00          | 12.47       | 500.0           | 100.0       | V   | 134.0         | 12.5         |
| 5127.375000     | ---              | 42.79            | 54.00          | 11.21       | 500.0           | 200.0       | V   | 190.0         | 13.7         |
| 5201.750000     | 54.22            | ---              | 68.20          | 13.98       | 500.0           | 200.0       | H   | 65.0          | 14.1         |
| 7367.375000     | ---              | 45.02            | 54.00          | 8.98        | 500.0           | 200.0       | H   | 81.0          | 17.7         |
| 7961.500000     | 57.62            | ---              | 68.20          | 10.58       | 500.0           | 100.0       | V   | 27.0          | 19.0         |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8893.750000     | 44.49            | ---              | 68.20          | 23.71       | 500.0           | 100.0       | H   | 314.0         | -1.4         |
| 9120.000000     | ---              | 36.12            | 54.00          | 17.88       | 500.0           | 100.0       | V   | 273.0         | -1.2         |
| 9456.250000     | ---              | 34.13            | 54.00          | 19.87       | 500.0           | 200.0       | V   | 317.0         | -0.2         |
| 9606.250000     | 45.86            | ---              | 68.20          | 22.34       | 500.0           | 200.0       | V   | 24.0          | -0.7         |
| 10565.000000    | 43.88            | ---              | 68.20          | 24.32       | 500.0           | 200.0       | V   | 346.0         | -0.9         |
| 11618.750000    | ---              | 33.42            | 54.00          | 20.58       | 500.0           | 200.0       | V   | 317.0         | -0.4         |
| 12997.500000    | 44.21            | ---              | 68.20          | 23.99       | 500.0           | 100.0       | V   | 19.0          | 1.4          |
| 13390.000000    | ---              | 34.45            | 54.00          | 19.55       | 500.0           | 200.0       | V   | 228.0         | 2.4          |
| 14030.000000    | 48.97            | ---              | 68.20          | 19.23       | 500.0           | 100.0       | V   | 268.0         | 3.9          |
| 15637.500000    | ---              | 38.01            | 54.00          | 15.99       | 500.0           | 100.0       | H   | 187.0         | 6.5          |
| 17600.000000    | 51.80            | ---              | 68.20          | 16.40       | 500.0           | 100.0       | V   | 59.0          | 10.1         |
| 17986.250000    | ---              | 41.03            | 54.00          | 12.97       | 500.0           | 200.0       | H   | 157.0         | 11.0         |

## 802.11a CH144



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1092.750000     | ---              | 28.16            | 54.00          | 25.84       | 500.0           | 100.0       | V   | 193.0         | -9.4         |
| 1240.625000     | 40.10            | ---              | 68.20          | 28.10       | 500.0           | 200.0       | H   | 24.0          | -8.3         |
| 1399.875000     | ---              | 29.71            | 54.00          | 24.29       | 500.0           | 100.0       | V   | 134.0         | -7.5         |
| 1709.625000     | ---              | 30.70            | 54.00          | 23.30       | 500.0           | 100.0       | H   | 0.0           | -5.9         |
| 1968.625000     | 43.27            | ---              | 68.20          | 24.93       | 500.0           | 100.0       | H   | 291.0         | -4.6         |
| 2577.625000     | 45.19            | ---              | 68.20          | 23.01       | 500.0           | 200.0       | H   | 14.0          | -2.2         |
| 2802.500000     | ---              | 34.83            | 54.00          | 19.17       | 500.0           | 200.0       | H   | 99.0          | -1.4         |
| 3478.875000     | 50.01            | ---              | 68.20          | 18.19       | 500.0           | 200.0       | H   | 89.0          | 1.2          |
| 3996.000000     | ---              | 39.58            | 54.00          | 14.42       | 500.0           | 200.0       | H   | 0.0           | 2.8          |
| 4419.500000     | 51.66            | ---              | 68.20          | 16.54       | 500.0           | 200.0       | H   | 135.0         | 3.9          |
| 6896.625000     | 54.77            | ---              | 68.20          | 13.43       | 500.0           | 200.0       | H   | 89.0          | 6.6          |
| 7692.000000     | ---              | 43.45            | 54.00          | 10.55       | 500.0           | 200.0       | H   | 150.0         | 7.9          |




## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8493.750000     | ---              | 31.02            | 54.00          | 22.98       | 500.0           | 100.0       | V   | 0.0           | -1.6         |
| 8993.750000     | 43.72            | ---              | 68.20          | 24.48       | 500.0           | 200.0       | H   | 14.0          | -1.4         |
| 9456.250000     | ---              | 32.92            | 54.00          | 21.08       | 500.0           | 100.0       | H   | 320.0         | -0.3         |
| 9703.750000     | 45.25            | ---              | 68.20          | 22.95       | 500.0           | 100.0       | H   | 305.0         | -0.7         |
| 10581.250000    | 43.85            | ---              | 68.20          | 24.35       | 500.0           | 100.0       | V   | 46.0          | -0.8         |
| 11440.000000    | ---              | 33.63            | 54.00          | 20.37       | 500.0           | 100.0       | V   | 31.0          | -0.3         |
| 13300.000000    | ---              | 35.09            | 54.00          | 18.91       | 500.0           | 100.0       | H   | 0.0           | 3.3          |
| 13587.500000    | 47.73            | ---              | 68.20          | 20.47       | 500.0           | 100.0       | H   | 345.0         | 3.7          |
| 15248.750000    | 48.67            | ---              | 68.20          | 19.53       | 500.0           | 100.0       | V   | 183.0         | 5.8          |
| 15592.500000    | ---              | 38.06            | 54.00          | 15.94       | 500.0           | 200.0       | H   | 14.0          | 6.7          |
| 17381.250000    | 52.96            | ---              | 68.20          | 15.24       | 500.0           | 200.0       | V   | 237.0         | 9.5          |
| 17907.500000    | ---              | 40.50            | 54.00          | 13.50       | 500.0           | 100.0       | V   | 0.0           | 10.2         |




## 802.11a CH149



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1282.625000     | 40.37            | ---              | 68.20          | 27.83       | 500.0           | 100.0       | V   | 300.0         | -8.1         |
| 1402.500000     | ---              | 29.69            | 54.00          | 24.31       | 500.0           | 100.0       | V   | 339.0         | -7.5         |
| 1693.000000     | ---              | 30.83            | 54.00          | 23.17       | 500.0           | 200.0       | H   | 0.0           | -5.9         |
| 1952.000000     | 43.42            | ---              | 68.20          | 24.78       | 500.0           | 100.0       | V   | 27.0          | -4.6         |
| 2681.750000     | 44.96            | ---              | 68.20          | 23.24       | 500.0           | 100.0       | V   | 72.0          | -1.9         |
| 2780.625000     | ---              | 34.17            | 54.00          | 19.83       | 500.0           | 100.0       | V   | 350.0         | -1.5         |
| 3541.875000     | 48.45            | ---              | 68.20          | 19.75       | 500.0           | 200.0       | V   | 48.0          | 1.4          |
| 3989.000000     | ---              | 38.31            | 54.00          | 15.69       | 500.0           | 200.0       | V   | 115.0         | 2.9          |
| 5122.125000     | ---              | 38.70            | 54.00          | 15.30       | 500.0           | 200.0       | V   | 164.0         | 5.2          |
| 5218.375000     | 48.73            | ---              | 68.20          | 19.47       | 500.0           | 100.0       | H   | 148.0         | 5.4          |
| 6747.875000     | 52.86            | ---              | 68.20          | 15.34       | 500.0           | 200.0       | V   | 158.0         | 6.4          |
| 7528.375000     | ---              | 41.27            | 54.00          | 12.73       | 500.0           | 200.0       | H   | 298.0         | 7.3          |



## Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8420.000000     | ---              | 30.92            | 54.00          | 23.08       | 500.0           | 100.0       | H   | 69.0          | -1.9         |
| 8778.750000     | 43.41            | ---              | 68.20          | 24.79       | 500.0           | 100.0       | H   | 249.0         | -1.7         |
| 9191.250000     | ---              | 37.87            | 54.00          | 16.13       | 500.0           | 100.0       | V   | 267.0         | -0.9         |
| 9635.000000     | 44.70            | ---              | 68.20          | 23.50       | 500.0           | 200.0       | V   | 310.0         | -0.8         |
| 10588.750000    | 43.83            | ---              | 68.20          | 24.37       | 500.0           | 100.0       | H   | 84.0          | -0.8         |
| 11490.000000    | ---              | 33.62            | 54.00          | 20.38       | 500.0           | 100.0       | V   | 242.0         | -0.2         |
| 13310.000000    | ---              | 35.10            | 54.00          | 18.90       | 500.0           | 100.0       | H   | 39.0          | 3.3          |
| 13551.250000    | 47.28            | ---              | 68.20          | 20.93       | 500.0           | 100.0       | V   | 0.0           | 3.6          |
| 15302.500000    | 48.83            | ---              | 68.20          | 19.37       | 500.0           | 200.0       | H   | 114.0         | 5.9          |
| 15588.750000    | ---              | 38.31            | 54.00          | 15.69       | 500.0           | 100.0       | V   | 342.0         | 6.7          |
| 17675.000000    | 51.72            | ---              | 68.20          | 16.48       | 500.0           | 100.0       | H   | 120.0         | 10.2         |
| 17906.250000    | ---              | 40.23            | 54.00          | 13.77       | 500.0           | 200.0       | H   | 230.0         | 10.2         |

## 802.11a CH157



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1128.625000     | ---              | 28.96            | 54.00          | 25.04       | 500.0           | 100.0       | V   | 213.0         | -9.1         |
| 1264.250000     | 40.34            | ---              | 68.20          | 27.86       | 500.0           | 100.0       | V   | 80.0          | -8.2         |
| 1594.125000     | ---              | 30.49            | 54.00          | 23.51       | 500.0           | 100.0       | V   | 277.0         | -6.3         |
| 1952.000000     | 43.03            | ---              | 68.20          | 25.17       | 500.0           | 100.0       | V   | 237.0         | -4.6         |
| 2435.875000     | 43.73            | ---              | 68.20          | 24.47       | 500.0           | 200.0       | V   | 40.0          | -2.7         |
| 2680.000000     | 46.28            | ---              | 68.20          | 21.92       | 500.0           | 100.0       | H   | 13.0          | -1.9         |
| 2788.500000     | ---              | 33.82            | 54.00          | 20.18       | 500.0           | 100.0       | V   | 347.0         | -1.5         |
| 3484.125000     | 48.17            | ---              | 68.20          | 20.03       | 500.0           | 200.0       | V   | 79.0          | 1.2          |
| 3990.750000     | ---              | 38.20            | 54.00          | 15.80       | 500.0           | 100.0       | V   | 282.0         | 2.9          |
| 5120.375000     | ---              | 38.61            | 54.00          | 15.39       | 500.0           | 200.0       | H   | 272.0         | 5.1          |
| 6905.375000     | 52.80            | ---              | 68.20          | 15.40       | 500.0           | 200.0       | V   | 99.0          | 6.6          |
| 7522.250000     | ---              | 41.11            | 54.00          | 12.89       | 500.0           | 200.0       | V   | 79.0          | 7.3          |



## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8462.500000     | ---              | 31.01            | 54.00          | 22.99       | 500.0           | 100.0       | H   | 351.0         | -1.7         |
| 8852.500000     | 43.75            | ---              | 68.20          | 24.45       | 500.0           | 100.0       | V   | 342.0         | -1.4         |
| 9473.750000     | ---              | 33.02            | 54.00          | 20.98       | 500.0           | 100.0       | V   | 230.0         | -0.2         |
| 9670.000000     | 44.52            | ---              | 68.20          | 23.68       | 500.0           | 100.0       | V   | 332.0         | -0.8         |
| 10533.750000    | 44.26            | ---              | 68.20          | 23.94       | 500.0           | 200.0       | V   | 163.0         | -0.9         |
| 11570.000000    | ---              | 34.87            | 54.00          | 19.13       | 500.0           | 100.0       | V   | 225.0         | -0.1         |
| 13360.000000    | ---              | 35.17            | 54.00          | 18.83       | 500.0           | 100.0       | H   | 159.0         | 3.3          |
| 13500.000000    | 46.64            | ---              | 68.20          | 21.56       | 500.0           | 100.0       | V   | 342.0         | 3.5          |
| 15167.500000    | 48.57            | ---              | 68.20          | 19.63       | 500.0           | 200.0       | V   | 71.0          | 5.6          |
| 15613.750000    | ---              | 38.02            | 54.00          | 15.98       | 500.0           | 100.0       | H   | 0.0           | 6.7          |
| 17667.500000    | 51.26            | ---              | 68.20          | 16.94       | 500.0           | 200.0       | H   | 161.0         | 10.2         |
| 17906.250000    | ---              | 40.30            | 54.00          | 13.70       | 500.0           | 100.0       | H   | 143.0         | 10.2         |