



802.11ac (VHT80) CH122



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	40.63	---	68.20	27.57	500.0	200.0	V	291.0	-8.1
1361.375000	---	29.31	54.00	24.69	500.0	100.0	H	319.0	-7.6
1701.750000	---	30.41	54.00	23.59	500.0	100.0	V	339.0	-5.9
1830.375000	42.65	---	68.20	25.55	500.0	100.0	V	139.0	-5.2
2105.125000	42.42	---	68.20	25.78	500.0	100.0	V	18.0	-4.0
2354.500000	---	32.27	54.00	21.73	500.0	200.0	V	148.0	-3.0
2644.125000	44.62	---	68.20	23.58	500.0	200.0	V	0.0	-2.0
2824.375000	---	33.79	54.00	20.21	500.0	200.0	V	133.0	-1.2
3477.125000	48.52	---	68.20	19.68	500.0	200.0	V	221.0	1.2
3986.375000	---	38.20	54.00	15.80	500.0	200.0	H	326.0	2.9
6716.375000	52.62	---	68.20	15.58	500.0	100.0	V	13.0	6.5
7419.000000	---	40.98	54.00	13.02	500.0	200.0	V	311.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8033.750000	---	32.14	54.00	21.86	500.0	100.0	V	234.0	-1.5
8812.500000	44.01	---	68.20	24.19	500.0	100.0	H	264.0	-1.6
9461.250000	---	33.42	54.00	20.58	500.0	100.0	H	178.0	-0.3
9671.250000	45.00	---	68.20	23.20	500.0	100.0	H	327.0	-0.8
10597.500000	43.97	---	68.20	24.23	500.0	200.0	V	247.0	-0.8
10665.000000	---	32.98	54.00	21.02	500.0	200.0	V	333.0	-0.7
13320.000000	---	35.08	54.00	18.92	500.0	100.0	H	303.0	3.3
13732.500000	47.02	---	68.20	21.18	500.0	100.0	H	208.0	3.8
15252.500000	48.71	---	68.20	19.49	500.0	200.0	V	137.0	5.8
15580.000000	---	37.89	54.00	16.11	500.0	200.0	V	116.0	6.7
17662.500000	52.06	---	68.20	16.14	500.0	200.0	H	276.0	10.2
17903.750000	---	40.17	54.00	13.83	500.0	100.0	V	128.0	10.2

802.11ac (VHT80) CH138



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1267.750000	39.60	---	68.20	28.60	500.0	100.0	V	283.0	-8.2
1411.250000	---	29.28	54.00	24.72	500.0	100.0	V	278.0	-7.4
1687.750000	---	30.47	54.00	23.53	500.0	100.0	V	254.0	-5.9
1924.875000	42.86	---	68.20	25.34	500.0	100.0	V	12.0	-4.8
2482.250000	44.35	---	68.20	23.86	500.0	200.0	H	23.0	-2.5
2803.375000	---	33.87	54.00	20.13	500.0	100.0	V	278.0	-1.4
3515.625000	48.09	---	68.20	20.11	500.0	100.0	H	343.0	1.3
3987.250000	---	38.27	54.00	15.73	500.0	100.0	V	288.0	2.9
4518.375000	---	38.87	54.00	15.13	500.0	200.0	V	119.0	4.3
5339.125000	50.14	---	68.20	18.06	500.0	100.0	V	122.0	5.6
7013.000000	52.52	---	68.20	15.69	500.0	200.0	V	290.0	6.5
7424.250000	---	40.87	54.00	13.13	500.0	200.0	V	95.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8518.750000	43.16	---	68.20	25.04	500.0	100.0	H	279.0	-1.6
9103.750000	---	35.63	54.00	18.37	500.0	100.0	V	82.0	-1.4
9465.000000	---	33.07	54.00	20.93	500.0	100.0	V	87.0	-0.3
10085.000000	45.04	---	68.20	23.16	500.0	100.0	V	134.0	-0.7
10583.750000	44.44	---	68.20	23.76	500.0	200.0	H	0.0	-0.8
10668.750000	---	33.04	54.00	20.96	500.0	200.0	V	276.0	-0.7
13301.250000	---	35.05	54.00	18.95	500.0	200.0	H	274.0	3.3
13527.500000	46.67	---	68.20	21.53	500.0	100.0	H	113.0	3.6
15277.500000	48.70	---	68.20	19.50	500.0	100.0	H	161.0	5.9
15562.500000	---	38.37	54.00	15.63	500.0	200.0	H	126.0	6.6
17680.000000	51.08	---	68.20	17.12	500.0	100.0	H	146.0	10.2
17905.000000	---	40.50	54.00	13.50	500.0	100.0	H	166.0	10.2

802.11ac (VHT80) CH155



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.500000	39.91	---	68.20	28.29	500.0	200.0	H	296.0	-8.3
1397.250000	---	29.36	54.00	24.64	500.0	100.0	V	100.0	-7.5
1693.875000	---	30.23	54.00	23.77	500.0	100.0	V	212.0	-5.9
1873.250000	42.54	---	68.20	25.66	500.0	100.0	V	176.0	-5.0
2587.250000	45.64	---	68.20	22.56	500.0	200.0	V	55.0	-2.2
2762.250000	---	33.68	54.00	20.32	500.0	200.0	V	75.0	-1.5
3472.750000	48.74	---	68.20	19.46	500.0	200.0	V	11.0	1.2
3985.500000	---	38.23	54.00	15.77	500.0	100.0	V	293.0	2.9
5231.500000	50.18	---	68.20	18.03	500.0	200.0	V	26.0	5.4
5448.500000	---	38.51	54.00	15.49	500.0	200.0	H	38.0	5.9
7532.750000	---	41.03	54.00	12.97	500.0	200.0	V	35.0	7.4
7882.750000	52.56	---	68.20	15.64	500.0	100.0	V	258.0	8.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8056.250000	---	32.00	54.00	22.00	500.0	200.0	V	300.0	-1.5
8526.250000	44.90	---	68.20	23.30	500.0	100.0	V	346.0	-1.6
9453.750000	---	33.19	54.00	20.81	500.0	100.0	H	57.0	-0.4
10146.250000	44.41	---	68.20	23.79	500.0	100.0	H	144.0	-0.8
10563.750000	44.38	---	68.20	23.82	500.0	100.0	V	275.0	-0.8
11550.000000	---	33.19	54.00	20.81	500.0	100.0	V	79.0	-0.2
13303.750000	---	34.90	54.00	19.10	500.0	200.0	H	187.0	3.3
13537.500000	47.43	---	68.20	20.77	500.0	100.0	H	88.0	3.6
15272.500000	48.29	---	68.20	19.91	500.0	100.0	V	49.0	5.9
15572.500000	---	37.92	54.00	16.08	500.0	100.0	V	315.0	6.6
17392.500000	51.89	---	68.20	16.31	500.0	100.0	H	0.0	9.6
17750.000000	---	40.25	54.00	13.75	500.0	100.0	H	98.0	10.3

802.11ac (VHT160) CH50



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	45.43	---	68.20	22.77	500.0	100.0	V	1.0	3.2
1403.375000	---	34.04	54.00	19.96	500.0	200.0	H	358.0	3.9
1688.625000	---	34.85	54.00	19.15	500.0	200.0	V	72.0	5.2
1963.375000	47.28	---	68.20	20.92	500.0	200.0	V	135.0	6.3
2548.750000	49.63	---	68.20	18.57	500.0	200.0	H	84.0	8.4
2806.000000	---	37.82	54.00	16.18	500.0	200.0	H	135.0	9.1
3581.250000	52.13	---	68.20	16.07	500.0	100.0	H	10.0	11.4
3988.125000	---	41.05	54.00	12.95	500.0	200.0	V	63.0	12.5
4859.625000	---	41.11	54.00	12.89	500.0	200.0	H	54.0	12.9
5751.250000	53.30	---	68.20	14.90	500.0	200.0	H	54.0	14.6
6788.125000	53.71	---	68.20	14.49	500.0	200.0	H	194.0	16.6
7530.125000	---	44.77	54.00	9.23	500.0	200.0	H	224.0	17.8



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8960.000000	43.18	---	68.20	25.02	500.0	200.0	H	330.0	-1.3
9147.500000	---	32.26	54.00	21.74	500.0	100.0	H	175.0	-1.1
10018.750000	45.06	---	68.20	23.14	500.0	200.0	H	107.0	-0.8
10556.250000	43.90	---	68.20	24.30	500.0	200.0	V	211.0	-0.9
10663.750000	---	33.44	54.00	20.56	500.0	200.0	H	64.0	-0.8
12453.750000	---	32.13	54.00	21.87	500.0	200.0	V	226.0	0.3
13385.000000	---	34.13	54.00	19.87	500.0	100.0	H	204.0	2.4
13548.750000	47.42	---	68.20	20.78	500.0	100.0	H	130.0	2.9
15173.750000	48.39	---	68.20	19.81	500.0	100.0	H	84.0	5.3
15607.500000	---	37.76	54.00	16.24	500.0	100.0	V	287.0	6.5
17580.000000	51.85	---	68.20	16.35	500.0	100.0	V	0.0	10.1
17983.750000	---	40.70	54.00	13.30	500.0	200.0	V	83.0	11.0

802.11ac (VHT160) CH114



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1292.250000	45.00	---	68.20	23.20	500.0	100.0	H	97.0	3.2
1406.875000	---	33.85	54.00	20.15	500.0	100.0	V	336.0	3.9
1947.625000	47.36	---	68.20	20.84	500.0	200.0	H	43.0	6.2
2270.500000	---	36.47	54.00	17.53	500.0	200.0	H	178.0	7.8
2607.375000	49.74	---	68.20	18.46	500.0	200.0	V	0.0	8.7
2820.000000	---	37.77	54.00	16.23	500.0	200.0	V	19.0	9.1
3097.375000	49.13	---	68.20	19.07	500.0	100.0	H	117.0	9.7
3576.875000	51.88	---	68.20	16.32	500.0	100.0	H	74.0	11.4
3991.625000	---	41.30	54.00	12.70	500.0	100.0	H	216.0	12.5
4885.000000	---	40.98	54.00	13.02	500.0	100.0	H	311.0	13.1
6586.875000	56.07	---	68.20	12.13	500.0	100.0	V	239.0	15.8
7316.625000	---	44.83	54.00	9.17	500.0	200.0	H	69.0	17.7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8505.000000	43.73	---	68.20	24.47	500.0	200.0	H	335.0	-1.8
9145.000000	---	32.32	54.00	21.68	500.0	100.0	H	334.0	-1.1
9560.000000	44.99	---	68.20	23.21	500.0	200.0	H	202.0	-0.4
10563.750000	44.87	---	68.20	23.33	500.0	100.0	H	231.0	-0.9
10665.000000	---	33.32	54.00	20.68	500.0	200.0	V	150.0	-0.8
12353.750000	---	32.80	54.00	21.20	500.0	100.0	H	8.0	0.3
13360.000000	---	34.29	54.00	19.71	500.0	100.0	H	118.0	2.4
13736.250000	45.93	---	68.20	22.27	500.0	100.0	V	15.0	3.4
15281.250000	48.67	---	68.20	19.53	500.0	100.0	V	89.0	5.6
15596.250000	---	38.02	54.00	15.98	500.0	200.0	V	50.0	6.5
17483.750000	51.94	---	68.20	16.26	500.0	200.0	V	109.0	9.8
17985.000000	---	41.00	54.00	13.00	500.0	200.0	V	150.0	11.0

802.11ax HE20 CH36



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.000000	40.89	---	68.20	27.31	500.0	100.0	H	82.0	-8.2
1399.875000	---	29.59	54.00	24.41	500.0	100.0	V	190.0	-7.5
1704.375000	---	30.59	54.00	23.41	500.0	100.0	V	234.0	-5.9
1934.500000	43.48	---	68.20	24.72	500.0	100.0	V	194.0	-4.7
2511.125000	44.65	---	68.20	23.55	500.0	100.0	V	108.0	-2.4
2815.625000	---	33.85	54.00	20.15	500.0	200.0	V	103.0	-1.3
3547.125000	48.66	---	68.20	19.54	500.0	200.0	V	308.0	1.4
3987.250000	---	38.38	54.00	15.62	500.0	200.0	H	185.0	2.9
4850.875000	---	37.85	54.00	16.15	500.0	100.0	V	97.0	4.5
5760.000000	53.64	---	68.20	14.56	500.0	200.0	H	263.0	6.1
6907.125000	59.26	---	68.20	8.94	500.0	200.0	H	268.0	6.6
7444.375000	---	40.96	54.00	13.04	500.0	200.0	H	171.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8036.250000	---	32.11	54.00	21.89	500.0	100.0	V	271.0	-1.5
8518.750000	43.81	---	68.20	24.39	500.0	100.0	H	57.0	-1.6
9468.750000	---	33.12	54.00	20.88	500.0	200.0	H	167.0	-0.3
9668.750000	44.42	---	68.20	23.78	500.0	100.0	V	255.0	-0.8
10565.000000	44.34	---	68.20	23.86	500.0	100.0	H	228.0	-0.8
10653.750000	---	33.11	54.00	20.89	500.0	200.0	H	201.0	-0.7
13386.250000	---	35.02	54.00	18.98	500.0	200.0	H	301.0	3.3
13540.000000	46.79	---	68.20	21.41	500.0	200.0	V	115.0	3.6
15283.750000	48.51	---	68.20	19.69	500.0	200.0	H	245.0	5.9
15575.000000	---	38.17	54.00	15.83	500.0	200.0	V	70.0	6.6
17302.500000	51.38	---	68.20	16.82	500.0	100.0	H	1.0	9.3
17905.000000	---	40.47	54.00	13.53	500.0	100.0	V	255.0	10.2

802.11ax HE20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1298.375000	39.62	---	68.20	28.58	500.0	200.0	V	240.0	-8.0
1401.625000	---	29.28	54.00	24.72	500.0	100.0	V	29.0	-7.5
1687.750000	---	30.23	54.00	23.77	500.0	200.0	H	246.0	-5.9
1995.750000	42.91	---	68.20	25.29	500.0	200.0	H	89.0	-4.5
2666.000000	44.34	---	68.20	23.86	500.0	100.0	V	108.0	-1.9
2799.875000	---	33.66	54.00	20.34	500.0	100.0	V	297.0	-1.4
3592.625000	48.25	---	68.20	19.95	500.0	100.0	H	182.0	1.6
3988.125000	---	38.25	54.00	15.75	500.0	200.0	V	201.0	2.9
5081.000000	---	38.78	54.00	15.22	500.0	100.0	H	167.0	5.2
5548.250000	50.28	---	68.20	17.92	500.0	100.0	V	246.0	6.1
6933.375000	59.38	---	68.20	8.82	500.0	100.0	V	9.0	6.6
7484.625000	---	40.94	54.00	13.06	500.0	100.0	H	107.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8038.750000	---	31.95	54.00	22.05	500.0	200.0	H	9.0	-1.5
8975.000000	43.79	---	68.20	24.41	500.0	100.0	H	262.0	-1.4
9456.250000	---	32.92	54.00	21.08	500.0	200.0	V	68.0	-0.3
9701.250000	44.63	---	68.20	23.57	500.0	200.0	H	0.0	-0.7
10578.750000	43.71	---	68.20	24.49	500.0	100.0	H	124.0	-0.8
10668.750000	---	32.99	54.00	21.01	500.0	200.0	V	27.0	-0.7
13307.500000	---	35.07	54.00	18.93	500.0	200.0	H	131.0	3.3
13520.000000	46.63	---	68.20	21.57	500.0	200.0	H	105.0	3.6
15300.000000	48.47	---	68.20	19.73	500.0	200.0	H	282.0	5.9
15607.500000	---	38.13	54.00	15.87	500.0	100.0	H	272.0	6.7
17672.500000	51.46	---	68.20	16.74	500.0	200.0	H	326.0	10.2
17906.250000	---	40.17	54.00	13.83	500.0	100.0	V	91.0	10.2

802.11ax HE20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1272.125000	39.94	---	68.20	28.26	500.0	100.0	H	72.0	-8.2
1372.750000	---	29.42	54.00	24.58	500.0	100.0	H	96.0	-7.6
1688.625000	---	30.23	54.00	23.77	500.0	200.0	H	66.0	-5.9
1930.125000	43.21	---	68.20	24.99	500.0	200.0	H	14.0	-4.8
2530.375000	45.18	---	68.20	23.02	500.0	100.0	V	324.0	-2.3
2821.750000	---	33.87	54.00	20.13	500.0	200.0	V	51.0	-1.3
3422.000000	48.79	---	68.20	19.41	500.0	200.0	V	203.0	1.0
3899.750000	---	38.39	54.00	15.61	500.0	200.0	V	71.0	2.4
5125.625000	---	38.55	54.00	15.45	500.0	100.0	H	137.0	5.2
5468.625000	50.53	---	68.20	17.67	500.0	100.0	V	341.0	6.1
6986.750000	57.87	---	68.20	10.33	500.0	100.0	V	18.0	6.6
7524.875000	---	40.99	54.00	13.01	500.0	100.0	H	171.0	7.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8055.000000	---	32.14	54.00	21.86	500.0	200.0	H	349.0	-1.5
8528.750000	43.99	---	68.20	24.21	500.0	100.0	V	317.0	-1.6
9465.000000	---	33.16	54.00	20.84	500.0	100.0	H	35.0	-0.3
9607.500000	44.77	---	68.20	23.43	500.0	200.0	V	18.0	-0.8
10572.500000	44.30	---	68.20	23.90	500.0	100.0	V	327.0	-0.8
10652.500000	---	33.15	54.00	20.85	500.0	100.0	V	352.0	-0.8
13308.750000	---	35.11	54.00	18.89	500.0	200.0	V	62.0	3.3
13541.250000	46.63	---	68.20	21.57	500.0	200.0	V	7.0	3.6
15192.500000	48.84	---	68.20	19.36	500.0	100.0	V	213.0	5.6
15605.000000	---	37.91	54.00	16.09	500.0	100.0	H	351.0	6.7
17378.750000	51.66	---	68.20	16.54	500.0	100.0	V	208.0	9.5
17752.500000	---	40.24	54.00	13.76	500.0	200.0	V	62.0	10.3

802.11ax HE20 CH52



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1100.625000	---	28.00	54.00	26.00	500.0	100.0	H	55.0	-9.3
1284.375000	40.28	---	68.20	27.92	500.0	100.0	V	138.0	-8.1
1410.375000	---	29.54	54.00	24.46	500.0	100.0	V	189.0	-7.4
1700.000000	---	30.32	54.00	23.68	500.0	100.0	V	283.0	-5.9
1794.500000	42.89	---	68.20	25.31	500.0	200.0	H	305.0	-5.4
2655.500000	45.00	---	68.20	23.20	500.0	200.0	V	4.0	-1.9
2745.625000	---	33.70	54.00	20.30	500.0	200.0	V	170.0	-1.6
3509.500000	47.90	---	68.20	20.30	500.0	200.0	V	185.0	1.3
3992.500000	---	38.19	54.00	15.81	500.0	200.0	H	132.0	2.9
4451.000000	49.15	---	68.20	19.05	500.0	100.0	H	122.0	3.9
7013.875000	56.92	---	68.20	11.28	500.0	100.0	H	241.0	6.5
7474.125000	---	41.11	54.00	12.89	500.0	200.0	V	4.0	7.1



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8053.750000	---	32.06	54.00	21.94	500.0	200.0	V	17.0	-1.5
8502.500000	43.18	---	68.20	25.02	500.0	100.0	H	286.0	-1.6
9461.250000	---	33.11	54.00	20.89	500.0	100.0	V	0.0	-0.3
10135.000000	44.52	---	68.20	23.68	500.0	100.0	H	200.0	-0.8
10511.250000	44.03	---	68.20	24.17	500.0	200.0	V	0.0	-0.9
10690.000000	---	33.02	54.00	20.98	500.0	100.0	V	343.0	-0.7
13316.250000	---	35.06	54.00	18.94	500.0	200.0	V	141.0	3.3
13730.000000	47.05	---	68.20	21.15	500.0	100.0	V	190.0	3.8
15322.500000	49.06	---	68.20	19.14	500.0	100.0	H	113.0	5.9
15565.000000	---	38.15	54.00	15.85	500.0	200.0	V	225.0	6.6
17681.250000	50.93	---	68.20	17.27	500.0	200.0	H	290.0	10.2
17883.750000	---	40.31	54.00	13.69	500.0	100.0	V	71.0	10.2