

MRT Technology (Suzhou) Co., Ltd

Phone: +86-512-66308358 Fax: +86-512-66308368 Web: www.mrt-cert.com

Report No.: 1508RSU01204 Report Version: Issue Date: 09-06-2015

Co-location Report

FCC ID: 2ABX8SH-000000011

IC: 12219A-00000000011

APPLICANT: Zhejiang shenghui lighting Co., Ltd. Shanghai Branch

Application Type: Certification

Product: Element hub

Model No.: Z01-hub

Trademark: sengled

FCC Classification: Digital Transmission System (DTS)

August 26 ~ September 01, 2015 **Test Date:**

Reviewed By : Robin Wu)

Approved By : Marlinchen

(Marlin Chen)





The test results relate only to the samples tested.

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in ANSI C63.4-2014. Test results reported herein relate only to the item(s) tested.

The test report shall not be reproduced except in full without the written approval of MRT Technology (Suzhou)

FCC ID: 2ABX8SH-000000011 IC:12219A-00000000011

Page Number: 1 of 7



Page Number: 2 of 7



Revision History

Report No.	Version	Description	Issue Date		
1508RSU01204	Rev. 01	Initial report	09-06-2015		



§2.1033 General Information

Applicant:	Zhejiang shenghui lighting Co., Ltd. Shanghai Branch			
Applicant Address:	Rm. 801, 1st Xinye Building, 388 Tianlin Rd., Caohejing			
	Development Zone, Shanghai, 200233, China			
Manufacturer:	ZHEJIANG SHENGHUI LIGHTING Co., Ltd			
Manufacturer Address:	South Jiachuang Rd., Xiuzhou Industrial Park Jiaxing, Zhejiang			
	314015 P.R. China			
Test Site:	MRT Technology (Suzhou) Co., Ltd			
Test Site Address:	D8 Building, No.2 Tian'edang Rd., Wuzhong Economic			
	Development Zone, Suzhou, China			
MRT FCC Registration No.:	809388			
MRT IC Registration No.:	11384A			
FCC Rule Part(s):	Part 15.247			
IC Rule:	RSS-247 Issue 1			
Model No.:	Z01-hub			
FCC ID:	2ABX8SH-000000011			
IC:	12219A-0000000011			
Test Device Serial No.:	N/A ☐ Production ☐ Pre-Production ☐ Engineering			

Test Facility / Accreditations

Measurements were performed at MRT Laboratory located in Tian'edang Rd., Suzhou, China.

- MRT facility is a FCC registered (MRT Reg. No. 809388) test facility with the site description report on file and has met all the requirements specified in Section 2.948 of the FCC Rules.
- MRT facility is an IC registered (MRT Reg. No. 11384A-1) test laboratory with the site description on file at Industry Canada.
- MRT facility is a VCCI registered (R-4179, G-814, C-4664, T-2206) test laboratory with the site description on file at VCCI Council.
- MRT Lab is accredited to ISO 17025 by the American Association for Laboratory Accreditation (A2LA) under the American Association for Laboratory Accreditation Program (A2LA Cert. No. 3628.01) in EMC, Telecommunications and Radio testing for FCC, Industry Canada, EU and TELEC Rules.





1. INTRODUCTION

1.1. Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Industry Canada Certification and Engineering Bureau.

1.2. MRT Test Location

The map below shows the location of the MRT LABORATORY, its proximity to the Taihu Lake. These measurement tests were conducted at the MRT Technology (Suzhou) Co., Ltd. Facility located at D8 Building, Youxin Industrial Park, No.2 Tian'edang Rd., Wuzhong Economic Development Zone, Suzhou, China. The detailed description of the measurement facility was found to be in compliance with the requirements of § 2.948 according to ANSI C63.4-2009 on September 30, 2013.





Page Number: 5 of 7




2. PRODUCT INFORMATION

Product Name	Element hub		
Model No.	Z01-hub		
Zigbee Specification			
Frequency Range	2405 ~ 2480 MHz		
Type of Modulation	O-QPSK		
Wi-Fi Specification			
Frequency Range	2412 ~ 2462 MHz		
Type of Modulation	802.11b: DSSS		
	802.11g/n: OFDM		



3. TEST RESULT of Radiated Emissions for Co-located

Test Mode:	2.4GHz Wi-Fi + 2.4GHz ZigBee	Test Site:	AC1			
Test Engineer:	Milo Li	Polarity:	Horizontal			
Remark:	There is the ambient noise within frequency range 9kHz~30MHz and					
	18GHz~40GHz, the permissible value is not show in the report.					




No	Flag	Mark	Frequency	Measure	Reading	Over Limit	Limit	Factor	Туре
			(MHz)	Level	Level	(dB)	(dBuV/m)	(dB)	
				(dBuV/m)	(dBuV)				
1			4912.500	41.939	39.200	-32.061	74.000	2.739	PK
2			4912.500	29.763	27.020	-24.237	54.000	2.743	AV
3			7121.500	44.076	36.465	-29.924	74.000	7.611	PK
4			7121.500	32.308	24.688	-21.692	54.000	7.620	AV
5			9297.800	46.587	36.239	-27.413	74.000	10.348	PK
6		*	9297.800	35.205	24.855	-18.795	54.000	10.350	AV

Note: Measure Level (dB μ V/m) = Reading Level (dB μ V) + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m) – Pre-Amplifier Gain (dB).



Test Mode:	2.4GHz Wi-Fi + 2.4GHz ZigBee	Test Site:	AC1		
Test Engineer:	Milo Li	Polarity:	Vertical		
Remark:	There is the ambient noise within frequency range 9kHz~30MHz and				
	18GHz~40GHz, the permissible value is not show in the report.				



No	Flag	Mark	Frequency	Measure	Reading	Over Limit	Limit	Factor	Туре
			(MHz)	Level	Level	(dB)	(dBuV/m)	(dB)	
				(dBuV/m)	(dBuV)				
1			4923.640	40.675	37.905	-33.325	74.000	2.770	PK
2			4923.640	28.150	25.386	-25.850	54.000	2.764	AV
3			7486.800	44.236	36.035	-29.764	74.000	8.201	PK
4			7486.800	32.562	24.358	-21.438	54.000	8.203	AV
5			9315.600	47.731	37.364	-26.269	74.000	10.367	PK
6		*	9315.600	35.508	25.133	-18.492	54.000	10.374	AV

Note: Measure Level $(dB\mu V/m)$ = Reading Level $(dB\mu V)$ + Factor (dB)

Factor (dB) = Cable Loss (dB) + Antenna Factor (dB/m) – Pre-Amplifier Gain (dB).