Report for Broadcom Model: 20220623H32 V1.2


Tested Products.


- Antenna 1: integrated antenna.
 - Frequency = 2.402GHz.
 - Frequency = 2.441GHz.
 - Frequency = 2.480GHz.

Godox Photo Equipment Co.,Ltd.

Coordinate System Reference: Antenna-TX


Y






Godox Photo Equipment Co.,Ltd.

Radiation pattern: Antenna-TX 2D Pattern at f = 2.402GHz




Godox Photo Equipment Co.,Ltd.

Radiation pattern: Antenna-TX 3D Pattern at f = 2.441GHz




Godox Photo Equipment Co.,Ltd.

Radiation pattern: Antenna-TX 2D Pattern at f = 2.441GHz




Godox Photo Equipment Co.,Ltd.

Radiation pattern: Antenna-TX 3D Pattern at f = 2.48GHz




Godox Photo Equipment Co.,Ltd.

Radiation pattern: Antenna-TX 2D Pattern at f = 2.48GHz



Godox Photo Equipment Co.,Ltd.

Rturn Loss: Antennal



Godox Photo Equipment Co.,Ltd.

Measurements summary

Frequency ID	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	2402.0	2410.0	2420.0	2430.0	2441.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0
Gain (dBi)	0.89	0.88	0.75	0.65	0.25	-0.20	-0.91	-1.40	-1.82	-2.22	-2.74
Efficiency (%)	32.30	32.05	31.50	31.68	29.75	27.80	24.31	22.19	20.46	18.59	16.52
Directivity (dB)	5.80	5.82	5.77	5.64	5.51	5.36	5.23	5.13	5.08	5.09	5.08
Peak Gain Position (Theta)	74.00	75.00	75.00	76.00	76.00	76.00	74.00	73.00	72.00	70.00	70.00
Peak Gain Position (Phi)	210.00	210.00	210.00	210.00	210.00	210.00	210.00	210.00	210.00	210.00	210.00
Efficiency ThetaPol (%)	28.30	27.99	27.36	27.48	25.60	23.77	20.74	18.83	17.25	15.70	13.90
Efficiency PhiPol (%)	4.00	4.06	4.14	4.20	4.15	4.03	3.58	3.37	3.21	2.89	2.62
Upper Hem. Efficiency (%)	10.86	10.84	10.84	11.12	10.61	10.00	8.75	7.97	7.39	6.73	6.02
Lower Hem. Efficiency (%)	21.45	21.21	20.67	20.56	19.14	17.80	15.56	14.22	13.07	11.87	10.50

Godox Photo Equipment Co.,Ltd.