

FCC PART 15.249 TEST REPORT

For

GODOX Photo Equipment Co.,Ltd.

19th Floor, Room 1902, Building Jinshan, 5033 Shennan East Road, Luohu District, Shenzhen 518001, China

FCC ID: 2ABYNX1C

Report Type:		Product Type:
Original Report		TTL Wireless Flash Trigger(TX)
Test Engineer:	Allen Qiao	Allen Dioux
Report Number:	RDG15073000	5-00
Report Date:	2015-08-11	
Reviewed By:	Sula Huang RF Leader	Sula Huar
Test Laboratory:	No.69 Pulongci	86858891

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan). This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

TABLE OF CONTENTS

GENERAL INFORMATION	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
Objective	3
RELATED SUBMITTAL(S)/GRANT(S)	
TEST METHODOLOGY	
TEST FACILITY	3
SYSTEM TEST CONFIGURATION	4
JUSTIFICATION	4
EUT Exercise Software	
BLOCK DIAGRAM OF TEST SETUP	
SUMMARY OF TEST RESULTS	5
FCC§15.203 - ANTENNA REQUIREMENT	6
APPLICABLE STANDARD	
APPLICABLE STANDARD ANTENNA CONNECTOR CONSTRUCTION	
FCC§15.205, §15.209&§15.249- RADIATED EMISSIONS	7
APPLICABLE STANDARD	
MEASUREMENT UNCERTAINTY	7
EUT Setup	8
TEST EQUIPMENT SETUP	
TEST PROCEDURE	
CORRECTED AMPLITUDE & MARGIN CALCULATION	
TEST EQUIPMENT LIST AND DETAILS	
TEST RESULTS SUMMARY	
TEST DATA	
FCC §15.215(C) – 20 DB BANDWIDTH TESTING	12
APPLICABLE STANDARD	12
TEST PROCEDURE	
TEST EQUIPMENT LIST AND DETAILS.	12
TEST DATA	12
FCC§15.249(D) - OUT OF BAND EMISSION (50 DB ATTENUATION)	15
APPLICABLE STANDARD	15
TEST PROCEDURE	
TEST EQUIPMENT LIST AND DETAILS	
Test Data	15
DECLADATION LETTED	17

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The GODOX Photo Equipment Co.,Ltd.'s product, model number: X1C(FCC ID: 2ABYNX1C) (the "EUT") in this report was a TTL Wireless Flash Trigger(TX), was measured approximately: 7.0cm (L) x 7.2 cm (W) x 4.5 cm(H), rated input voltage: DC3V from 2×1.5V AA battery.

Report No.: RDG150730005-00

Note: the series product, model X1C, X1N are electrically identical, the difference between them is X1C has hotshoe control function, and X1N don't have this function, we selected X1C for fully testing, the details was explained in the attached declaration letter.

* All measurement and test data in this report was gathered from production sample serial number: 150730005 (Assigned by BACL.Dongguan). The EUT was received on 2015-08-03.

Objective

This type approval report is prepared on behalf of *GODOX Photo Equipment Co.,Ltd.* in accordance with Part 2-Subpart J, and Part 15-Subparts A, B and C of the Federal Communication Commissions rules.

The tests were performed in order to determine compliance with FCC Part 15, Subpart C, and section 15.203, 15.205, 15.209 and 15.249 rules.

Related Submittal(s)/Grant(s)

N/A.

Test Methodology

All measurements contained in this report were conducted with ANSI C63.4-2009, American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the range of 9 kHz to 40 GHz.

All radiated and conducted emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Dongguan).

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industrial Zone, Tangxia, Dongguan, Guangdong, China

Test site at Bay Area Compliance Laboratories Corp. (Dongguan) has been fully described in reports submitted to the Federal Communication Commission (FCC). The details of these reports have been found to be in compliance with the requirements of Section 2.948 of the FCC Rules on February 06, 2015. The facility also complies with the radiated and AC line conducted test site criteria set forth in ANSI C63.4-2009.

The Federal Communications Commission has the reports on file and is listed under FCC Registration No.: 273710. The test site has been approved by the FCC for public use and is listed in the FCC Public Access Link (PAL) database.

FCC Part 15.249 Page 3 of 17

SYSTEM TEST CONFIGURATION

Justification

The system was configured for testing in engineering mode with maximum power output and switched the channels by key.

Report No.: RDG150730005-00


3 channels were provided by the manufacturer:

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
1	2413	2	2438	3	2464.5

EUT Exercise Software

No software was used during the test.

Block Diagram of Test Setup



FCC Part 15.249 Page 4 of 17

SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§15.203	Antenna Requirement	Compliance
§15.207(a)	Conduction Emissions	Not Applicable
15.205, §15.209, §15.249	Radiated Emissions	Compliance
§15.215 (c)	20 dB Bandwidth	Compliance
§15.249(d)	Outside of Band Emission (50dB attenuation)	Compliance

Report No.: RDG150730005-00

Not Applicable: The EUT is battery operated equipment.

FCC Part 15.249 Page 5 of 17

FCC§15.203 - ANTENNA REQUIREMENT

Applicable Standard

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used.

Report No.: RDG150730005-00

Antenna Connector Construction

The EUT has one integral antenna arrangement, which was permanently attached and the antenna gain is 0dBi, fulfill the requirement of this section. Please refer to the EUT photos.

Result: Compliant.

FCC Part 15.249 Page 6 of 17

FCC§15.205, §15.209&§15.249- RADIATED EMISSIONS

Applicable Standard

As per FCC§15.249 (a), except as provided in paragraph (b) of this section, the field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following:

Fundamental frequency	Field strength of fundamental (millivolts/meter)	Field strength of harmonics (microvolts/meter)
902–928 MHz	50	500
2400–2483.5 MHz	50	500
5725–5875 MHz	50	500
24.0–24.25 GHz	250	2500

Report No.: RDG150730005-00

As per FCC§15.249 (c), Field strength limits are specified at a distance of 3 meters.

(d) Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in §15.209, whichever is the lesser attenuation.

Measurement Uncertainty

Compliance or non- compliance with a disturbance limit shall be determined in the following manner:

If U_{lab} is less than or equal to U_{cispr} of Table 1, then:

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit. If U_{lab} is greater than U_{cispr} of Table 1, then:
- compliance is deemed to occur if no measured disturbance level, increased by $(U_{lab} U_{cispr})$, exceeds the disturbance limit;
- non compliance is deemed to occur if any measured disturbance level, increased by $(U_{\text{lab}} U_{\text{cispr}})$, exceeds the disturbance limit.

Based on CISPR 16-4-2: 2011, measurement uncertainty of radiated emission at a distance of 3m at Bay Area Compliance Laboratories Corp. (Dongguan) is:

30M~200MHz: 5.0 dB 200M~1GHz: 6.2 dB 1G~6GHz: 4.45 dB 6G~18GHz: 5.23 dB


FCC Part 15.249 Page 7 of 17

Table 1 – Values of U_{cispr}


Measurement					
Radiated disturbance (electric field strength at an OATS or in a SAC) (30 MHz to 1000 MHz)	6.3 dB				
Radiated disturbance (electric field strength in a FAR) (1 GHz to 6 GHz)	5.2 dB				
Radiated disturbance (electric field strength in a FAR) (6 GHz to 18 GHz)	5.5 dB				

EUT Setup

Below 1 GHz:



Above 1 GHz:



The radiated emission and out of band emission tests were performed in the 3 meters chamber test site, using the setup accordance with the ANSI C63.4-2009. The specification used was the FCC 15.209/15.205 and FCC 15.249 limits.

FCC Part 15.249 Page 8 of 17

Test Equipment Setup

The system was investigated from 30 MHz to 25 GHz.

During the radiated emission test, the EMI test receiver & Spectrum Analyzer Setup were set with the following configurations:

Frequency Range	RBW	Video B/W	IF B/W	Detector
30 MHz – 1000 MHz	120 kHz	300 kHz	120 kHz	QP
Above 1 GHz	1MHz	3 MHz	/	PK
Above I GHZ	1MHz	10 Hz	/	Ave.

Report No.: RDG150730005-00

Test Procedure

Maximizing procedure was performed on the highest emissions to ensure that the EUT complied with all installation combinations.

All data was recorded in the Quasi-peak detection mode from 30MHz to 1GHz, Peak and average detection mode above 1 GHz.

Corrected Amplitude & Margin Calculation

The Corrected Amplitude is calculated by adding the Antenna Factor and Cable Loss, and subtracting the Amplifier Gain from the Meter Reading. The basic equation is as follows:

Corrected Amplitude = Meter Reading + Antenna Factor + Cable Loss - Amplifier Gain

The "Margin" column of the following data tables indicates the degree of compliance with the applicable limit. For example, a margin of 7dB means the emission is 7dB below the limit. The equation for margin calculation is as follows:

Margin = Limit –Corrected Amplitude

FCC Part 15.249 Page 9 of 17

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100224	2015-05-09	2016-05-09
Sunol Sciences	Antenna	JB3	A060611-3	2014-07-28	2017-07-27
HP	Amplifier	8447E	2434A02181	2014-09-01	2015-09-01
R&S	Spectrum Analyzer	E4440A	SG43360054	2014-12-04	2015-12-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2012-09-06	2015-09-06
Mini-Circuit	Amplifier	ZVA-213-S+	054201245	2015-02-19	2016-02-19
R&S	Spectrum Analyzer	FSP 38	100478	2015-05-09	2016-05-09
Ducommun Technolagies	Horn Antenna	ARH-4223-02	1007726-01 1304	2014-06-16	2017-06-15
Quinstar	Amplifier	QLW- 18405536-JO	15964001001	2014-09-06	2015-09-06

Report No.: RDG150730005-00

Test Results Summary

According to the data in the following table, the EUT complied with the FCC Part 15.209 &15.205 & 15.249, with the worst margin reading of:

9.81 dB at 231 MHz in the Horizontal polarization

Test Data

Environmental Conditions

Temperature:	27.8 °C	
Relative Humidity:	58%	
ATM Pressure:	100.2 kPa	

The testing was performed by Allen Qiao on 2015-08-05.

FCC Part 15.249 Page 10 of 17

^{*} Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test	Mode: Tran	smitting								
T	Re	eceiver	Rx A	Antenna	Cable	Amplifier	Corrected	T **4	M	
Frequency (MHz)	Reading	Detector (DK/OD/AV)	Polar	Factor	loss (dB)	Gain (dB)	Amplitude (dBµV/m)	Limit (dBµV/m)	Margin (dB)	
	(MHZ) (dBμV) (PK/QP/AV) (H/V) (dB(1/m)) (dB) (dB) (dBμV/m) (
2413	59.62	PK	Н	25.67	3.69	0.00	88.98	114.00	25.02	
2413	54.16	AV	H	25.67	3.69	0.00	83.52	94.00	10.48	
2413	58.37	PK	V	25.67	3.69	0.00	87.73	114.00	26.27	
2413	53.18	AV	V	25.67	3.69	0.00	82.54	94.00	11.46	
2390	27.52	PK	H	25.61	3.63	0.00	56.76	74.00	17.24	
2390	13.43	AV	Н	25.61	3.63	0.00	42.67	54.00	11.33	
4826	36.04	PK	Н	30.65	5.02	27.41	44.30	74.00	29.70	
4826	25.83	AV	Н	30.65	5.02	27.41	34.09	54.00	19.91	
7239	31.79	PK	Н	34.17	6.65	25.90	46.71	74.00	27.29	
7239	18.73	AV	Н	34.17	6.65	25.90	33.65	54.00	20.35	
9652	30.47	PK	Н	36.06	8.56	27.45	47.64	74.00	26.36	
9652	17.55	AV	Н	36.06	8.56	27.45	34.72	54.00	19.28	
2020	35.67	PK	Н	24.65	3.22	27.46	36.08	74.00	37.92	
2020	38.3	AV	Н	24.65	3.22	27.46	38.71	54.00	15.29	
231	43.7	QP	Н	11.94	1.83	21.48	35.99	46.00	10.01	
231	13.7	Ų1		ldle Channel	4000		33.77	10.00	10.01	
2438	59.54	PK	Н	25.74	3.76	0.00	89.04	114.00	24.96	
2438	54.16	AV	Н	25.74	3.76	0.00	83.66	94.00	10.34	
2438	58.28	PK	V	25.74	3.76	0.00	87.78	114.00	26.22	
2438	53.03	AV	V	25.74	3.76	0.00	82.53	94.00	11.47	
4876	35.93	PK	H	30.78	5.15	27.42	44.44	74.00	29.56	
4876	25.73	AV	Н	30.78	5.15	27.42	34.24	54.00	19.76	
7314	31.55	PK	Н	34.35	6.74	25.88	46.76	74.00	27.24	
7314	18.46	AV	Н	34.35	6.74	25.88	33.67	54.00	20.33	
9752	30.45	PK	Н	36.30	8.61	27.23	48.13	74.00	25.87	
9752	17.46	AV	Н	36.30	8.61	27.23	35.14	54.00	18.86	
2020	35.24	PK	Н	24.65	3.22	27.46	35.65	74.00	38.35	
2020	22.72	AV	Н	24.65	3.22	27.46	23.13	54.00	30.87	
3145	33.9	PK	Н	27.66	6.97	27.41	41.12	74.00	32.88	
3145	21.22	AV	Н	27.66	6.97	27.41	28.44	54.00	25.56	
231	43.8	QP	Н	11.94	1.83	21.48	36.09	46.00	9.91	
-				h Channel:						
2464.5	59.95	PK	Н	25.81	3.74	0.00	89.50	114.00	24.50	
2464.5	54.55	AV	Н	25.81	3.74	0.00	84.10	94.00	9.90	
2464.5	58.42	PK	V	25.81	3.74	0.00	87.97	114.00	26.03	
2464.5	53.32	AV	V	25.81	3.74	0.00	82.87	94.00	11.13	
2483.5	28.58	PK	Н	25.86	3.67	0.00	58.11	74.00	15.89	
2483.5	13.97	AV	Н	25.86	3.67	0.00	43.50	54.00	10.50	
4929	36.2	PK	Н	30.92	5.34	27.43	45.03	74.00	28.97	
4929	26.15	AV	Н	30.92	5.34	27.43	34.98	54.00	19.02	
7393.5	32.16	PK	Н	34.54	6.83	25.86	47.67	74.00	26.33	
7393.5	18.84	AV	Н	34.54	6.83	25.86	34.35	54.00	19.65	
9858	30.8	PK	Н	36.56	8.67	26.90	49.13	74.00	24.87	
9858	17.87	AV	Н	36.56	8.67	26.90	36.20	54.00	17.80	
2020	36.06	PK	Н	24.65	3.22	27.46	36.47	74.00	37.53	
2020	23.39	AV	Н	24.65	3.22	27.46	23.80	54.00	30.20	
231	43.9	QP	Н	11.94	1.83	21.48	36.19	46.00	9.81	

Report No.: RDG150730005-00

FCC Part 15.249 Page 11 of 17

FCC §15.215(c) – 20 dB BANDWIDTH TESTING

Applicable Standard

Intentional radiators operating under the alternative provisions to the general emission limits, as contained in §§ 15.217 through 15.257 and in Subpart E of this part, must be designed to ensure that the 20 dB bandwidth of the emission, or whatever bandwidth may otherwise be specified in the specific rule section under which the equipment operates, is contained within the frequency band designated in the rule section under which the equipment is operated.

Report No.: RDG150730005-00

Test Procedure

- 1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
- 2. Position the EUT on the test table without connection to measurement instrument. Turn on the EUT. Then set it to any one convenient frequency within its operating range. Set a reference level on the measuring instrument equal to the highest peak value.
- 3. Measure the frequency difference of two frequencies that were attenuated 20 dB from the reference level. Record the frequency difference as the emission bandwidth.
- 4. Repeat above procedures until all frequencies measured were complete.

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSP 38	100478	2015-05-09	2016-05-09

^{*} Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	26.9°C
Relative Humidity:	57 %
ATM Pressure:	100.2kPa

^{*} The testing was performed by Allen Qiao on 2015-08-05.

Test Result: Compliant.


Please refer to following tables and plots

FCC Part 15.249 Page 12 of 17

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)
Low	2413	0.780
Middle	2438	0.780
High	2464.5	0.780

Report No.: RDG150730005-00

Low Channel




Date: 5.AUG.2015 15:57:39

FCC Part 15.249 Page 13 of 17


Middle Channel

Report No.: RDG150730005-00



Date: 5.AUG.2015 16:11:38

High Channel



Date: 5.AUG.2015 15:59:56

FCC Part 15.249 Page 14 of 17

FCC§15.249(d) - OUT OF BAND EMISSION (50 dB ATTENUATION)

Applicable Standard

Emissions radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general radiated emission limits in §15.209, whichever is the lesser attenuation

Report No.: RDG150730005-00

Test Procedure

- 1. Check the calibration of the measuring instrument using either an internal calibrator or a known signal from an external generator.
- 2. Position the EUT without connection to measurement instrument. Turn on the EUT and connect its antenna terminal to measurement instrument via a low loss cable. Then set it to any one measured frequency within its operating range, and make sure the instrument is operated in its linear range.
- 3. Set RBW to 100 kHz and VBW of spectrum analyzer to 300 kHz with a convenient frequency span including 100 kHz bandwidth from band edge.
- 4. Measure the highest amplitude appearing on spectral display and set it as a reference level. Plot the graph with marking the highest point and edge frequency.
- 5. Repeat above procedures until all measured frequencies were complete.

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSP 38	100478	2015-05-09	2016-05-09

^{*} Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	27.3 °C			
Relative Humidity:	59 %			
ATM Pressure:	99.8kPa			

^{*} The testing was performed by Allen Qiao on 2015-08-10.

Test Result: Compliant.

Please refer to the following table and plots:


Band Edge	Delta Peak to Band Emission (dBc)	Delta Limit (dBc)
Left	49.37	50
Right	46.61	50

Note: The band emission compliant with the general radiated emission limits in §15.209. Please refer to radiated emissions test section.

FCC Part 15.249 Page 15 of 17


Band Edge, Left Side

Report No.: RDG150730005-00



Date: 10.AUG.2015 15:06:38

Band Edge, Right Side



Date: 10.AUG.2015 15:04:12

FCC Part 15.249 Page 16 of 17

DECLARATION LETTER

GODOX PHOTO EQUIPMENT CO.LTD

19th Floor, Room 1902, Building Jinshan, 5033 Shennan East Road, Luohu

Report No.: RDG150730005-00

District, Shenzhen 518001, China

Telephone Number: 0755-25737526 Fax Number: 0755-25723423

DECLARATION OF SIMILARITY

2015-08-10

To:

Dear Sir or Madam:

We, GODOX PHOTO EQUIPMENT CO.LTD, hereby declare that product: TTL Wireless Flash Trigger, Model numbers: X1C, X1N are electrically identical with the same electromagnetic emissions and electromagnetic compatibility characteristics. Model Number: X1N is electrically identical with the Model Number: X1C that was certified by BACL. Their difference is as following:

X1C has hotshoe control function, and X1N don't have this function.

Please contact me should there be need for any additional clarification or information.

Best Regards,

Mrs Yuan MY Yuan Manager

***** END OF REPORT *****

FCC Part 15.249 Page 17 of 17