





**Test Mode:** UNII-1/TX AC40 Mode

### TX mode CH38



Date: 13.JUN.2015 02:36:24


### TX mode CH46




Date: 13.JUN.2015 02:38:18

**Test Mode: UNII-1/TX AC80 Mode**

**TX mode CH42**



Date: 13.JUN.2015 02:55:49




Date: 13.JUN.2015 02:55:57




**Test Mode:** UNII-2A/TX AC40 Mode

### TX mode CH54



Date: 13.JUN.2015 02:41:32


### TX mode CH62




Date: 13.JUN.2015 02:43:13

**Test Mode:** UNII-2A/TX AC80 Mode

**TX mode CH58**



Date: 13.JUN.2015 03:00:18



Date: 13.JUN.2015 03:00:26









**Test Mode:** UNII-2C/TX AC80 Mode

### TX mode CH106



Date: 20.JUN.2015 04:29:17


### TX mode CH122



Date: 20.JUN.2015 04:30:25


Test Mode: UNII-3/TX AC20 Mode

### TX AC HT20 mode CH149



Date: 20.JUN.2015 04:06:15


### TX AC HT20 mode CH165



Date: 20.JUN.2015 04:08:38


Test Mode: UNII-3/TX AC40 Mode

### TX AC HT40 mode CH151



Date: 20.JUN.2015 04:25:26


### TX AC HT40 mode CH159




Date: 20.JUN.2015 04:27:06

**Test Mode:** UNII-3/TX AC80 Mode

**TX AC HT80 mode CH155**



Date: 20.JUN.2015 04:31:34




Date: 20.JUN.2015 04:31:42

## ATTACHMENT H - POWER SPECTRAL DENSITY

**Test Mode: UNII-1/ TX A Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.73	0.12	2.85	11.00
CH40	5200	2.77	0.12	2.89	11.00
CH48	5240	2.82	0.12	2.94	11.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.85	0.52	3.37	10.00
CH40	5200	2.89	0.52	3.41	10.00
CH48	5240	2.94	0.52	3.46	10.00




Date: 13.JUN.2015 01:40:15

**CH40**



Date: 13.JUN.2015 01:45:11

**CH48**




Date: 13.JUN.2015 01:50:43

**Test Mode: UNII-1/TX N20 Mode\_CH36/CH40/CH48**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.57	0.09	1.66	11.00
CH40	5200	1.38	0.09	1.47	11.00
CH48	5240	1.59	0.09	1.68	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	1.66	0.52	2.18	10.00
CH40	5200	1.47	0.52	1.99	10.00
CH48	5240	1.68	0.52	2.20	10.00



Date: 13.JUN.2015 02:10:43




### CH40



Date: 13.JUN.2015 02:13:00

### CH48




Date: 13.JUN.2015 02:15:56

**Test Mode: UNII-1/TX N40 Mode\_CH38/CH46**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.46	0.26	-1.20	11.00
CH46	5230	-1.26	0.26	-1.00	11.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-1.20	0.52	-0.68	10.00
CH46	5230	-1.00	0.52	-0.48	10.00

### CH38



Date: 13.JUN.2015 02:47:41


### CH46



Date: 13.JUN.2015 02:49:44


Test Mode: UNII-2A/ TX A Mode\_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.64	0.12	2.76	11.00
CH60	5300	2.65	0.12	2.77	11.00
CH64	5320	2.71	0.12	2.83	11.00




Date: 13.JUN.2015 01:55:22

CH60



Date: 13.JUN.2015 01:57:40


CH64



Date: 13.JUN.2015 01:59:57


**Test Mode: UNII-2A/TX N20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.52	0.09	1.61	11.00
CH60	5300	1.27	0.09	1.36	11.00
CH64	5320	1.15	0.09	1.24	11.00




Date: 13.JUN.2015 02:18:04

**CH60**



Date: 13.JUN.2015 02:19:22

**CH64**




Date: 13.JUN.2015 02:20:34

**Test Mode: UNII-2A/TX N40 Mode\_CH54/CH62**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-1.59	0.26	-1.33	11.00
CH62	5310	-1.46	0.26	-1.20	11.00




### CH54



Date: 13.JUN.2015 02:51:41

### CH62




Date: 13.JUN.2015 02:53:13

**Test Mode: UNII-2C/ TX A Mode\_CH100/CH116/CH140**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.00	0.12	3.12	11.00
CH116	5580	3.24	0.12	3.36	11.00
CH140	5700	3.07	0.12	3.19	11.00

**CH100**




Date: 20.JUN.2015 03:43:30

### CH116



Date: 20.JUN.2015 03:46:22


### CH140



Date: 20.JUN.2015 03:47:12




### CH116



Date: 20.JUN.2015 03:54:35

### CH140




Date: 20.JUN.2015 03:56:15

**Test Mode: UNII-2C/TX N40 Mode\_CH102/CH110/CH134**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-1.62	0.26	-1.36	11.00
CH110	5550	-1.23	0.26	-0.97	11.00
CH134	5670	-1.10	0.26	-0.84	11.00

**CH102**




Date: 20.JUN.2015 04:12:17



**Test Mode: UNII-3/TX A Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	0.18	0.12	0.30	30.00
CH157	5785	-0.64	0.12	-0.52	30.00
CH165	5825	-0.21	0.12	-0.09	30.00

**TX CH149**




Date: 20.JUN.2015 03:48:10



**TX CH157**

Date: 20.JUN.2015 03:49:17


**TX CH165**

Date: 20.JUN.2015 03:50:10

**Test Mode: UNII-3/ TX N20 Mode\_CH149/CH157/CH165**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-1.02	0.09	-0.93	30.00
CH157	5785	-1.98	0.09	-1.89	30.00
CH165	5825	-1.56	0.09	-1.47	30.00

### TX CH149



Date: 20.JUN.2015 03:57:38



**Test Mode: UNII-3/ TX N40 Mode\_CH151/CH159**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.47	0.26	-6.21	30.00
CH159	5795	-5.12	0.26	-4.86	30.00



**Test Mode: UNII-1/TX AC20 Mode\_CH36/CH40/CH48**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.31	0.11	0.42	11.00
CH40	5200	0.27	0.11	0.38	11.00
CH48	5240	0.18	0.11	0.29	11.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	0.42	0.25	0.94	10.00
CH40	5200	0.38	0.25	0.90	10.00
CH48	5240	0.29	0.25	0.81	10.00




Date: 13.JUN.2015 02:26:20

**CH40**



Date: 13.JUN.2015 02:28:14

**CH48**



Date: 13.JUN.2015 02:29:03


**Test Mode: UNII-1/TX AC40 Mode CH38/CH46**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.69	0.21	-2.48	11.00
CH46	5230	-2.52	0.21	-2.31	11.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-2.48	0.52	-1.96	10.00
CH46	5230	-2.31	0.52	-1.79	10.00




### CH38



Date: 13.JUN.2015 02:36:15

### CH46




Date: 13.JUN.2015 02:38:11

**Test Mode: UNII-1/TX AC80 Mode\_CH42**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.32	0.94	-3.38	11.00


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.38	0.52	-2.86	11.00



Date: 13.JUN.2015 02:55:32


**Test Mode: UNII-2A/TX AC20 Mode\_CH52/CH60/CH64**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.36	0.11	0.47	11.00
CH60	5300	0.13	0.11	0.24	11.00
CH64	5320	-0.02	0.11	0.09	11.00




Date: 13.JUN.2015 02:30:34

**CH60**



Date: 13.JUN.2015 02:31:59


**CH64**




Date: 13.JUN.2015 02:33:52

**Test Mode: UNII-2A/TX AC40 Mode\_CH54/CH62**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-2.72	0.21	-2.51	11.00
CH62	5310	-2.76	0.21	-2.55	11.00

**CH54**


Date: 13.JUN.2015 02:41:25

**CH62**

Date: 13.JUN.2015 02:43:03

**Test Mode: UNII-2A/TX AC80 Mode\_CH58**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-4.56	0.94	-3.62	11.00




Date: 13.JUN.2015 03:00:11

**Test Mode: UNII-2C/TX AC20 Mode\_CH100/CH116/CH140**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.22	0.11	0.33	11.00
CH116	5580	0.73	0.11	0.84	11.00
CH140	5700	0.54	0.11	0.65	11.00


**CH100**



Date: 20.JUN.2015 04:02:03




### CH116



Date: 20.JUN.2015 04:03:24

### CH140




Date: 20.JUN.2015 04:04:47

**Test Mode: UNII-2C/TX AC40 Mode\_CH102/CH110/CH134**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-2.69	0.21	-2.48	11.00
CH110	5550	-2.18	0.21	-1.97	11.00
CH134	5670	-2.26	0.21	-2.05	11.00

**CH102**




Date: 20.JUN.2015 04:20:45

### CH110



Date: 20.JUN.2015 04:22:35

### CH134




Date: 20.JUN.2015 04:23:54

**Test Mode: UNII-2C/TX AC80 Mode\_CH106/CH122**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-4.22	0.94	-3.28	11.00
CH122	5610	-3.89	0.94	-2.95	11.00

### CH106



Date: 20.JUN.2015 04:29:09

### CH122




Date: 20.JUN.2015 04:30:17

**Test Mode: UNII-3/ TX AC20 Mode\_CH149/CH157/CH165**


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	-2.47	0.11	-2.36	30.00
CH157	5785	-3.23	0.11	-3.12	30.00
CH165	5825	-2.56	0.11	-2.45	30.00

**TX CH149**




Date: 20.JUN.2015 04:06:07

### TX CH157



Date: 20.JUN.2015 04:07:30

### TX CH165




Date: 20.JUN.2015 04:08:30

**Test Mode: UNII-3/ TX AC40 Mode\_CH151/CH159**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-6.45	0.21	-6.24	30.00
CH159	5795	-6.34	0.21	-6.13	30.00




### TX CH151



Date: 20.JUN.2015 04:25:18

### TX CH159



Date: 20.JUN.2015 04:26:57



## ATTACHMENT I - FREQUENCY STABILITY

<b>Test Mode:</b>	<b>UNII-1</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9960
120	5179.9940
108	5179.9910
Max. Deviation (MHz)	0.0090
Max. Deviation (ppm)	1.7375

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-10	5179.9790
5	5179.9770
15	5179.9740
25	5179.9800
35	5179.9780
45	5179.9750
Max. Deviation (MHz)	0.0260
Max. Deviation (ppm)	5.0193

<b>Test Mode:</b>	<b>UNII-2A</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9950
120	5259.9910
108	5259.9870
Max. Deviation (MHz)	0.0130
Max. Deviation (ppm)	2.4715

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
-10	5259.9870
5	5259.9850
15	5259.9830
25	5259.9880
35	5259.9860
45	5259.9840
Max. Deviation (MHz)	0.0170
Max. Deviation (ppm)	3.2319

<b>Test Mode:</b>	<b>UNII-2C</b>
-------------------	----------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9800
120	5499.9500
108	5499.9600
Max. Deviation (MHz)	0.0500
Max. Deviation (ppm)	9.0909

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-10	5499.9780
5	5499.9760
15	5499.9740
25	5499.9790
35	5499.9770
45	5499.9750
Max. Deviation (MHz)	0.0260
Max. Deviation (ppm)	4.7273

<b>Test Mode:</b>	<b>UNII-3</b>
-------------------	---------------

### Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9800
120	5744.9500
108	5744.9700
Max. Deviation (MHz)	0.0500
Max. Deviation (ppm)	8.7032

### Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-10	5744.9840
5	5744.9820
15	5744.9800
25	5744.9850
35	5744.9830
45	5744.9810
Max. Deviation (MHz)	0.0200
Max. Deviation (ppm)	3.4813