



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422.18	-61.64	-13	-48.64	-80.97	-69.87	4.37	12.60	H
	5133.27	-59.12	-13	-46.12	-83.28	-66.88	4.94	12.70	H
	6844.36	-59.37	-13	-46.37	-83.28	-64.75	6.32	11.70	H
	3422.18	-65.00	-13	-52.00	-81.08	-73.23	4.37	12.60	V
	5133.27	-63.84	-13	-50.84	-83.35	-71.60	4.94	12.70	V
	6844.36	-59.45	-13	-46.45	-83.36	-64.83	6.32	11.70	V
Middle	3447.18	-61.60	-13	-48.60	-80.93	-69.83	4.37	12.60	H
	5170.77	-59.17	-13	-46.17	-83.33	-66.93	4.94	12.70	H
	6894.36	-59.34	-13	-46.34	-83.25	-64.72	6.32	11.70	H
	3447.18	-64.87	-13	-51.87	-80.95	-73.10	4.37	12.60	V
	5170.77	-63.82	-13	-50.82	-83.33	-71.58	4.94	12.70	V
	6894.36	-59.50	-13	-46.50	-83.41	-64.88	6.32	11.70	V
Highest	3472	-61.70	-13	-48.70	-81.03	-69.93	4.37	12.60	H
	5208	-59.36	-13	-46.36	-83.52	-67.12	4.94	12.70	H
	6942	-59.69	-13	-46.69	-83.60	-65.07	6.32	11.70	H
	3472	-64.99	-13	-51.99	-81.07	-73.22	4.37	12.60	V
	5208	-63.85	-13	-50.85	-83.36	-71.61	4.94	12.70	V
	6944	-59.62	-13	-46.62	-83.53	-65.00	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.92	-70.01	-13	-57.01	-75.57	-74.42	2.84	9.40	H
	2474.88	-67.68	-13	-54.68	-78.10	-72.43	3.7	10.60	H
	3299.84	-65.03	-13	-52.03	-79.79	-71.11	4.37	12.60	H
	1649.92	-71.09	-13	-58.09	-75.80	-75.50	2.84	9.40	V
	2474.88	-68.11	-13	-55.11	-77.94	-72.86	3.70	10.60	V
	3299.84	-65.97	-13	-52.97	-79.54	-72.05	4.37	12.60	V
Middle	1671.92	-70.38	-13	-57.38	-75.94	-74.79	2.84	9.40	H
	2507.88	-63.60	-13	-50.60	-74.02	-68.35	3.7	10.60	H
	3343.84	-65.25	-13	-52.25	-80.01	-71.33	4.37	12.60	H
	1671.92	-71.24	-13	-58.24	-75.95	-75.65	2.84	9.40	V
	2507.88	-68.35	-13	-55.35	-78.18	-73.10	3.70	10.60	V
	3343.84	-66.54	-13	-53.54	-80.11	-72.62	4.37	12.60	V
Highest	1695.52	-70.23	-13	-57.23	-75.79	-74.64	2.84	9.40	H
	2543.28	-67.60	-13	-54.60	-78.02	-72.35	3.7	10.60	H
	3391.04	-65.51	-13	-52.51	-80.27	-71.59	4.37	12.60	H
	1695.52	-71.19	-13	-58.19	-75.90	-75.60	2.84	9.40	V
	2543.28	-68.46	-13	-55.46	-78.29	-73.21	3.70	10.60	V
	3391.04	-66.44	-13	-53.44	-80.01	-72.52	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.48	-70.01	-13	-57.01	-75.57	-74.42	2.84	9.40	H
	2472.72	-67.71	-13	-54.71	-78.13	-72.46	3.7	10.60	H
	3296.96	-64.45	-13	-51.45	-79.21	-70.53	4.37	12.60	H
	1648.48	-71.18	-13	-58.18	-75.89	-75.59	2.84	9.40	V
	2472.72	-68.34	-13	-55.34	-78.17	-73.09	3.70	10.60	V
	3296.96	-66.35	-13	-53.35	-79.74	-72.43	4.37	12.60	V
Middle	1670.48	-70.06	-13	-57.06	-75.62	-74.47	2.84	9.40	H
	2505.72	-61.97	-13	-48.97	-72.39	-66.72	3.7	10.60	H
	3340.96	-65.04	-13	-52.04	-79.80	-71.12	4.37	12.60	H
	1670.48	-70.45	-13	-57.45	-75.16	-74.86	2.84	9.40	V
	2505.72	-67.99	-13	-54.99	-77.82	-72.74	3.70	10.60	V
	3340.96	-66.60	-13	-53.60	-80.17	-72.68	4.37	12.60	V
Highest	1692.48	-70.32	-13	-57.32	-75.88	-74.73	2.84	9.40	H
	2538.72	-65.52	-13	-52.52	-75.94	-70.27	3.7	10.60	H
	3384.96	-65.37	-13	-52.37	-80.13	-71.45	4.37	12.60	H
	1692.48	-70.71	-13	-57.71	-75.42	-75.12	2.84	9.40	V
	2538.72	-68.52	-13	-55.52	-78.35	-73.27	3.70	10.60	V
	3384.96	-66.52	-13	-53.52	-80.09	-72.60	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.68	-70.25	-13	-57.25	-75.81	-74.66	2.84	9.40	H
	2473.02	-67.79	-13	-54.79	-78.21	-72.54	3.7	10.60	H
	3297.36	-65.07	-13	-52.07	-79.83	-71.15	4.37	12.60	H
	1648.68	-71.18	-13	-58.18	-75.89	-75.59	2.84	9.40	V
	2473.02	-68.29	-13	-55.29	-78.12	-73.04	3.70	10.60	V
	3297.36	-66.21	-13	-53.21	-79.78	-72.29	4.37	12.60	V
Middle	1668.68	-70.31	-13	-57.31	-75.87	-74.72	2.84	9.40	H
	2503.02	-67.43	-13	-54.43	-77.85	-72.18	3.7	10.60	H
	3337.36	-65.15	-13	-52.15	-79.91	-71.23	4.37	12.60	H
	1668.68	-71.27	-13	-58.27	-75.98	-75.68	2.84	9.40	V
	2503.02	-68.48	-13	-55.48	-78.31	-73.23	3.70	10.60	V
	3337.36	-66.51	-13	-53.51	-80.08	-72.59	4.37	12.60	V
Highest	1688.68	-70.38	-13	-57.38	-75.94	-74.79	2.84	9.40	H
	2533.02	-67.71	-13	-54.71	-78.13	-72.46	3.7	10.60	H
	3377.36	-65.26	-13	-52.26	-80.02	-71.34	4.37	12.60	H
	1688.68	-70.97	-13	-57.97	-75.68	-75.38	2.84	9.40	V
	2533.02	-68.23	-13	-55.23	-78.06	-72.98	3.70	10.60	V
	3377.36	-66.65	-13	-53.65	-80.22	-72.73	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.18	-69.55	-13	-56.55	-75.11	-73.96	2.84	9.40	H
	2473.77	-67.63	-13	-54.63	-78.05	-72.38	3.7	10.60	H
	3298.36	-65.16	-13	-52.16	-79.92	-71.24	4.37	12.60	H
	1649.18	-71.10	-13	-58.10	-75.81	-75.51	2.84	9.40	V
	2473.77	-68.28	-13	-55.28	-78.11	-73.03	3.70	10.60	V
	3298.36	-66.07	-13	-53.07	-79.64	-72.15	4.37	12.60	V
Middle	1664.18	-70.37	-13	-57.37	-75.93	-74.78	2.84	9.40	H
	2496.27	-65.75	-13	-52.75	-76.17	-70.50	3.7	10.60	H
	3328.36	-65.43	-13	-52.43	-80.19	-71.51	4.37	12.60	H
	1664.18	-71.27	-13	-58.27	-75.98	-75.68	2.84	9.40	V
	2496.27	-68.28	-13	-55.28	-78.11	-73.03	3.70	10.60	V
	3328.36	-66.30	-13	-53.30	-79.87	-72.38	4.37	12.60	V
Highest	1679.18	-70.03	-13	-57.03	-75.59	-74.44	2.84	9.40	H
	2518.77	-67.73	-13	-54.73	-78.15	-72.48	3.7	10.60	H
	3358.36	-65.19	-13	-52.19	-79.95	-71.27	4.37	12.60	H
	1679.18	-71.08	-13	-58.08	-75.79	-75.49	2.84	9.40	V
	2518.77	-68.24	-13	-55.24	-78.07	-72.99	3.70	10.60	V
	3358.36	-66.22	-13	-53.22	-79.79	-72.30	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5000.50	-48.80	-25	-23.80	-82.95	-56.56	4.94	12.70	H
	7500.75	-53.37	-25	-28.37	-82.98	-58.51	6.56	11.70	H
	10001.00	-55.04	-25	-30.04	-84.27	-59.48	7.66	12.10	H
	5000.50	-49.58	-25	-24.58	-83.07	-57.34	4.94	12.70	V
	7500.75	-54.02	-25	-29.02	-82.96	-59.16	6.56	11.70	V
	10001.00	-57.51	-25	-32.51	-84.57	-61.95	7.66	12.10	V
Middle	5065.50	-59.70	-25	-34.70	-83.03	-67.46	4.94	12.70	H
	7598.25	-53.53	-25	-28.53	-83.14	-58.67	6.56	11.70	H
	10131.00	-55.01	-25	-30.01	-84.24	-59.45	7.66	12.10	H
	5065.50	-60.88	-25	-35.88	-82.92	-68.64	4.94	12.70	V
	7598.25	-54.39	-25	-29.39	-83.33	-59.53	6.56	11.70	V
	10131.00	-57.06	-25	-32.06	-84.12	-61.50	7.66	12.10	V
Highest	5130.50	-60.07	-25	-35.07	-83.40	-67.83	4.94	12.70	H
	7695.75	-53.66	-25	-28.66	-83.27	-58.80	6.56	11.70	H
	10261.00	-54.64	-25	-29.64	-83.87	-59.08	7.66	12.10	H
	5130.50	-61.18	-25	-36.18	-83.22	-68.94	4.94	12.70	V
	7695.75	-54.39	-25	-29.39	-83.33	-59.53	6.56	11.70	V
	10261.00	-56.91	-25	-31.91	-83.97	-61.35	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5001.18	-59.68	-25	-34.68	-83.01	-67.44	4.94	12.70	H
	7501.77	-53.34	-25	-28.34	-82.95	-58.48	6.56	11.70	H
	10002.36	-55.29	-25	-30.29	-84.52	-59.73	7.66	12.10	H
	5001.18	-60.96	-25	-35.96	-83	-68.72	4.94	12.70	V
	7501.77	-54.16	-25	-29.16	-83.1	-59.30	6.56	11.70	V
	10002.36	-57.56	-25	-32.56	-84.62	-62.00	7.66	12.10	V
Middle	5061.18	-59.71	-25	-34.71	-83.04	-67.47	4.94	12.70	H
	7591.77	-53.71	-25	-28.71	-83.32	-58.85	6.56	11.70	H
	10122.36	-54.91	-25	-29.91	-84.14	-59.35	7.66	12.10	H
	5061.18	-60.98	-25	-35.98	-83.02	-68.74	4.94	12.70	V
	7591.77	-54.33	-25	-29.33	-83.27	-59.47	6.56	11.70	V
	10122.36	-57.20	-25	-32.20	-84.26	-61.64	7.66	12.10	V
Highest	5121.18	-59.99	-25	-34.99	-83.32	-67.75	4.94	12.70	H
	7681.77	-53.51	-25	-28.51	-83.12	-58.65	6.56	11.70	H
	10242.36	-55.25	-25	-30.25	-84.48	-59.69	7.66	12.10	H
	5121.18	-61.10	-25	-36.10	-83.14	-68.86	4.94	12.70	V
	7681.77	-54.32	-25	-29.32	-83.26	-59.46	6.56	11.70	V
	10242.36	-57.29	-25	-32.29	-84.35	-61.73	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5001.68	-59.72	-25	-34.72	-83.05	-67.48	4.94	12.70	H
	7502.52	-53.63	-25	-28.63	-83.24	-58.77	6.56	11.70	H
	10003.36	-55.34	-25	-30.34	-84.57	-59.78	7.66	12.10	H
	5001.68	-60.99	-25	-35.99	-83.03	-68.75	4.94	12.70	V
	7502.52	-54.04	-25	-29.04	-82.98	-59.18	6.56	11.70	V
	10003.36	-57.55	-25	-32.55	-84.61	-61.99	7.66	12.10	V
Middle	5056.68	-59.65	-25	-34.65	-82.98	-67.41	4.94	12.70	H
	7585.02	-53.52	-25	-28.52	-83.13	-58.66	6.56	11.70	H
	10113.36	-54.80	-25	-29.80	-84.03	-59.24	7.66	12.10	H
	5056.68	-60.99	-25	-35.99	-83.03	-68.75	4.94	12.70	V
	7585.02	-54.28	-25	-29.28	-83.22	-59.42	6.56	11.70	V
	10113.36	-57.06	-25	-32.06	-84.12	-61.50	7.66	12.10	V
Highest	5111.68	-59.94	-25	-34.94	-83.27	-67.70	4.94	12.70	H
	7667.52	-53.33	-25	-28.33	-82.94	-58.47	6.56	11.70	H
	10223.36	-55.10	-25	-30.10	-84.33	-59.54	7.66	12.10	H
	5111.68	-61.08	-25	-36.08	-83.12	-68.84	4.94	12.70	V
	7667.52	-54.08	-25	-29.08	-83.02	-59.22	6.56	11.70	V
	10223.36	-57.37	-25	-32.37	-84.43	-61.81	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 7 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5002.18	-59.50	-25	-34.50	-82.83	-67.26	4.94	12.70	H
	7503.27	-53.55	-25	-28.55	-83.16	-58.69	6.56	11.70	H
	10004.36	-62.31	-25	-37.31	-91.54	-66.75	7.66	12.10	H
	5002.18	-60.98	-25	-35.98	-83.02	-68.74	4.94	12.70	V
	7503.27	-54.10	-25	-29.10	-83.04	-59.24	6.56	11.70	V
	10004.36	-63.76	-25	-38.76	-90.82	-68.20	7.66	12.10	V
Middle	5052.18	-59.67	-25	-34.67	-83.00	-67.43	4.94	12.70	H
	7578.27	-53.63	-25	-28.63	-83.24	-58.77	6.56	11.70	H
	10104.36	-61.00	-25	-36.00	-90.23	-65.44	7.66	12.10	H
	5052.18	-60.91	-25	-35.91	-82.95	-68.67	4.94	12.70	V
	7578.27	-54.25	-25	-29.25	-83.19	-59.39	6.56	11.70	V
	10104.36	-63.08	-25	-38.08	-90.14	-67.52	7.66	12.10	V
Highest	5102.18	-59.92	-25	-34.92	-83.25	-67.68	4.94	12.70	H
	7653.27	-53.47	-25	-28.47	-83.08	-58.61	6.56	11.70	H
	10204.36	-55.04	-25	-30.04	-84.27	-59.48	7.66	12.10	H
	5102.18	-61.10	-25	-36.10	-83.14	-68.86	4.94	12.70	V
	7653.27	-54.02	-25	-29.02	-82.96	-59.16	6.56	11.70	V
	10204.36	-62.17	-25	-37.17	-89.23	-66.61	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 20M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5039.80	-60.96	-25	-35.96	-80.30	-72.72	0.94	12.70	H
	7559.70	-56.09	-25	-31.09	-79.43	-66.10	1.69	11.70	H
	10079.60	-52.35	-25	-27.35	-79.88	-63.01	1.44	12.10	H
	5039.80	-59.90	-25	-34.90	-80.05	-71.66	0.94	12.70	V
	7559.70	-56.26	-25	-31.26	-79.69	-66.27	1.69	11.70	V
	10079.60	-52.37	-25	-27.37	-79.59	-63.03	1.44	12.10	V
Middle	5070.00	-59.91	-25	-34.91	-79.24	-71.67	0.94	12.70	H
	7605.00	-56.12	-25	-31.12	-79.20	-66.13	1.69	11.70	H
	10140.00	-52.46	-25	-27.46	-79.84	-63.12	1.44	12.10	H
	5070.00	-59.71	-25	-34.71	-79.83	-71.47	0.94	12.70	V
	7605.00	-55.72	-25	-30.72	-78.93	-65.73	1.69	11.70	V
	10140.00	-53.07	-25	-28.07	-80.24	-63.73	1.44	12.10	V
Highest	5100.20	-60.44	-25	-35.44	-79.77	-72.20	0.94	12.70	H
	7650.30	-55.81	-25	-30.81	-78.89	-65.82	1.69	11.70	H
	10200.40	-52.37	-25	-27.37	-79.58	-63.03	1.44	12.10	H
	5100.20	-59.77	-25	-34.77	-79.86	-71.53	0.94	12.70	V
	7650.30	-55.53	-25	-30.53	-78.74	-65.54	1.69	11.70	V
	10200.40	-52.40	-25	-27.40	-79.48	-63.06	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 20M+15M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5037.10	-60.72	-25	-35.72	-80.06	-72.48	0.94	12.70	H
	7555.65	-56.23	-25	-31.23	-79.57	-66.24	1.69	11.70	H
	10074.20	-52.45	-25	-27.45	-79.98	-63.11	1.44	12.10	H
	5037.10	-59.73	-25	-34.73	-79.89	-71.49	0.94	12.70	V
	7555.65	-56.22	-25	-31.22	-79.65	-66.23	1.69	11.70	V
	10074.20	-52.54	-25	-27.54	-79.76	-63.20	1.44	12.10	V
Middle	5072.30	-60.64	-25	-35.64	-79.98	-72.40	0.94	12.70	H
	7608.45	-56.39	-25	-31.39	-79.47	-66.40	1.69	11.70	H
	10144.60	-52.59	-25	-27.59	-79.93	-63.25	1.44	12.10	H
	5072.30	-59.89	-25	-34.89	-80	-71.65	0.94	12.70	V
	7608.45	-56.18	-25	-31.18	-79.39	-66.19	1.69	11.70	V
	10144.60	-53.14	-25	-28.14	-80.27	-63.80	1.44	12.10	V
Highest	5107.30	-60.52	-25	-35.52	-79.86	-72.28	0.94	12.70	H
	7660.95	-55.74	-25	-30.74	-78.84	-65.75	1.69	11.70	H
	10214.60	-52.64	-25	-27.64	-79.83	-63.30	1.44	12.10	H
	5107.30	-59.67	-25	-34.67	-79.76	-71.43	0.94	12.70	V
	7660.95	-55.97	-25	-30.97	-79.2	-65.98	1.69	11.70	V
	10214.60	-52.75	-25	-27.75	-79.84	-63.41	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 20M+10M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5032.70	-61.25	-25	-36.25	-80.59	-73.01	0.94	12.70	H
	7549.05	-56.10	-25	-31.10	-79.55	-66.11	1.69	11.70	H
	10065.40	-52.61	-25	-27.61	-80.16	-63.27	1.44	12.10	H
	5032.70	-60.36	-25	-35.36	-80.52	-72.12	0.94	12.70	V
	7549.05	-56.04	-25	-31.04	-79.56	-66.05	1.69	11.70	V
	10065.40	-52.90	-25	-27.90	-80.11	-63.56	1.44	12.10	V
Middle	5067.70	-60.85	-25	-35.85	-80.18	-72.61	0.94	12.70	H
	7601.55	-56.37	-25	-31.37	-79.43	-66.38	1.69	11.70	H
	10135.40	-52.36	-25	-27.36	-79.76	-63.02	1.44	12.10	H
	5067.70	-59.90	-25	-34.90	-80.02	-71.66	0.94	12.70	V
	7601.55	-56.42	-25	-31.42	-79.61	-66.43	1.69	11.70	V
	10135.40	-52.77	-25	-27.77	-79.94	-63.43	1.44	12.10	V
Highest	5102.90	-60.13	-25	-35.13	-79.46	-71.89	0.94	12.70	H
	7654.35	-56.07	-25	-31.07	-79.15	-66.08	1.69	11.70	H
	10205.80	-52.54	-25	-27.54	-79.73	-63.20	1.44	12.10	H
	5102.90	-60.02	-25	-35.02	-80.11	-71.78	0.94	12.70	V
	7654.35	-55.96	-25	-30.96	-79.17	-65.97	1.69	11.70	V
	10205.80	-52.80	-25	-27.80	-79.89	-63.46	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 15M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5030.00	-60.97	-25	-35.97	-80.31	-72.73	0.94	12.70	H
	7545.00	-56.57	-25	-31.57	-80.02	-66.58	1.69	11.70	H
	10060.00	-52.66	-25	-27.66	-80.25	-63.32	1.44	12.10	H
	5030.00	-60.00	-25	-35.00	-80.16	-71.76	0.94	12.70	V
	7545.00	-55.98	-25	-30.98	-79.5	-65.99	1.69	11.70	V
	10060.00	-52.67	-25	-27.67	-79.92	-63.33	1.44	12.10	V
Middle	5070.00	-60.68	-25	-35.68	-80.01	-72.44	0.94	12.70	H
	7605.00	-56.62	-25	-31.62	-79.70	-66.63	1.69	11.70	H
	10140.00	-53.00	-25	-28.00	-80.38	-63.66	1.44	12.10	H
	5070.00	-60.08	-25	-35.08	-80.2	-71.84	0.94	12.70	V
	7605.00	-55.87	-25	-30.87	-79.08	-65.88	1.69	11.70	V
	10140.00	-52.94	-25	-27.94	-80.11	-63.60	1.44	12.10	V
Highest	5110.00	-60.05	-25	-35.05	-79.39	-71.81	0.94	12.70	H
	7665.00	-56.00	-25	-31.00	-79.10	-66.01	1.69	11.70	H
	10220.00	-53.47	-25	-28.47	-80.62	-64.13	1.44	12.10	H
	5110.00	-59.34	-25	-34.34	-79.43	-71.10	0.94	12.70	V
	7665.00	-55.79	-25	-30.79	-79.02	-65.80	1.69	11.70	V
	10220.00	-53.35	-25	-28.35	-80.4	-64.01	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 15M+15M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5034.40	-61.08	-25	-36.08	-80.42	-72.84	0.94	12.70	H
	7551.60	-56.11	-25	-31.11	-79.56	-66.12	1.69	11.70	H
	10068.80	-52.51	-25	-27.51	-80.06	-63.17	1.44	12.10	H
	5034.40	-59.93	-25	-34.93	-80.09	-71.69	0.94	12.70	V
	7551.60	-55.99	-25	-30.99	-79.51	-66.00	1.69	11.70	V
	10068.80	-52.66	-25	-27.66	-79.87	-63.32	1.44	12.10	V
Middle	5074.60	-60.79	-25	-35.79	-80.13	-72.55	0.94	12.70	H
	7611.90	-56.17	-25	-31.17	-79.25	-66.18	1.69	11.70	H
	10149.20	-52.47	-25	-27.47	-79.81	-63.13	1.44	12.10	H
	5074.60	-59.78	-25	-34.78	-79.89	-71.54	0.94	12.70	V
	7611.90	-55.80	-25	-30.80	-79.01	-65.81	1.69	11.70	V
	10149.20	-52.75	-25	-27.75	-79.88	-63.41	1.44	12.10	V
Highest	5114.60	-59.93	-25	-34.93	-79.27	-71.69	0.94	12.70	H
	7671.90	-55.80	-25	-30.80	-78.87	-65.81	1.69	11.70	H
	10229.20	-52.46	-25	-27.46	-79.60	-63.12	1.44	12.10	H
	5114.60	-59.39	-25	-34.39	-79.48	-71.15	0.94	12.70	V
	7671.90	-55.81	-25	-30.81	-79.01	-65.82	1.69	11.70	V
	10229.20	-52.93	-25	-27.93	-79.99	-63.59	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 CA / 10M+15M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5025.40	-59.43	-25	-34.43	-78.77	-71.19	0.94	12.70	H
	7538.10	-54.92	-25	-29.92	-78.40	-64.93	1.69	11.70	H
	10050.80	-52.27	-25	-27.27	-79.88	-62.93	1.44	12.10	H
	5025.40	-60.09	-25	-35.09	-80.25	-71.85	0.94	12.70	V
	7538.10	-55.93	-25	-30.93	-79.48	-65.94	1.69	11.70	V
	10050.80	-52.60	-25	-27.60	-79.84	-63.26	1.44	12.10	V
Middle	5065.60	-60.75	-25	-35.75	-80.09	-72.51	0.94	12.70	H
	7598.40	-56.07	-25	-31.07	-79.13	-66.08	1.69	11.70	H
	10131.20	-52.25	-25	-27.25	-79.65	-62.91	1.44	12.10	H
	5065.60	-59.74	-25	-34.74	-79.87	-71.50	0.94	12.70	V
	7598.40	-56.05	-25	-31.05	-79.24	-66.06	1.69	11.70	V
	10131.20	-52.74	-25	-27.74	-79.91	-63.40	1.44	12.10	V
Highest	5105.60	-60.21	-25	-35.21	-79.55	-71.97	0.94	12.70	H
	7658.40	-55.96	-25	-30.96	-79.06	-65.97	1.69	11.70	H
	10211.20	-52.99	-25	-27.99	-80.18	-63.65	1.44	12.10	H
	5105.60	-59.69	-25	-34.69	-79.78	-71.45	0.94	12.70	V
	7658.40	-55.63	-25	-30.63	-78.86	-65.64	1.69	11.70	V
	10211.20	-52.81	-25	-27.81	-79.9	-63.47	1.44	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1398.14	-50.92	-13	-37.92	-65.34	-53.85	0.78	5.86	H
	2097.21	-58.87	-13	-45.87	-78.36	-61.47	1	5.75	H
	2796.28	-67.84	-13	-54.84	-78.20	-72.14	1.05	7.50	H
	1398.14	-58.39	-13	-45.39	-68.92	-61.32	0.78	5.86	V
	2097.21	-59.45	-13	-46.45	-78.18	-62.05	1.00	5.75	V
	2796.28	-66.84	-13	-53.84	-78.43	-71.14	1.05	7.50	V
Middle	1413.74	-46.96	-13	-33.96	-62.54	-49.89	0.78	5.86	H
	2120.61	-58.48	-13	-45.48	-77.97	-61.08	1	5.75	H
	2827.48	-67.75	-13	-54.75	-78.11	-72.05	1.05	7.50	H
	1413.74	-56.77	-13	-43.77	-67.30	-59.70	0.78	5.86	V
	2120.61	-59.27	-13	-46.27	-78.00	-61.87	1.00	5.75	V
	2827.48	-66.63	-13	-53.63	-78.22	-70.93	1.05	7.50	V
Highest	1429.34	-49.77	-13	-36.77	-64.39	-52.70	0.78	5.86	H
	2144.01	-58.98	-13	-45.98	-78.47	-61.58	1	5.75	H
	2858.68	-68.29	-13	-55.29	-78.65	-72.59	1.05	7.50	H
	1429.34	-55.93	-13	-42.93	-66.46	-58.86	0.78	5.86	V
	2144.01	-59.54	-13	-46.54	-78.27	-62.14	1.00	5.75	V
	2858.68	-67.19	-13	-54.19	-78.78	-71.49	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 12 / 3MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1398.3	-50.67	-13	-37.67	-65.14	-53.60	0.78	5.86	H
	2097.45	-58.87	-13	-45.87	-78.36	-61.47	1	5.75	H
	2796.6	-68.04	-13	-55.04	-78.40	-72.34	1.05	7.50	H
	1398.3	-58.67	-13	-45.67	-69.20	-61.60	0.78	5.86	V
	2097.45	-59.75	-13	-46.75	-78.48	-62.35	1.00	5.75	V
	2796.6	-66.79	-13	-53.79	-78.38	-71.09	1.05	7.50	V
Middle	1412.3	-49.47	-13	-36.47	-64.12	-52.40	0.78	5.86	H
	2118.45	-58.71	-13	-45.71	-78.20	-61.31	1	5.75	H
	2824.6	-67.82	-13	-54.82	-78.18	-72.12	1.05	7.50	H
	1412.3	-57.90	-13	-44.90	-68.43	-60.83	0.78	5.86	V
	2118.45	-59.08	-13	-46.08	-77.81	-61.68	1.00	5.75	V
	2824.6	-66.55	-13	-53.55	-78.14	-70.85	1.05	7.50	V
Highest	1425.9	-50.11	-13	-37.11	-64.68	-53.04	0.78	5.86	H
	2138.85	-58.42	-13	-45.42	-77.91	-61.02	1	5.75	H
	2851.8	-67.93	-13	-54.93	-78.29	-72.23	1.05	7.50	H
	1425.9	-56.42	-13	-43.42	-66.95	-59.35	0.78	5.86	V
	2138.85	-58.85	-13	-45.85	-77.58	-61.45	1.00	5.75	V
	2851.8	-66.87	-13	-53.87	-78.46	-71.17	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1398.5	-50.45	-13	-37.45	-64.96	-53.38	0.78	5.86	H
	2097.75	-59.09	-13	-46.09	-78.58	-61.69	1	5.75	H
	2797	-68.09	-13	-55.09	-78.45	-72.39	1.05	7.50	H
	1398.5	-57.93	-13	-44.93	-68.46	-60.86	0.78	5.86	V
	2097.75	-59.57	-13	-46.57	-78.30	-62.17	1.00	5.75	V
	2797	-66.81	-13	-53.81	-78.40	-71.11	1.05	7.50	V
Middle	1410.5	-50.39	-13	-37.39	-64.91	-53.32	0.78	5.86	H
	2115.75	-58.57	-13	-45.57	-78.06	-61.17	1	5.75	H
	2821	-67.50	-13	-54.50	-77.86	-71.80	1.05	7.50	H
	1410.5	-59.50	-13	-46.50	-70.03	-62.43	0.78	5.86	V
	2115.75	-59.40	-13	-46.40	-78.13	-62.00	1.00	5.75	V
	2821	-66.51	-13	-53.51	-78.10	-70.81	1.05	7.50	V
Highest	1422.5	-48.22	-13	-35.22	-63.18	-51.15	0.78	5.86	H
	2133.75	-58.62	-13	-45.62	-78.11	-61.22	1	5.75	H
	2845	-68.03	-13	-55.03	-78.39	-72.33	1.05	7.50	H
	1422.5	-56.00	-13	-43.00	-66.53	-58.93	0.78	5.86	V
	2133.75	-59.56	-13	-46.56	-78.29	-62.16	1.00	5.75	V
	2845	-67.02	-13	-54.02	-78.61	-71.32	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399	-55.29	-13	-42.29	-68.11	-58.22	0.78	5.86	H
	2098.5	-58.76	-13	-45.76	-78.25	-61.36	1	5.75	H
	2798	-67.90	-13	-54.90	-78.26	-72.20	1.05	7.50	H
	1399	-60.03	-13	-47.03	-70.56	-62.96	0.78	5.86	V
	2098.5	-59.42	-13	-46.42	-78.15	-62.02	1.00	5.75	V
	2798	-66.71	-13	-53.71	-78.30	-71.01	1.05	7.50	V
Middle	1406	-55.17	-13	-42.17	-67.99	-58.10	0.78	5.86	H
	2109	-58.63	-13	-45.63	-78.12	-61.23	1	5.75	H
	2812	-67.85	-13	-54.85	-78.21	-72.15	1.05	7.50	H
	1406	-60.94	-13	-47.94	-71.47	-63.87	0.78	5.86	V
	2109	-59.43	-13	-46.43	-78.16	-62.03	1.00	5.75	V
	2812	-66.66	-13	-53.66	-78.25	-70.96	1.05	7.50	V
Highest	1413	-47.65	-13	-34.65	-62.87	-50.58	0.78	5.86	H
	2119.5	-58.75	-13	-45.75	-78.24	-61.35	1	5.75	H
	2826	-68.18	-13	-55.18	-78.54	-72.48	1.05	7.50	H
	1413	-57.04	-13	-44.04	-67.57	-59.97	0.78	5.86	V
	2119.5	-59.77	-13	-46.77	-78.50	-62.37	1.00	5.75	V
	2826	-66.92	-13	-53.92	-78.51	-71.22	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1408.68	-52.97	-13	-39.97	-65.79	-55.90	0.78	5.86	H
	2113.02	-58.68	-13	-45.68	-78.17	-61.28	1	5.75	H
	2817.36	-67.75	-13	-54.75	-78.11	-72.05	1.05	7.50	H
	1408.68	-59.29	-13	-46.29	-69.82	-62.22	0.78	5.86	V
	2113.02	-59.24	-13	-46.24	-77.97	-61.84	1.00	5.75	V
	2817.36	-66.94	-13	-53.94	-78.53	-71.24	1.05	7.50	V
Middle	1415.68	-51.02	-13	-38.02	-63.84	-53.95	0.78	5.86	H
	2123.58	-58.89	-13	-45.89	-78.38	-61.49	1	5.75	H
	2831.36	-67.67	-13	-54.67	-78.03	-71.97	1.05	7.50	H
	1415.68	-56.93	-13	-43.93	-67.46	-59.86	0.78	5.86	V
	2123.58	-59.39	-13	-46.39	-78.12	-61.99	1.00	5.75	V
	2831.36	-66.76	-13	-53.76	-78.35	-71.06	1.05	7.50	V
Highest	1422.68	-52.38	-13	-39.38	-65.20	-55.31	0.78	5.86	H
	2134.02	-58.73	-13	-45.73	-78.22	-61.33	1	5.75	H
	2845.36	-68.23	-13	-55.23	-78.59	-72.53	1.05	7.50	H
	1422.68	-54.00	-13	-41.00	-64.53	-56.93	0.78	5.86	V
	2134.02	-59.10	-13	-46.10	-77.83	-61.70	1.00	5.75	V
	2845.36	-66.39	-13	-53.39	-77.98	-70.69	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 17 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1409.18	-50.63	-13	-37.63	-63.45	-53.56	0.78	5.86	H
	2113.77	-58.78	-13	-45.78	-78.27	-61.38	1	5.75	H
	2818.36	-68.04	-13	-55.04	-78.40	-72.34	1.05	7.50	H
	1409.18	-57.89	-13	-44.89	-68.42	-60.82	0.78	5.86	V
	2113.77	-59.60	-13	-46.60	-78.33	-62.20	1.00	5.75	V
	2818.36	-66.69	-13	-53.69	-78.28	-70.99	1.05	7.50	V
Middle	1411.18	-52.00	-13	-39.00	-64.82	-54.93	0.78	5.86	H
	2116.77	-58.71	-13	-45.71	-78.20	-61.31	1	5.75	H
	2822.36	-67.87	-13	-54.87	-78.23	-72.17	1.05	7.50	H
	1411.18	-56.54	-13	-43.54	-67.07	-59.47	0.78	5.86	V
	2116.77	-59.39	-13	-46.39	-78.12	-61.99	1.00	5.75	V
	2822.36	-66.48	-13	-53.48	-78.07	-70.78	1.05	7.50	V
Highest	1413.18	-50.38	-13	-37.38	-63.20	-53.31	0.78	5.86	H
	2119.77	-58.84	-13	-45.84	-78.33	-61.44	1	5.75	H
	2826.36	-67.85	-13	-54.85	-78.21	-72.15	1.05	7.50	H
	1413.18	-55.38	-13	-42.38	-65.91	-58.31	0.78	5.86	V
	2119.77	-59.44	-13	-46.44	-78.17	-62.04	1.00	5.75	V
	2826.36	-66.27	-13	-53.27	-77.86	-70.57	1.05	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.14	-63.76	-13	-50.76	-69.32	-68.17	2.84	9.40	H
	2472.21	-49.33	-13	-36.33	-61.14	-54.08	3.7	10.60	H
	3296.28	-65.06	-13	-52.06	-79.82	-71.14	4.37	12.60	H
	1648.14	-66.05	-13	-53.05	-70.76	-70.46	2.84	9.40	V
	2472.21	-45.57	-13	-32.57	-58.66	-50.32	3.70	10.60	V
	3296.28	-66.12	-13	-53.12	-79.69	-72.20	4.37	12.60	V
Middle	1671.74	-63.83	-13	-50.83	-69.39	-68.24	2.84	9.40	H
	2507.61	-53.01	-13	-40.01	-63.43	-57.76	3.7	10.60	H
	3343.48	-65.28	-13	-52.28	-80.04	-71.36	4.37	12.60	H
	1671.74	-66.12	-13	-53.12	-70.83	-70.53	2.84	9.40	V
	2507.61	-49.45	-13	-36.45	-60.98	-54.20	3.70	10.60	V
	3343.48	-66.75	-13	-53.75	-80.32	-72.83	4.37	12.60	V
Highest	1695.34	-65.99	-13	-52.99	-71.55	-70.40	2.84	9.40	H
	2543.01	-46.52	-13	-33.52	-59.46	-51.27	3.7	10.60	H
	3390.68	-65.45	-13	-52.45	-80.21	-71.53	4.37	12.60	H
	1695.34	-66.64	-13	-53.64	-71.35	-71.05	2.84	9.40	V
	2543.01	-47.60	-13	-34.60	-59.99	-52.35	3.70	10.60	V
	3390.68	-66.84	-13	-53.84	-80.41	-72.92	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.3	-66.55	-13	-53.55	-72.11	-70.96	2.84	9.40	H
	2472.45	-57.85	-13	-44.85	-68.27	-62.60	3.7	10.60	H
	3296.6	-64.91	-13	-51.91	-79.67	-70.99	4.37	12.60	H
	1648.3	-67.93	-13	-54.93	-72.64	-72.34	2.84	9.40	V
	2472.45	-57.39	-13	-44.39	-67.22	-62.14	3.70	10.60	V
	3296.6	-66.18	-13	-53.18	-79.75	-72.26	4.37	12.60	V
Middle	1670.3	-68.35	-13	-55.35	-73.91	-72.76	2.84	9.40	H
	2505.45	-59.50	-13	-46.50	-69.92	-64.25	3.7	10.60	H
	3340.6	-65.27	-13	-52.27	-80.03	-71.35	4.37	12.60	H
	1670.3	-69.44	-13	-56.44	-74.15	-73.85	2.84	9.40	V
	2505.45	-60.74	-13	-47.74	-70.57	-65.49	3.70	10.60	V
	3340.6	-65.96	-13	-52.96	-79.53	-72.04	4.37	12.60	V
Highest	1692.3	-65.37	-13	-52.37	-70.93	-69.78	2.84	9.40	H
	2538.45	-58.97	-13	-45.97	-69.39	-63.72	3.7	10.60	H
	3384.6	-64.35	-13	-51.35	-79.11	-70.43	4.37	12.60	H
	1692.3	-69.71	-13	-56.71	-74.42	-74.12	2.84	9.40	V
	2538.45	-59.56	-13	-46.56	-69.39	-64.31	3.70	10.60	V
	3384.6	-65.34	-13	-52.34	-78.91	-71.42	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.5	-67.66	-13	-54.66	-73.22	-72.07	2.84	9.40	H
	2472.75	-64.11	-13	-51.11	-74.53	-68.86	3.7	10.60	H
	3297	-64.97	-13	-51.97	-79.73	-71.05	4.37	12.60	H
	1648.5	-68.48	-13	-55.48	-73.19	-72.89	2.84	9.40	V
	2472.75	-65.86	-13	-52.86	-75.69	-70.61	3.70	10.60	V
	3297	-66.22	-13	-53.22	-79.79	-72.30	4.37	12.60	V
Middle	1668.5	-69.28	-13	-56.28	-74.84	-73.69	2.84	9.40	H
	2502.75	-65.02	-13	-52.02	-75.44	-69.77	3.7	10.60	H
	3337	-65.13	-13	-52.13	-79.89	-71.21	4.37	12.60	H
	1668.5	-70.19	-13	-57.19	-74.90	-74.60	2.84	9.40	V
	2502.75	-65.13	-13	-52.13	-74.96	-69.88	3.70	10.60	V
	3337	-66.09	-13	-53.09	-79.66	-72.17	4.37	12.60	V
Highest	1688.5	-65.13	-13	-52.13	-70.69	-69.54	2.84	9.40	H
	2532.75	-62.25	-13	-49.25	-72.67	-67.00	3.7	10.60	H
	3377	-65.47	-13	-52.47	-80.23	-71.55	4.37	12.60	H
	1688.5	-69.74	-13	-56.74	-74.45	-74.15	2.84	9.40	V
	2532.75	-59.53	-13	-46.53	-69.36	-64.28	3.70	10.60	V
	3377	-66.75	-13	-53.75	-80.32	-72.83	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 26 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-67.35	-13	-54.35	-72.91	-71.76	2.84	9.40	H
	2473.5	-62.92	-13	-49.92	-73.34	-67.67	3.7	10.60	H
	3298	-65.01	-13	-52.01	-79.77	-71.09	4.37	12.60	H
	1649	-66.73	-13	-53.73	-71.44	-71.14	2.84	9.40	V
	2473.5	-61.65	-13	-48.65	-71.48	-66.40	3.70	10.60	V
	3298	-66.03	-13	-53.03	-79.60	-72.11	4.37	12.60	V
Middle	1664	-67.87	-13	-54.87	-73.43	-72.28	2.84	9.40	H
	2496	-53.66	-13	-40.66	-64.08	-58.41	3.7	10.60	H
	3328	-65.60	-13	-52.60	-80.36	-71.68	4.37	12.60	H
	1664	-66.26	-13	-53.26	-70.97	-70.67	2.84	9.40	V
	2496	-61.24	-13	-48.24	-71.07	-65.99	3.70	10.60	V
	3328	-65.47	-13	-52.47	-79.04	-71.55	4.37	12.60	V
Highest	1679	-67.12	-13	-54.12	-72.68	-71.53	2.84	9.40	H
	2518.5	-59.54	-13	-46.54	-69.96	-64.29	3.7	10.60	H
	3358	-65.16	-13	-52.16	-79.92	-71.24	4.37	12.60	H
	1679	-70.76	-13	-57.76	-75.47	-75.17	2.84	9.40	V
	2518.5	-56.33	-13	-43.33	-66.16	-61.08	3.70	10.60	V
	3358	-66.32	-13	-53.32	-79.89	-72.40	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.5	-69.08	-13	-56.08	-74.64	-73.49	2.84	9.40	H
	2474.25	-63.23	-13	-50.23	-73.65	-67.98	3.7	10.60	H
	3299	-64.80	-13	-51.80	-79.56	-70.88	4.37	12.60	H
	1649.5	-69.97	-13	-56.97	-74.68	-74.38	2.84	9.40	V
	2474.25	-65.76	-13	-52.76	-75.59	-70.51	3.70	10.60	V
	3299	-66.02	-13	-53.02	-79.59	-72.10	4.37	12.60	V
Middle	1659.5	-69.93	-13	-56.93	-75.49	-74.34	2.84	9.40	H
	2489.25	-68.13	-13	-55.13	-78.55	-72.88	3.7	10.60	H
	3319	-65.21	-13	-52.21	-79.97	-71.29	4.37	12.60	H
	1659.5	-70.48	-13	-57.48	-75.19	-74.89	2.84	9.40	V
	2489.25	-68.28	-13	-55.28	-78.11	-73.03	3.70	10.60	V
	3319	-66.47	-13	-53.47	-80.04	-72.55	4.37	12.60	V
Highest	1669.5	-69.07	-13	-56.07	-74.63	-73.48	2.84	9.40	H
	2504.25	-59.55	-13	-46.55	-69.97	-64.30	3.7	10.60	H
	3339	-65.29	-13	-52.29	-80.05	-71.37	4.37	12.60	H
	1669.5	-69.54	-13	-56.54	-74.25	-73.95	2.84	9.40	V
	2504.25	-63.81	-13	-50.81	-73.64	-68.56	3.70	10.60	V
	3339	-66.07	-13	-53.07	-79.64	-72.15	4.37	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5140.50	-59.85	-25	-34.85	-83.18	-67.61	4.94	12.70	H
	7710.75	-53.79	-25	-28.79	-83.40	-58.93	6.56	11.70	H
	10281.00	-54.89	-25	-29.89	-84.12	-59.33	7.66	12.10	H
	5140.50	-61.22	-25	-36.22	-83.26	-68.98	4.94	12.70	V
	7710.75	-54.48	-25	-29.48	-83.42	-59.62	6.56	11.70	V
	10281.00	-57.14	-25	-32.14	-84.2	-61.58	7.66	12.10	V
Middle	5185.50	-60.17	-25	-35.17	-83.50	-67.93	4.94	12.70	H
	7778.25	-53.54	-25	-28.54	-83.15	-58.68	6.56	11.70	H
	10371.00	-54.33	-25	-29.33	-83.56	-58.77	7.66	12.10	H
	5185.50	-61.43	-25	-36.43	-83.47	-69.19	4.94	12.70	V
	7778.25	-54.28	-25	-29.28	-83.22	-59.42	6.56	11.70	V
	10371.00	-57.16	-25	-32.16	-84.22	-61.60	7.66	12.10	V
Highest	5230.50	-60.20	-25	-35.20	-83.53	-67.96	4.94	12.70	H
	7845.75	-53.61	-25	-28.61	-83.22	-58.75	6.56	11.70	H
	10461.00	-55.14	-25	-30.14	-84.37	-59.58	7.66	12.10	H
	5230.50	-61.50	-25	-36.50	-83.54	-69.26	4.94	12.70	V
	7845.75	-54.24	-25	-29.24	-83.18	-59.38	6.56	11.70	V
	10461.00	-57.35	-25	-32.35	-84.41	-61.79	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5141.00	-59.88	-25	-34.88	-83.21	-67.64	4.94	12.70	H
	7711.50	-53.82	-25	-28.82	-83.43	-58.96	6.56	11.70	H
	10282.00	-54.92	-25	-29.92	-84.15	-59.36	7.66	12.10	H
	5141.00	-61.06	-25	-36.06	-83.1	-68.82	4.94	12.70	V
	7711.50	-54.37	-25	-29.37	-83.31	-59.51	6.56	11.70	V
	10282.00	-56.97	-25	-31.97	-84.03	-61.41	7.66	12.10	V
Middle	5181.00	-60.06	-25	-35.06	-83.39	-67.82	4.94	12.70	H
	7771.50	-53.56	-25	-28.56	-83.17	-58.70	6.56	11.70	H
	10362.00	-54.72	-25	-29.72	-83.95	-59.16	7.66	12.10	H
	5181.00	-61.23	-25	-36.23	-83.27	-68.99	4.94	12.70	V
	7771.50	-54.10	-25	-29.10	-83.04	-59.24	6.56	11.70	V
	10362.00	-56.74	-25	-31.74	-83.8	-61.18	7.66	12.10	V
Highest	5221.00	-60.21	-25	-35.21	-83.54	-67.97	4.94	12.70	H
	7831.50	-53.43	-25	-28.43	-83.04	-58.57	6.56	11.70	H
	10442.00	-54.89	-25	-29.89	-84.12	-59.33	7.66	12.10	H
	5221.00	-61.58	-25	-36.58	-83.62	-69.34	4.94	12.70	V
	7831.50	-54.06	-25	-29.06	-83	-59.20	6.56	11.70	V
	10442.00	-57.04	-25	-32.04	-84.1	-61.48	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5141.50	-59.95	-25	-34.95	-83.28	-67.71	4.94	12.70	H
	7712.25	-53.67	-25	-28.67	-83.28	-58.81	6.56	11.70	H
	10283.00	-54.78	-25	-29.78	-84.01	-59.22	7.66	12.10	H
	5141.50	-61.17	-25	-36.17	-83.21	-68.93	4.94	12.70	V
	7712.25	-54.46	-25	-29.46	-83.4	-59.60	6.56	11.70	V
	10283.00	-56.98	-25	-31.98	-84.04	-61.42	7.66	12.10	V
Middle	5176.50	-59.82	-25	-34.82	-83.15	-67.58	4.94	12.70	H
	7764.75	-53.49	-25	-28.49	-83.10	-58.63	6.56	11.70	H
	10353.00	-54.73	-25	-29.73	-83.96	-59.17	7.66	12.10	H
	5176.50	-61.37	-25	-36.37	-83.41	-69.13	4.94	12.70	V
	7764.75	-54.06	-25	-29.06	-83	-59.20	6.56	11.70	V
	10353.00	-56.84	-25	-31.84	-83.9	-61.28	7.66	12.10	V
Highest	5211.50	-59.99	-25	-34.99	-83.32	-67.75	4.94	12.70	H
	7817.25	-53.50	-25	-28.50	-83.11	-58.64	6.56	11.70	H
	10423.00	-54.91	-25	-29.91	-84.14	-59.35	7.66	12.10	H
	5211.50	-61.26	-25	-36.26	-83.3	-69.02	4.94	12.70	V
	7817.25	-53.98	-25	-28.98	-82.92	-59.12	6.56	11.70	V
	10423.00	-57.02	-25	-32.02	-84.08	-61.46	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 38 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142.00	-59.86	-25	-34.86	-83.19	-67.62	4.94	12.70	H
	7713.00	-53.68	-25	-28.68	-83.29	-58.82	6.56	11.70	H
	10284.00	-54.92	-25	-29.92	-84.15	-59.36	7.66	12.10	H
	5142.00	-61.18	-25	-36.18	-83.22	-68.94	4.94	12.70	V
	7713.00	-54.40	-25	-29.40	-83.34	-59.54	6.56	11.70	V
	10284.00	-57.10	-25	-32.10	-84.16	-61.54	7.66	12.10	V
Middle	5172.00	-59.87	-25	-34.87	-83.20	-67.63	4.94	12.70	H
	7758.00	-53.49	-25	-28.49	-83.10	-58.63	6.56	11.70	H
	10344.00	-54.76	-25	-29.76	-83.99	-59.20	7.66	12.10	H
	5172.00	-61.25	-25	-36.25	-83.29	-69.01	4.94	12.70	V
	7758.00	-54.12	-25	-29.12	-83.06	-59.26	6.56	11.70	V
	10344.00	-57.00	-25	-32.00	-84.06	-61.44	7.66	12.10	V
Highest	5202.00	-60.05	-25	-35.05	-83.38	-67.81	4.94	12.70	H
	7803.00	-53.39	-25	-28.39	-83.00	-58.53	6.56	11.70	H
	10404.00	-55.07	-25	-30.07	-84.30	-59.51	7.66	12.10	H
	5202.00	-61.32	-25	-36.32	-83.36	-69.08	4.94	12.70	V
	7803.00	-54.05	-25	-29.05	-82.99	-59.19	6.56	11.70	V
	10404.00	-57.35	-25	-32.35	-84.41	-61.79	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992.68	-59.81	-25	-34.81	-83.14	-67.57	4.94	12.70	H
	7489.02	-53.51	-25	-28.51	-83.12	-58.65	6.56	11.70	H
	9985.36	-55.16	-25	-30.16	-84.39	-59.60	7.66	12.10	H
	4992.68	-61.03	-25	-36.03	-83.07	-68.79	4.94	12.70	V
	7489.02	-54.24	-25	-29.24	-83.18	-59.38	6.56	11.70	V
	9985.36	-57.35	-25	-32.35	-84.41	-61.79	7.66	12.10	V
Middle	5181.68	-60.13	-25	-35.13	-83.46	-67.89	4.94	12.70	H
	7772.52	-53.53	-25	-28.53	-83.14	-58.67	6.56	11.70	H
	10363.36	-54.73	-25	-29.73	-83.96	-59.17	7.66	12.10	H
	5181.68	-61.36	-25	-36.36	-83.4	-69.12	4.94	12.70	V
	7772.52	-54.02	-25	-29.02	-82.96	-59.16	6.56	11.70	V
	10363.36	-56.86	-25	-31.86	-83.92	-61.30	7.66	12.10	V
Highest	5370.68	-60.33	-25	-35.33	-83.66	-68.09	4.94	12.70	H
	8056.02	-53.86	-25	-28.86	-83.47	-59.00	6.56	11.70	H
	10741.36	-54.97	-25	-29.97	-84.20	-59.41	7.66	12.10	H
	5370.68	-61.71	-25	-36.71	-83.75	-69.47	4.94	12.70	V
	8056.02	-54.57	-25	-29.57	-83.51	-59.71	6.56	11.70	V
	10741.36	-57.18	-25	-32.18	-84.24	-61.62	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4993.18	-59.72	-25	-34.72	-83.05	-67.48	4.94	12.70	H
	7489.77	-53.54	-25	-28.54	-83.15	-58.68	6.56	11.70	H
	9986.36	-55.26	-25	-30.26	-84.49	-59.70	7.66	12.10	H
	4993.18	-60.95	-25	-35.95	-82.99	-68.71	4.94	12.70	V
	7489.77	-53.76	-25	-28.76	-82.7	-58.90	6.56	11.70	V
	9986.36	-57.53	-25	-32.53	-84.59	-61.97	7.66	12.10	V
Middle	5177.18	-59.89	-25	-34.89	-83.22	-67.65	4.94	12.70	H
	7765.77	-53.19	-25	-28.19	-82.80	-58.33	6.56	11.70	H
	10354.36	-54.73	-25	-29.73	-83.96	-59.17	7.66	12.10	H
	5177.18	-61.40	-25	-36.40	-83.44	-69.16	4.94	12.70	V
	7765.77	-53.62	-25	-28.62	-82.56	-58.76	6.56	11.70	V
	10354.36	-56.67	-25	-31.67	-83.73	-61.11	7.66	12.10	V
Highest	5361.18	-60.35	-25	-35.35	-83.68	-68.11	4.94	12.70	H
	8041.77	-53.59	-25	-28.59	-83.20	-58.73	6.56	11.70	H
	10722.36	-54.63	-25	-29.63	-83.86	-59.07	7.66	12.10	H
	5361.18	-61.65	-25	-36.65	-83.69	-69.41	4.94	12.70	V
	8041.77	-53.99	-25	-28.99	-82.93	-59.13	6.56	11.70	V
	10722.36	-57.12	-25	-32.12	-84.18	-61.56	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 41 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4993.68	-59.80	-25	-34.80	-83.13	-67.56	4.94	12.70	H
	7490.52	-53.62	-25	-28.62	-83.23	-58.76	6.56	11.70	H
	9987.36	-55.37	-25	-30.37	-84.60	-59.81	7.66	12.10	H
	4993.68	-61.03	-25	-36.03	-83.07	-68.79	4.94	12.70	V
	7490.52	-53.93	-25	-28.93	-82.87	-59.07	6.56	11.70	V
	9987.36	-57.73	-25	-32.73	-84.79	-62.17	7.66	12.10	V
Middle	5172.68	-60.08	-25	-35.08	-83.41	-67.84	4.94	12.70	H
	7759.02	-53.46	-25	-28.46	-83.07	-58.60	6.56	11.70	H
	10345.36	-54.79	-25	-29.79	-84.02	-59.23	7.66	12.10	H
	5172.68	-61.31	-25	-36.31	-83.35	-69.07	4.94	12.70	V
	7759.02	-54.21	-25	-29.21	-83.15	-59.35	6.56	11.70	V
	10345.36	-57.05	-25	-32.05	-84.11	-61.49	7.66	12.10	V
Highest	5351.68	-60.29	-25	-35.29	-83.62	-68.05	4.94	12.70	H
	8027.52	-53.58	-25	-28.58	-83.19	-58.72	6.56	11.70	H
	10703.36	-54.67	-25	-29.67	-83.90	-59.11	7.66	12.10	H
	5351.68	-61.62	-25	-36.62	-83.66	-69.38	4.94	12.70	V
	8027.52	-54.11	-25	-29.11	-83.05	-59.25	6.56	11.70	V
	10703.36	-57.10	-25	-32.10	-84.16	-61.54	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4994.18	-59.75	-25	-34.75	-83.08	-67.51	4.94	12.70	H
	7491.27	-53.36	-25	-28.36	-82.97	-58.50	6.56	11.70	H
	9988.36	-55.27	-25	-30.27	-84.50	-59.71	7.66	12.10	H
	4994.18	-60.98	-25	-35.98	-83.02	-68.74	4.94	12.70	V
	7491.27	-53.58	-25	-28.58	-82.52	-58.72	6.56	11.70	V
	9988.36	-57.81	-25	-32.81	-84.87	-62.25	7.66	12.10	V
Middle	5168.18	-59.97	-25	-34.97	-83.30	-67.73	4.94	12.70	H
	7752.27	-53.14	-25	-28.14	-82.75	-58.28	6.56	11.70	H
	10336.36	-54.69	-25	-29.69	-83.92	-59.13	7.66	12.10	H
	5168.18	-61.34	-25	-36.34	-83.38	-69.10	4.94	12.70	V
	7752.27	-53.87	-25	-28.87	-82.81	-59.01	6.56	11.70	V
	10336.36	-57.19	-25	-32.19	-84.25	-61.63	7.66	12.10	V
Highest	5342.18	-60.44	-25	-35.44	-83.77	-68.20	4.94	12.70	H
	8013.27	-53.50	-25	-28.50	-83.11	-58.64	6.56	11.70	H
	10684.36	-55.02	-25	-30.02	-84.25	-59.46	7.66	12.10	H
	5342.18	-61.53	-25	-36.53	-83.57	-69.29	4.94	12.70	V
	8013.27	-54.22	-25	-29.22	-83.16	-59.36	6.56	11.70	V
	10684.36	-57.08	-25	-32.08	-84.14	-61.52	7.66	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 20M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5031.80	-59.60	-25	-34.60	-78.94	-64.61	7.69	12.70	H
	7547.70	-54.95	-25	-29.95	-78.40	-56.68	9.57	11.30	H
	10063.60	-51.83	-25	-26.83	-79.42	-52.73	11.2	12.10	H
	5031.80	-59.03	-25	-34.03	-79.19	-64.04	7.69	12.70	V
	7547.70	-54.72	-25	-29.72	-78.24	-56.45	9.57	11.30	V
	10063.60	-51.86	-25	-26.86	-79.11	-52.76	11.2	12.10	V
Middle	5186	-59.11	-25	-34.11	-78.45	-64.12	7.69	12.70	H
	7779	-54.97	-25	-29.97	-78.10	-56.70	9.57	11.30	H
	10372	-52.71	-25	-27.71	-79.47	-53.61	11.2	12.10	H
	5186	-58.73	-25	-33.73	-78.75	-63.74	7.69	12.70	V
	7779	-54.91	-25	-29.91	-78.17	-56.64	9.57	11.30	V
	10372	-52.37	-25	-27.37	-79.26	-53.27	11.2	12.10	V
Highest	5340.20	-59.48	-25	-34.48	-78.63	-64.49	7.69	12.70	H
	8010.30	-54.34	-25	-29.34	-78.39	-56.07	9.57	11.30	H
	10680.40	-53.44	-25	-28.44	-79.73	-54.34	11.2	12.10	H
	5340.20	-58.96	-25	-33.96	-78.67	-63.97	7.69	12.70	V
	8010.30	-54.02	-25	-29.02	-78.25	-55.75	9.57	11.30	V
	10680.40	-53.02	-25	-28.02	-79.7	-53.92	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 20M+15M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5029.10	-59.65	-25	-34.65	-78.99	-64.66	7.69	12.70	H
	7543.65	-54.91	-25	-29.91	-78.36	-56.64	9.57	11.30	H
	10058.20	-51.62	-25	-26.62	-79.21	-52.52	11.2	12.10	H
	5029.10	-58.59	-25	-33.59	-78.75	-63.6	7.69	12.70	V
	7543.65	-54.88	-25	-29.88	-78.4	-56.61	9.57	11.30	V
	10058.20	-52.07	-25	-27.07	-79.32	-52.97	11.2	12.10	V
Middle	5188.30	-59.49	-25	-34.49	-78.83	-64.50	7.69	12.70	H
	7782.45	-54.81	-25	-29.81	-77.94	-56.54	9.57	11.30	H
	10376.60	-52.92	-25	-27.92	-79.66	-53.82	11.2	12.10	H
	5188.30	-58.60	-25	-33.60	-78.62	-63.61	7.69	12.70	V
	7782.45	-54.81	-25	-29.81	-78.07	-56.54	9.57	11.30	V
	10376.60	-52.66	-25	-27.66	-79.56	-53.56	11.2	12.10	V
Highest	5347.30	-59.56	-25	-34.56	-78.74	-64.57	7.69	12.70	H
	8020.95	-54.48	-25	-29.48	-78.49	-56.21	9.57	11.30	H
	10694.60	-52.96	-25	-27.96	-79.27	-53.86	11.2	12.10	H
	5347.30	-58.83	-25	-33.83	-78.6	-63.84	7.69	12.70	V
	8020.95	-54.26	-25	-29.26	-78.39	-55.99	9.57	11.30	V
	10694.60	-52.51	-25	-27.51	-79.21	-53.41	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 15M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5024.70	-59.80	-25	-34.80	-79.14	-64.81	7.69	12.70	H
	7537.05	-54.76	-25	-29.76	-78.24	-56.49	9.57	11.30	H
	10049.40	-51.45	-25	-26.45	-79.06	-52.35	11.2	12.10	H
	5024.70	-58.86	-25	-33.86	-79.02	-63.87	7.69	12.70	V
	7537.05	-54.91	-25	-29.91	-78.46	-56.64	9.57	11.30	V
	10049.40	-51.00	-25	-26.00	-78.24	-51.9	11.2	12.10	V
Middle	5183.70	-59.30	-25	-34.30	-78.64	-64.31	7.69	12.70	H
	7775.55	-54.97	-25	-29.97	-78.10	-56.70	9.57	11.30	H
	10367.40	-52.31	-25	-27.31	-79.11	-53.21	11.2	12.10	H
	5183.70	-58.27	-25	-33.27	-78.29	-63.28	7.69	12.70	V
	7775.55	-55.02	-25	-30.02	-78.28	-56.75	9.57	11.30	V
	10367.40	-52.34	-25	-27.34	-79.27	-53.24	11.2	12.10	V
Highest	5342.90	-59.85	-25	-34.85	-79.00	-64.86	7.69	12.70	H
	8014.35	-54.35	-25	-29.35	-78.36	-56.08	9.57	11.30	H
	10685.80	-53.32	-25	-28.32	-79.63	-54.22	11.2	12.10	H
	5342.90	-58.80	-25	-33.80	-78.51	-63.81	7.69	12.70	V
	8014.35	-54.12	-25	-29.12	-78.25	-55.85	9.57	11.30	V
	10685.80	-53.24	-25	-28.24	-79.94	-54.14	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 15M+15M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5022	-59.97	-25	-34.97	-79.31	-64.98	7.69	12.70	H
	7533	-54.87	-25	-29.87	-78.46	-56.60	9.57	11.30	H
	10044	-51.62	-25	-26.62	-79.23	-52.52	11.2	12.10	H
	5022	-58.72	-25	-33.72	-78.88	-63.73	7.69	12.70	V
	7533	-54.80	-25	-29.80	-78.44	-56.53	9.57	11.30	V
	10044	-51.87	-25	-26.87	-79.11	-52.77	11.2	12.10	V
Middle	5186	-59.26	-25	-34.26	-78.60	-64.27	7.69	12.70	H
	7779	-54.54	-25	-29.54	-77.67	-56.27	9.57	11.30	H
	10372	-52.65	-25	-27.65	-79.41	-53.55	11.2	12.10	H
	5186	-58.72	-25	-33.72	-78.74	-63.73	7.69	12.70	V
	7779	-54.84	-25	-29.84	-78.1	-56.57	9.57	11.30	V
	10372	-52.31	-25	-27.31	-79.2	-53.21	11.2	12.10	V
Highest	5350	-59.51	-25	-34.51	-78.68	-64.52	7.69	12.70	H
	8025	-54.15	-25	-29.15	-78.16	-55.88	9.57	11.30	H
	10700	-52.68	-25	-27.68	-79.00	-53.58	11.2	12.10	H
	5350	-59.11	-25	-34.11	-78.87	-64.12	7.69	12.70	V
	8025	-54.43	-25	-29.43	-78.56	-56.16	9.57	11.30	V
	10700	-52.37	-25	-27.37	-79.09	-53.27	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 20M+10M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5026.40	-59.76	-25	-34.76	-79.10	-64.77	7.69	12.70	H
	7539.60	-54.92	-25	-29.92	-78.40	-56.65	9.57	11.30	H
	10052.80	-50.95	-25	-25.95	-78.54	-51.85	11.2	12.10	H
	5026.40	-59.15	-25	-34.15	-79.31	-64.16	7.69	12.70	V
	7539.60	-54.76	-25	-29.76	-78.31	-56.49	9.57	11.30	V
	10052.80	-51.46	-25	-26.46	-78.71	-52.36	11.2	12.10	V
Middle	5190.60	-59.79	-25	-34.79	-79.13	-64.80	7.69	12.70	H
	7785.90	-54.86	-25	-29.86	-77.99	-56.59	9.57	11.30	H
	10381.20	-52.70	-25	-27.70	-79.44	-53.60	11.2	12.10	H
	5190.60	-58.95	-25	-33.95	-78.96	-63.96	7.69	12.70	V
	7785.90	-54.54	-25	-29.54	-77.8	-56.27	9.57	11.30	V
	10381.20	-52.27	-25	-27.27	-79.17	-53.17	11.2	12.10	V
Highest	5354.60	-59.79	-25	-34.79	-78.96	-64.80	7.69	12.70	H
	8031.90	-54.27	-25	-29.27	-78.26	-56.00	9.57	11.30	H
	10709.20	-52.73	-25	-27.73	-79.00	-53.63	11.2	12.10	H
	5354.60	-59.00	-25	-34.00	-78.76	-64.01	7.69	12.70	V
	8031.90	-54.30	-25	-29.30	-78.33	-56.03	9.57	11.30	V
	10709.20	-52.45	-25	-27.45	-79.12	-53.35	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 10M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5017.40	-59.74	-25	-34.74	-79.07	-64.75	7.69	12.70	H
	7526.10	-54.00	-25	-29.00	-77.59	-55.73	9.57	11.30	H
	10034.80	-51.09	-25	-26.09	-78.75	-51.99	11.2	12.10	H
	5017.40	-58.80	-25	-33.80	-78.97	-63.81	7.69	12.70	V
	7526.10	-54.19	-25	-29.19	-77.83	-55.92	9.57	11.30	V
	10034.80	-51.86	-25	-26.86	-79.13	-52.76	11.2	12.10	V
Middle	5181.60	-59.38	-25	-34.38	-78.72	-64.39	7.69	12.70	H
	7772.40	-54.83	-25	-29.83	-77.93	-56.56	9.57	11.30	H
	10363.20	-52.09	-25	-27.09	-78.89	-52.99	11.2	12.10	H
	5181.60	-58.80	-25	-33.80	-78.82	-63.81	7.69	12.70	V
	7772.40	-54.90	-25	-29.90	-78.14	-56.63	9.57	11.30	V
	10363.20	-52.03	-25	-27.03	-78.96	-52.93	11.2	12.10	V
Highest	5345.60	-59.26	-25	-34.26	-78.44	-64.27	7.69	12.70	H
	8018.40	-53.72	-25	-28.72	-77.73	-55.45	9.57	11.30	H
	10691.20	-52.84	-25	-27.84	-79.15	-53.74	11.2	12.10	H
	5345.60	-58.58	-25	-33.58	-78.35	-63.59	7.69	12.70	V
	8018.40	-53.91	-25	-28.91	-78.04	-55.64	9.57	11.30	V
	10691.20	-52.22	-25	-27.22	-78.92	-53.12	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 41 CA / 20M+5M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5023.70	-59.62	-25	-34.62	-78.96	-64.63	7.69	12.70	H
	7535.55	-54.46	-25	-29.46	-78.05	-56.19	9.57	11.30	H
	10047.40	-51.30	-25	-26.30	-78.91	-52.20	11.2	12.10	H
	5023.70	-58.59	-25	-33.59	-78.75	-63.6	7.69	12.70	V
	7535.55	-54.25	-25	-29.25	-77.89	-55.98	9.57	11.30	V
	10047.40	-51.36	-25	-26.36	-78.6	-52.26	11.2	12.10	V
Middle	5192.70	-59.40	-25	-34.40	-78.74	-64.41	7.69	12.70	H
	7789.05	-55.07	-25	-30.07	-78.20	-56.80	9.57	11.30	H
	10385.40	-52.83	-25	-27.83	-79.57	-53.73	11.2	12.10	H
	5192.70	-58.91	-25	-33.91	-78.92	-63.92	7.69	12.70	V
	7789.05	-54.24	-25	-29.24	-77.5	-55.97	9.57	11.30	V
	10385.40	-51.93	-25	-26.93	-78.83	-52.83	11.2	12.10	V
Highest	5361.70	-59.40	-25	-34.40	-78.60	-64.41	7.69	12.70	H
	8042.55	-54.28	-25	-29.28	-78.27	-56.01	9.57	11.30	H
	10723.40	-53.59	-25	-28.59	-79.88	-54.49	11.2	12.10	H
	5361.70	-58.68	-25	-33.68	-78.49	-63.69	7.69	12.70	V
	8042.55	-54.12	-25	-29.12	-78.15	-55.85	9.57	11.30	V
	10723.40	-53.12	-25	-28.12	-79.81	-54.02	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 41 CA / 5M+20M / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5010.30	-60.02	-25	-35.02	-79.36	-65.03	7.69	12.70	H
	7515.45	-54.48	-25	-29.48	-78.18	-56.21	9.57	11.30	H
	10020.60	-51.05	-25	-26.05	-78.71	-51.95	11.2	12.10	H
	5010.30	-59.13	-25	-34.13	-79.31	-64.14	7.69	12.70	V
	7515.45	-54.34	-25	-29.34	-78.07	-56.07	9.57	11.30	V
	10020.60	-51.69	-25	-26.69	-78.96	-52.59	11.2	12.10	V
Middle	5179.30	-59.20	-25	-34.20	-78.54	-64.21	7.69	12.70	H
	7768.95	-54.83	-25	-29.83	-77.96	-56.56	9.57	11.30	H
	10358.60	-52.09	-25	-27.09	-78.89	-52.99	11.2	12.10	H
	5179.30	-58.95	-25	-33.95	-78.97	-63.96	7.69	12.70	V
	7768.95	-54.76	-25	-29.76	-78.03	-56.49	9.57	11.30	V
	10358.60	-51.66	-25	-26.66	-78.59	-52.56	11.2	12.10	V
Highest	5348.30	-59.48	-25	-34.48	-78.65	-64.49	7.69	12.70	H
	8022.45	-54.29	-25	-29.29	-78.30	-56.02	9.57	11.30	H
	10696.60	-52.68	-25	-27.68	-78.99	-53.58	11.2	12.10	H
	5348.30	-59.13	-25	-34.13	-78.89	-64.14	7.69	12.70	V
	8022.45	-54.42	-25	-29.42	-78.55	-56.15	9.57	11.30	V
	10696.60	-52.49	-25	-27.49	-79.19	-53.39	11.2	12.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.14	-61.69	-13	-48.69	-81.02	-69.92	4.37	12.60	H
	5130.21	-59.10	-13	-46.10	-83.26	-66.86	4.94	12.70	H
	6840.28	-59.25	-13	-46.25	-83.16	-64.63	6.32	11.70	H
	3420.14	-64.92	-13	-51.92	-81	-73.15	4.37	12.60	V
	5130.21	-63.78	-13	-50.78	-83.29	-71.54	4.94	12.70	V
	6840.28	-59.28	-13	-46.28	-83.19	-64.66	6.32	11.70	V
Middle	3488.74	-61.49	-13	-48.49	-80.82	-69.72	4.37	12.60	H
	5233.11	-59.37	-13	-46.37	-83.53	-67.13	4.94	12.70	H
	6977.48	-59.44	-13	-46.44	-83.35	-64.82	6.32	11.70	H
	3488.74	-64.73	-13	-51.73	-80.81	-72.96	4.37	12.60	V
	5233.11	-63.89	-13	-50.89	-83.4	-71.65	4.94	12.70	V
	6977.48	-59.45	-13	-46.45	-83.36	-64.83	6.32	11.70	V
Highest	3557.34	-60.88	-13	-47.88	-80.21	-69.11	4.37	12.60	H
	5336.01	-59.39	-13	-46.39	-83.55	-67.15	4.94	12.70	H
	7114.68	-59.55	-13	-46.55	-83.46	-64.93	6.32	11.70	H
	3557.34	-64.51	-13	-51.51	-80.59	-72.74	4.37	12.60	V
	5336.01	-64.23	-13	-51.23	-83.74	-71.99	4.94	12.70	V
	7114.68	-59.35	-13	-46.35	-83.26	-64.73	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 3MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.3	-61.73	-13	-48.73	-81.06	-69.96	4.37	12.60	H
	5130.45	-59.19	-13	-46.19	-83.35	-66.95	4.94	12.70	H
	6840.6	-59.37	-13	-46.37	-83.28	-64.75	6.32	11.70	H
	3420.3	-64.99	-13	-51.99	-81.07	-73.22	4.37	12.60	V
	5130.45	-63.58	-13	-50.58	-83.09	-71.34	4.94	12.70	V
	6840.6	-59.49	-13	-46.49	-83.4	-64.87	6.32	11.70	V
Middle	3487.3	-61.44	-13	-48.44	-80.77	-69.67	4.37	12.60	H
	5230.95	-59.11	-13	-46.11	-83.27	-66.87	4.94	12.70	H
	6974.6	-59.39	-13	-46.39	-83.30	-64.77	6.32	11.70	H
	3487.3	-64.60	-13	-51.60	-80.68	-72.83	4.37	12.60	V
	5230.95	-61.17	-13	-48.17	-83.41	-68.93	4.94	12.70	V
	6974.6	-59.31	-13	-46.31	-83.22	-64.69	6.32	11.70	V
Highest	3554.3	-61.08	-13	-48.08	-80.41	-69.31	4.37	12.60	H
	5331.45	-59.41	-13	-46.41	-83.57	-67.17	4.94	12.70	H
	7108.6	-59.41	-13	-46.41	-83.32	-64.79	6.32	11.70	H
	3554.3	-64.31	-13	-51.31	-80.39	-72.54	4.37	12.60	V
	5331.45	-64.01	-13	-51.01	-83.52	-71.77	4.94	12.70	V
	7108.6	-59.30	-13	-46.30	-83.21	-64.68	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.5	-61.58	-13	-48.58	-80.91	-69.81	4.37	12.60	H
	5130.75	-58.97	-13	-45.97	-83.13	-66.73	4.94	12.70	H
	6841	-59.28	-13	-46.28	-83.19	-64.66	6.32	11.70	H
	3420.5	-64.93	-13	-51.93	-81.01	-73.16	4.37	12.60	V
	5130.75	-63.70	-13	-50.70	-83.21	-71.46	4.94	12.70	V
	6841	-59.30	-13	-46.30	-83.21	-64.68	6.32	11.70	V
Middle	3485.5	-61.32	-13	-48.32	-80.65	-69.55	4.37	12.60	H
	5228.25	-59.40	-13	-46.40	-83.56	-67.16	4.94	12.70	H
	6971	-59.38	-13	-46.38	-83.29	-64.76	6.32	11.70	H
	3485.5	-64.53	-13	-51.53	-80.61	-72.76	4.37	12.60	V
	5228.25	-63.90	-13	-50.90	-83.41	-71.66	4.94	12.70	V
	6971	-59.36	-13	-46.36	-83.27	-64.74	6.32	11.70	V
Highest	3550.5	-61.10	-13	-48.10	-80.43	-69.33	4.37	12.60	H
	5325.75	-59.46	-13	-46.46	-83.62	-67.22	4.94	12.70	H
	7101	-59.39	-13	-46.39	-83.30	-64.77	6.32	11.70	H
	3550.5	-64.29	-13	-51.29	-80.37	-72.52	4.37	12.60	V
	5325.75	-64.01	-13	-51.01	-83.52	-71.77	4.94	12.70	V
	7101	-59.47	-13	-46.47	-83.38	-64.85	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421	-61.42	-13	-48.42	-80.75	-69.65	4.37	12.60	H
	5131.5	-59.12	-13	-46.12	-83.28	-66.88	4.94	12.70	H
	6842	-59.43	-13	-46.43	-83.34	-64.81	6.32	11.70	H
	3421	-64.93	-13	-51.93	-81.01	-73.16	4.37	12.60	V
	5131.5	-63.91	-13	-50.91	-83.42	-71.67	4.94	12.70	V
	6842	-59.47	-13	-46.47	-83.38	-64.85	6.32	11.70	V
Middle	3481	-61.11	-13	-48.11	-80.44	-69.34	4.37	12.60	H
	5221.5	-59.49	-13	-46.49	-83.65	-67.25	4.94	12.70	H
	6962	-59.53	-13	-46.53	-83.44	-64.91	6.32	11.70	H
	3481	-64.73	-13	-51.73	-80.81	-72.96	4.37	12.60	V
	5221.5	-64.11	-13	-51.11	-83.62	-71.87	4.94	12.70	V
	6962	-59.56	-13	-46.56	-83.47	-64.94	6.32	11.70	V
Highest	3541	-61.05	-13	-48.05	-80.38	-69.28	4.37	12.60	H
	5311.5	-59.58	-13	-46.58	-83.74	-67.34	4.94	12.70	H
	7082	-59.50	-13	-46.50	-83.41	-64.88	6.32	11.70	H
	3541	-64.25	-13	-51.25	-80.33	-72.48	4.37	12.60	V
	5311.5	-64.21	-13	-51.21	-83.72	-71.97	4.94	12.70	V
	7082	-59.38	-13	-46.38	-83.29	-64.76	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.5	-61.53	-13	-48.53	-80.86	-69.76	4.37	12.60	H
	5132.25	-59.12	-13	-46.12	-83.28	-66.88	4.94	12.70	H
	6843	-59.35	-13	-46.35	-83.26	-64.73	6.32	11.70	H
	3421.5	-64.83	-13	-51.83	-80.91	-73.06	4.37	12.60	V
	5132.25	-63.58	-13	-50.58	-83.09	-71.34	4.94	12.70	V
	6843	-59.39	-13	-46.39	-83.3	-64.77	6.32	11.70	V
Middle	3476.5	-61.52	-13	-48.52	-80.85	-69.75	4.37	12.60	H
	5214.75	-59.39	-13	-46.39	-83.55	-67.15	4.94	12.70	H
	6953	-59.35	-13	-46.35	-83.26	-64.73	6.32	11.70	H
	3476.5	-64.71	-13	-51.71	-80.79	-72.94	4.37	12.60	V
	5214.75	-63.88	-13	-50.88	-83.39	-71.64	4.94	12.70	V
	6953	-59.36	-13	-46.36	-83.27	-64.74	6.32	11.70	V
Highest	3531.5	-60.99	-13	-47.99	-80.32	-69.22	4.37	12.60	H
	5297.25	-59.42	-13	-46.42	-83.58	-67.18	4.94	12.70	H
	7063	-59.36	-13	-46.36	-83.27	-64.74	6.32	11.70	H
	3531.5	-64.57	-13	-51.57	-80.65	-72.80	4.37	12.60	V
	5297.25	-64.05	-13	-51.05	-83.56	-71.81	4.94	12.70	V
	7063	-59.40	-13	-46.40	-83.31	-64.78	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-61.47	-13	-48.47	-80.80	-69.70	4.37	12.60	H
	5133	-59.00	-13	-46.00	-83.16	-66.76	4.94	12.70	H
	6844	-59.23	-13	-46.23	-83.14	-64.61	6.32	11.70	H
	3422	-64.86	-13	-51.86	-80.94	-73.09	4.37	12.60	V
	5133	-63.85	-13	-50.85	-83.36	-71.61	4.94	12.70	V
	6844	-59.31	-13	-46.31	-83.22	-64.69	6.32	11.70	V
Middle	3472	-61.35	-13	-48.35	-80.68	-69.58	4.37	12.60	H
	5208	-59.29	-13	-46.29	-83.45	-67.05	4.94	12.70	H
	6944	-59.35	-13	-46.35	-83.26	-64.73	6.32	11.70	H
	3472	-64.76	-13	-51.76	-80.84	-72.99	4.37	12.60	V
	5208	-63.67	-13	-50.67	-83.18	-71.43	4.94	12.70	V
	6944	-59.50	-13	-46.50	-83.41	-64.88	6.32	11.70	V
Highest	3522	-61.19	-13	-48.19	-80.52	-69.42	4.37	12.60	H
	5283	-59.48	-13	-46.48	-83.64	-67.24	4.94	12.70	H
	7044	-59.54	-13	-46.54	-83.45	-64.92	6.32	11.70	H
	3522	-64.33	-13	-51.33	-80.41	-72.56	4.37	12.60	V
	5283	-64.11	-13	-51.11	-83.62	-71.87	4.94	12.70	V
	7044	-59.49	-13	-46.49	-83.4	-64.87	6.32	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.