



FCC RF Test Report

APPLICANT : OnePlus Technology (Shenzhen) Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : 1+, ONEPLUS
MODEL NAME : CPH2451
FCC ID : 2ABZ2-AA516
STANDARD : 47 CFR Part 2, 96
CLASSIFICATION : Citizens Band End User Devices (CBE)
EQUIPMENT TYPE : End User Equipment
TEST DATE(S) : Oct. 30, 2022 ~ Nov. 15, 2022

We, Sporton International Inc. (ShenZhen), would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (ShenZhen), the test report shall not be reproduced except in full.

Jason Jia

Approved by: Jason Jia



Sporton International Inc. (ShenZhen)

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055

People's Republic of China



Table of Contents

History of this test report..... 3

Summary of Test Result..... 4

1 General Description 5

 1.1 Applicant..... 5

 1.2 Manufacturer 5

 1.3 Feature of Equipment Under Test..... 5

 1.4 Maximum EIRP Power and Emission Designator 6

 1.5 Testing Site 7

 1.6 Test Software 7

 1.7 Applied Standards 7

2 Test Configuration of Equipment Under Test 8

 2.1 Test Mode..... 8

 2.2 Connection Diagram of Test System 10

 2.3 Support Unit used in test configuration 10

 2.4 Measurement Results Explanation Example 10

 2.5 Frequency List of Low/Middle/High Channels..... 11

3 Conducted Test Items..... 13

 3.1 Measuring Instruments..... 13

 3.2 Conducted Output Power 14

 3.3 EIRP and PSD..... 15

 3.4 Occupied Bandwidth 16

 3.5 Conducted Band Edge 17

 3.6 Conducted Spurious Emission 18

 3.7 Frequency Stability..... 19

4 Radiated Test Items 20

 4.1 Measuring Instruments..... 20

 4.2 Test Setup 20

 4.3 Test Result of Radiated Test..... 21

 4.4 Radiated Spurious Emission 22

5 List of Measuring Equipment..... 23

6 Uncertainty of Evaluation..... 24

Appendix A. Test Results of Conducted Test

Appendix B. Test Results of Radiated Test

Appendix C. Test Setup Photographs



History of this test report

Report No.	Version	Description	Issued Date
FG202001F	01	Initial issue of report	Dec. 21, 2022

Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.2	§2.1046	Conducted Output Power	Reporting only	-
-	§96.41	Peak-to-Average Ratio	Not Applicable	Not applicable for End User Devices
3.3	§96.41	Maximum E.I.R.P	Pass	-
		Maximum Power Spectral Density	Not Applicable	Not applicable for End User Devices
3.4	§2.1049 §96.41	Occupied Bandwidth	Reporting only	-
3.5	§2.1051 §96.41	Conducted Band Edge Measurement, Adjacent Channel Leakage Ratio	Pass	-
3.6	§2.1051 §96.41	Conducted Spurious Emission	Pass	
3.7	§2.1055	Frequency Stability for Temperature & Voltage	Pass	-
4.4	§2.1051 §96.41	Radiated Spurious Emission	Pass	Under limit 9.39 dB at 10653.75 MHz

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Applicant

OnePlus Technology (Shenzhen) Co., Ltd.

18C02, 18C03, 18C04, and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen, Guangdong, P.R. China.

1.2 Manufacturer

OnePlus Technology (Shenzhen) Co., Ltd.

18C02, 18C03, 18C04, and 18C05, Shum Yip Terra Building, Binhe Avenue North, Futian District, Shenzhen, Guangdong, P.R. China.

1.3 Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Phone
Brand Name	1+, ONEPLUS
Model Name	CPH2451
FCC ID	2ABZ2-AA516
Tx Frequency	LTE Band 48: 3550 MHz ~ 3700 MHz
Rx Frequency	LTE Band 48: 3550 MHz ~ 3700 MHz
Bandwidth	5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	<LTE Band 48>: Ant.6: 23.95 dBm Ant.13: 23.81 dBm <LTE Band 48C>: Ant.6: 21.14 dBm Ant.13: 20.51 dBm
Antenna Gain	Ant.6: -2.0 dBi Ant.13: -2.0 dBi
Type of Modulation	QPSK / 16QAM / 64QAM / 256QAM
IMEI Code	Conducted: 864921060035633/864921060035625 Radiation: 864921060027531/864921060027523
HW Version	11
SW Version	OxygenOS 13.0
EUT Stage	Production Unit

Remark:

1. The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.
2. Only the maximum EIRP of Antenna 6 is shown in the report.



1.4 Maximum EIRP Power and Emission Designator

LTE Band 48		QPSK		16QAM/64QAM/256QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
5	3552.5~3697.5	0.1556	4M52G7D	0.1393	4M51W7D
10	3555~3695	0.1545	9M03G7D	0.1086	9M09W7D
15	3557.5~3692.5	0.1545	13M5G7D	0.1368	13M5W7D
20	3560~3690	0.1567	17M9G7D	0.1276	17M9W7D

LTE Band 48 CA		QPSK		16QAM/64QAM/256QAM	
BW (MHz) Frequency (MHz)		Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
5MHz+20MHz (3553.5 ~ 3690 MHz)		0.1271	23M3G7D	0.1271	23M4G7D
10MHz+20MHz (3555.5 ~ 3690 MHz)		0.1274	28M0G7D	0.1233	28M0G7D
15MHz+20MHz (3557.8 ~ 3690 MHz)		0.1274	33M0G7D	0.1259	33M1G7D
20MHz+5MHz (3560 ~ 3696.7 MHz)		0.1268	23M4G7D	0.1236	23M4G7D
20MHz+10MHz (3560 ~ 3694.5 MHz)		0.1227	28M1G7D	0.1265	28M1G7D
20MHz+15MHz (3560 ~ 3692.2 MHz)		0.1300	32M9G7D	0.1268	33M1G7D
20MHz+20MHz (3560 ~ 3690 MHz)		0.1262	37M7G7D	0.1242	37M9G7D

1.5 Testing Site

Sporton International Inc. (ShenZhen) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055 People's Republic of China TEL: +86-755-86379589 FAX: +86-755-86379595		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ	CN1256	421272

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	101, 1st Floor, Block B, Building 1, No. 2, Tengfeng 4th Road, Fenghuang Community, Fuyong Street, Baoan District, Shenzhen City Guangdong Province China 518103 TEL: +86-755-33202398		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	03CH01-SZ	CN1256	421272

1.6 Test Software

Item	Site	Manufacturer	Name	Version
1.	03CH01-SZ	AUDIX	E3	6.2009-8-24

1.7 Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ ANSI C63.26-2015
- ♦ 47 CFR Part 2, 96
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- ♦ FCC KDB 940660 D01 Part 96 CBRS v03
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark: All test items were verified and recorded according to the standards and without any deviation during the test.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.


For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z. The worst cases (Y plane) were recorded in this report.

Test Items	Band	Bandwidth (MHz)						Modulation				RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	256 QAM	1	Half	Full	L	M	H
Max. Output Power	48	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	48	-	-	v	v	v	v	v	v	v				v	v	v	v
Conducted Band Edge	48	-	-	v	v	v	v	v	v	v			v		v	v	v
Conducted Spurious Emission	48	-	-	v	v	v	v	v	v	v			v		v	v	v
ACLR	48	-	-	v	v	v	v	v	v	v			v		v	v	v
E.R.P / E.I.R.P	48	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Frequency Stability	48	-	-		v			v					v				v
Radiated Spurious Emission	48	Worst Case												v	v	v	
Remark	<ol style="list-style-type: none"> The mark "v" means that this configuration is chosen for testing The mark "-" means that this bandwidth is not supported. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported. All the radiated test cases were performed with Adapter and USB Cable . 																



Test Items	Band	Bandwidth (MHz)								Modulation				RB #			Test Channel				
		20+20	20+15	15+20	20+10	10+20	10+10	20+5	5+20	QPSK	16QAM	64QAM	256 QAM	1	Half	Full	L	M	H		
Max. Output Power	48C	v	v	v	v	v	-	v	v	v	v	v	v	v				v	v	v	
26dB and 99% Bandwidth	48C	v	v	v	v	v	-	v	v	v	v	v					v	v	v	v	
Conducted Band Edge	48C	v	v	v	v	v	-	v	v	v	v	v		v		v	v	v	v	v	
Conducted Spurious Emission	48C	v	v	v	v	v	-	v	v	v	v	v		v		v	v	v	v	v	
ACLR	48C	v	v	v	v	v	-	v	v	v	v	v		v		v	v	v	v	v	
E.R.P / E.I.R.P	48C	v	v	v	v	v	-	v	v	v	v	v	v	v				v	v	v	
Radiated Spurious Emission	48C	Worst Case																	v	v	v
Note	<ol style="list-style-type: none"> The mark "v " means that this configuration is chosen for testing The mark "- " means that this bandwidth is not supported. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported. All test items are based on engineering evaluation. All the radiated test cases were performed with Adapter and USB Cable. 																				

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Power Supply	GWINSTEK	PSS-2002	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8821C	N/A	N/A	Unshielded, 1.8 m
3.	Fixture	INTEL	NGFF Card Carrier	N/A	N/A	N/A

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 9.5 dB and 10dB attenuator.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\ &= 9.5 + 10 = 19.5 \text{ (dB)} \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 48 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	55340	55990	56640
	Frequency	3560.0	3625.0	3690.0
15	Channel	55315	55990	56665
	Frequency	3557.5	3625.0	3692.5
10	Channel	55290	55990	56690
	Frequency	3555.0	3625.0	3695.0
5	Channel	55265	55990	56715
	Frequency	3552.5	3625.0	3697.5



LTE Band 48C_CA Channel and Frequency List					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
5 + 20	PCC	Channel	55273	55898	56523
		Frequency	3553.3	3615.8	3678.3
	SCC	Channel	55390	56015	56640
		Frequency	3565	3627.5	3690
20 + 5	PCC	Channel	55340	55965	56590
		Frequency	3560	3622.5	3685
	SCC	Channel	55457	56082	56707
		Frequency	3571.7	3634.2	3696.7
10 + 20	PCC	Channel	55295	55896	56496
		Frequency	3555.5	3615.6	3675.6
	SCC	Channel	55439	56040	56640
		Frequency	3569.9	3630	3690
20 + 10	PCC	Channel	55340	55941	56541
		Frequency	3560	3620.1	3680.1
	SCC	Channel	55484	56085	56685
		Frequency	3574.4	3634.5	3694.5
15 + 20	PCC	Channel	55318	55893	56469
		Frequency	3557.8	3615.3	3672.9
	SCC	Channel	55489	56064	56640
		Frequency	3574.9	3632.4	3690
20 + 15	PCC	Channel	55340	55916	56491
		Frequency	3560	3617.6	3675.1
	SCC	Channel	55511	56087	56662
		Frequency	3577.1	3634.7	3692.2
20 + 20	PCC	Channel	55340	55891	56442
		Frequency	3560	3615.1	3670.2
	SCC	Channel	55538	56089	56640
		Frequency	3579.8	3634.9	3690

3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.1.1 Test Setup


3.1.2 Conducted Output Power



3.1.3 PSD, Peak-to-Average Ratio, Occupied Bandwidth, Conducted Band-Edge and Conducted Spurious Emission



3.1.4 Frequency Stability



3.1.5 Test Result of Conducted Test

Please refer to Appendix A.



3.2 Conducted Output Power

3.2.1 Description of the Conducted Output Power Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

3.2.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.3 EIRP and PSD

3.3.1 Description of the EIRP and PSD Measurement

EIRP and PSD limits for CBRS equipment as below table:

Device		Maximum EIRP (dBm/10 MHz)	Maximum PSD (dBm/MHz)
Applied	End User Device	23	n/a
	Category A CBSD	30	20
	Category B CBSD	47	37

Remark: The worst case EIRP shown in this section is found with LTE operating only using 1RB. As such, the EIRP/10MHz and full channel EIRP values will be identical since 1RB is fully contained within all available channel bandwidths for LTE Band 48 (i.e. 5, 10, 15, 20MHz)

3.3.2 Test Procedures for EIRP

1. Establishing a communications link with the call box (Base station) to measure the Maximum conducted power, the parameters were set to force the EUT transmitting at maximum output power level. Use the average power measurement function to measure total channel power of each channel bandwidth (per ANSI C63.26-2015 Section 5.2.1)
2. Determining ERP and/or EIRP from conducted RF output power measurements (Per ANSI C63.26-2015 Section 5.2.5.5)
 - EIRP = $P_T + G_T - L_C$, ERP = EIRP - 2.15, where
 - P_T = transmitter output power in dBm
 - G_T = gain of the transmitting antenna in dBi
 - L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB



3.4 Occupied Bandwidth

3.4.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.4.2 Test Procedures

The testing follows ANSI C63.26-2015 Section 5.4.3 (26dB) and Section 5.4.4 (99OB)

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
3. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
4. Set the detection mode to peak, and the trace mode to max hold.
5. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
6. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
7. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
8. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.5 Conducted Band Edge

3.5.1 Description of Conducted Band Edge Measurement

Part 96.41 (e) (1) (ii)

For End User Devices the emission limits outside the fundamental are as follows:

Within 0 MHz to B MHz above and below the assigned channel ≤ -13 dBm/MHz

Greater than B MHz above and below the assigned channel ≤ -25 dBm/MHz

where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device.

Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB.

Part 96.41 (e) (2)

For CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz

3.5.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.
3. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Beyond the 1 MHz band from the band edge, RBW=1MHz was used
5. Offset has included the duty factor for LTE Band 48. Duty factor $=10 \log (1/x)$, where x is the measured duty cycle.
6. Set spectrum analyzer with RMS detector.
7. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.



3.6 Conducted Spurious Emission

3.6.1 Description of Conducted Spurious Emission Measurement

96.41 (e)(2)

The conducted power of any emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

3.6.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 6.1.

1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. The middle channel for the highest RF power within the transmitting frequency was measured.
4. The conducted spurious emission for the whole frequency range was taken.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
6. Set spectrum analyzer with RMS detector.
7. Taking the record of maximum spurious emission.
8. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
9. The limit line is -40dBm/MHz.



3.7 Frequency Stability

3.7.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency

3.7.2 Test Procedures for Temperature Variation

The testing follows FCC KDB 971168 D01 v03r01 Section 9.0.

1. The EUT was set up in the thermal chamber and connected with the system simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.7.3 Test Procedures for Voltage Variation

The testing follows FCC KDB 971168 D01 v03r01 Section 9.0.

1. The EUT was placed in a temperature chamber at $25\pm 5^{\circ}\text{C}$ and connected with the system simulator.
2. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
3. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup


4.2.1 For radiated test below 30MHz



4.2.2 For radiated test from 30MHz to 1GHz



4.2.3 For radiated test above 1GHz



4.3 Test Result of Radiated Test

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

Please refer to Appendix B.



4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission Measurement

The radiated spurious emission was measured by substitution method according to ANSI C63.26-2015. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least -40dBm / MHz. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
5. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
7. A horn antenna was substituted in place of the EUT and was driven by a signal generator. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
$$\text{EIRP (dBm)} = \text{S.G. Power} - \text{Tx Cable Loss} + \text{Tx Antenna Gain}$$
$$\text{ERP (dBm)} = \text{EIRP} - 2.15$$
8. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
The limit line is -40dBm/MHz



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 07, 2022	Nov. 10, 2022~ Nov. 15, 2022	Apr. 08, 2023	Conducted (TH01-SZ)
DC Power Supply	TTI	PL330P	290070	Max 32V , 3A	Oct. 17, 2022	Nov. 10, 2022~ Nov. 15, 2022	Oct. 16, 2023	Conducted (TH01-SZ)
Power Divider	TOJOIN	PS-2SM-04 265	60.06.020.0 077	0.4GHz~26.5G Hz	Dec. 25, 2021	Nov. 10, 2022~ Nov. 15, 2022	Dec. 24, 2022	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangrou p	LP-150U	H201408180 3	-40~+150°C	Jul. 07, 2022	Nov. 10, 2022~ Nov. 15, 2022	Jul. 06, 2023	Conducted (TH01-SZ)
EMI Test Receiver&SA	Agilent	N9038A	MY5226018 5	20Hz~26.5GHz	Dec. 27, 2021	Oct. 30, 2022	Dec. 26, 2022	Radiation (03CH01-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY5515021 3	10Hz~44GHz	Jul. 7, 2022	Oct. 30, 2022	Jul. 6, 2023	Radiation (03CH01-SZ)
Loop Antenna	R&S	HFH2-Z2	100354	9kHz~30MHz	Jul. 28, 2022	Oct. 30, 2022	Jul. 27, 2024	Radiation (03CH01-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz-2GHz	Sep. 28, 2021	Oct. 30, 2022	Sep. 27, 2023	Radiation (03CH01-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Jul. 07, 2022	Oct. 30, 2022	Jul. 06, 2023	Radiation (03CH01-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz-40GHz	Apr.10, 2022	Oct. 30, 2022	Apr. 09, 2023	Radiation (03CH01-SZ)
LF Amplifier	Burgeon	BPA-530	102209	0.01~3000Mhz	Apr. 06, 2022	Oct. 30, 2022	Apr. 05, 2023	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30- 10P-R	1943528	1GHz~18GHz	Oct. 19, 2022	Oct. 30, 2022	Oct.18, 2023	Radiation (03CH01-SZ)
HF Amplifier	KEYSIGHT	83017A	MY5327010 5	0.5GHz~26.5Gh z	Oct. 19, 2022	Oct. 30, 2022	Oct. 18, 2023	Radiation (03CH01-SZ)
HF Amplifier	MITEQ	TTA1840-35 -HG	1871923	18GHz~40GHz	Jul. 06, 2022	Oct. 30, 2022	Jul. 05, 2023	Radiation (03CH01-SZ)
AC Power Source	Chroma	61601	6160100019 85	N/A	Nov. 10, 2022	Oct. 30, 2022	Nov. 09, 2023	Radiation (03CH01-SZ)
Turn Table	EM	EM1000	N/A	0~360 degree	NCR	Oct. 30, 2022	NCR	Radiation (03CH01-SZ)
Antenna Mast	EM	EM1000	N/A	1 m~4 m	NCR	Oct. 30, 2022	NCR	Radiation (03CH01-SZ)



6 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.48 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.53 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.02 dB
---	---------

----- THE END -----



Appendix A. Test Results of Conducted Test

Test Engineer :	Chen Hong	Temperature :	24~26°C
		Relative Humidity :	50~53%

<LTE Band 48_Ant.6>

Conducted Output Power(Average power)

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.
Channel				55340	55990	56640
Frequency (MHz)				3560	3625	3690
20	QPSK	1	0	19.98	19.85	19.76
20	QPSK	1	49	23.95	23.81	23.76
20	QPSK	1	99	19.91	19.80	19.73
20	QPSK	50	0	23.11	23.04	22.99
20	QPSK	50	24	23.07	22.97	22.87
20	QPSK	50	50	23.04	22.98	22.96
20	QPSK	100	0	20.18	19.87	19.90
20	16QAM	1	0	19.09	18.78	18.71
20	16QAM	1	49	23.06	22.89	22.90
20	16QAM	1	99	19.00	18.72	18.87
20	16QAM	50	0	21.98	21.86	21.90
20	16QAM	50	24	22.12	22.09	21.81
20	16QAM	50	50	22.01	21.93	21.88
20	16QAM	100	0	19.00	18.79	18.82
20	64QAM	1	0	17.69	17.73	17.73
20	64QAM	1	49	21.83	21.79	21.73
20	64QAM	1	99	17.76	17.72	17.72
20	64QAM	50	0	20.96	20.92	20.99
20	64QAM	50	24	20.96	21.03	21.01
20	64QAM	50	50	20.93	20.89	20.85
20	64QAM	100	0	17.95	17.88	18.00
20	256QAM	1	0	14.86	14.89	14.90
20	256QAM	1	49	18.91	18.78	18.82
20	256QAM	1	99	14.98	14.90	15.01
20	256QAM	50	0	18.91	18.92	18.87
20	256QAM	50	24	19.01	19.06	18.80
20	256QAM	50	50	18.82	18.91	18.97
20	256QAM	100	0	16.06	16.11	16.22
Channel				55315	55990	56665
Frequency (MHz)				3557.5	3625	3692.5
15	QPSK	1	0	19.90	20.01	19.89



15	QPSK	1	37	23.74	23.89	23.80
15	QPSK	1	74	19.98	20.10	20.02
15	QPSK	36	0	23.08	23.12	23.09
15	QPSK	36	20	23.08	23.09	23.03
15	QPSK	36	39	23.04	23.06	22.91
15	QPSK	75	0	21.04	21.19	21.18
15	16QAM	1	0	19.17	19.28	19.28
15	16QAM	1	37	22.63	22.75	22.68
15	16QAM	1	74	18.84	18.99	18.98
15	16QAM	36	0	22.05	22.15	22.08
15	16QAM	36	20	22.05	22.19	22.11
15	16QAM	36	39	22.13	22.16	22.13
15	16QAM	75	0	22.01	22.15	22.07
15	64QAM	1	0	19.07	19.14	19.08
15	64QAM	1	37	23.28	23.36	23.25
15	64QAM	1	74	19.10	19.17	19.11
15	64QAM	36	0	21.99	22.13	22.02
15	64QAM	36	20	22.10	22.20	22.05
15	64QAM	36	39	22.15	22.17	22.15
15	64QAM	75	0	22.12	22.20	22.18
15	256QAM	1	0	14.88	15.02	14.91
15	256QAM	1	37	19.04	19.16	19.02
15	256QAM	1	74	15.00	15.11	15.04
15	256QAM	36	0	19.07	19.16	19.02
15	256QAM	36	20	19.06	19.19	19.06
15	256QAM	36	39	19.08	19.13	19.11
15	256QAM	75	0	17.15	17.25	17.11
Channel				55290	55990	56690
Frequency (MHz)				3555	3625	3695
10	QPSK	1	0	23.83	23.89	23.77
10	QPSK	1	25	23.74	23.81	23.66
10	QPSK	1	49	23.83	23.88	23.86
10	QPSK	25	0	23.20	23.28	23.26
10	QPSK	25	12	23.32	23.33	23.23
10	QPSK	25	25	23.28	23.31	23.30
10	QPSK	50	0	23.26	23.31	23.22
10	16QAM	1	0	22.25	22.27	22.15
10	16QAM	1	25	22.09	22.22	22.20
10	16QAM	1	49	22.28	22.36	22.23
10	16QAM	25	0	21.16	21.26	21.21
10	16QAM	25	12	21.32	21.37	21.30
10	16QAM	25	25	21.36	21.37	21.26
10	16QAM	50	0	21.14	21.28	21.26
10	64QAM	1	0	21.97	21.97	21.87
10	64QAM	1	25	22.06	21.95	22.03



10	64QAM	1	49	21.92	22.00	21.93
10	64QAM	25	0	21.09	20.99	21.10
10	64QAM	25	12	21.05	21.02	21.04
10	64QAM	25	25	21.01	21.03	20.93
10	64QAM	50	0	21.02	21.03	21.03
10	256QAM	1	0	19.34	19.36	19.35
10	256QAM	1	25	19.29	19.30	19.19
10	256QAM	1	49	19.29	19.31	19.17
10	256QAM	25	0	19.13	19.28	19.15
10	256QAM	25	12	19.26	19.37	19.25
10	256QAM	25	25	19.32	19.36	19.26
10	256QAM	50	0	19.22	19.33	19.27
Channel				55265	55990	56715
Frequency (MHz)				3552.5	3625	3697.5
5	QPSK	1	0	23.82	23.92	23.85
5	QPSK	1	12	23.86	23.88	23.83
5	QPSK	1	24	23.89	23.90	23.89
5	QPSK	12	0	23.26	23.29	23.24
5	QPSK	12	7	23.24	23.35	23.35
5	QPSK	12	13	23.35	23.36	23.31
5	QPSK	25	0	23.15	23.30	23.29
5	16QAM	1	0	23.10	23.19	23.10
5	16QAM	1	12	23.30	23.44	23.34
5	16QAM	1	24	23.17	23.32	23.27
5	16QAM	12	0	22.10	22.23	22.21
5	16QAM	12	7	22.37	22.40	22.39
5	16QAM	12	13	22.24	22.32	22.19
5	16QAM	25	0	22.25	22.33	22.27
5	64QAM	1	0	21.90	21.89	21.85
5	64QAM	1	12	22.03	21.98	21.95
5	64QAM	1	24	22.02	22.00	21.96
5	64QAM	12	0	21.08	21.13	21.10
5	64QAM	12	7	21.10	21.00	21.06
5	64QAM	12	13	20.99	21.02	21.01
5	64QAM	25	0	21.05	21.09	21.12
5	256QAM	1	0	19.01	19.08	18.96
5	256QAM	1	12	19.20	19.26	19.13
5	256QAM	1	24	18.96	19.11	18.97
5	256QAM	12	0	19.29	19.34	19.26
5	256QAM	12	7	19.12	19.27	19.26
5	256QAM	12	13	19.30	19.33	19.22
5	256QAM	25	0	19.23	19.27	19.16



EIRP

The worst case EIRP shown in this section is found with LTE operating only using 1RB. As such, the EIRP/10MHz and full channel EIRP values will be identical since 1RB is fully contained within all available channel bandwidths for LTE Band 48 (i.e. 5, 10, 15, 20MHz)

LTE Band 48 (GT - LC = -2.00 dB) QPSK_Ant.6									
Bandwidth	5M			10M			15M		
Channel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	23.82	23.92	23.85	23.83	23.89	23.77	23.74	23.89	23.80
Conducted Power (Watts/10MHz)	0.2410	0.2466	0.2427	0.2415	0.2449	0.2382	0.2366	0.2449	0.2399
EIRP (dBm/10MHz)	21.82	21.92	21.85	21.83	21.89	21.77	21.74	21.89	21.80
EIRP (Watts/10MHz)	0.1521	0.1556	0.1531	0.1524	0.1545	0.1503	0.1493	0.1545	0.1514

LTE Band 48 (GT - LC = -2.00 dB) QPSK_Ant.6			
Bandwidth	20M		
Channel	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	23.95	23.81	23.76
Conducted Power (Watts/10MHz)	0.2483	0.2404	0.2377
EIRP (dBm/10MHz)	21.95	21.81	21.76
EIRP (Watts/10MHz)	0.1567	0.1517	0.1500



LTE Band 48 (GT - LC = -2.00 dB) 16QAM_Ant.6									
Bandwidth	5M			10M			15M		
Channel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	23.30	23.44	23.34	22.28	22.36	22.23	22.63	22.75	22.68
Conducted Power (Watts/10MHz)	0.2138	0.2208	0.2158	0.1690	0.1722	0.1671	0.1832	0.1884	0.1854
EIRP (dBm/10MHz)	21.30	21.44	21.34	20.28	20.36	20.23	20.63	20.75	20.68
EIRP (Watts/10MHz)	0.1349	0.1393	0.1361	0.1067	0.1086	0.1054	0.1156	0.1189	0.1169

LTE Band 48 (GT - LC = -2.00 dB) 16QAM_Ant.6			
Bandwidth	20M		
Channel	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	23.06	22.89	22.90
Conducted Power (Watts/10MHz)	0.2023	0.1945	0.1950
EIRP (dBm/10MHz)	21.06	20.89	20.90
EIRP (Watts/10MHz)	0.1276	0.1227	0.1230



LTE Band 48 (GT - LC = -2.00 dB) 64QAM_Ant.6									
Bandwidth	5M			10M			15M		
Channel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	22.03	21.98	21.95	22.06	21.95	22.03	23.28	23.36	23.25
Conducted Power (Watts/10MHz)	0.1596	0.1578	0.1567	0.1607	0.1567	0.1596	0.2128	0.2168	0.2113
EIRP (dBm/10MHz)	20.03	19.98	19.95	20.06	19.95	20.03	21.28	21.36	21.25
EIRP (Watts/10MHz)	0.1007	0.0995	0.0989	0.1014	0.0989	0.1007	0.1343	0.1368	0.1334

LTE Band 48 (GT - LC = -2.00 dB) 64QAM_Ant.6			
Bandwidth	20M		
Channel	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	21.83	21.79	21.73
Conducted Power (Watts/10MHz)	0.1524	0.1510	0.1489
EIRP (dBm/10MHz)	19.83	19.79	19.73
EIRP (Watts/10MHz)	0.0962	0.0953	0.0940




LTE Band 48 (GT - LC = -2.00 dB) 256QAM_Ant.6									
Bandwidth	5M			10M			15M		
Channel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	19.29	19.34	19.26	19.26	19.37	19.25	19.06	19.19	19.06
Conducted Power (Watts/10MHz)	0.0849	0.0859	0.0843	0.0843	0.0865	0.0841	0.0805	0.0830	0.0805
EIRP (dBm/10MHz)	17.29	17.34	17.26	17.26	17.37	17.25	17.06	17.19	17.06
EIRP (Watts/10MHz)	0.0536	0.0542	0.0532	0.0532	0.0546	0.0531	0.0508	0.0524	0.0508

LTE Band 48 (GT - LC = -2.00 dB) 256QAM_Ant.6			
Bandwidth	20M		
Channel	(Low)	(Mid)	(High)
Conducted Power (dBm/10MHz)	19.01	19.06	18.80
Conducted Power (Watts/10MHz)	0.0796	0.0805	0.0759
EIRP (dBm/10MHz)	17.01	17.06	16.80
EIRP (Watts/10MHz)	0.0502	0.0508	0.0479



ACLR






LTE Band 48 / 5MHz


QPSK

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:19:38



Date: 29.OCT.2022 10:33:58

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 10:27:52

N/A





LTE Band 48 / 5MHz

QPSK


Highest Channel / 1RB0

Highest Channel / 1RBmax



Highest Channel / FullIRB

N/A



N/A




LTE Band 48 / 10MHz


QPSK

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:38:04



Date: 29.OCT.2022 10:50:18

Lowest Channel / FullRB

N/A



Date: 29.OCT.2022 10:44:11

N/A




LTE Band 48 / 10MHz


QPSK

MiddleChannel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:38:45



Date: 29.OCT.2022 10:50:58

Middle Channel / FullIRB

N/A



Date: 29.OCT.2022 10:44:51


N/A




LTE Band 48 / 10MHz

QPSK


Highest Channel / 1RB0



Highest Channel / 1RBmax



Highest Channel / FullIRB



N/A

N/A




LTE Band 48 / 15MHz


QPSK

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:55:41



Date: 29.OCT.2022 11:07:58

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:01:50

N/A




LTE Band 48 / 15MHz


QPSK

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:59:04



Date: 29.OCT.2022 11:11:20

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 11:05:12

N/A




LTE Band 48 / 15MHz


QPSK

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 10:59:45



Date: 29.OCT.2022 11:12:01

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:05:53

N/A




LTE Band 48 / 20MHz


QPSK

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 11:21:23



Date: 29.OCT.2022 11:27:21

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:15:26

N/A




LTE Band 48 / 20MHz


QPSK

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 11:22:03



Date: 29.OCT.2022 11:28:00

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 11:16:06

N/A




LTE Band 48 / 20MHz


QPSK

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 11:25:21



Date: 29.OCT.2022 11:31:19

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:19:23

N/A




LTE Band 48 / 5MHz


16QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:16:58



Date: 29.OCT.2022 10:31:18

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:25:12

N/A




LTE Band 48 / 5MHz


16QAM

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:18:58



Date: 29.OCT.2022 10:33:18

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 10:27:12

N/A




LTE Band 48 / 5MHz


16QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 10:21:01



Date: 29.OCT.2022 10:35:20

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:29:15

N/A




LTE Band 48 / 10MHz


16QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:37:23



Date: 29.OCT.2022 10:49:37

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:43:30

N/A




LTE Band 48 / 10MHz


16QAM

MiddleChannel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:39:25



Date: 29.OCT.2022 10:51:39

Middle Channel / FullIRB

N/A



Date: 29.OCT.2022 10:45:32

N/A




LTE Band 48 / 10MHz


16QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 10:41:27



Date: 29.OCT.2022 10:53:42

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:47:34

N/A




LTE Band 48 / 15MHz


16QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:56:22



Date: 29.OCT.2022 11:08:38

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:02:30

N/A




LTE Band 48 / 15MHz


16QAM

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:58:24



Date: 29.OCT.2022 11:10:40

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 11:04:31

N/A




LTE Band 48 / 15MHz


16QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 11:00:27



Date: 29.OCT.2022 11:12:43

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:06:35

N/A




LTE Band 48 / 20MHz


16QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 11:20:43



Date: 29.OCT.2022 11:26:41

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:14:46

N/A




LTE Band 48 / 20MHz


16QAM

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 11:22:42



Date: 29.OCT.2022 11:28:40

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 11:16:45

N/A




LTE Band 48 / 20MHz


16QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 11:24:41



Date: 29.OCT.2022 11:30:39

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:18:44

N/A




LTE Band 48 / 5MHz


64QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:17:39



Date: 29.OCT.2022 10:31:59

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:25:53

N/A




LTE Band 48 / 5MHz


64QAM

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:18:19



Date: 29.OCT.2022 10:32:38

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 10:26:33

N/A




LTE Band 48 / 5MHz


64QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 10:21:42



Date: 29.OCT.2022 10:36:02

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:29:56

N/A




LTE Band 48 / 10MHz


64QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:36:43



Date: 29.OCT.2022 10:48:56

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:42:50

N/A




LTE Band 48 / 10MHz


64QAM

MiddleChannel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:40:05



Date: 29.OCT.2022 10:52:19

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 10:46:12

N/A




LTE Band 48 / 10MHz


64QAM

Highest Channel / 1RB0

Highest Channel / 1RBmax




Date: 29.OCT.2022 10:40:46



Date: 29.OCT.2022 10:53:00

Highest Channel / FullIRB

N/A



Date: 29.OCT.2022 10:46:53

N/A




LTE Band 48 / 15MHz


64QAM

Lowest Channel / 1RB0

Lowest Channel / 1RBmax




Date: 29.OCT.2022 10:57:03



Date: 29.OCT.2022 11:09:19

Lowest Channel / FullIRB

N/A



Date: 29.OCT.2022 11:03:11

N/A




LTE Band 48 / 15MHz


64QAM

Middle Channel / 1RB0

Middle Channel / 1RBmax




Date: 29.OCT.2022 10:57:43



Date: 29.OCT.2022 11:10:00

Middle Channel / FullRB

N/A



Date: 29.OCT.2022 11:03:51

N/A