


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.62	-13	Pass	2985
30	500	0.1	Peak	472.094	-43.18	-13	Pass	4700
500	1000	0.1	Peak	824.265	33.28	-13	N/A	5000
1000	10000	1	Peak	8964.972	-22.79	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.07	-13	Pass	401
0.15	30	0.01	Peak	0.2	-51.34	-13	Pass	2985
30	500	0.1	Peak	383.275	-44.21	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.91	-13	N/A	5000
1000	10000	1	Peak	9633.546	-22.64	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.29	-13	Pass	401
0.15	30	0.01	Peak	0.4	-52.77	-13	Pass	2985
30	500	0.1	Peak	464.793	-43.54	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.84	-13	N/A	5000
1000	10000	1	Peak	7067.741	-22.75	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.68	-13	Pass	401
0.15	30	0.01	Peak	0.23	-60.89	-13	Pass	2985
30	1000	0.1	Peak	980.975	-49.86	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.06	-13	N/A	2000
3000	20000	1	Peak	7400.537	-42.07	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.02	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.88	-13	Pass	2985
30	1000	0.1	Peak	516.559	-50.03	-13	Pass	9699
1000	3000	1	Peak	1879.44	25.15	-13	N/A	2000
3000	20000	1	Peak	7519.552	-40.57	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.4	-13	Pass	401
0.15	30	0.01	Peak	0.27	-60.68	-13	Pass	2985
30	1000	0.1	Peak	900.168	-49.51	-13	Pass	9699
1000	3000	1	Peak	1910.455	29.53	-13	N/A	2000
3000	20000	1	Peak	7639.566	-43.07	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.99	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.02	-13	Pass	2985
30	500	0.1	Peak	487.297	-43.32	-13	Pass	4700
500	1000	0.1	Peak	824.265	29.75	-13	N/A	5000
1000	10000	1	Peak	9552.446	-22.04	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.23	-13	Pass	401
0.15	30	0.01	Peak	0.25	-51.7	-13	Pass	2985
30	500	0.1	Peak	480.096	-43.76	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.25	-13	N/A	5000
1000	10000	1	Peak	6959.728	-22.48	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.67	-13	Pass	2985
30	500	0.1	Peak	488.398	-42.63	-13	Pass	4700
500	1000	0.1	Peak	848.77	27.47	-13	N/A	5000
1000	10000	1	Peak	6970.729	-22	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.38	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.62	-13	Pass	2985
30	1000	0.1	Peak	848.5	-50.15	-13	Pass	9699
1000	3000	1	Peak	1850.425	23.28	-13	N/A	2000
3000	20000	1	Peak	19928.885	-45.19	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.3	-13	Pass	401
0.15	30	0.01	Peak	0.25	-60.42	-13	Pass	2985
30	1000	0.1	Peak	845.5	-49.8	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.17	-13	N/A	2000
3000	20000	1	Peak	19857.769	-45.01	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.6	-13	Pass	2985
30	1000	0.1	Peak	827.297	-49.96	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.19	-13	N/A	2000
3000	20000	1	Peak	19984.976	-44.16	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.92	-13	Pass	2985
30	1000	0.1	Peak	874.333	-53.62	-13	Pass	9699
1000	3000	1	Peak	1851.426	21.92	-13	N/A	2000
3000	20000	1	Peak	19673.47	-23.77	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.53	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.12	-13	Pass	2985
30	1000	0.1	Peak	834.098	-53.63	-13	Pass	9699
1000	3000	1	Peak	1878.439	21.83	-13	N/A	2000
3000	20000	1	Peak	19681.483	-23.11	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.95	-13	Pass	2985
30	1000	0.1	Peak	696.681	-53.14	-13	Pass	9699
1000	3000	1	Peak	1906.453	21.73	-13	N/A	2000
3000	20000	1	Peak	19709.528	-23.19	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.98	-13	Pass	2985
30	1000	0.1	Peak	844.799	-54.07	-13	Pass	9699
1000	3000	1	Peak	1711.356	22.21	-13	N/A	2000
3000	20000	1	Peak	19694.504	-22.81	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.14	-13	Pass	401
0.15	30	0.01	Peak	0.3	-65.67	-13	Pass	2985
30	1000	0.1	Peak	698.182	-53.52	-13	Pass	9699
1000	3000	1	Peak	1733.367	22	-13	N/A	2000
3000	20000	1	Peak	19652.436	-23.73	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.88	-13	Pass	2985
30	1000	0.1	Peak	988.785	-53.8	-13	Pass	9699
1000	3000	1	Peak	1751.376	21.98	-13	N/A	2000
3000	20000	1	Peak	19684.488	-24.26	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.81	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.7	-13	Pass	2985
30	500	0.1	Peak	485.597	-53.7	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.3	-13	N/A	5000
1000	10000	1	Peak	7452.788	-32.08	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.61	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.87	-13	Pass	2985
30	500	0.1	Peak	463.992	-54.48	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.23	-13	N/A	5000
1000	10000	1	Peak	7213.759	-32.49	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.86	-13	Pass	2985
30	500	0.1	Peak	358.47	-54.99	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.99	-13	N/A	5000
1000	10000	1	Peak	7165.753	-32.34	-13	Pass	9000



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.06	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.63	-13	Pass	9699
1000	1840	1	RMS	1840	-52.89	-13	Pass	840
1840	1920	1	RMS	1850.2	21.46	60	Pass	401
1920	3000	1	RMS	2947.952	-50.2	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.25	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.92	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.09	-13	Pass	840
1840	1920	1	RMS	1850.2	20.52	60	Pass	401
1920	3000	1	RMS	2949.954	-50.22	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.2	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.94	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	836.198	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-53.26	-13	Pass	840
1840	1920	1	RMS	1879.4	21.36	60	Pass	401
1920	3000	1	RMS	2949.954	-50.18	-13	Pass	1080
3000	12000	1	RMS	7518.552	-42.71	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.94	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.7	-13	Pass	2985
30	1000	0.1	RMS	867.024	-64.79	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.4	-13	Pass	840
1840	1920	1	RMS	1879.4	20.4	60	Pass	401
1920	3000	1	RMS	2948.953	-50.18	-13	Pass	1080
3000	12000	1	RMS	7518.552	-43.08	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.92	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	1000	0.1	RMS	859.313	-64.74	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.42	-13	Pass	840
1840	1920	1	RMS	1908.8	21.21	60	Pass	401
1920	3000	1	RMS	2949.954	-50.13	-13	Pass	1080
3000	12000	1	RMS	7635.566	-40.9	-13	Pass	9000
12000	20000	1	RMS	19674.959	-34.95	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.98	-13	Pass	2985
30	1000	0.1	RMS	816.496	-64.83	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.29	-13	Pass	840
1840	1920	1	RMS	1908.8	20.32	60	Pass	401
1920	3000	1	RMS	2951.956	-50.19	-13	Pass	1080
3000	12000	1	RMS	7635.566	-41.34	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.94	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.81	-13	Pass	2985
30	1000	0.1	RMS	854.707	-64.57	-13	Pass	9699
1000	1840	1	RMS	1840	-52.7	-13	Pass	840
1840	1920	1	RMS	1850.2	21.55	60	Pass	401
1920	3000	1	RMS	2944.949	-50.21	-13	Pass	1080
3000	12000	1	RMS	7400.537	-43.16	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.93	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	854.307	-64.77	-13	Pass	9699
1000	1840	1	RMS	1840	-52.84	-13	Pass	840
1840	1920	1	RMS	1850.2	20.7	60	Pass	401
1920	3000	1	RMS	2948.953	-50.14	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.25	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.99	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.87	-13	Pass	2985
30	1000	0.1	RMS	850.702	-64.76	-13	Pass	9699
1000	1840	1	RMS	1840	-53.39	-13	Pass	840
1840	1920	1	RMS	1878.6	21.49	60	Pass	401
1920	3000	1	RMS	2947.952	-50.2	-13	Pass	1080
3000	12000	1	RMS	7514.551	-42.73	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.9	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	Pass	2985
30	1000	0.1	RMS	843.099	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1878.6	20.51	60	Pass	401
1920	3000	1	RMS	2942.947	-50.13	-13	Pass	1080
3000	12000	1	RMS	7514.551	-43.06	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.91	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	1000	0.1	RMS	848.8	-64.63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.42	-13	Pass	840
1840	1920	1	RMS	1907.2	21.3	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	7628.565	-41.14	-13	Pass	9000
12000	20000	1	RMS	19687.961	-34.89	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2985
30	1000	0.1	RMS	844.499	-64.75	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.39	-13	Pass	840
1840	1920	1	RMS	1907.2	20.33	60	Pass	401
1920	3000	1	RMS	2949.954	-50.16	-13	Pass	1080
3000	12000	1	RMS	7628.565	-41.7	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.95	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.08	-13	Pass	2985
30	1000	0.1	RMS	847	-64.79	-13	Pass	9699
1000	1840	1	RMS	1837.998	-50.43	-13	Pass	840
1840	1920	1	RMS	1850.2	21.5	60	Pass	401
1920	3000	1	RMS	2950.955	-50.19	-13	Pass	1080
3000	12000	1	RMS	7401.537	-42.87	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.88	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2985
30	1000	0.1	RMS	856.209	-64.86	-13	Pass	9699
1000	1840	1	RMS	1840	-52.76	-13	Pass	840
1840	1920	1	RMS	1850.2	20.57	60	Pass	401
1920	3000	1	RMS	2945.95	-50.14	-13	Pass	1080
3000	12000	1	RMS	11996.996	-43.24	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.89	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	816.996	-64.8	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.38	-13	Pass	840
1840	1920	1	RMS	1877.8	21.38	60	Pass	401
1920	3000	1	RMS	2949.954	-50.18	-13	Pass	1080
3000	12000	1	RMS	7511.551	-42.34	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.88	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.75	-13	Pass	9699
1000	1840	1	RMS	1840	-53.37	-13	Pass	840
1840	1920	1	RMS	1877.8	20.55	60	Pass	401
1920	3000	1	RMS	2949.954	-50.19	-13	Pass	1080
3000	12000	1	RMS	7511.551	-42.75	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.87	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	852.104	-64.74	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.4	-13	Pass	840
1840	1920	1	RMS	1905.2	21.25	60	Pass	401
1920	3000	1	RMS	2947.952	-50.14	-13	Pass	1080
3000	12000	1	RMS	7621.564	-41	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.86	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.36	-13	Pass	840
1840	1920	1	RMS	1905.2	20.51	60	Pass	401
1920	3000	1	RMS	2948.953	-50.11	-13	Pass	1080
3000	12000	1	RMS	7621.564	-41.65	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.9	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-51.47	-13	Pass	840
1840	1920	1	RMS	1850.4	21.47	60	Pass	401
1920	3000	1	RMS	2948.953	-50.15	-13	Pass	1080
3000	12000	1	RMS	11997.998	-43.09	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.93	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	851.002	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-51.67	-13	Pass	840
1840	1920	1	RMS	1850.6	20.62	60	Pass	401
1920	3000	1	RMS	2946.951	-50.12	-13	Pass	1080
3000	12000	1	RMS	7402.537	-43.18	-13	Pass	9000
12000	20000	1	RMS	19685.961	-34.98	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.33	-13	Pass	2985
30	1000	0.1	RMS	852.605	-64.82	-13	Pass	9699
1000	1840	1	RMS	1832.992	-53.42	-13	Pass	840
1840	1920	1	RMS	1875.4	21.38	60	Pass	401
1920	3000	1	RMS	2950.955	-50.15	-13	Pass	1080
3000	12000	1	RMS	7502.55	-42.37	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.86	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2985
30	1000	0.1	RMS	840.199	-64.81	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.37	-13	Pass	840
1840	1920	1	RMS	1875.4	20.46	60	Pass	401
1920	3000	1	RMS	2946.951	-50.19	-13	Pass	1080
3000	12000	1	RMS	7502.55	-43.08	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.94	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	857.611	-64.78	-13	Pass	9699
1000	1840	1	RMS	1840	-53.35	-13	Pass	840
1840	1920	1	RMS	1900.4	21.32	60	Pass	401
1920	3000	1	RMS	2944.949	-50.13	-13	Pass	1080
3000	12000	1	RMS	7602.562	-41.04	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.88	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-13	Pass	2985
30	1000	0.1	RMS	835.798	-64.86	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.38	-13	Pass	840
1840	1920	1	RMS	1900.4	20.42	60	Pass	401
1920	3000	1	RMS	2947.952	-50.17	-13	Pass	1080
3000	12000	1	RMS	7602.562	-41.67	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.92	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	844.899	-64.68	-13	Pass	9699
1000	1840	1	RMS	1840	-50.08	-13	Pass	840
1840	1920	1	RMS	1850.8	21.5	60	Pass	401
1920	3000	1	RMS	2952.956	-50.19	-13	Pass	1080
3000	12000	1	RMS	7403.538	-42.96	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.84	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2985
30	1000	0.1	RMS	853.606	-64.79	-13	Pass	9699
1000	1840	1	RMS	1840	-50.25	-13	Pass	840
1840	1920	1	RMS	1850.8	20.65	60	Pass	401
1920	3000	1	RMS	2951.956	-50.16	-13	Pass	1080
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	1000	0.1	RMS	842.699	-64.74	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.34	-13	Pass	840
1840	1920	1	RMS	1873.2	21.55	60	Pass	401
1920	3000	1	RMS	2949.954	-50.15	-13	Pass	1080
3000	12000	1	RMS	7493.549	-42.58	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.84	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	1000	0.1	RMS	938.418	-64.71	-13	Pass	9699
1000	1840	1	RMS	1840	-53.34	-13	Pass	840
1840	1920	1	RMS	1873.2	20.54	60	Pass	401
1920	3000	1	RMS	2944.949	-50.09	-13	Pass	1080
3000	12000	1	RMS	7493.549	-43.06	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.88	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2985
30	1000	0.1	RMS	853.906	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.3	-13	Pass	840
1840	1920	1	RMS	1895.8	21.46	60	Pass	401
1920	3000	1	RMS	2949.954	-50.14	-13	Pass	1080
3000	12000	1	RMS	7583.56	-41.57	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.8	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2985
30	1000	0.1	RMS	857.411	-64.82	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.4	-13	Pass	840
1840	1920	1	RMS	1895.8	20.63	60	Pass	401
1920	3000	1	RMS	2948.953	-50.16	-13	Pass	1080
3000	12000	1	RMS	7583.56	-42.05	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.85	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	1000	0.1	RMS	837.799	-64.8	-13	Pass	9699
1000	1840	1	RMS	1840	-50.65	-13	Pass	840
1840	1920	1	RMS	1851	21.44	60	Pass	401
1920	3000	1	RMS	2945.95	-50.18	-13	Pass	1080
3000	12000	1	RMS	7404.538	-43.03	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.88	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.82	-13	Pass	9699
1000	1840	1	RMS	1840	-50.83	-13	Pass	840
1840	1920	1	RMS	1851	20.62	60	Pass	401
1920	3000	1	RMS	2943.948	-50.19	-13	Pass	1080
3000	12000	1	RMS	11998.999	-43.15	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.91	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2985
30	1000	0.1	RMS	856.41	-64.76	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.87	-13	Pass	840
1840	1920	1	RMS	1871	21.39	60	Pass	401
1920	3000	1	RMS	2948.953	-50.13	-13	Pass	1080
3000	12000	1	RMS	7484.547	-42.7	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.95	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	1000	0.1	RMS	865.121	-64.63	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.1	-13	Pass	840
1840	1920	1	RMS	1871	20.42	60	Pass	401
1920	3000	1	RMS	2945.95	-50.16	-13	Pass	1080
3000	12000	1	RMS	7484.547	-42.99	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.89	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	858.713	-64.74	-13	Pass	9699
1000	1840	1	RMS	1840	-53.38	-13	Pass	840
1840	1920	1	RMS	1891	21.3	60	Pass	401
1920	3000	1	RMS	2950.955	-50.22	-13	Pass	1080
3000	12000	1	RMS	7564.557	-41.93	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.91	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	850.301	-64.78	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.34	-13	Pass	840
1840	1920	1	RMS	1891	20.29	60	Pass	401
1920	3000	1	RMS	2951.956	-50.15	-13	Pass	1080
3000	12000	1	RMS	7564.557	-42.73	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.83	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	843.399	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.23	-13	Pass	700
1700	1765	1	RMS	1710.238	21.52	60	Pass	401
1765	3000	1	RMS	2949.959	-50.14	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.25	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.92	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.91	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.69	-13	Pass	9699
1000	1700	1	RMS	1700	-49.82	-13	Pass	700
1700	1765	1	RMS	1710.238	20.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.25	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.91	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	840.699	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.75	-13	Pass	700
1700	1765	1	RMS	1732.013	21.46	60	Pass	401
1765	3000	1	RMS	2949.959	-50.16	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.88	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.51	-13	Pass	2985
30	1000	0.1	RMS	836.098	-64.63	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.75	-13	Pass	700
1700	1765	1	RMS	1732.013	20.51	60	Pass	401
1765	3000	1	RMS	2945.956	-50.18	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.23	-13	Pass	9000
12000	20000	1	RMS	19676.96	-34.88	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	Pass	2985
30	1000	0.1	RMS	824.897	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1753.788	21.48	60	Pass	401
1765	3000	1	RMS	2950.96	-50.18	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.19	-13	Pass	9000
12000	20000	1	RMS	19682.96	-34.93	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.24	-13	Pass	2985
30	1000	0.1	RMS	831.898	-64.66	-13	Pass	9699
1000	1700	1	RMS	1685.98	-53.77	-13	Pass	700
1700	1765	1	RMS	1753.788	20.51	60	Pass	401
1765	3000	1	RMS	2943.955	-50.22	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.23	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.91	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2985
30	1000	0.1	RMS	836.498	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-52.79	-13	Pass	700
1700	1765	1	RMS	1710.238	21.62	60	Pass	401
1765	3000	1	RMS	2944.955	-50.18	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	841.299	-64.8	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1710.238	20.75	60	Pass	401
1765	3000	1	RMS	2949.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19675.959	-34.95	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	837.999	-64.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.75	-13	Pass	700
1700	1765	1	RMS	1731.2	21.54	60	Pass	401
1765	3000	1	RMS	2947.958	-50.2	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.93	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2985
30	1000	0.1	RMS	856.309	-64.83	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1731.2	20.54	60	Pass	401
1765	3000	1	RMS	2947.958	-50.14	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.17	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.91	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-13	Pass	2985
30	1000	0.1	RMS	847.8	-64.7	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.78	-13	Pass	700
1700	1765	1	RMS	1752.163	21.54	60	Pass	401
1765	3000	1	RMS	2950.96	-50.18	-13	Pass	1235
3000	12000	1	RMS	12000	-43.2	-13	Pass	9000
12000	20000	1	RMS	19681.96	-34.94	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.21	-13	Pass	2985
30	1000	0.1	RMS	852.404	-64.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1752.163	20.6	60	Pass	401
1765	3000	1	RMS	2944.955	-50.21	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.93	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2985
30	1000	0.1	RMS	845.8	-64.74	-13	Pass	9699
1000	1700	1	RMS	1700	-52.76	-13	Pass	700
1700	1765	1	RMS	1710.238	21.64	60	Pass	401
1765	3000	1	RMS	2945.956	-50.2	-13	Pass	1235
3000	12000	1	RMS	11997.998	-43.16	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.84	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-13	Pass	2985
30	1000	0.1	RMS	853.406	-64.85	-13	Pass	9699
1000	1700	1	RMS	1700	-52.87	-13	Pass	700
1700	1765	1	RMS	1710.238	20.71	60	Pass	401
1765	3000	1	RMS	2944.955	-50.15	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.26	-13	Pass	9000
12000	20000	1	RMS	19683.96	-34.91	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.85	-13	Pass	2985
30	1000	0.1	RMS	839.299	-64.58	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.71	-13	Pass	700
1700	1765	1	RMS	1730.225	21.49	60	Pass	401
1765	3000	1	RMS	2948.959	-50.21	-13	Pass	1235
3000	12000	1	RMS	11993.993	-43.21	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.9	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.14	-13	Pass	2985
30	1000	0.1	RMS	849.3	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1765	1	RMS	1730.225	20.61	60	Pass	401
1765	3000	1	RMS	2948.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	11995.995	-43.27	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.94	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	835.298	-64.78	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.76	-13	Pass	700
1700	1765	1	RMS	1750.213	21.46	60	Pass	401
1765	3000	1	RMS	2944.955	-50.15	-13	Pass	1235
3000	12000	1	RMS	11996.996	-43.2	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.85	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2985
30	1000	0.1	RMS	850.802	-64.76	-13	Pass	9699
1000	1700	1	RMS	1700	-53.77	-13	Pass	700
1700	1765	1	RMS	1750.213	20.59	60	Pass	401
1765	3000	1	RMS	2949.959	-50.25	-13	Pass	1235
3000	12000	1	RMS	11994.994	-43.17	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.91	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	1000	0.1	RMS	840.499	-64.83	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.37	-13	Pass	700
1700	1765	1	RMS	1710.563	21.59	60	Pass	401
1765	3000	1	RMS	2948.959	-50.2	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.19	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.9	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	Pass	2985
30	1000	0.1	RMS	831.098	-64.89	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.88	-13	Pass	700
1700	1765	1	RMS	1710.563	20.77	60	Pass	401
1765	3000	1	RMS	2946.957	-50.16	-13	Pass	1235
3000	12000	1	RMS	12000	-43.23	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.82	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.16	-13	Pass	2985
30	1000	0.1	RMS	861.917	-64.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.73	-13	Pass	700
1700	1765	1	RMS	1727.95	21.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.24	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.21	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.87	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	1000	0.1	RMS	874.734	-64.82	-13	Pass	9699
1000	1700	1	RMS	1700	-53.73	-13	Pass	700
1700	1765	1	RMS	1727.95	20.56	60	Pass	401
1765	3000	1	RMS	2947.958	-50.22	-13	Pass	1235
3000	12000	1	RMS	12000	-43.22	-13	Pass	9000
12000	20000	1	RMS	19679.96	-34.96	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	834.298	-64.72	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.72	-13	Pass	700
1700	1765	1	RMS	1745.5	21.54	60	Pass	401
1765	3000	1	RMS	2943.955	-50.2	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.2	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.88	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-13	Pass	2985
30	1000	0.1	RMS	860.515	-64.62	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1745.5	20.57	60	Pass	401
1765	3000	1	RMS	2949.959	-50.19	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.15	-13	Pass	9000
12000	20000	1	RMS	19680.96	-34.9	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	861.516	-64.7	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.39	-13	Pass	700
1700	1765	1	RMS	1710.725	21.64	60	Pass	401
1765	3000	1	RMS	2944.955	-50.14	-13	Pass	1235
3000	12000	1	RMS	12000	-43.16	-13	Pass	9000
12000	20000	1	RMS	19676.96	-34.98	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.76	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.78	-13	Pass	700
1700	1765	1	RMS	1710.725	20.78	60	Pass	401
1765	3000	1	RMS	2949.959	-50.13	-13	Pass	1235
3000	12000	1	RMS	11998.999	-43.16	-13	Pass	9000
12000	20000	1	RMS	19677.96	-34.86	-13	Pass	8000



9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	1000	0.1	RMS	851.603	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.32	-13	Pass	700
1700	1765	1	RMS	1725.675	21.52	60	Pass	401
1765	3000	1	RMS	2949.959	-50.22	-13	Pass	1235
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19684.961	-34.92	-13	Pass	8000



**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	846	-64.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.47	-13	Pass	700
1700	1765	1	RMS	1725.675	20.54	60	Pass	401
1765	3000	1	RMS	2943.955	-50.13	-13	Pass	1235
3000	12000	1	RMS	12000	-43.19	-13	Pass	9000
12000	20000	1	RMS	19678.96	-34.91	-13	Pass	8000

