



Mode	41																																																																			
	Harmonic																																																																			
	UNII-6-7_6425-6875_802.11be EHT160_CH111_Full_6505MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 17 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13010.00</td> <td>48.60</td> <td>-39.60</td> <td>88.20</td> <td>58.89</td> <td>39.91</td> <td>13.56</td> <td>63.76</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13010.00	48.60	-39.60	88.20	58.89	39.91	13.56	63.76	--- Peak	<p>Data: 18 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13010.00</td> <td>49.81</td> <td>-38.39</td> <td>88.20</td> <td>60.10</td> <td>39.91</td> <td>13.56</td> <td>63.76</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13010.00	49.81	-38.39	88.20	60.10	39.91	13.56	63.76	--- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13010.00	48.60	-39.60	88.20	58.89	39.91	13.56	63.76	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13010.00	49.81	-38.39	88.20	60.10	39.91	13.56	63.76	--- Peak																																																												



		42																																																																		
Mode		Harmonic																																																																		
		UNII-6-7_5925-6425_802.11be EHT320_CH95_Full_6425MHz																																																																		
ANT		CDD 9+15																																																																		
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 17 Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK(U-NII_6E)</p> <p>AVG(U-NII_6E)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12850.00</td> <td>48.02</td> <td>-40.18</td> <td>88.20</td> <td>58.40</td> <td>39.83</td> <td>13.51</td> <td>63.72</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12850.00	48.02	-40.18	88.20	58.40	39.83	13.51	63.72	--- --- Peak	<p>Data: 18 Date: 2023-09-28</p> <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK(U-NII_6E)</p> <p>AVG(U-NII_6E)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12850.00</td> <td>48.78</td> <td>-39.42</td> <td>88.20</td> <td>59.16</td> <td>39.83</td> <td>13.51</td> <td>63.72</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12850.00	48.78	-39.42	88.20	59.16	39.83	13.51	63.72	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12850.00	48.02	-40.18	88.20	58.40	39.83	13.51	63.72	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12850.00	48.78	-39.42	88.20	59.16	39.83	13.51	63.72	--- --- Peak																																																												



Mode	43																																																																			
	Harmonic																																																																			
	UNII-6-7_6425-6875_802.11be EHT320_CH127_Full_6585MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 17 Date: 2023-09-27</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13170.00</td> <td>49.33</td> <td>-38.87</td> <td>88.20</td> <td>59.51</td> <td>40.00</td> <td>13.61</td> <td>63.79</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13170.00	49.33	-38.87	88.20	59.51	40.00	13.61	63.79	--- --- Peak	<p>Data: 18 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13170.00</td> <td>50.07</td> <td>-38.13</td> <td>88.20</td> <td>60.25</td> <td>40.00</td> <td>13.61</td> <td>63.79</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13170.00	50.07	-38.13	88.20	60.25	40.00	13.61	63.79	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13170.00	49.33	-38.87	88.20	59.51	40.00	13.61	63.79	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13170.00	50.07	-38.13	88.20	60.25	40.00	13.61	63.79	--- --- Peak																																																												



Mode	44																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 26/0_5955MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5874.70</td> <td>53.87</td> <td>88.20</td> <td>-34.33</td> <td>40.40</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>100</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5874.70	53.87	88.20	-34.33	40.40	36.52	10.33	33.38	100	15	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.23</td> <td>-----</td> <td>-----</td> <td>91.42</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	105.23	-----	-----	91.42	36.64	10.50	33.33	100	15	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5874.70	53.87	88.20	-34.33	40.40	36.52	10.33	33.38	100	15	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	105.23	-----	-----	91.42	36.64	10.50	33.33	100	15	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.16</td> <td>42.55</td> <td>68.20</td> <td>-25.65</td> <td>28.94</td> <td>36.57</td> <td>10.40</td> <td>33.36</td> <td>100</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5908.16	42.55	68.20	-25.65	28.94	36.57	10.40	33.36	100	15	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.03</td> <td>-----</td> <td>-----</td> <td>82.22</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	96.03	-----	-----	82.22	36.64	10.50	33.33	100	15	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5908.16	42.55	68.20	-25.65	28.94	36.57	10.40	33.36	100	15	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	96.03	-----	-----	82.22	36.64	10.50	33.33	100	15	Average																																																															







Mode	44																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 26/0_5955MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.42</td> <td>54.00</td> <td>88.20</td> <td>-34.20</td> <td>40.61</td> <td>36.49</td> <td>10.29</td> <td>33.39</td> <td>100</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5853.42	54.00	88.20	-34.20	40.61	36.49	10.29	33.39	100	102	Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>94.49</td> <td>-----</td> <td>-----</td> <td>80.68</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>102</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	94.49	-----	-----	80.68	36.64	10.50	33.33	100	102	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5853.42	54.00	88.20	-34.20	40.61	36.49	10.29	33.39	100	102	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	94.49	-----	-----	80.68	36.64	10.50	33.33	100	102	Peak																																																															
Avg	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.96</td> <td>42.38</td> <td>68.20</td> <td>-25.82</td> <td>28.74</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>102</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.96	42.38	68.20	-25.82	28.74	36.58	10.41	33.35	100	102	Average	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>85.86</td> <td>-----</td> <td>-----</td> <td>72.05</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>102</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	85.86	-----	-----	72.05	36.64	10.50	33.33	100	102	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.96	42.38	68.20	-25.82	28.74	36.58	10.41	33.35	100	102	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	85.86	-----	-----	72.05	36.64	10.50	33.33	100	102	Average																																																															



Mode	45																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.96</td> <td>53.19</td> <td>88.20</td> <td>-35.01</td> <td>39.55</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.96	53.19	88.20	-35.01	39.55	36.58	10.41	33.35	100	14	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.59</td> <td>-----</td> <td>-----</td> <td>89.78</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>14</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	103.59	-----	-----	89.78	36.64	10.50	33.33	100	14	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.96	53.19	88.20	-35.01	39.55	36.58	10.41	33.35	100	14	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	103.59	-----	-----	89.78	36.64	10.50	33.33	100	14	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.26</td> <td>42.34</td> <td>68.20</td> <td>-25.86</td> <td>28.71</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.26	42.34	68.20	-25.86	28.71	36.57	10.41	33.35	100	14	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.30</td> <td>-----</td> <td>-----</td> <td>82.49</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>14</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	96.30	-----	-----	82.49	36.64	10.50	33.33	100	14	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.26	42.34	68.20	-25.86	28.71	36.57	10.41	33.35	100	14	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	96.30	-----	-----	82.49	36.64	10.50	33.33	100	14	Average																																																															



Mode	45																																																													
	Band Edge																																																													
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 52/37_5955MHz																																																													
ANT	CDD 9+15																																																													
Pol.	Vertical	Fundamental																																																												
Peak	 <p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5878.76</td> <td>53.27</td> <td>88.20</td> <td>-34.93</td> <td>39.77</td> <td>36.53</td> <td>10.34</td> <td>33.37</td> <td>100</td> <td>101 Peak</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5878.76	53.27	88.20	-34.93	39.77	36.53	10.34	33.37	100	101 Peak	 <p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>93.34</td> <td>79.53</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>101</td> <td>101</td> <td>Peak</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5955.00	93.34	79.53	36.64	10.50	33.33	100	101	101	Peak
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5878.76	53.27	88.20	-34.93	39.77	36.53	10.34	33.37	100	101 Peak																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5955.00	93.34	79.53	36.64	10.50	33.33	100	101	101	Peak																																																					
Avg	 <p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5910.54</td> <td>42.12</td> <td>68.20</td> <td>-26.08</td> <td>28.49</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>101 Average</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5910.54	42.12	68.20	-26.08	28.49	36.57	10.41	33.35	100	101 Average	 <p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5955.00</td> <td>85.64</td> <td>71.83</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>101</td> <td>101</td> <td>Average</td> </tr> </tbody> </table>	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1 5955.00	85.64	71.83	36.64	10.50	33.33	100	101	101	Average
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5910.54	42.12	68.20	-26.08	28.49	36.57	10.41	33.35	100	101 Average																																																					
Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																						
1 5955.00	85.64	71.83	36.64	10.50	33.33	100	101	101	Average																																																					



Mode	46																																																																																																																	
	Band Edge																																																																																																																	
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																																																																	
ANT	CDD 9+15																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.44</td> <td>53.24</td> <td>88.20</td> <td>-34.96</td> <td>39.71</td> <td>36.54</td> <td>10.36</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.37</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5897.44	53.24	88.20	-34.96	39.71	36.54	10.36								33.37								100								15 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>103.48</td> <td>-----</td> <td>-----</td> <td>89.67</td> <td>36.64</td> <td>10.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	103.48	-----	-----	89.67	36.64	10.50								33.33								100								15 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1	5897.44	53.24	88.20	-34.96	39.71	36.54	10.36																																																																																																											
							33.37																																																																																																											
							100																																																																																																											
							15 Peak																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1	5955.00	103.48	-----	-----	89.67	36.64	10.50																																																																																																											
							33.33																																																																																																											
							100																																																																																																											
							15 Peak																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.84</td> <td>42.38</td> <td>68.20</td> <td>-25.82</td> <td>28.75</td> <td>36.57</td> <td>10.41</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.84	42.38	68.20	-25.82	28.75	36.57	10.41								33.35								100								15 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.02</td> <td>-----</td> <td>-----</td> <td>82.21</td> <td>36.64</td> <td>10.50</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>33.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>15 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	96.02	-----	-----	82.21	36.64	10.50								33.33								100								15 Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1	5909.84	42.38	68.20	-25.82	28.75	36.57	10.41																																																																																																											
							33.35																																																																																																											
							100																																																																																																											
							15 Average																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																											
1	5955.00	96.02	-----	-----	82.21	36.64	10.50																																																																																																											
							33.33																																																																																																											
							100																																																																																																											
							15 Average																																																																																																											



Mode	46																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Single RU 106/53_5955MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.92</td> <td>53.22</td> <td>88.20</td> <td>-34.98</td> <td>39.58</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>101</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5912.92	53.22	88.20	-34.98	39.58	36.58	10.41	33.35	100	101	Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>94.66</td> <td>-----</td> <td>-----</td> <td>80.85</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>101</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	94.66	-----	-----	80.85	36.64	10.50	33.33	100	101	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5912.92	53.22	88.20	-34.98	39.58	36.58	10.41	33.35	100	101	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	94.66	-----	-----	80.85	36.64	10.50	33.33	100	101	Peak																																																															
Avg	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.26</td> <td>42.17</td> <td>68.20</td> <td>-26.03</td> <td>28.54</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>101</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.26	42.17	68.20	-26.03	28.54	36.57	10.41	33.35	100	101	Average	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>85.13</td> <td>-----</td> <td>-----</td> <td>71.32</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>101</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	85.13	-----	-----	71.32	36.64	10.50	33.33	100	101	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.26	42.17	68.20	-26.03	28.54	36.57	10.41	33.35	100	101	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	85.13	-----	-----	71.32	36.64	10.50	33.33	100	101	Average																																																															



Mode	47																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.84</td> <td>52.79</td> <td>88.20</td> <td>-35.41</td> <td>39.44</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7301.94</td> <td>52.44</td> <td>74.00</td> <td>-21.56</td> <td>39.40</td> <td>36.24</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7132.84	52.79	88.20	-35.41	39.44	36.61	10.19	33.45	100	56	Peak	2	7301.94	52.44	74.00	-21.56	39.40	36.24	10.18	33.38	100	56	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>97.65</td> <td>-----</td> <td>-----</td> <td>84.22</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	97.65	-----	-----	84.22	36.69	10.20	33.46	100	56	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7132.84	52.79	88.20	-35.41	39.44	36.61	10.19	33.45	100	56	Peak																																																																											
2	7301.94	52.44	74.00	-21.56	39.40	36.24	10.18	33.38	100	56	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	97.65	-----	-----	84.22	36.69	10.20	33.46	100	56	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.87</td> <td>42.38</td> <td>68.20</td> <td>-25.82</td> <td>29.01</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7264.91</td> <td>41.43</td> <td>54.00</td> <td>-12.57</td> <td>28.32</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.87	42.38	68.20	-25.82	29.01	36.62	10.20	33.45	100	56	Average	2	7264.91	41.43	54.00	-12.57	28.32	36.32	10.18	33.39	100	56	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.37</td> <td>-----</td> <td>-----</td> <td>75.94</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	89.37	-----	-----	75.94	36.69	10.20	33.46	100	56	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.87	42.38	68.20	-25.82	29.01	36.62	10.20	33.45	100	56	Average																																																																											
2	7264.91	41.43	54.00	-12.57	28.32	36.32	10.18	33.39	100	56	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	89.37	-----	-----	75.94	36.69	10.20	33.46	100	56	Average																																																																											



		47																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 26/8_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7236.08</td> <td>52.95</td> <td>88.20</td> <td>-35.25</td> <td>39.80</td> <td>36.38</td> <td>10.18</td> <td>33.41</td> <td>100</td> <td>120</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7270.79</td> <td>52.48</td> <td>74.00</td> <td>-21.52</td> <td>39.39</td> <td>36.30</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>120</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7236.08	52.95	88.20	-35.25	39.80	36.38	10.18	33.41	100	120	Peak	2	7270.79	52.48	74.00	-21.52	39.39	36.30	10.18	33.39	100	120	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.93</td> <td>-----</td> <td>-----</td> <td>76.50</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>120</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	89.93	-----	-----	76.50	36.69	10.20	33.46	100	120	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7236.08	52.95	88.20	-35.25	39.80	36.38	10.18	33.41	100	120	Peak																																																																											
2	7270.79	52.48	74.00	-21.52	39.39	36.30	10.18	33.39	100	120	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	89.93	-----	-----	76.50	36.69	10.20	33.46	100	120	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.41</td> <td>42.27</td> <td>68.20</td> <td>-25.93</td> <td>28.90</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>120</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.33</td> <td>54.00</td> <td>-12.67</td> <td>28.23</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>120</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.41	42.27	68.20	-25.93	28.90	36.62	10.20	33.45	100	120	Average	2	7266.30	41.33	54.00	-12.67	28.23	36.31	10.18	33.39	100	120	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>82.09</td> <td>-----</td> <td>-----</td> <td>68.66</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>120</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	82.09	-----	-----	68.66	36.69	10.20	33.46	100	120	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.41	42.27	68.20	-25.93	28.90	36.62	10.20	33.45	100	120	Average																																																																											
2	7266.30	41.33	54.00	-12.67	28.23	36.31	10.18	33.39	100	120	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	82.09	-----	-----	68.66	36.69	10.20	33.46	100	120	Average																																																																											







		48																																																																																									
Mode	Band Edge																																																																																										
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.85</td> <td>52.44</td> <td>88.20</td> <td>-35.76</td> <td>39.10</td> <td>36.60</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>58 Peak</td> </tr> <tr> <td>2</td> <td>7288.59</td> <td>51.76</td> <td>74.00</td> <td>-22.24</td> <td>38.69</td> <td>36.27</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>58 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.85	52.44	88.20	-35.76	39.10	36.60	10.19	33.45	100	58 Peak	2	7288.59	51.76	74.00	-22.24	38.69	36.27	10.18	33.38	100	58 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>96.21</td> <td>-----</td> <td>-----</td> <td>82.78</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>58 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.21	-----	-----	82.78	36.69	10.20	33.46	100	58 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7136.85	52.44	88.20	-35.76	39.10	36.60	10.19	33.45	100	58 Peak																																																																																	
2	7288.59	51.76	74.00	-22.24	38.69	36.27	10.18	33.38	100	58 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	96.21	-----	-----	82.78	36.69	10.20	33.46	100	58 Peak																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.14</td> <td>68.20</td> <td>-26.06</td> <td>28.77</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58 Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>41.18</td> <td>54.00</td> <td>-12.82</td> <td>28.08</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>58 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	42.14	68.20	-26.06	28.77	36.62	10.20	33.45	100	58 Average	2	7268.16	41.18	54.00	-12.82	28.08	36.31	10.18	33.39	100	58 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.74</td> <td>-----</td> <td>-----</td> <td>76.31</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>58 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.74	-----	-----	76.31	36.69	10.20	33.46	100	58 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.00	42.14	68.20	-26.06	28.77	36.62	10.20	33.45	100	58 Average																																																																																	
2	7268.16	41.18	54.00	-12.82	28.08	36.31	10.18	33.39	100	58 Average																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7095.00	89.74	-----	-----	76.31	36.69	10.20	33.46	100	58 Average																																																																																	







		48																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 52/40_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7158.65</td> <td>53.28</td> <td>88.20</td> <td>-34.92</td> <td>39.98</td> <td>36.55</td> <td>10.19</td> <td>33.44</td> <td>260</td> <td>322</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7264.56</td> <td>52.07</td> <td>74.00</td> <td>-21.93</td> <td>38.96</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>260</td> <td>322</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7158.65	53.28	88.20	-34.92	39.98	36.55	10.19	33.44	260	322	Peak	2	7264.56	52.07	74.00	-21.93	38.96	36.32	10.18	33.39	260	322	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.32</td> <td>-----</td> <td>-----</td> <td>75.89</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>260</td> <td>322</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	89.32	-----	-----	75.89	36.69	10.20	33.46	260	322	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7158.65	53.28	88.20	-34.92	39.98	36.55	10.19	33.44	260	322	Peak																																																																											
2	7264.56	52.07	74.00	-21.93	38.96	36.32	10.18	33.39	260	322	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	89.32	-----	-----	75.89	36.69	10.20	33.46	260	322	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.87</td> <td>42.12</td> <td>68.20</td> <td>-26.08</td> <td>28.75</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>260</td> <td>322</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.84</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>28.09</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>260</td> <td>322</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.87	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	260	322	Average	2	7265.84	41.20	54.00	-12.80	28.09	36.32	10.18	33.39	260	322	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>81.66</td> <td>-----</td> <td>-----</td> <td>68.23</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>260</td> <td>322</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	81.66	-----	-----	68.23	36.69	10.20	33.46	260	322	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.87	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	260	322	Average																																																																											
2	7265.84	41.20	54.00	-12.80	28.09	36.32	10.18	33.39	260	322	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	81.66	-----	-----	68.23	36.69	10.20	33.46	260	322	Average																																																																											







	49																																																																																					
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.40</td> <td>52.56</td> <td>88.20</td> <td>-35.64</td> <td>39.21</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7276.58</td> <td>52.65</td> <td>74.00</td> <td>-21.35</td> <td>39.57</td> <td>36.29</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7132.40	52.56	88.20	-35.64	39.21	36.61	10.19	33.45	100	59	Peak	2	7276.58	52.65	74.00	-21.35	39.57	36.29	10.18	33.39	100	59	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>98.40</td> <td>-----</td> <td>-----</td> <td>84.97</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	98.40	-----	-----	84.97	36.69	10.20	33.46	100	59	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7132.40	52.56	88.20	-35.64	39.21	36.61	10.19	33.45	100	59	Peak																																																																											
2	7276.58	52.65	74.00	-21.35	39.57	36.29	10.18	33.39	100	59	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	98.40	-----	-----	84.97	36.69	10.20	33.46	100	59	Peak																																																																											
Avg	 <p>Date: 2023-09-20</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>42.12</td> <td>68.20</td> <td>-26.08</td> <td>28.75</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>59</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7263.98</td> <td>41.61</td> <td>54.00</td> <td>-12.39</td> <td>28.50</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>59</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.34	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	100	59	Average	2	7263.98	41.61	54.00	-12.39	28.50	36.32	10.18	33.39	100	59	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.92</td> <td>-----</td> <td>-----</td> <td>76.49</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>59</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	89.92	-----	-----	76.49	36.69	10.20	33.46	100	59	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.34	42.12	68.20	-26.08	28.75	36.62	10.20	33.45	100	59	Average																																																																											
2	7263.98	41.61	54.00	-12.39	28.50	36.32	10.18	33.39	100	59	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	89.92	-----	-----	76.49	36.69	10.20	33.46	100	59	Average																																																																											







		49																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Single RU 106/54_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7213.39</td> <td>53.21</td> <td>88.20</td> <td>-34.99</td> <td>40.01</td> <td>36.43</td> <td>10.18</td> <td>33.41</td> <td>268</td> <td>320</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7257.44</td> <td>51.88</td> <td>74.00</td> <td>-22.12</td> <td>38.77</td> <td>36.33</td> <td>10.18</td> <td>33.40</td> <td>268</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7213.39	53.21	88.20	-34.99	40.01	36.43	10.18	33.41	268	320	Peak	2	7257.44	51.88	74.00	-22.12	38.77	36.33	10.18	33.40	268	320	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>88.43</td> <td>-----</td> <td>-----</td> <td>75.00</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>268</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7095.00	88.43	-----	-----	75.00	36.69	10.20	33.46	268	320	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7213.39	53.21	88.20	-34.99	40.01	36.43	10.18	33.41	268	320	Peak																																																																											
2	7257.44	51.88	74.00	-22.12	38.77	36.33	10.18	33.40	268	320	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7095.00	88.43	-----	-----	75.00	36.69	10.20	33.46	268	320	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.41</td> <td>42.09</td> <td>68.20</td> <td>-26.11</td> <td>28.72</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>268</td> <td>320</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.11</td> <td>54.00</td> <td>-12.89</td> <td>28.01</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>268</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.41	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	268	320	Average	2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	268	320	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>81.46</td> <td>-----</td> <td>-----</td> <td>68.03</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>268</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7095.00	81.46	-----	-----	68.03	36.69	10.20	33.46	268	320	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.41	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	268	320	Average																																																																											
2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	268	320	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7095.00	81.46	-----	-----	68.03	36.69	10.20	33.46	268	320	Average																																																																											



Mode	50																																																																																									
	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 52+26 38+1_5955MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.08</td> <td>53.67</td> <td>88.20</td> <td>-34.53</td> <td>40.03</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5912.08	53.67	88.20	-34.53	40.03	36.58	10.41	33.35	100	15	Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>105.10</td> <td>-----</td> <td>-----</td> <td>91.29</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>15</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5955.00	105.10	-----	-----	91.29	36.64	10.50	33.33	100	15	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5912.08	53.67	88.20	-34.53	40.03	36.58	10.41	33.35	100	15	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5955.00	105.10	-----	-----	91.29	36.64	10.50	33.33	100	15	Peak																																																																															
Avg	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.96</td> <td>42.71</td> <td>68.20</td> <td>-25.49</td> <td>29.07</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5910.96	42.71	68.20	-25.49	29.07	36.58	10.41	33.35	100	15	Average	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>96.43</td> <td>-----</td> <td>-----</td> <td>82.62</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>15</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5955.00	96.43	-----	-----	82.62	36.64	10.50	33.33	100	15	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5910.96	42.71	68.20	-25.49	29.07	36.58	10.41	33.35	100	15	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5955.00	96.43	-----	-----	82.62	36.64	10.50	33.33	100	15	Average																																																																															



		50																																																																																								
Mode		Band Edge																																																																																								
		UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 52+26 38+1_5955MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5863.50</td> <td>53.36</td> <td>88.20</td> <td>-34.84</td> <td>39.92</td> <td>36.51</td> <td>10.31</td> <td>33.38</td> <td>391</td> <td>42</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5863.50	53.36	88.20	-34.84	39.92	36.51	10.31	33.38	391	42	Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.69</td> <td>-----</td> <td>-----</td> <td>85.88</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>391</td> <td>42</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5955.00	99.69	-----	-----	85.88	36.64	10.50	33.33	391	42	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5863.50	53.36	88.20	-34.84	39.92	36.51	10.31	33.38	391	42	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5955.00	99.69	-----	-----	85.88	36.64	10.50	33.33	391	42	Peak																																																																															
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.00</td> <td>42.32</td> <td>68.20</td> <td>-25.88</td> <td>28.69</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>391</td> <td>42</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5909.00	42.32	68.20	-25.88	28.69	36.57	10.41	33.35	391	42	Average	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.66</td> <td>-----</td> <td>-----</td> <td>76.85</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>391</td> <td>42</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5955.00	90.66	-----	-----	76.85	36.64	10.50	33.33	391	42	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5909.00	42.32	68.20	-25.88	28.69	36.57	10.41	33.35	391	42	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5955.00	90.66	-----	-----	76.85	36.64	10.50	33.33	391	42	Average																																																																															



Mode	51																																																																							
	Band Edge																																																																							
	UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 106+26 53+4_5955MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5835.50</td> <td>53.36</td> <td>88.20</td> <td>-34.84</td> <td>40.04</td> <td>36.47</td> <td>10.25</td> <td>33.40</td> <td>100</td> <td>34 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5835.50	53.36	88.20	-34.84	40.04	36.47	10.25	33.40	100	34 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>107.60</td> <td>-----</td> <td>-----</td> <td>93.79</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>34 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	107.60	-----	-----	93.79	36.64	10.50	33.33	100	34 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1	5835.50	53.36	88.20	-34.84	40.04	36.47	10.25	33.40	100	34 Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1	5955.00	107.60	-----	-----	93.79	36.64	10.50	33.33	100	34 Peak																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.98</td> <td>42.69</td> <td>68.20</td> <td>-25.51</td> <td>29.06</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>34 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.98	42.69	68.20	-25.51	29.06	36.57	10.41	33.35	100	34 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>97.68</td> <td>-----</td> <td>-----</td> <td>83.87</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>100</td> <td>34 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	97.68	-----	-----	83.87	36.64	10.50	33.33	100	34 Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1	5909.98	42.69	68.20	-25.51	29.06	36.57	10.41	33.35	100	34 Average																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1	5955.00	97.68	-----	-----	83.87	36.64	10.50	33.33	100	34 Average																																																														







Mode	51																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT20_CH1_Small RU 106+26 53+4_5955MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.98</td> <td>53.20</td> <td>88.20</td> <td>-35.00</td> <td>39.57</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>391</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.98	53.20	88.20	-35.00	39.57	36.57	10.41	33.35	391	41	Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>100.93</td> <td>-----</td> <td>-----</td> <td>87.12</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>391</td> <td>41</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	100.93	-----	-----	87.12	36.64	10.50	33.33	391	41	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5909.98	53.20	88.20	-35.00	39.57	36.57	10.41	33.35	391	41	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	100.93	-----	-----	87.12	36.64	10.50	33.33	391	41	Peak																																																															
Avg	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.42</td> <td>42.35</td> <td>68.20</td> <td>-25.85</td> <td>28.72</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>391</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.42	42.35	68.20	-25.85	28.72	36.57	10.41	33.35	391	41	Average	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>92.13</td> <td>-----</td> <td>-----</td> <td>78.32</td> <td>36.64</td> <td>10.50</td> <td>33.33</td> <td>391</td> <td>41</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	92.13	-----	-----	78.32	36.64	10.50	33.33	391	41	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5909.42	42.35	68.20	-25.85	28.72	36.57	10.41	33.35	391	41	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	92.13	-----	-----	78.32	36.64	10.50	33.33	391	41	Average																																																															



		52																																																																								
Mode	Band Edge																																																																									
	UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 52+26 39+7_7095MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7220.51</td> <td>52.95</td> <td>88.20</td> <td>-35.25</td> <td>39.77</td> <td>36.41</td> <td>10.18</td> <td>33.41</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7306.84</td> <td>51.93</td> <td>74.00</td> <td>-22.07</td> <td>38.91</td> <td>36.22</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7220.51	52.95	88.20	-35.25	39.77	36.41	10.18	33.41	100	56	Peak	2	7306.84	51.93	74.00	-22.07	38.91	36.22	10.18	33.38	100	56	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>97.30</td> <td>-----</td> <td>-----</td> <td>83.87</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7095.00	97.30	-----	-----	83.87	36.69	10.20	33.46	100	56	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7220.51	52.95	88.20	-35.25	39.77	36.41	10.18	33.41	100	56	Peak																																																															
2	7306.84	51.93	74.00	-22.07	38.91	36.22	10.18	33.38	100	56	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7095.00	97.30	-----	-----	83.87	36.69	10.20	33.46	100	56	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.10</td> <td>68.20</td> <td>-26.10</td> <td>28.73</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>27.99</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7125.00	42.10	68.20	-26.10	28.73	36.62	10.20	33.45	100	56	Average	2	7266.30	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	56	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>89.39</td> <td>-----</td> <td>-----</td> <td>75.96</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7095.00	89.39	-----	-----	75.96	36.69	10.20	33.46	100	56	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7125.00	42.10	68.20	-26.10	28.73	36.62	10.20	33.45	100	56	Average																																																															
2	7266.30	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	56	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7095.00	89.39	-----	-----	75.96	36.69	10.20	33.46	100	56	Average																																																															







		52																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 52+26 39+7_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7173.34</td> <td>53.38</td> <td>88.20</td> <td>-34.82</td> <td>40.10</td> <td>36.52</td> <td>10.19</td> <td>33.43</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7286.37</td> <td>51.79</td> <td>74.00</td> <td>-22.21</td> <td>38.73</td> <td>36.27</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7173.34	53.38	88.20	-34.82	40.10	36.52	10.19	33.43	100	123	Peak	2	7286.37	51.79	74.00	-22.21	38.73	36.27	10.18	33.39	100	123	Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>88.03</td> <td>-----</td> <td>-----</td> <td>74.60</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	88.03	-----	-----	74.60	36.69	10.20	33.46	100	123	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7173.34	53.38	88.20	-34.82	40.10	36.52	10.19	33.43	100	123	Peak																																																																											
2	7286.37	51.79	74.00	-22.21	38.73	36.27	10.18	33.39	100	123	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	88.03	-----	-----	74.60	36.69	10.20	33.46	100	123	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.80</td> <td>42.05</td> <td>68.20</td> <td>-26.15</td> <td>28.68</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>123</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7267.23</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>27.97</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.80	42.05	68.20	-26.15	28.68	36.62	10.20	33.45	100	123	Average	2	7267.23	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	123	Average	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>78.68</td> <td>-----</td> <td>-----</td> <td>65.25</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	78.68	-----	-----	65.25	36.69	10.20	33.46	100	123	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.80	42.05	68.20	-26.15	28.68	36.62	10.20	33.45	100	123	Average																																																																											
2	7267.23	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	123	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	78.68	-----	-----	65.25	36.69	10.20	33.46	100	123	Average																																																																											



		53																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 106+26 54+4_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.73</td> <td>52.70</td> <td>88.20</td> <td>-35.50</td> <td>39.35</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7303.28</td> <td>51.52</td> <td>74.00</td> <td>-22.48</td> <td>38.49</td> <td>36.23</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7133.73	52.70	88.20	-35.50	39.35	36.61	10.19	33.45	100	61	Peak	2	7303.28	51.52	74.00	-22.48	38.49	36.23	10.18	33.38	100	61	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>99.68</td> <td>-----</td> <td>-----</td> <td>86.25</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	99.68	-----	-----	86.25	36.69	10.20	33.46	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7133.73	52.70	88.20	-35.50	39.35	36.61	10.19	33.45	100	61	Peak																																																																											
2	7303.28	51.52	74.00	-22.48	38.49	36.23	10.18	33.38	100	61	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	99.68	-----	-----	86.25	36.69	10.20	33.46	100	61	Peak																																																																											
Avg																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.80</td> <td>42.18</td> <td>68.20</td> <td>-26.02</td> <td>28.81</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>61</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.84</td> <td>41.14</td> <td>54.00</td> <td>-12.86</td> <td>28.03</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>61</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.80	42.18	68.20	-26.02	28.81	36.62	10.20	33.45	100	61	Average	2	7265.84	41.14	54.00	-12.86	28.03	36.32	10.18	33.39	100	61	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>91.20</td> <td>-----</td> <td>-----</td> <td>77.77</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>61</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	91.20	-----	-----	77.77	36.69	10.20	33.46	100	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.80	42.18	68.20	-26.02	28.81	36.62	10.20	33.45	100	61	Average																																																																											
2	7265.84	41.14	54.00	-12.86	28.03	36.32	10.18	33.39	100	61	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	91.20	-----	-----	77.77	36.69	10.20	33.46	100	61	Average																																																																											



		53																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH229_Small RU 106+26 54+4_7095MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7187.58</td> <td>52.53</td> <td>88.20</td> <td>-35.67</td> <td>39.28</td> <td>36.49</td> <td>10.18</td> <td>33.42</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7272.57</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>39.28</td> <td>36.30</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7187.58	52.53	88.20	-35.67	39.28	36.49	10.18	33.42	100	121	Peak	2	7272.57	52.37	74.00	-21.63	39.28	36.30	10.18	33.39	100	121	Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>90.15</td> <td>-----</td> <td>-----</td> <td>76.72</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	90.15	-----	-----	76.72	36.69	10.20	33.46	100	121	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7187.58	52.53	88.20	-35.67	39.28	36.49	10.18	33.42	100	121	Peak																																																																											
2	7272.57	52.37	74.00	-21.63	39.28	36.30	10.18	33.39	100	121	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	90.15	-----	-----	76.72	36.69	10.20	33.46	100	121	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>42.06</td> <td>68.20</td> <td>-26.14</td> <td>28.69</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>121</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7264.91</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>27.96</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>121</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.34	42.06	68.20	-26.14	28.69	36.62	10.20	33.45	100	121	Average	2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	121	Average	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>82.29</td> <td>-----</td> <td>-----</td> <td>68.86</td> <td>36.69</td> <td>10.20</td> <td>33.46</td> <td>100</td> <td>121</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	82.29	-----	-----	68.86	36.69	10.20	33.46	100	121	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.34	42.06	68.20	-26.14	28.69	36.62	10.20	33.45	100	121	Average																																																																											
2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	121	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7095.00	82.29	-----	-----	68.86	36.69	10.20	33.46	100	121	Average																																																																											



Mode	54																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242 ④_5985MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.98</td> <td>62.24</td> <td>88.20</td> <td>-25.96</td> <td>48.59</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5916.98	62.24	88.20	-25.96	48.59	36.58	10.42	33.35	100	25	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>102.11</td> <td>-----</td> <td>-----</td> <td>88.17</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>25</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	102.11	-----	-----	88.17	36.68	10.57	33.31	100	25	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5916.98	62.24	88.20	-25.96	48.59	36.58	10.42	33.35	100	25	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	102.11	-----	-----	88.17	36.68	10.57	33.31	100	25	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.32</td> <td>47.07</td> <td>68.20</td> <td>-21.13</td> <td>33.42</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5914.32	47.07	68.20	-21.13	33.42	36.58	10.42	33.35	100	25	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>92.73</td> <td>-----</td> <td>-----</td> <td>78.79</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>25</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	92.73	-----	-----	78.79	36.68	10.57	33.31	100	25	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5914.32	47.07	68.20	-21.13	33.42	36.58	10.42	33.35	100	25	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	92.73	-----	-----	78.79	36.68	10.57	33.31	100	25	Average																																																															







Mode	54																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT80_CH7_Large RU 484+242 ④_5985MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>54.87</td> <td>88.20</td> <td>-33.33</td> <td>41.19</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>78</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.96	54.87	88.20	-33.33	41.19	36.59	10.44	33.35	100	78	Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>94.97</td> <td>-----</td> <td>-----</td> <td>81.03</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>78</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	94.97	-----	-----	81.03	36.68	10.57	33.31	100	78	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.96	54.87	88.20	-33.33	41.19	36.59	10.44	33.35	100	78	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	94.97	-----	-----	81.03	36.68	10.57	33.31	100	78	Peak																																																															
Avg	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.72</td> <td>43.14</td> <td>68.20</td> <td>-25.06</td> <td>29.47</td> <td>36.59</td> <td>10.43</td> <td>33.35</td> <td>100</td> <td>78</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5922.72	43.14	68.20	-25.06	29.47	36.59	10.43	33.35	100	78	Average	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>86.28</td> <td>-----</td> <td>-----</td> <td>72.34</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>78</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	86.28	-----	-----	72.34	36.68	10.57	33.31	100	78	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5922.72	43.14	68.20	-25.06	29.47	36.59	10.43	33.35	100	78	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	86.28	-----	-----	72.34	36.68	10.57	33.31	100	78	Average																																																															







		55																																																																								
Mode	Band Edge																																																																									
	UNII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242①_7025MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7209.83</td> <td>53.20</td> <td>88.20</td> <td>-35.00</td> <td>40.00</td> <td>36.44</td> <td>10.18</td> <td>33.42</td> <td>100</td> <td>60</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7280.58</td> <td>51.73</td> <td>74.00</td> <td>-22.27</td> <td>38.66</td> <td>36.28</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>60</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7209.83	53.20	88.20	-35.00	40.00	36.44	10.18	33.42	100	60	Peak	2	7280.58	51.73	74.00	-22.27	38.66	36.28	10.18	33.39	100	60	Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>95.67</td> <td>-----</td> <td>-----</td> <td>82.09</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>60</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7025.00	95.67	-----	-----	82.09	36.85	10.22	33.49	100	60	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7209.83	53.20	88.20	-35.00	40.00	36.44	10.18	33.42	100	60	Peak																																																															
2	7280.58	51.73	74.00	-22.27	38.66	36.28	10.18	33.39	100	60	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7025.00	95.67	-----	-----	82.09	36.85	10.22	33.49	100	60	Peak																																																															
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.27</td> <td>42.17</td> <td>68.20</td> <td>-26.03</td> <td>28.80</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>60</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7264.91</td> <td>41.18</td> <td>54.00</td> <td>-12.82</td> <td>28.07</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>60</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7127.27	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	60	Average	2	7264.91	41.18	54.00	-12.82	28.07	36.32	10.18	33.39	100	60	Average	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>86.19</td> <td>-----</td> <td>-----</td> <td>72.61</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>60</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7025.00	86.19	-----	-----	72.61	36.85	10.22	33.49	100	60	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7127.27	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	60	Average																																																															
2	7264.91	41.18	54.00	-12.82	28.07	36.32	10.18	33.39	100	60	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7025.00	86.19	-----	-----	72.61	36.85	10.22	33.49	100	60	Average																																																															







Mode	55																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT80_CH215_Large RU 484+242①_7025MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.29</td> <td>52.52</td> <td>88.20</td> <td>-35.68</td> <td>39.17</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>95</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7330.87</td> <td>52.25</td> <td>74.00</td> <td>-21.75</td> <td>39.27</td> <td>36.17</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>95</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7133.29	52.52	88.20	-35.68	39.17	36.61	10.19	33.45	100	95	Peak	2	7330.87	52.25	74.00	-21.75	39.27	36.17	10.18	33.37	100	95	Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>86.66</td> <td>-----</td> <td>-----</td> <td>73.08</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>95</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7025.00	86.66	-----	-----	73.08	36.85	10.22	33.49	100	95	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7133.29	52.52	88.20	-35.68	39.17	36.61	10.19	33.45	100	95	Peak																																																																											
2	7330.87	52.25	74.00	-21.75	39.27	36.17	10.18	33.37	100	95	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7025.00	86.66	-----	-----	73.08	36.85	10.22	33.49	100	95	Peak																																																																											
Avg	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.27</td> <td>42.00</td> <td>68.20</td> <td>-26.20</td> <td>28.63</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>95</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>41.03</td> <td>54.00</td> <td>-12.97</td> <td>27.93</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>95</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7127.27	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	95	Average	2	7268.16	41.03	54.00	-12.97	27.93	36.31	10.18	33.39	100	95	Average	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>78.07</td> <td>-----</td> <td>-----</td> <td>64.49</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>95</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7025.00	78.07	-----	-----	64.49	36.85	10.22	33.49	100	95	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7127.27	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	95	Average																																																																											
2	7268.16	41.03	54.00	-12.97	27.93	36.31	10.18	33.39	100	95	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7025.00	78.07	-----	-----	64.49	36.85	10.22	33.49	100	95	Average																																																																											



		56																																																																								
Mode		Band Edge																																																																								
		UNII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484 ④_6025MHz																																																																								
ANT		CDD 9+15																																																																								
Pol.		Horizontal	Fundamental																																																																							
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5862.80</td> <td>57.57</td> <td>88.20</td> <td>-30.63</td> <td>44.13</td> <td>36.51</td> <td>10.31</td> <td>33.38</td> <td>107</td> <td>34 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5862.80	57.57	88.20	-30.63	44.13	36.51	10.31	33.38	107	34 Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>98.92</td> <td>-----</td> <td>-----</td> <td>84.93</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>107</td> <td>34 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	98.92	-----	-----	84.93	36.71	10.59	33.31	107	34 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5862.80	57.57	88.20	-30.63	44.13	36.51	10.31	33.38	107	34 Peak																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	6025.00	98.92	-----	-----	84.93	36.71	10.59	33.31	107	34 Peak																																																																
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.00</td> <td>47.73</td> <td>68.20</td> <td>-20.47</td> <td>34.28</td> <td>36.51</td> <td>10.32</td> <td>33.38</td> <td>107</td> <td>34 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5867.00	47.73	68.20	-20.47	34.28	36.51	10.32	33.38	107	34 Average	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.30</td> <td>-----</td> <td>-----</td> <td>76.31</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>107</td> <td>34 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	90.30	-----	-----	76.31	36.71	10.59	33.31	107	34 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5867.00	47.73	68.20	-20.47	34.28	36.51	10.32	33.38	107	34 Average																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	6025.00	90.30	-----	-----	76.31	36.71	10.59	33.31	107	34 Average																																																																







Mode	56																																																																																							
	Band Edge																																																																																							
	UNII-5_5925-6425_802.11be EHT160_CH15_Large RU 996+484 ④_6025MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.16</td> <td>53.87</td> <td>88.20</td> <td>-34.33</td> <td>40.20</td> <td>36.59</td> <td>10.43</td> <td>33.35</td> <td>100</td> <td>77 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5922.16	53.87	88.20	-34.33	40.20	36.59	10.43	33.35	100	77 Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>91.79</td> <td>-----</td> <td>-----</td> <td>77.80</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>77 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6025.00	91.79	-----	-----	77.80	36.71	10.59	33.31	100	77 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
							deg																																																																																	
1	5922.16	53.87	88.20	-34.33	40.20	36.59	10.43	33.35	100	77 Peak																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
							deg																																																																																	
1	6025.00	91.79	-----	-----	77.80	36.71	10.59	33.31	100	77 Peak																																																																														
Avg	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.12</td> <td>43.65</td> <td>68.20</td> <td>-24.55</td> <td>30.02</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>77 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5910.12	43.65	68.20	-24.55	30.02	36.57	10.41	33.35	100	77 Average	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>83.33</td> <td>-----</td> <td>-----</td> <td>69.34</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>77 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6025.00	83.33	-----	-----	69.34	36.71	10.59	33.31	100	77 Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
							deg																																																																																	
1	5910.12	43.65	68.20	-24.55	30.02	36.57	10.41	33.35	100	77 Average																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																	
							deg																																																																																	
1	6025.00	83.33	-----	-----	69.34	36.71	10.59	33.31	100	77 Average																																																																														







57																																																																																					
Mode	Band Edge																																																																																				
UNII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484 ①_6985MHz																																																																																					
ANT	CDD 9+15																																																																																				
Pol.	Horizontal																																																																																				
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.73</td> <td>55.31</td> <td>88.20</td> <td>-32.89</td> <td>41.96</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7261.45</td> <td>52.21</td> <td>74.00</td> <td>-21.79</td> <td>39.11</td> <td>36.32</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>92.83</td> <td>-----</td> <td>-----</td> <td>79.21</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7133.73	55.31	88.20	-32.89	41.96	36.61	10.19	33.45	100	58	Peak	2	7261.45	52.21	74.00	-21.79	39.11	36.32	10.18	33.40	100	58	Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	92.83	-----	-----	79.21	36.90	10.22	33.50	100	58	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																														
1	7133.73	55.31	88.20	-32.89	41.96	36.61	10.19	33.45	100	58	Peak																																																																										
2	7261.45	52.21	74.00	-21.79	39.11	36.32	10.18	33.40	100	58	Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																														
1	6985.00	92.83	-----	-----	79.21	36.90	10.22	33.50	100	58	Peak																																																																										
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.80</td> <td>43.21</td> <td>68.20</td> <td>-24.99</td> <td>29.84</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>28.11</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>58</td> <td>Average</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>82.95</td> <td>-----</td> <td>-----</td> <td>69.33</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>58</td> <td>Average</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7126.80	43.21	68.20	-24.99	29.84	36.62	10.20	33.45	100	58	Average	2	7266.30	41.21	54.00	-12.79	28.11	36.31	10.18	33.39	100	58	Average	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	82.95	-----	-----	69.33	36.90	10.22	33.50	100	58	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																														
1	7126.80	43.21	68.20	-24.99	29.84	36.62	10.20	33.45	100	58	Average																																																																										
2	7266.30	41.21	54.00	-12.79	28.11	36.31	10.18	33.39	100	58	Average																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																														
1	6985.00	82.95	-----	-----	69.33	36.90	10.22	33.50	100	58	Average																																																																										



		57																																																																																						
Mode	Band Edge																																																																																							
	UNII-8_6875-7125_802.11be EHT160_CH207_Large RU 996+484 ①_6985MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7150.64</td> <td>52.57</td> <td>88.20</td> <td>-35.63</td> <td>39.25</td> <td>36.57</td> <td>10.19</td> <td>33.44</td> <td>100</td> <td>97</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7254.33</td> <td>51.53</td> <td>74.00</td> <td>-22.47</td> <td>38.41</td> <td>36.34</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>97</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7150.64	52.57	88.20	-35.63	39.25	36.57	10.19	33.44	100	97	Peak	2	7254.33	51.53	74.00	-22.47	38.41	36.34	10.18	33.40	100	97	Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>84.15</td> <td>-----</td> <td>-----</td> <td>70.53</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>97</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	84.15	-----	-----	70.53	36.90	10.22	33.50	100	97	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7150.64	52.57	88.20	-35.63	39.25	36.57	10.19	33.44	100	97	Peak																																																																													
2	7254.33	51.53	74.00	-22.47	38.41	36.34	10.18	33.40	100	97	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	84.15	-----	-----	70.53	36.90	10.22	33.50	100	97	Peak																																																																													
Avg	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>42.09</td> <td>68.20</td> <td>-26.11</td> <td>28.72</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>97</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.84</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>27.99</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>97</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.34	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	100	97	Average	2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	100	97	Average	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>74.67</td> <td>-----</td> <td>-----</td> <td>61.05</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>97</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	74.67	-----	-----	61.05	36.90	10.22	33.50	100	97	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7126.34	42.09	68.20	-26.11	28.72	36.62	10.20	33.45	100	97	Average																																																																													
2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	100	97	Average																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6985.00	74.67	-----	-----	61.05	36.90	10.22	33.50	100	97	Average																																																																													



Mode	58																																																																			
	Band Edge - L																																																																			
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*2+484⑥_6025MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5624.22</td> <td>65.90</td> <td>88.20</td> <td>-22.30</td> <td>53.45</td> <td>36.17</td> <td>9.81</td> <td>33.53</td> <td>138</td> <td>57</td> <td>Peak</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5624.22	65.90	88.20	-22.30	53.45	36.17	9.81	33.53	138	57	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>93.53</td> <td>-----</td> <td>-----</td> <td>79.52</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>138</td> <td>57</td> <td>Peak</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	93.53	-----	-----	79.52	36.74	10.63	33.36	138	57	Peak
	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5624.22	65.90	88.20	-22.30	53.45	36.17	9.81	33.53	138	57	Peak																																																										
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	93.53	-----	-----	79.52	36.74	10.63	33.36	138	57	Peak																																																										
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5907.58</td> <td>55.03</td> <td>68.20</td> <td>-13.17</td> <td>41.42</td> <td>36.57</td> <td>10.40</td> <td>33.36</td> <td>138</td> <td>57</td> <td>Average</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5907.58	55.03	68.20	-13.17	41.42	36.57	10.40	33.36	138	57	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>83.60</td> <td>-----</td> <td>-----</td> <td>69.59</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>138</td> <td>57</td> <td>Average</td> </tr> </tbody> </table>	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	83.60	-----	-----	69.59	36.74	10.63	33.36	138	57	Average
	Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5907.58	55.03	68.20	-13.17	41.42	36.57	10.40	33.36	138	57	Average																																																										
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 6105.00	83.60	-----	-----	69.59	36.74	10.63	33.36	138	57	Average																																																										



58																																																																							
Mode	Band Edge - L																																																																						
UNII-5_5925-6425_802.11n HT320_CH31_Large RU 996*2+484⑥_6025MHz																																																																							
ANT	CDD 9+15																																																																						
Pol.	Vertical																																																																						
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5925.00</td> <td>63.29</td> <td>88.20</td> <td>-24.91</td> <td>49.60</td> <td>36.60</td> <td>10.44</td> <td>33.35</td> <td>143</td> <td>83</td> <td>Peak</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>87.98</td> <td>-----</td> <td>-----</td> <td>73.97</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>143</td> <td>83</td> <td>Peak</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5925.00	63.29	88.20	-24.91	49.60	36.60	10.44	33.35	143	83	Peak	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6105.00	87.98	-----	-----	73.97	36.74	10.63	33.36	143	83	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 5925.00	63.29	88.20	-24.91	49.60	36.60	10.44	33.35	143	83	Peak																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 6105.00	87.98	-----	-----	73.97	36.74	10.63	33.36	143	83	Peak																																																													
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5925.00</td> <td>51.87</td> <td>68.20</td> <td>-16.33</td> <td>38.18</td> <td>36.60</td> <td>10.44</td> <td>33.35</td> <td>143</td> <td>83</td> <td>Average</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>79.17</td> <td>-----</td> <td>-----</td> <td>65.16</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>143</td> <td>83</td> <td>Average</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5925.00	51.87	68.20	-16.33	38.18	36.60	10.44	33.35	143	83	Average	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6105.00	79.17	-----	-----	65.16	36.74	10.63	33.36	143	83	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 5925.00	51.87	68.20	-16.33	38.18	36.60	10.44	33.35	143	83	Average																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 6105.00	79.17	-----	-----	65.16	36.74	10.63	33.36	143	83	Average																																																													



		59																																																																																	
Mode		Band Edge																																																																																	
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484⑦_6905MHz																																																																																	
ANT		CDD 9+15																																																																																	
Pol.	Horizontal	Fundamental																																																																																	
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.61</td> <td>57.72</td> <td>88.20</td> <td>-30.48</td> <td>44.35</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>59 Peak</td> </tr> <tr> <td>2</td> <td>7307.28</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>39.06</td> <td>36.22</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>59 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7126.61	57.72	88.20	-30.48	44.35	36.62	10.20	33.45	100	59 Peak	2	7307.28	52.08	74.00	-21.92	39.06	36.22	10.18	33.38	100	59 Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>90.55</td> <td>-----</td> <td>-----</td> <td>76.93</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>59 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	90.55	-----	-----	76.93	36.90	10.24	33.52	100	59 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1	7126.61	57.72	88.20	-30.48	44.35	36.62	10.20	33.45	100	59 Peak																																																																									
2	7307.28	52.08	74.00	-21.92	39.06	36.22	10.18	33.38	100	59 Peak																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1	6905.00	90.55	-----	-----	76.93	36.90	10.24	33.52	100	59 Peak																																																																									
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.06</td> <td>44.13</td> <td>68.20</td> <td>-24.07</td> <td>30.78</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>59 Average</td> </tr> <tr> <td>2</td> <td>7250.03</td> <td>41.35</td> <td>54.00</td> <td>-12.65</td> <td>28.22</td> <td>36.35</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>59 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7130.06	44.13	68.20	-24.07	30.78	36.61	10.19	33.45	100	59 Average	2	7250.03	41.35	54.00	-12.65	28.22	36.35	10.18	33.40	100	59 Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.09</td> <td>-----</td> <td>-----</td> <td>66.47</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>59 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	80.09	-----	-----	66.47	36.90	10.24	33.52	100	59 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1	7130.06	44.13	68.20	-24.07	30.78	36.61	10.19	33.45	100	59 Average																																																																									
2	7250.03	41.35	54.00	-12.65	28.22	36.35	10.18	33.40	100	59 Average																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																												
1	6905.00	80.09	-----	-----	66.47	36.90	10.24	33.52	100	59 Average																																																																									







		59																																																																																				
Mode		Band Edge																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484⑦_6905MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7142.63</td> <td>53.70</td> <td>88.20</td> <td>-34.50</td> <td>40.36</td> <td>36.59</td> <td>10.19</td> <td>33.44</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7283.25</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>39.35</td> <td>36.28</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7142.63	53.70	88.20	-34.50	40.36	36.59	10.19	33.44	100	98	Peak	2	7283.25	52.42	74.00	-21.58	39.35	36.28	10.18	33.39	100	98	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>81.38</td> <td>-----</td> <td>-----</td> <td>67.76</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>98</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	81.38	-----	-----	67.76	36.90	10.24	33.52	100	98	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7142.63	53.70	88.20	-34.50	40.36	36.59	10.19	33.44	100	98	Peak																																																																											
2	7283.25	52.42	74.00	-21.58	39.35	36.28	10.18	33.39	100	98	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	81.38	-----	-----	67.76	36.90	10.24	33.52	100	98	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.41</td> <td>42.97</td> <td>68.20</td> <td>-25.23</td> <td>29.60</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>98</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>27.97</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>98</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.41	42.97	68.20	-25.23	29.60	36.62	10.20	33.45	100	98	Average	2	7266.77	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	98	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>71.86</td> <td>-----</td> <td>-----</td> <td>58.24</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>98</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	71.86	-----	-----	58.24	36.90	10.24	33.52	100	98	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.41	42.97	68.20	-25.23	29.60	36.62	10.20	33.45	100	98	Average																																																																											
2	7266.77	41.07	54.00	-12.93	27.97	36.31	10.18	33.39	100	98	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	71.86	-----	-----	58.24	36.90	10.24	33.52	100	98	Average																																																																											



=

Mode	60																																																																											
	Band Edge - L																																																																											
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3④_6025MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.83</td> <td>67.43</td> <td>88.20</td> <td>-20.77</td> <td>54.96</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>111</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.83	67.43	88.20	-20.77	54.96	36.18	9.81	33.52	111	35	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.57</td> <td>-----</td> <td>-----</td> <td>80.56</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>111</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	94.57	-----	-----	80.56	36.74	10.63	33.36	111	35	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5625.83	67.43	88.20	-20.77	54.96	36.18	9.81	33.52	111	35	Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	94.57	-----	-----	80.56	36.74	10.63	33.36	111	35	Peak																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>49.55</td> <td>68.20</td> <td>-18.65</td> <td>37.08</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>111</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	49.55	68.20	-18.65	37.08	36.18	9.81	33.52	111	35	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.59</td> <td>-----</td> <td>-----</td> <td>71.58</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>111</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	85.59	-----	-----	71.58	36.74	10.63	33.36	111	35	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5625.03	49.55	68.20	-18.65	37.08	36.18	9.81	33.52	111	35	Average																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	85.59	-----	-----	71.58	36.74	10.63	33.36	111	35	Average																																																																	



Mode	60																																																																																									
	Band Edge - L																																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3④_6025MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.02</td> <td>57.84</td> <td>88.20</td> <td>-30.36</td> <td>44.19</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5914.02	57.84	88.20	-30.36	44.19	36.58	10.42	33.35	104	118	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>89.18</td> <td>-----</td> <td>-----</td> <td>75.17</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>104</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6105.00	89.18	-----	-----	75.17	36.74	10.63	33.36	104	118	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5914.02	57.84	88.20	-30.36	44.19	36.58	10.42	33.35	104	118	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	6105.00	89.18	-----	-----	75.17	36.74	10.63	33.36	104	118	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>43.35</td> <td>68.20</td> <td>-24.85</td> <td>29.66</td> <td>36.60</td> <td>10.44</td> <td>33.35</td> <td>104</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5925.00	43.35	68.20	-24.85	29.66	36.60	10.44	33.35	104	118	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>79.52</td> <td>-----</td> <td>-----</td> <td>65.51</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>104</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6105.00	79.52	-----	-----	65.51	36.74	10.63	33.36	104	118	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5925.00	43.35	68.20	-24.85	29.66	36.60	10.44	33.35	104	118	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	6105.00	79.52	-----	-----	65.51	36.74	10.63	33.36	104	118	Average																																																																															







Mode	61																																																																																					
	Band Edge																																																																																					
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3①_6905MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.28</td> <td>58.78</td> <td>88.20</td> <td>-29.42</td> <td>45.42</td> <td>36.62</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>53</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7265.90</td> <td>52.34</td> <td>74.00</td> <td>-21.66</td> <td>39.23</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>53</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7129.28	58.78	88.20	-29.42	45.42	36.62	10.19	33.45	100	53	Peak	2	7265.90	52.34	74.00	-21.66	39.23	36.32	10.18	33.39	100	53	Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>86.89</td> <td>-----</td> <td>-----</td> <td>73.27</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>53</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	86.89	-----	-----	73.27	36.90	10.24	33.52	100	53	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7129.28	58.78	88.20	-29.42	45.42	36.62	10.19	33.45	100	53	Peak																																																																											
2	7265.90	52.34	74.00	-21.66	39.23	36.32	10.18	33.39	100	53	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	86.89	-----	-----	73.27	36.90	10.24	33.52	100	53	Peak																																																																											
Avg	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.66</td> <td>43.24</td> <td>68.20</td> <td>-24.96</td> <td>29.88</td> <td>36.62</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>53</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7252.35</td> <td>41.28</td> <td>54.00</td> <td>-12.72</td> <td>28.16</td> <td>36.34</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>53</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7128.66	43.24	68.20	-24.96	29.88	36.62	10.19	33.45	100	53	Average	2	7252.35	41.28	54.00	-12.72	28.16	36.34	10.18	33.40	100	53	Average	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.09</td> <td>-----</td> <td>-----</td> <td>64.47</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>53</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	78.09	-----	-----	64.47	36.90	10.24	33.52	100	53	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7128.66	43.24	68.20	-24.96	29.88	36.62	10.19	33.45	100	53	Average																																																																											
2	7252.35	41.28	54.00	-12.72	28.16	36.34	10.18	33.40	100	53	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	78.09	-----	-----	64.47	36.90	10.24	33.52	100	53	Average																																																																											







Mode	61																																																																																					
	Band Edge																																																																																					
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3①_6905MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.61</td> <td>52.82</td> <td>88.20</td> <td>-35.38</td> <td>39.45</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>96</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.34</td> <td>52.56</td> <td>74.00</td> <td>-21.44</td> <td>39.46</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>96</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.61	52.82	88.20	-35.38	39.45	36.62	10.20	33.45	100	96	Peak	2	7266.34	52.56	74.00	-21.44	39.46	36.31	10.18	33.39	100	96	Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.05</td> <td>-----</td> <td>-----</td> <td>66.43</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>96</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	80.05	-----	-----	66.43	36.90	10.24	33.52	100	96	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.61	52.82	88.20	-35.38	39.45	36.62	10.20	33.45	100	96	Peak																																																																											
2	7266.34	52.56	74.00	-21.44	39.46	36.31	10.18	33.39	100	96	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	80.05	-----	-----	66.43	36.90	10.24	33.52	100	96	Peak																																																																											
Avg	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>42.22</td> <td>68.20</td> <td>-25.98</td> <td>28.85</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>96</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7267.23</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>27.99</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>96</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.34	42.22	68.20	-25.98	28.85	36.62	10.20	33.45	100	96	Average	2	7267.23	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	96	Average	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>69.95</td> <td>-----</td> <td>-----</td> <td>56.33</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>96</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	69.95	-----	-----	56.33	36.90	10.24	33.52	100	96	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.34	42.22	68.20	-25.98	28.85	36.62	10.20	33.45	100	96	Average																																																																											
2	7267.23	41.09	54.00	-12.91	27.99	36.31	10.18	33.39	100	96	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	69.95	-----	-----	56.33	36.90	10.24	33.52	100	96	Average																																																																											







Mode	62																																																																																									
	Band Edge - L																																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484⑧_6025MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>72.85</td> <td>88.20</td> <td>-15.35</td> <td>60.38</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>108</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5625.03	72.85	88.20	-15.35	60.38	36.18	9.81	33.52	108	35	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.14</td> <td>-----</td> <td>-----</td> <td>80.13</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>108</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	94.14	-----	-----	80.13	36.74	10.63	33.36	108	35	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5625.03	72.85	88.20	-15.35	60.38	36.18	9.81	33.52	108	35	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	94.14	-----	-----	80.13	36.74	10.63	33.36	108	35	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>50.21</td> <td>68.20</td> <td>-17.99</td> <td>37.74</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>108</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5625.03	50.21	68.20	-17.99	37.74	36.18	9.81	33.52	108	35	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.49</td> <td>-----</td> <td>-----</td> <td>71.48</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>108</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	85.49	-----	-----	71.48	36.74	10.63	33.36	108	35	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5625.03	50.21	68.20	-17.99	37.74	36.18	9.81	33.52	108	35	Average																																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	85.49	-----	-----	71.48	36.74	10.63	33.36	108	35	Average																																																																															



Mode	62																																																																									
	Band Edge - L																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Large RU 996*3+484⑧_6025MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>60.83</td> <td>88.20</td> <td>-27.37</td> <td>48.36</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>100</td> <td>109</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5625.03	60.83	88.20	-27.37	48.36	36.18	9.81	33.52	100	109	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.93</td> <td>-----</td> <td>-----</td> <td>73.92</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>109</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	87.93	-----	-----	73.92	36.74	10.63	33.36	100	109	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5625.03	60.83	88.20	-27.37	48.36	36.18	9.81	33.52	100	109	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	87.93	-----	-----	73.92	36.74	10.63	33.36	100	109	Peak																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5912.41</td> <td>43.84</td> <td>68.20</td> <td>-24.36</td> <td>30.20</td> <td>36.58</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>109</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5912.41	43.84	68.20	-24.36	30.20	36.58	10.41	33.35	100	109	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.86</td> <td>-----</td> <td>-----</td> <td>64.85</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>109</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	78.86	-----	-----	64.85	36.74	10.63	33.36	100	109	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5912.41	43.84	68.20	-24.36	30.20	36.58	10.41	33.35	100	109	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	78.86	-----	-----	64.85	36.74	10.63	33.36	100	109	Average																																																															







Mode	63																																																																																					
	Band Edge																																																																																					
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484①_6905MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.95</td> <td>59.32</td> <td>88.20</td> <td>-28.88</td> <td>45.97</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7319.74</td> <td>52.36</td> <td>74.00</td> <td>-21.64</td> <td>39.35</td> <td>36.20</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7131.95	59.32	88.20	-28.88	45.97	36.61	10.19	33.45	100	59	Peak	2	7319.74	52.36	74.00	-21.64	39.35	36.20	10.18	33.37	100	59	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>88.49</td> <td>-----</td> <td>-----</td> <td>74.87</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>59</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	88.49	-----	-----	74.87	36.90	10.24	33.52	100	59	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7131.95	59.32	88.20	-28.88	45.97	36.61	10.19	33.45	100	59	Peak																																																																											
2	7319.74	52.36	74.00	-21.64	39.35	36.20	10.18	33.37	100	59	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	88.49	-----	-----	74.87	36.90	10.24	33.52	100	59	Peak																																																																											
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.80</td> <td>44.07</td> <td>68.20</td> <td>-24.13</td> <td>30.70</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>59</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7262.58</td> <td>41.36</td> <td>54.00</td> <td>-12.64</td> <td>28.25</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>59</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7126.80	44.07	68.20	-24.13	30.70	36.62	10.20	33.45	100	59	Average	2	7262.58	41.36	54.00	-12.64	28.25	36.32	10.18	33.39	100	59	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.65</td> <td>-----</td> <td>-----</td> <td>65.03</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>59</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	78.65	-----	-----	65.03	36.90	10.24	33.52	100	59	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7126.80	44.07	68.20	-24.13	30.70	36.62	10.20	33.45	100	59	Average																																																																											
2	7262.58	41.36	54.00	-12.64	28.25	36.32	10.18	33.39	100	59	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	78.65	-----	-----	65.03	36.90	10.24	33.52	100	59	Average																																																																											



	63																																																																																					
Mode	Band Edge																																																																																					
	UNII-7-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484 ①_6905MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.72</td> <td>52.27</td> <td>88.20</td> <td>-35.93</td> <td>38.90</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>274</td> <td>321</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7266.34</td> <td>51.82</td> <td>74.00</td> <td>-22.18</td> <td>38.72</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>274</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.72	52.27	88.20	-35.93	38.90	36.62	10.20	33.45	274	321	Peak	2	7266.34	51.82	74.00	-22.18	38.72	36.31	10.18	33.39	274	321	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.44</td> <td>-----</td> <td>-----</td> <td>65.82</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>274</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	79.44	-----	-----	65.82	36.90	10.24	33.52	274	321	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.72	52.27	88.20	-35.93	38.90	36.62	10.20	33.45	274	321	Peak																																																																											
2	7266.34	51.82	74.00	-22.18	38.72	36.31	10.18	33.39	274	321	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	79.44	-----	-----	65.82	36.90	10.24	33.52	274	321	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.27</td> <td>42.04</td> <td>68.20</td> <td>-26.16</td> <td>28.67</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>274</td> <td>321</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.37</td> <td>41.06</td> <td>54.00</td> <td>-12.94</td> <td>27.95</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>274</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7127.27	42.04	68.20	-26.16	28.67	36.62	10.20	33.45	274	321	Average	2	7265.37	41.06	54.00	-12.94	27.95	36.32	10.18	33.39	274	321	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>70.88</td> <td>-----</td> <td>-----</td> <td>57.26</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>274</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	70.88	-----	-----	57.26	36.90	10.24	33.52	274	321	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7127.27	42.04	68.20	-26.16	28.67	36.62	10.20	33.45	274	321	Average																																																																											
2	7265.37	41.06	54.00	-12.94	27.95	36.32	10.18	33.39	274	321	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	70.88	-----	-----	57.26	36.90	10.24	33.52	274	321	Average																																																																											



Mode	64																																																																																									
	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M ④_5985MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.54</td> <td>55.69</td> <td>88.20</td> <td>-32.51</td> <td>42.04</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5917.54	55.69	88.20	-32.51	42.04	36.58	10.42	33.35	100	35	Peak	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>101.15</td> <td>-----</td> <td>-----</td> <td>87.21</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5985.00	101.15	-----	-----	87.21	36.68	10.57	33.31	100	35	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5917.54	55.69	88.20	-32.51	42.04	36.58	10.42	33.35	100	35	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5985.00	101.15	-----	-----	87.21	36.68	10.57	33.31	100	35	Peak																																																																															
Avg	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.28</td> <td>43.79</td> <td>68.20</td> <td>-24.41</td> <td>30.11</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5923.28	43.79	68.20	-24.41	30.11	36.59	10.44	33.35	100	35	Average	 <p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>92.95</td> <td>-----</td> <td>-----</td> <td>79.01</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5985.00	92.95	-----	-----	79.01	36.68	10.57	33.31	100	35	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5923.28	43.79	68.20	-24.41	30.11	36.59	10.44	33.35	100	35	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5985.00	92.95	-----	-----	79.01	36.68	10.57	33.31	100	35	Average																																																																															







Mode	64																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT80_CH7_Puncturing 20M ④_5985MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.12</td> <td>53.46</td> <td>88.20</td> <td>-34.74</td> <td>39.83</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>77</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5910.12	53.46	88.20	-34.74	39.83	36.57	10.41	33.35	100	77	Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>96.39</td> <td>-----</td> <td>-----</td> <td>82.45</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>77</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	96.39	-----	-----	82.45	36.68	10.57	33.31	100	77	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5910.12	53.46	88.20	-34.74	39.83	36.57	10.41	33.35	100	77	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	96.39	-----	-----	82.45	36.68	10.57	33.31	100	77	Peak																																																															
Avg	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.56</td> <td>42.47</td> <td>68.20</td> <td>-25.73</td> <td>28.84</td> <td>36.57</td> <td>10.41</td> <td>33.35</td> <td>100</td> <td>77</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5909.56	42.47	68.20	-25.73	28.84	36.57	10.41	33.35	100	77	Average	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>85.97</td> <td>-----</td> <td>-----</td> <td>72.03</td> <td>36.68</td> <td>10.57</td> <td>33.31</td> <td>100</td> <td>77</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5985.00	85.97	-----	-----	72.03	36.68	10.57	33.31	100	77	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5909.56	42.47	68.20	-25.73	28.84	36.57	10.41	33.35	100	77	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5985.00	85.97	-----	-----	72.03	36.68	10.57	33.31	100	77	Average																																																															







		65																																																																																				
Mode		Band Edge																																																																																				
		UNII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M①_7025MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.62</td> <td>53.78</td> <td>88.20</td> <td>-34.42</td> <td>40.43</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>46</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7331.31</td> <td>52.30</td> <td>74.00</td> <td>-21.70</td> <td>39.32</td> <td>36.17</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>46</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7130.62	53.78	88.20	-34.42	40.43	36.61	10.19	33.45	100	46	Peak	2	7331.31	52.30	74.00	-21.70	39.32	36.17	10.18	33.37	100	46	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>92.99</td> <td>-----</td> <td>-----</td> <td>79.41</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>46</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	92.99	-----	-----	79.41	36.85	10.22	33.49	100	46	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7130.62	53.78	88.20	-34.42	40.43	36.61	10.19	33.45	100	46	Peak																																																																											
2	7331.31	52.30	74.00	-21.70	39.32	36.17	10.18	33.37	100	46	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	92.99	-----	-----	79.41	36.85	10.22	33.49	100	46	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.59</td> <td>68.20</td> <td>-25.61</td> <td>29.22</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>46</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>28.00</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>46</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	42.59	68.20	-25.61	29.22	36.62	10.20	33.45	100	46	Average	2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	46	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>84.35</td> <td>-----</td> <td>-----</td> <td>70.77</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>46</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	84.35	-----	-----	70.77	36.85	10.22	33.49	100	46	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	42.59	68.20	-25.61	29.22	36.62	10.20	33.45	100	46	Average																																																																											
2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	46	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	84.35	-----	-----	70.77	36.85	10.22	33.49	100	46	Average																																																																											



Mode	65																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT80_CH215_Puncturing 20M①_7025MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7143.97</td> <td>52.78</td> <td>88.20</td> <td>-35.42</td> <td>39.45</td> <td>36.58</td> <td>10.19</td> <td>33.44</td> <td>100</td> <td>111</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7301.05</td> <td>52.66</td> <td>74.00</td> <td>-21.34</td> <td>39.62</td> <td>36.24</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>111</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7143.97	52.78	88.20	-35.42	39.45	36.58	10.19	33.44	100	111	Peak	2	7301.05	52.66	74.00	-21.34	39.62	36.24	10.18	33.38	100	111	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>86.44</td> <td>-----</td> <td>-----</td> <td>72.86</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>111</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	86.44	-----	-----	72.86	36.85	10.22	33.49	100	111	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7143.97	52.78	88.20	-35.42	39.45	36.58	10.19	33.44	100	111	Peak																																																																											
2	7301.05	52.66	74.00	-21.34	39.62	36.24	10.18	33.38	100	111	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	86.44	-----	-----	72.86	36.85	10.22	33.49	100	111	Peak																																																																											
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.00</td> <td>68.20</td> <td>-26.20</td> <td>28.63</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>111</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>41.01</td> <td>54.00</td> <td>-12.99</td> <td>27.91</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>111</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	111	Average	2	7268.16	41.01	54.00	-12.99	27.91	36.31	10.18	33.39	100	111	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>77.83</td> <td>-----</td> <td>-----</td> <td>64.25</td> <td>36.85</td> <td>10.22</td> <td>33.49</td> <td>100</td> <td>111</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	77.83	-----	-----	64.25	36.85	10.22	33.49	100	111	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	42.00	68.20	-26.20	28.63	36.62	10.20	33.45	100	111	Average																																																																											
2	7268.16	41.01	54.00	-12.99	27.91	36.31	10.18	33.39	100	111	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	77.83	-----	-----	64.25	36.85	10.22	33.49	100	111	Average																																																																											



	66																																																																																									
Mode	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M ④_6025MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5876.24</td> <td>67.02</td> <td>88.20</td> <td>-21.18</td> <td>53.52</td> <td>36.53</td> <td>10.34</td> <td>33.37</td> <td>100</td> <td>37</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5876.24	67.02	88.20	-21.18	53.52	36.53	10.34	33.37	100	37	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>98.42</td> <td>-----</td> <td>-----</td> <td>84.43</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>37</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6025.00	98.42	-----	-----	84.43	36.71	10.59	33.31	100	37	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5876.24	67.02	88.20	-21.18	53.52	36.53	10.34	33.37	100	37	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	6025.00	98.42	-----	-----	84.43	36.71	10.59	33.31	100	37	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.12</td> <td>53.57</td> <td>68.20</td> <td>-14.63</td> <td>39.89</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>37</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	5924.12	53.57	68.20	-14.63	39.89	36.59	10.44	33.35	100	37	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>89.40</td> <td>-----</td> <td>-----</td> <td>75.41</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>37</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm								deg	1	6025.00	89.40	-----	-----	75.41	36.71	10.59	33.31	100	37	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	5924.12	53.57	68.20	-14.63	39.89	36.59	10.44	33.35	100	37	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
							deg																																																																																			
1	6025.00	89.40	-----	-----	75.41	36.71	10.59	33.31	100	37	Average																																																																															






Mode	66																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 40M ④_6025MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5867.28</td> <td>63.60</td> <td>88.20</td> <td>-24.60</td> <td>50.15</td> <td>36.51</td> <td>10.32</td> <td>33.38</td> <td>100</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5867.28	63.60	88.20	-24.60	50.15	36.51	10.32	33.38	100	88	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.71</td> <td>-----</td> <td>-----</td> <td>76.72</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6025.00	90.71	-----	-----	76.72	36.71	10.59	33.31	100	88	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5867.28	63.60	88.20	-24.60	50.15	36.51	10.32	33.38	100	88	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6025.00	90.71	-----	-----	76.72	36.71	10.59	33.31	100	88	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>50.05</td> <td>68.20</td> <td>-18.15</td> <td>36.37</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>88</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5924.96	50.05	68.20	-18.15	36.37	36.59	10.44	33.35	100	88	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>81.81</td> <td>-----</td> <td>-----</td> <td>67.82</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>88</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6025.00	81.81	-----	-----	67.82	36.71	10.59	33.31	100	88	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5924.96	50.05	68.20	-18.15	36.37	36.59	10.44	33.35	100	88	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6025.00	81.81	-----	-----	67.82	36.71	10.59	33.31	100	88	Average																																																															



		67																																																																																				
Mode		Band Edge																																																																																				
		UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M ①_6985MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7133.73</td> <td>55.30</td> <td>88.20</td> <td>-32.90</td> <td>41.95</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7313.96</td> <td>51.95</td> <td>74.00</td> <td>-22.05</td> <td>38.93</td> <td>36.21</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7133.73	55.30	88.20	-32.90	41.95	36.61	10.19	33.45	100	55	Peak	2	7313.96	51.95	74.00	-22.05	38.93	36.21	10.18	33.37	100	55	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>78.00</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	91.62	-----	-----	78.00	36.90	10.22	33.50	100	55	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7133.73	55.30	88.20	-32.90	41.95	36.61	10.19	33.45	100	55	Peak																																																																											
2	7313.96	51.95	74.00	-22.05	38.93	36.21	10.18	33.37	100	55	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	91.62	-----	-----	78.00	36.90	10.22	33.50	100	55	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.17</td> <td>68.20</td> <td>-26.03</td> <td>28.80</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>55</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>40.95</td> <td>54.00</td> <td>-13.05</td> <td>27.85</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	55	Average	2	7266.30	40.95	54.00	-13.05	27.85	36.31	10.18	33.39	100	55	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>81.97</td> <td>-----</td> <td>-----</td> <td>68.35</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	81.97	-----	-----	68.35	36.90	10.22	33.50	100	55	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	42.17	68.20	-26.03	28.80	36.62	10.20	33.45	100	55	Average																																																																											
2	7266.30	40.95	54.00	-13.05	27.85	36.31	10.18	33.39	100	55	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	81.97	-----	-----	68.35	36.90	10.22	33.50	100	55	Average																																																																											







	67																																																																																					
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 40M ①_6985MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7178.68</td> <td>52.76</td> <td>88.20</td> <td>-35.44</td> <td>39.50</td> <td>36.51</td> <td>10.18</td> <td>33.43</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7318.41</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>38.97</td> <td>36.20</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7178.68	52.76	88.20	-35.44	39.50	36.51	10.18	33.43	100	118	Peak	2	7318.41	51.98	74.00	-22.02	38.97	36.20	10.18	33.37	100	118	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>82.35</td> <td>-----</td> <td>-----</td> <td>68.73</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	82.35	-----	-----	68.73	36.90	10.22	33.50	100	118	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7178.68	52.76	88.20	-35.44	39.50	36.51	10.18	33.43	100	118	Peak																																																																											
2	7318.41	51.98	74.00	-22.02	38.97	36.20	10.18	33.37	100	118	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	82.35	-----	-----	68.73	36.90	10.22	33.50	100	118	Peak																																																																											
Avg	 <p>Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.27</td> <td>41.90</td> <td>68.20</td> <td>-26.30</td> <td>28.53</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7269.09</td> <td>40.83</td> <td>54.00</td> <td>-13.17</td> <td>27.73</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7127.27	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	118	Average	2	7269.09	40.83	54.00	-13.17	27.73	36.31	10.18	33.39	100	118	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>73.40</td> <td>-----</td> <td>-----</td> <td>59.78</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	73.40	-----	-----	59.78	36.90	10.22	33.50	100	118	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7127.27	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	118	Average																																																																											
2	7269.09	40.83	54.00	-13.17	27.73	36.31	10.18	33.39	100	118	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	73.40	-----	-----	59.78	36.90	10.22	33.50	100	118	Average																																																																											



	68																																																																											
Mode	Band Edge																																																																											
	UNII-5_5925-6425802.11be EHT160_CH15_Puncturing 20M(8)_6025MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.32</td> <td>63.38</td> <td>88.20</td> <td>-24.82</td> <td>49.88</td> <td>36.53</td> <td>10.34</td> <td>33.37</td> <td>100</td> <td>38</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5879.32	63.38	88.20	-24.82	49.88	36.53	10.34	33.37	100	38	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>96.99</td> <td>-----</td> <td>-----</td> <td>83.00</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>38</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	96.99	-----	-----	83.00	36.71	10.59	33.31	100	38	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5879.32	63.38	88.20	-24.82	49.88	36.53	10.34	33.37	100	38	Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	96.99	-----	-----	83.00	36.71	10.59	33.31	100	38	Peak																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5922.16</td> <td>47.25</td> <td>68.20</td> <td>-20.95</td> <td>33.58</td> <td>36.59</td> <td>10.43</td> <td>33.35</td> <td>100</td> <td>38</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5922.16	47.25	68.20	-20.95	33.58	36.59	10.43	33.35	100	38	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>88.35</td> <td>-----</td> <td>-----</td> <td>74.36</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>38</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	88.35	-----	-----	74.36	36.71	10.59	33.31	100	38	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5922.16	47.25	68.20	-20.95	33.58	36.59	10.43	33.35	100	38	Average																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	88.35	-----	-----	74.36	36.71	10.59	33.31	100	38	Average																																																																	







Mode	68																																																																																									
	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT160_CH15_Puncturing 20M(8)_6025MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.40</td> <td>55.35</td> <td>88.20</td> <td>-32.85</td> <td>41.67</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>93</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5924.40	55.35	88.20	-32.85	41.67	36.59	10.44	33.35	100	93	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>90.12</td> <td>-----</td> <td>-----</td> <td>76.13</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>93</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6025.00	90.12	-----	-----	76.13	36.71	10.59	33.31	100	93	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5924.40	55.35	88.20	-32.85	41.67	36.59	10.44	33.35	100	93	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6025.00	90.12	-----	-----	76.13	36.71	10.59	33.31	100	93	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.68</td> <td>42.91</td> <td>68.20</td> <td>-25.29</td> <td>29.23</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>100</td> <td>93</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5924.68	42.91	68.20	-25.29	29.23	36.59	10.44	33.35	100	93	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>81.56</td> <td>-----</td> <td>-----</td> <td>67.57</td> <td>36.71</td> <td>10.59</td> <td>33.31</td> <td>100</td> <td>93</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6025.00	81.56	-----	-----	67.57	36.71	10.59	33.31	100	93	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5924.68	42.91	68.20	-25.29	29.23	36.59	10.44	33.35	100	93	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6025.00	81.56	-----	-----	67.57	36.71	10.59	33.31	100	93	Average																																																																															



		69																																																																																				
Mode		Band Edge																																																																																				
		UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M ①_6985MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7135.96</td> <td>53.09</td> <td>88.20</td> <td>-35.11</td> <td>39.75</td> <td>36.60</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7314.85</td> <td>52.13</td> <td>74.00</td> <td>-21.87</td> <td>39.11</td> <td>36.21</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7135.96	53.09	88.20	-35.11	39.75	36.60	10.19	33.45	100	55	Peak	2	7314.85	52.13	74.00	-21.87	39.11	36.21	10.18	33.37	100	55	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>91.02</td> <td>-----</td> <td>-----</td> <td>77.40</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>55</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	91.02	-----	-----	77.40	36.90	10.22	33.50	100	55	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7135.96	53.09	88.20	-35.11	39.75	36.60	10.19	33.45	100	55	Peak																																																																											
2	7314.85	52.13	74.00	-21.87	39.11	36.21	10.18	33.37	100	55	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6985.00	91.02	-----	-----	77.40	36.90	10.22	33.50	100	55	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.87</td> <td>42.28</td> <td>68.20</td> <td>-25.92</td> <td>28.91</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>55</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.37</td> <td>41.01</td> <td>54.00</td> <td>-12.99</td> <td>27.90</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.87	42.28	68.20	-25.92	28.91	36.62	10.20	33.45	100	55	Average	2	7265.37	41.01	54.00	-12.99	27.90	36.32	10.18	33.39	100	55	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>81.31</td> <td>-----</td> <td>-----</td> <td>67.69</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>55</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	81.31	-----	-----	67.69	36.90	10.22	33.50	100	55	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.87	42.28	68.20	-25.92	28.91	36.62	10.20	33.45	100	55	Average																																																																											
2	7265.37	41.01	54.00	-12.99	27.90	36.32	10.18	33.39	100	55	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6985.00	81.31	-----	-----	67.69	36.90	10.22	33.50	100	55	Average																																																																											



Mode	69																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT160_CH207_Puncturing 20M ①_6985MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7174.23</td> <td>52.62</td> <td>88.20</td> <td>-35.58</td> <td>39.34</td> <td>36.52</td> <td>10.19</td> <td>33.43</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7273.02</td> <td>51.41</td> <td>74.00</td> <td>-22.59</td> <td>38.32</td> <td>36.30</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7174.23	52.62	88.20	-35.58	39.34	36.52	10.19	33.43	100	121	Peak	2	7273.02	51.41	74.00	-22.59	38.32	36.30	10.18	33.39	100	121	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>82.04</td> <td>-----</td> <td>-----</td> <td>68.42</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>121</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	82.04	-----	-----	68.42	36.90	10.22	33.50	100	121	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7174.23	52.62	88.20	-35.58	39.34	36.52	10.19	33.43	100	121	Peak																																																																											
2	7273.02	51.41	74.00	-22.59	38.32	36.30	10.18	33.39	100	121	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6985.00	82.04	-----	-----	68.42	36.90	10.22	33.50	100	121	Peak																																																																											
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>41.90</td> <td>68.20</td> <td>-26.30</td> <td>28.53</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>121</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7250.03</td> <td>40.90</td> <td>54.00</td> <td>-13.10</td> <td>27.77</td> <td>36.35</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>121</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7126.34	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	121	Average	2	7250.03	40.90	54.00	-13.10	27.77	36.35	10.18	33.40	100	121	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>73.13</td> <td>-----</td> <td>-----</td> <td>59.51</td> <td>36.90</td> <td>10.22</td> <td>33.50</td> <td>100</td> <td>121</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6985.00	73.13	-----	-----	59.51	36.90	10.22	33.50	100	121	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7126.34	41.90	68.20	-26.30	28.53	36.62	10.20	33.45	100	121	Average																																																																											
2	7250.03	40.90	54.00	-13.10	27.77	36.35	10.18	33.40	100	121	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6985.00	73.13	-----	-----	59.51	36.90	10.22	33.50	100	121	Average																																																																											



Mode	70																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40MⓈ_6105MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.24</td> <td>67.04</td> <td>88.20</td> <td>-21.16</td> <td>53.39</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5917.24	67.04	88.20	-21.16	53.39	36.58	10.42	33.35	100	31	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.84</td> <td>-----</td> <td>-----</td> <td>81.83</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>31</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	95.84	-----	-----	81.83	36.74	10.63	33.36	100	31	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5917.24	67.04	88.20	-21.16	53.39	36.58	10.42	33.35	100	31	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	95.84	-----	-----	81.83	36.74	10.63	33.36	100	31	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.05</td> <td>54.80</td> <td>68.20</td> <td>-13.40</td> <td>41.14</td> <td>36.59</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5918.05	54.80	68.20	-13.40	41.14	36.59	10.42	33.35	100	31	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.75</td> <td>-----</td> <td>-----</td> <td>72.74</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>31</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	86.75	-----	-----	72.74	36.74	10.63	33.36	100	31	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5918.05	54.80	68.20	-13.40	41.14	36.59	10.42	33.35	100	31	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	86.75	-----	-----	72.74	36.74	10.63	33.36	100	31	Average																																																															



Mode	70																																																																									
	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M+40M⑥_6105MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.83</td> <td>60.04</td> <td>88.20</td> <td>-28.16</td> <td>47.57</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>100</td> <td>85</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5625.83	60.04	88.20	-28.16	47.57	36.18	9.81	33.52	100	85	Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>88.79</td> <td>-----</td> <td>-----</td> <td>74.78</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>85</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	88.79	-----	-----	74.78	36.74	10.63	33.36	100	85	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5625.83	60.04	88.20	-28.16	47.57	36.18	9.81	33.52	100	85	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	88.79	-----	-----	74.78	36.74	10.63	33.36	100	85	Peak																																																															
Avg	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5925.00</td> <td>48.82</td> <td>68.20</td> <td>-19.38</td> <td>35.12</td> <td>36.60</td> <td>10.44</td> <td>33.34</td> <td>100</td> <td>85</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5925.00	48.82	68.20	-19.38	35.12	36.60	10.44	33.34	100	85	Average	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>79.76</td> <td>-----</td> <td>-----</td> <td>65.75</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>85</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	79.76	-----	-----	65.75	36.74	10.63	33.36	100	85	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5925.00	48.82	68.20	-19.38	35.12	36.60	10.44	33.34	100	85	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	79.76	-----	-----	65.75	36.74	10.63	33.36	100	85	Average																																																															







		71																																																																																				
Mode		Band Edge																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M ⑦_6905MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.39</td> <td>59.51</td> <td>88.20</td> <td>-28.69</td> <td>46.15</td> <td>36.62</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7272.13</td> <td>51.66</td> <td>74.00</td> <td>-22.34</td> <td>38.57</td> <td>36.30</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7128.39	59.51	88.20	-28.69	46.15	36.62	10.19	33.45	100	56	Peak	2	7272.13	51.66	74.00	-22.34	38.57	36.30	10.18	33.39	100	56	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>89.17</td> <td>-----</td> <td>-----</td> <td>75.55</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	89.17	-----	-----	75.55	36.90	10.24	33.52	100	56	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7128.39	59.51	88.20	-28.69	46.15	36.62	10.19	33.45	100	56	Peak																																																																											
2	7272.13	51.66	74.00	-22.34	38.57	36.30	10.18	33.39	100	56	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	89.17	-----	-----	75.55	36.90	10.24	33.52	100	56	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.34</td> <td>48.04</td> <td>68.20</td> <td>-20.16</td> <td>34.67</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7250.03</td> <td>41.56</td> <td>54.00</td> <td>-12.44</td> <td>28.43</td> <td>36.35</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7126.34	48.04	68.20	-20.16	34.67	36.62	10.20	33.45	100	56	Average	2	7250.03	41.56	54.00	-12.44	28.43	36.35	10.18	33.40	100	56	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.68</td> <td>-----</td> <td>-----</td> <td>66.06</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	79.68	-----	-----	66.06	36.90	10.24	33.52	100	56	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7126.34	48.04	68.20	-20.16	34.67	36.62	10.20	33.45	100	56	Average																																																																											
2	7250.03	41.56	54.00	-12.44	28.43	36.35	10.18	33.40	100	56	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	79.68	-----	-----	66.06	36.90	10.24	33.52	100	56	Average																																																																											







		71																																																																																						
Mode		Band Edge																																																																																						
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M ⑦_6905MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7128.39</td> <td>54.87</td> <td>88.20</td> <td>-33.33</td> <td>41.51</td> <td>36.62</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>122</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7265.90</td> <td>51.88</td> <td>74.00</td> <td>-22.12</td> <td>38.77</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>122</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7128.39	54.87	88.20	-33.33	41.51	36.62	10.19	33.45	100	122	Peak	2	7265.90	51.88	74.00	-22.12	38.77	36.32	10.18	33.39	100	122	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>80.59</td> <td>-----</td> <td>-----</td> <td>66.97</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>122</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	80.59	-----	-----	66.97	36.90	10.24	33.52	100	122	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7128.39	54.87	88.20	-33.33	41.51	36.62	10.19	33.45	100	122	Peak																																																																													
2	7265.90	51.88	74.00	-22.12	38.77	36.32	10.18	33.39	100	122	Peak																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6905.00	80.59	-----	-----	66.97	36.90	10.24	33.52	100	122	Peak																																																																													
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.27</td> <td>44.22</td> <td>68.20</td> <td>-23.98</td> <td>30.85</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>122</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7264.91</td> <td>41.07</td> <td>54.00</td> <td>-12.93</td> <td>27.96</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>122</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7127.27	44.22	68.20	-23.98	30.85	36.62	10.20	33.45	100	122	Average	2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	122	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>71.72</td> <td>-----</td> <td>-----</td> <td>58.10</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>122</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	71.72	-----	-----	58.10	36.90	10.24	33.52	100	122	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7127.27	44.22	68.20	-23.98	30.85	36.62	10.20	33.45	100	122	Average																																																																													
2	7264.91	41.07	54.00	-12.93	27.96	36.32	10.18	33.39	100	122	Average																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	6905.00	71.72	-----	-----	58.10	36.90	10.24	33.52	100	122	Average																																																																													



	72																																																																																									
Mode	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M ④_6105MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.85</td> <td>63.48</td> <td>88.20</td> <td>-24.72</td> <td>49.81</td> <td>36.59</td> <td>10.43</td> <td>33.35</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5918.85	63.48	88.20	-24.72	49.81	36.59	10.43	33.35	100	35	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>95.34</td> <td>-----</td> <td>-----</td> <td>81.33</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	95.34	-----	-----	81.33	36.74	10.63	33.36	100	35	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5918.85	63.48	88.20	-24.72	49.81	36.59	10.43	33.35	100	35	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	95.34	-----	-----	81.33	36.74	10.63	33.36	100	35	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>48.56</td> <td>68.20</td> <td>-19.64</td> <td>36.09</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>86.00</td> <td>-----</td> <td>-----</td> <td>71.99</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	86.00	-----	-----	71.99	36.74	10.63	33.36	100	35	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average																																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	86.00	-----	-----	71.99	36.74	10.63	33.36	100	35	Average																																																																															







	72																																																																									
Mode	Band Edge																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 80M ④_6105MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5915.63</td> <td>60.72</td> <td>88.20</td> <td>-27.48</td> <td>47.07</td> <td>36.58</td> <td>10.42</td> <td>33.35</td> <td>100</td> <td>82</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5915.63	60.72	88.20	-27.48	47.07	36.58	10.42	33.35	100	82	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.96</td> <td>-----</td> <td>-----</td> <td>73.95</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>82</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	87.96	-----	-----	73.95	36.74	10.63	33.36	100	82	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5915.63	60.72	88.20	-27.48	47.07	36.58	10.42	33.35	100	82	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	87.96	-----	-----	73.95	36.74	10.63	33.36	100	82	Peak																																																															
Avg	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5905.17</td> <td>44.90</td> <td>68.20</td> <td>-23.30</td> <td>31.29</td> <td>36.57</td> <td>10.40</td> <td>33.36</td> <td>100</td> <td>82</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5905.17	44.90	68.20	-23.30	31.29	36.57	10.40	33.36	100	82	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.60</td> <td>-----</td> <td>-----</td> <td>64.59</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>82</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	78.60	-----	-----	64.59	36.74	10.63	33.36	100	82	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5905.17	44.90	68.20	-23.30	31.29	36.57	10.40	33.36	100	82	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	6105.00	78.60	-----	-----	64.59	36.74	10.63	33.36	100	82	Average																																																															







		73																																																																																				
Mode		Band Edge																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M ①_6905MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7210.27</td> <td>56.40</td> <td>88.20</td> <td>-31.80</td> <td>43.20</td> <td>36.44</td> <td>10.18</td> <td>33.42</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7268.12</td> <td>51.69</td> <td>74.00</td> <td>-22.31</td> <td>38.59</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7210.27	56.40	88.20	-31.80	43.20	36.44	10.18	33.42	100	56	Peak	2	7268.12	51.69	74.00	-22.31	38.59	36.31	10.18	33.39	100	56	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>87.20</td> <td>-----</td> <td>-----</td> <td>73.58</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	87.20	-----	-----	73.58	36.90	10.24	33.52	100	56	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7210.27	56.40	88.20	-31.80	43.20	36.44	10.18	33.42	100	56	Peak																																																																											
2	7268.12	51.69	74.00	-22.31	38.59	36.31	10.18	33.39	100	56	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	87.20	-----	-----	73.58	36.90	10.24	33.52	100	56	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.41</td> <td>42.81</td> <td>68.20</td> <td>-25.39</td> <td>29.44</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7250.49</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>28.07</td> <td>36.35</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.41	42.81	68.20	-25.39	29.44	36.62	10.20	33.45	100	56	Average	2	7250.49	41.20	54.00	-12.80	28.07	36.35	10.18	33.40	100	56	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.59</td> <td>-----</td> <td>-----</td> <td>64.97</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6905.00	78.59	-----	-----	64.97	36.90	10.24	33.52	100	56	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.41	42.81	68.20	-25.39	29.44	36.62	10.20	33.45	100	56	Average																																																																											
2	7250.49	41.20	54.00	-12.80	28.07	36.35	10.18	33.40	100	56	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	6905.00	78.59	-----	-----	64.97	36.90	10.24	33.52	100	56	Average																																																																											







		73																																																																																				
Mode		Band Edge																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M ①_6905MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.		Vertical	Fundamental																																																																																			
Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7153.31</td> <td>52.26</td> <td>88.20</td> <td>-35.94</td> <td>38.95</td> <td>36.56</td> <td>10.19</td> <td>33.44</td> <td>100</td> <td>109</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7309.95</td> <td>51.55</td> <td>74.00</td> <td>-22.45</td> <td>38.53</td> <td>36.22</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>109</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7153.31	52.26	88.20	-35.94	38.95	36.56	10.19	33.44	100	109	Peak	2	7309.95	51.55	74.00	-22.45	38.53	36.22	10.18	33.38	100	109	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>79.88</td> <td>-----</td> <td>-----</td> <td>66.26</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>109</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	79.88	-----	-----	66.26	36.90	10.24	33.52	100	109	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7153.31	52.26	88.20	-35.94	38.95	36.56	10.19	33.44	100	109	Peak																																																																											
2	7309.95	51.55	74.00	-22.45	38.53	36.22	10.18	33.38	100	109	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	79.88	-----	-----	66.26	36.90	10.24	33.52	100	109	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7129.59</td> <td>42.02</td> <td>68.20</td> <td>-26.18</td> <td>28.67</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>109</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7267.23</td> <td>41.00</td> <td>54.00</td> <td>-13.00</td> <td>27.90</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>109</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7129.59	42.02	68.20	-26.18	28.67	36.61	10.19	33.45	100	109	Average	2	7267.23	41.00	54.00	-13.00	27.90	36.31	10.18	33.39	100	109	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>70.19</td> <td>-----</td> <td>-----</td> <td>56.57</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>109</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	70.19	-----	-----	56.57	36.90	10.24	33.52	100	109	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7129.59	42.02	68.20	-26.18	28.67	36.61	10.19	33.45	100	109	Average																																																																											
2	7267.23	41.00	54.00	-13.00	27.90	36.31	10.18	33.39	100	109	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	70.19	-----	-----	56.57	36.90	10.24	33.52	100	109	Average																																																																											



	74																																																																											
Mode	Band Edge																																																																											
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M(8)_6105MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5847.21</td> <td>58.21</td> <td>88.20</td> <td>-29.99</td> <td>44.83</td> <td>36.49</td> <td>10.28</td> <td>33.39</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5847.21	58.21	88.20	-29.99	44.83	36.49	10.28	33.39	100	35	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>94.83</td> <td>-----</td> <td>-----</td> <td>80.82</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>35</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	94.83	-----	-----	80.82	36.74	10.63	33.36	100	35	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5847.21	58.21	88.20	-29.99	44.83	36.49	10.28	33.39	100	35	Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	94.83	-----	-----	80.82	36.74	10.63	33.36	100	35	Peak																																																																	
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.03</td> <td>48.56</td> <td>68.20</td> <td>-19.64</td> <td>36.09</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>85.65</td> <td>-----</td> <td>-----</td> <td>71.64</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>35</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	85.65	-----	-----	71.64	36.74	10.63	33.36	100	35	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5625.03	48.56	68.20	-19.64	36.09	36.18	9.81	33.52	100	35	Average																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	85.65	-----	-----	71.64	36.74	10.63	33.36	100	35	Average																																																																	







Mode	74																																																																																									
	Band Edge																																																																																									
	UNII-5_5925-6425_802.11be EHT320_CH31_Puncturing 40M(8)_6105MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5907.58</td> <td>54.09</td> <td>88.20</td> <td>-34.11</td> <td>40.48</td> <td>36.57</td> <td>10.40</td> <td>33.36</td> <td>100</td> <td>93</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5907.58	54.09	88.20	-34.11	40.48	36.57	10.40	33.36	100	93	Peak	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>89.14</td> <td>-----</td> <td>-----</td> <td>75.13</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>93</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	89.14	-----	-----	75.13	36.74	10.63	33.36	100	93	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5907.58	54.09	88.20	-34.11	40.48	36.57	10.40	33.36	100	93	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	89.14	-----	-----	75.13	36.74	10.63	33.36	100	93	Peak																																																																															
Avg	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.39</td> <td>42.91</td> <td>68.20</td> <td>-25.29</td> <td>29.29</td> <td>36.57</td> <td>10.40</td> <td>33.35</td> <td>100</td> <td>93</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	5908.39	42.91	68.20	-25.29	29.29	36.57	10.40	33.35	100	93	Average	 <p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.55</td> <td>-----</td> <td>-----</td> <td>64.54</td> <td>36.74</td> <td>10.63</td> <td>33.36</td> <td>100</td> <td>93</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	6105.00	78.55	-----	-----	64.54	36.74	10.63	33.36	100	93	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	5908.39	42.91	68.20	-25.29	29.29	36.57	10.40	33.35	100	93	Average																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	6105.00	78.55	-----	-----	64.54	36.74	10.63	33.36	100	93	Average																																																																															



		75																																																																																				
Mode		Band Edge																																																																																				
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M ①_6905MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7192.03</td> <td>59.31</td> <td>88.20</td> <td>-28.89</td> <td>46.07</td> <td>36.48</td> <td>10.18</td> <td>33.42</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7275.69</td> <td>52.70</td> <td>74.00</td> <td>-21.30</td> <td>39.62</td> <td>36.29</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7192.03	59.31	88.20	-28.89	46.07	36.48	10.18	33.42	100	61	Peak	2	7275.69	52.70	74.00	-21.30	39.62	36.29	10.18	33.39	100	61	Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>88.28</td> <td>-----</td> <td>-----</td> <td>74.66</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>61</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	88.28	-----	-----	74.66	36.90	10.24	33.52	100	61	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7192.03	59.31	88.20	-28.89	46.07	36.48	10.18	33.42	100	61	Peak																																																																											
2	7275.69	52.70	74.00	-21.30	39.62	36.29	10.18	33.39	100	61	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	88.28	-----	-----	74.66	36.90	10.24	33.52	100	61	Peak																																																																											
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.06</td> <td>43.31</td> <td>68.20</td> <td>-24.89</td> <td>29.96</td> <td>36.61</td> <td>10.19</td> <td>33.45</td> <td>100</td> <td>61</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7250.49</td> <td>41.37</td> <td>54.00</td> <td>-12.63</td> <td>28.24</td> <td>36.35</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>61</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7130.06	43.31	68.20	-24.89	29.96	36.61	10.19	33.45	100	61	Average	2	7250.49	41.37	54.00	-12.63	28.24	36.35	10.18	33.40	100	61	Average	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.76</td> <td>-----</td> <td>-----</td> <td>65.14</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>61</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	78.76	-----	-----	65.14	36.90	10.24	33.52	100	61	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7130.06	43.31	68.20	-24.89	29.96	36.61	10.19	33.45	100	61	Average																																																																											
2	7250.49	41.37	54.00	-12.63	28.24	36.35	10.18	33.40	100	61	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	78.76	-----	-----	65.14	36.90	10.24	33.52	100	61	Average																																																																											



		75																																																																																								
Mode		Band Edge																																																																																								
		UNII-7-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M ①_6905MHz																																																																																								
ANT		CDD 9+15																																																																																								
Pol.		Vertical	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2023-09-15</p>		 <p style="text-align: right;">Date: 2023-09-15</p>																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7215.61</td> <td>52.32</td> <td>88.20</td> <td>-35.88</td> <td>39.12</td> <td>36.43</td> <td>10.18</td> <td>33.41</td> <td>100</td> <td>117 Peak</td> </tr> <tr> <td>2</td> <td>7319.74</td> <td>52.65</td> <td>74.00</td> <td>-21.35</td> <td>39.64</td> <td>36.20</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>117 Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7215.61	52.32	88.20	-35.88	39.12	36.43	10.18	33.41	100	117 Peak	2	7319.74	52.65	74.00	-21.35	39.64	36.20	10.18	33.37	100	117 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.75</td> <td>-----</td> <td>-----</td> <td>65.13</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>117 Peak</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	78.75	-----	-----	65.13	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1	7215.61	52.32	88.20	-35.88	39.12	36.43	10.18	33.41	100	117 Peak																																																																																
2	7319.74	52.65	74.00	-21.35	39.64	36.20	10.18	33.37	100	117 Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1	6905.00	78.75	-----	-----	65.13	36.90	10.24	33.52	100	117 Peak																																																																																
Avg	 <p style="text-align: right;">Date: 2023-09-15</p>		 <p style="text-align: right;">Date: 2023-09-15</p>																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.73</td> <td>41.98</td> <td>68.20</td> <td>-26.22</td> <td>28.61</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>117 Average</td> </tr> <tr> <td>2</td> <td>7265.84</td> <td>40.98</td> <td>54.00</td> <td>-13.02</td> <td>27.87</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>117 Average</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7127.73	41.98	68.20	-26.22	28.61	36.62	10.20	33.45	100	117 Average	2	7265.84	40.98	54.00	-13.02	27.87	36.32	10.18	33.39	100	117 Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>69.85</td> <td>-----</td> <td>-----</td> <td>56.23</td> <td>36.90</td> <td>10.24</td> <td>33.52</td> <td>100</td> <td>117 Average</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	6905.00	69.85	-----	-----	56.23	36.90	10.24	33.52	100
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1	7127.73	41.98	68.20	-26.22	28.61	36.62	10.20	33.45	100	117 Average																																																																																
2	7265.84	40.98	54.00	-13.02	27.87	36.32	10.18	33.39	100	117 Average																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																		
1	6905.00	69.85	-----	-----	56.23	36.90	10.24	33.52	100	117 Average																																																																																



Mode	76																																																																																																																																																													
	LF																																																																																																																																																													
	UNII-8_6875-7125_802.11a_CH31																																																																																																																																																													
ANT	CDD 9+15																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																												
Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>24.58</td><td>40.00</td><td>-15.42</td><td>31.17</td><td>24.70</td><td>0.54 31.83</td><td>--- --- Peak</td></tr> <tr><td>2</td><td>144.46</td><td>24.11</td><td>43.50</td><td>-19.39</td><td>36.92</td><td>17.40</td><td>1.23 31.44</td><td>--- --- Peak</td></tr> <tr><td>3</td><td>208.48</td><td>25.75</td><td>43.50</td><td>-17.75</td><td>40.59</td><td>14.97</td><td>1.47 31.28</td><td>--- --- Peak</td></tr> <tr><td>4</td><td>343.31</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>34.75</td><td>20.26</td><td>1.96 31.06</td><td>--- --- Peak</td></tr> <tr><td>5</td><td>593.57</td><td>27.12</td><td>46.00</td><td>-18.88</td><td>29.66</td><td>25.90</td><td>2.55 30.99</td><td>--- --- Peak</td></tr> <tr><td>6</td><td>947.62</td><td>31.86</td><td>46.00</td><td>-14.14</td><td>28.72</td><td>30.72</td><td>3.23 30.81</td><td>--- --- Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	30.97	24.58	40.00	-15.42	31.17	24.70	0.54 31.83	--- --- Peak	2	144.46	24.11	43.50	-19.39	36.92	17.40	1.23 31.44	--- --- Peak	3	208.48	25.75	43.50	-17.75	40.59	14.97	1.47 31.28	--- --- Peak	4	343.31	25.91	46.00	-20.09	34.75	20.26	1.96 31.06	--- --- Peak	5	593.57	27.12	46.00	-18.88	29.66	25.90	2.55 30.99	--- --- Peak	6	947.62	31.86	46.00	-14.14	28.72	30.72	3.23 30.81	--- --- Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>26.58</td><td>40.00</td><td>-13.42</td><td>32.75</td><td>25.20</td><td>0.53 31.90</td><td>--- --- Peak</td></tr> <tr><td>2</td><td>142.52</td><td>20.48</td><td>43.50</td><td>-23.02</td><td>33.32</td><td>17.40</td><td>1.22 31.46</td><td>--- --- Peak</td></tr> <tr><td>3</td><td>205.57</td><td>21.31</td><td>43.50</td><td>-22.19</td><td>36.07</td><td>15.07</td><td>1.46 31.29</td><td>--- --- Peak</td></tr> <tr><td>4</td><td>600.36</td><td>27.73</td><td>46.00</td><td>-18.27</td><td>30.27</td><td>25.90</td><td>2.56 31.00</td><td>--- --- Peak</td></tr> <tr><td>5</td><td>808.91</td><td>30.60</td><td>46.00</td><td>-15.40</td><td>30.36</td><td>28.20</td><td>2.96 30.92</td><td>--- --- Peak</td></tr> <tr><td>6</td><td>941.80</td><td>32.71</td><td>46.00</td><td>-13.29</td><td>29.92</td><td>30.42</td><td>3.22 30.85</td><td>--- --- Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	30.00	26.58	40.00	-13.42	32.75	25.20	0.53 31.90	--- --- Peak	2	142.52	20.48	43.50	-23.02	33.32	17.40	1.22 31.46	--- --- Peak	3	205.57	21.31	43.50	-22.19	36.07	15.07	1.46 31.29	--- --- Peak	4	600.36	27.73	46.00	-18.27	30.27	25.90	2.56 31.00	--- --- Peak	5	808.91	30.60	46.00	-15.40	30.36	28.20	2.96 30.92	--- --- Peak	6	941.80	32.71	46.00	-13.29	29.92	30.42	3.22 30.85	--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																																							
1	30.97	24.58	40.00	-15.42	31.17	24.70	0.54 31.83	--- --- Peak																																																																																																																																																						
2	144.46	24.11	43.50	-19.39	36.92	17.40	1.23 31.44	--- --- Peak																																																																																																																																																						
3	208.48	25.75	43.50	-17.75	40.59	14.97	1.47 31.28	--- --- Peak																																																																																																																																																						
4	343.31	25.91	46.00	-20.09	34.75	20.26	1.96 31.06	--- --- Peak																																																																																																																																																						
5	593.57	27.12	46.00	-18.88	29.66	25.90	2.55 30.99	--- --- Peak																																																																																																																																																						
6	947.62	31.86	46.00	-14.14	28.72	30.72	3.23 30.81	--- --- Peak																																																																																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																																																																																							
1	30.00	26.58	40.00	-13.42	32.75	25.20	0.53 31.90	--- --- Peak																																																																																																																																																						
2	142.52	20.48	43.50	-23.02	33.32	17.40	1.22 31.46	--- --- Peak																																																																																																																																																						
3	205.57	21.31	43.50	-22.19	36.07	15.07	1.46 31.29	--- --- Peak																																																																																																																																																						
4	600.36	27.73	46.00	-18.27	30.27	25.90	2.56 31.00	--- --- Peak																																																																																																																																																						
5	808.91	30.60	46.00	-15.40	30.36	28.20	2.96 30.92	--- --- Peak																																																																																																																																																						
6	941.80	32.71	46.00	-13.29	29.92	30.42	3.22 30.85	--- --- Peak																																																																																																																																																						



		77																																																																																					
Mode		Band Edge																																																																																					
		UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Horizontal	Fundamental																																																																																				
Peak	Horizontal	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>74.35</td> <td>88.20</td> <td>-13.85</td> <td>60.98</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>49</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7253.44</td> <td>51.90</td> <td>74.00</td> <td>-22.10</td> <td>38.78</td> <td>36.34</td> <td>10.18</td> <td>33.40</td> <td>100</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.00	74.35	88.20	-13.85	60.98	36.62	10.20	33.45	100	49	Peak	2	7253.44	51.90	74.00	-22.10	38.78	36.34	10.18	33.40	100	49	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.56</td> <td>-----</td> <td>-----</td> <td>75.16</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>49</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	88.56	-----	-----	75.16	36.65	10.20	33.45	100	49	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	7125.00	74.35	88.20	-13.85	60.98	36.62	10.20	33.45	100	49	Peak																																																																												
2	7253.44	51.90	74.00	-22.10	38.78	36.34	10.18	33.40	100	49	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	7115.00	88.56	-----	-----	75.16	36.65	10.20	33.45	100	49	Peak																																																																												
Avg	Horizontal	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.87</td> <td>68.20</td> <td>-5.33</td> <td>49.50</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>49</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.13</td> <td>54.00</td> <td>-12.87</td> <td>28.03</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.00	62.87	68.20	-5.33	49.50	36.62	10.20	33.45	100	49	Average	2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	49	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.87</td> <td>-----</td> <td>-----</td> <td>68.47</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	81.87	-----	-----	68.47	36.65	10.20	33.45	100	49	Average
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	7125.00	62.87	68.20	-5.33	49.50	36.62	10.20	33.45	100	49	Average																																																																												
2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	49	Average																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	7115.00	81.87	-----	-----	68.47	36.65	10.20	33.45	100	49	Average																																																																												



		77																																																																																				
Mode		Band Edge																																																																																				
		UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>63.25</td> <td>88.20</td> <td>-24.95</td> <td>49.88</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>345</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7289.93</td> <td>51.80</td> <td>74.00</td> <td>-22.20</td> <td>38.74</td> <td>36.26</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>345</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	63.25	88.20	-24.95	49.88	36.62	10.20	33.45	100	345	Peak	2	7289.93	51.80	74.00	-22.20	38.74	36.26	10.18	33.38	100	345	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.76</td> <td>-----</td> <td>-----</td> <td>66.36</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>345</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	79.76	-----	-----	66.36	36.65	10.20	33.45	100	345	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	63.25	88.20	-24.95	49.88	36.62	10.20	33.45	100	345	Peak																																																																											
2	7289.93	51.80	74.00	-22.20	38.74	36.26	10.18	33.38	100	345	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	79.76	-----	-----	66.36	36.65	10.20	33.45	100	345	Peak																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>52.50</td> <td>68.20</td> <td>-15.70</td> <td>39.13</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>345</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.37</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>27.97</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>345</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	52.50	68.20	-15.70	39.13	36.62	10.20	33.45	100	345	Average	2	7265.37	41.08	54.00	-12.92	27.97	36.32	10.18	33.39	100	345	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.55</td> <td>-----</td> <td>-----</td> <td>60.15</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>345</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	73.55	-----	-----	60.15	36.65	10.20	33.45	100	345	Average
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	52.50	68.20	-15.70	39.13	36.62	10.20	33.45	100	345	Average																																																																											
2	7265.37	41.08	54.00	-12.92	27.97	36.32	10.18	33.39	100	345	Average																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	73.55	-----	-----	60.15	36.65	10.20	33.45	100	345	Average																																																																											







Mode	77																																																																		
	Harmonic																																																																		
	UNII-8_6875-7125_802.11a_CH233_7115MHz																																																																		
ANT	CDD 9+15																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>47.92</td> <td>88.20</td> <td>-40.28</td> <td>43.65</td> <td>41.04</td> <td>13.98</td> <td>50.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	47.92	88.20	-40.28	43.65	41.04	13.98	50.75	--- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>43.00</td> <td>41.04</td> <td>13.98</td> <td>50.75</td> <td>--- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 14230.00	47.27	88.20	-40.93	43.00	41.04	13.98	50.75
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	47.92	88.20	-40.28	43.65	41.04	13.98	50.75	--- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 14230.00	47.27	88.20	-40.93	43.00	41.04	13.98	50.75	--- Peak																																																											



		78																																																																																									
Mode	Band Edge																																																																																										
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>71.60</td> <td>88.20</td> <td>-16.60</td> <td>58.23</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>110</td> <td>58 Peak</td> </tr> <tr> <td>2</td> <td>7339.77</td> <td>53.03</td> <td>74.00</td> <td>-20.97</td> <td>40.06</td> <td>36.15</td> <td>10.18</td> <td>33.36</td> <td>110</td> <td>58 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	71.60	88.20	-16.60	58.23	36.62	10.20	33.45	110	58 Peak	2	7339.77	53.03	74.00	-20.97	40.06	36.15	10.18	33.36	110	58 Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.98</td> <td>-----</td> <td>-----</td> <td>69.58</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>110</td> <td>58 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.98	-----	-----	69.58	36.65	10.20	33.45	110	58 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.00	71.60	88.20	-16.60	58.23	36.62	10.20	33.45	110	58 Peak																																																																																	
2	7339.77	53.03	74.00	-20.97	40.06	36.15	10.18	33.36	110	58 Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	82.98	-----	-----	69.58	36.65	10.20	33.45	110	58 Peak																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.75</td> <td>68.20</td> <td>-5.45</td> <td>49.38</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>110</td> <td>58 Average</td> </tr> <tr> <td>2</td> <td>7267.70</td> <td>41.04</td> <td>54.00</td> <td>-12.96</td> <td>27.94</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>110</td> <td>58 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	110	58 Average	2	7267.70	41.04	54.00	-12.96	27.94	36.31	10.18	33.39	110	58 Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.06</td> <td>-----</td> <td>-----</td> <td>61.66</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>110</td> <td>58 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.06	-----	-----	61.66	36.65	10.20	33.45	110	58 Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	110	58 Average																																																																																	
2	7267.70	41.04	54.00	-12.96	27.94	36.31	10.18	33.39	110	58 Average																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	75.06	-----	-----	61.66	36.65	10.20	33.45	110	58 Average																																																																																	



		78																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>65.48</td> <td>88.20</td> <td>-22.72</td> <td>52.11</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7316.63</td> <td>51.39</td> <td>74.00</td> <td>-22.61</td> <td>38.38</td> <td>36.20</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.00	65.48	88.20	-22.72	52.11	36.62	10.20	33.45	100	118	Peak	2	7316.63	51.39	74.00	-22.61	38.38	36.20	10.18	33.37	100	118	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.48</td> <td>-----</td> <td>-----</td> <td>61.08</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	74.48	-----	-----	61.08	36.65	10.20	33.45	100	118	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.00	65.48	88.20	-22.72	52.11	36.62	10.20	33.45	100	118	Peak																																																																											
2	7316.63	51.39	74.00	-22.61	38.38	36.20	10.18	33.37	100	118	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	74.48	-----	-----	61.08	36.65	10.20	33.45	100	118	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>56.05</td> <td>68.20</td> <td>-12.15</td> <td>42.68</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>40.93</td> <td>54.00</td> <td>-13.07</td> <td>27.83</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118	Average	2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>66.34</td> <td>-----</td> <td>-----</td> <td>52.94</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	7115.00	66.34	-----	-----	52.94	36.65	10.20	33.45	100	118	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118	Average																																																																											
2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	7115.00	66.34	-----	-----	52.94	36.65	10.20	33.45	100	118	Average																																																																											







Mode	78																																																																								
	Harmonic																																																																								
	UNII-8_6875-7125_802.11be EHT20_CH233_Full RU_7115MHz																																																																								
ANT	CDD 9+15																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>47.63</td> <td>88.20</td> <td>-40.57</td> <td>43.36</td> <td>41.04</td> <td>13.98</td> <td>50.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14230.00	47.63	88.20	-40.57	43.36	41.04	13.98	50.75	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>47.70</td> <td>88.20</td> <td>-40.50</td> <td>43.43</td> <td>41.04</td> <td>13.98</td> <td>50.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14230.00	47.70	88.20	-40.50	43.43	41.04	13.98	50.75	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	14230.00	47.63	88.20	-40.57	43.36	41.04	13.98	50.75	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	14230.00	47.70	88.20	-40.50	43.43	41.04	13.98	50.75	---	---	Peak																																																														



		79																																																																								
Mode	Band Edge																																																																									
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 26/8_7115MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.76</td> <td>88.20</td> <td>-15.44</td> <td>59.39</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>22</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7279.25</td> <td>52.24</td> <td>74.00</td> <td>-21.76</td> <td>39.16</td> <td>36.29</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>22</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7125.00	72.76	88.20	-15.44	59.39	36.62	10.20	33.45	100	22	Peak	2	7279.25	52.24	74.00	-21.76	39.16	36.29	10.18	33.39	100	22	Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>80.44</td> <td>-----</td> <td>-----</td> <td>67.04</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>22</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7115.00	80.44	-----	-----	67.04	36.65	10.20	33.45	100	22	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7125.00	72.76	88.20	-15.44	59.39	36.62	10.20	33.45	100	22	Peak																																																															
2	7279.25	52.24	74.00	-21.76	39.16	36.29	10.18	33.39	100	22	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7115.00	80.44	-----	-----	67.04	36.65	10.20	33.45	100	22	Peak																																																															
Avg	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>56.05</td> <td>68.20</td> <td>-12.15</td> <td>42.68</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>118</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>40.93</td> <td>54.00</td> <td>-13.07</td> <td>27.83</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>118</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118	Average	2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118	Average	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.08</td> <td>-----</td> <td>-----</td> <td>59.68</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>22</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg	1	7115.00	73.08	-----	-----	59.68	36.65	10.20	33.45	100	22	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7125.00	56.05	68.20	-12.15	42.68	36.62	10.20	33.45	100	118	Average																																																															
2	7268.16	40.93	54.00	-13.07	27.83	36.31	10.18	33.39	100	118	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	cm	deg																																																																		
1	7115.00	73.08	-----	-----	59.68	36.65	10.20	33.45	100	22	Average																																																															



		79																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 26/8_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>66.47</td> <td>88.20</td> <td>-21.73</td> <td>53.10</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>337</td> <td>324</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.29</td> <td>52.63</td> <td>74.00</td> <td>-21.37</td> <td>39.61</td> <td>36.22</td> <td>10.18</td> <td>33.38</td> <td>337</td> <td>324</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	66.47	88.20	-21.73	53.10	36.62	10.20	33.45	337	324	Peak	2	7311.29	52.63	74.00	-21.37	39.61	36.22	10.18	33.38	337	324	Peak	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.12</td> <td>-----</td> <td>-----</td> <td>62.72</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>337</td> <td>324</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	76.12	-----	-----	62.72	36.65	10.20	33.45	337	324	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	66.47	88.20	-21.73	53.10	36.62	10.20	33.45	337	324	Peak																																																																											
2	7311.29	52.63	74.00	-21.37	39.61	36.22	10.18	33.38	337	324	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	76.12	-----	-----	62.72	36.65	10.20	33.45	337	324	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>57.32</td> <td>68.20</td> <td>-10.88</td> <td>43.95</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>337</td> <td>324</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>28.00</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>337</td> <td>324</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	57.32	68.20	-10.88	43.95	36.62	10.20	33.45	337	324	Average	2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	337	324	Average	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>68.07</td> <td>-----</td> <td>-----</td> <td>54.67</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>337</td> <td>324</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	68.07	-----	-----	54.67	36.65	10.20	33.45	337	324	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	57.32	68.20	-10.88	43.95	36.62	10.20	33.45	337	324	Average																																																																											
2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	337	324	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	68.07	-----	-----	54.67	36.65	10.20	33.45	337	324	Average																																																																											