







Mode	80																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 52/40_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>73.84</td> <td>88.20</td> <td>-14.36</td> <td>60.47</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>203</td> <td>48</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7285.92</td> <td>51.98</td> <td>74.00</td> <td>-22.02</td> <td>38.92</td> <td>36.27</td> <td>10.18</td> <td>33.39</td> <td>203</td> <td>48</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	73.84	88.20	-14.36	60.47	36.62	10.20	33.45	203	48	Peak	2	7285.92	51.98	74.00	-22.02	38.92	36.27	10.18	33.39	203	48	Peak	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.64</td> <td>-----</td> <td>-----</td> <td>68.24</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>203</td> <td>48</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	81.64	-----	-----	68.24	36.65	10.20	33.45	203	48	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	73.84	88.20	-14.36	60.47	36.62	10.20	33.45	203	48	Peak																																																																											
2	7285.92	51.98	74.00	-22.02	38.92	36.27	10.18	33.39	203	48	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	81.64	-----	-----	68.24	36.65	10.20	33.45	203	48	Peak																																																																											
Avg	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.75</td> <td>68.20</td> <td>-5.45</td> <td>49.38</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>203</td> <td>48</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7263.51</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>27.98</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>203</td> <td>48</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	203	48	Average	2	7263.51	41.09	54.00	-12.91	27.98	36.32	10.18	33.39	203	48	Average	<p>Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.78</td> <td>-----</td> <td>-----</td> <td>60.38</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>203</td> <td>48</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	73.78	-----	-----	60.38	36.65	10.20	33.45	203	48	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	62.75	68.20	-5.45	49.38	36.62	10.20	33.45	203	48	Average																																																																											
2	7263.51	41.09	54.00	-12.91	27.98	36.32	10.18	33.39	203	48	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	73.78	-----	-----	60.38	36.65	10.20	33.45	203	48	Average																																																																											



		80																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU RU 52/40_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>68.91</td> <td>88.20</td> <td>-19.29</td> <td>55.54</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>325</td> <td>321</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7340.21</td> <td>52.39</td> <td>74.00</td> <td>-21.61</td> <td>39.42</td> <td>36.15</td> <td>10.18</td> <td>33.36</td> <td>325</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	68.91	88.20	-19.29	55.54	36.62	10.20	33.45	325	321	Peak	2	7340.21	52.39	74.00	-21.61	39.42	36.15	10.18	33.36	325	321	Peak	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>76.94</td> <td>-----</td> <td>-----</td> <td>63.54</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>325</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	76.94	-----	-----	63.54	36.65	10.20	33.45	325	321	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	68.91	88.20	-19.29	55.54	36.62	10.20	33.45	325	321	Peak																																																																											
2	7340.21	52.39	74.00	-21.61	39.42	36.15	10.18	33.36	325	321	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	76.94	-----	-----	63.54	36.65	10.20	33.45	325	321	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>57.60</td> <td>68.20</td> <td>-10.60</td> <td>44.23</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>325</td> <td>321</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.84</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>27.99</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>325</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	57.60	68.20	-10.60	44.23	36.62	10.20	33.45	325	321	Average	2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	325	321	Average	 <p style="text-align: right;">Date: 2023-09-13</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>68.10</td> <td>-----</td> <td>-----</td> <td>54.70</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>325</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	68.10	-----	-----	54.70	36.65	10.20	33.45	325	321	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	57.60	68.20	-10.60	44.23	36.62	10.20	33.45	325	321	Average																																																																											
2	7265.84	41.10	54.00	-12.90	27.99	36.32	10.18	33.39	325	321	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	68.10	-----	-----	54.70	36.65	10.20	33.45	325	321	Average																																																																											



		<b>81</b>																																																																																												
<b>Mode</b>	<b>Band Edge</b>																																																																																													
	<b>UNII-8_6875-7125_802.11be EHT20_CH233_Single RU 106/54_7115MHz</b>																																																																																													
<b>ANT</b>	<b>CDD 9+15</b>																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																												
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>73.05</td> <td>88.20</td> <td>-15.15</td> <td>59.68</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>205</td> <td>47</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7309.95</td> <td>52.07</td> <td>74.00</td> <td>-21.93</td> <td>39.05</td> <td>36.22</td> <td>10.18</td> <td>33.38</td> <td>205</td> <td>47</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	73.05	88.20	-15.15	59.68	36.62	10.20	33.45	205	47	Peak	2	7309.95	52.07	74.00	-21.93	39.05	36.22	10.18	33.38	205	47	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.39</td> <td>-----</td> <td>-----</td> <td>68.99</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>205</td> <td>47</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.39	-----	-----	68.99	36.65	10.20	33.45	205	47	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	73.05	88.20	-15.15	59.68	36.62	10.20	33.45	205	47	Peak																																																																																			
2	7309.95	52.07	74.00	-21.93	39.05	36.22	10.18	33.38	205	47	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	82.39	-----	-----	68.99	36.65	10.20	33.45	205	47	Peak																																																																																			
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.68</td> <td>68.20</td> <td>-5.52</td> <td>49.31</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>205</td> <td>47</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>28.00</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>205</td> <td>47</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.68	68.20	-5.52	49.31	36.62	10.20	33.45	205	47	Average	2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	205	47	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Remark</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.07</td> <td>-----</td> <td>-----</td> <td>61.67</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>205</td> <td>47</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.07	-----	-----	61.67	36.65	10.20	33.45	205	47	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	62.68	68.20	-5.52	49.31	36.62	10.20	33.45	205	47	Average																																																																																			
2	7266.77	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	205	47	Average																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	75.07	-----	-----	61.67	36.65	10.20	33.45	205	47	Average																																																																																			







Mode	81																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Single RU 106/54_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>67.58</td> <td>88.20</td> <td>-20.62</td> <td>54.21</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>304</td> <td>325</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7280.14</td> <td>51.87</td> <td>74.00</td> <td>-22.13</td> <td>38.80</td> <td>36.28</td> <td>10.18</td> <td>33.39</td> <td>304</td> <td>325</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	67.58	88.20	-20.62	54.21	36.62	10.20	33.45	304	325	Peak	2	7280.14	51.87	74.00	-22.13	38.80	36.28	10.18	33.39	304	325	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>73.18</td> <td>-----</td> <td>-----</td> <td>59.78</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>304</td> <td>325</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	73.18	-----	-----	59.78	36.65	10.20	33.45	304	325	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	67.58	88.20	-20.62	54.21	36.62	10.20	33.45	304	325	Peak																																																																											
2	7280.14	51.87	74.00	-22.13	38.80	36.28	10.18	33.39	304	325	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	73.18	-----	-----	59.78	36.65	10.20	33.45	304	325	Peak																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>57.10</td> <td>68.20</td> <td>-11.10</td> <td>43.73</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>304</td> <td>325</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7268.16</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>27.98</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>304</td> <td>325</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	57.10	68.20	-11.10	43.73	36.62	10.20	33.45	304	325	Average	2	7268.16	41.08	54.00	-12.92	27.98	36.31	10.18	33.39	304	325	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>65.88</td> <td>-----</td> <td>-----</td> <td>52.48</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>304</td> <td>325</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	65.88	-----	-----	52.48	36.65	10.20	33.45	304	325	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	57.10	68.20	-11.10	43.73	36.62	10.20	33.45	304	325	Average																																																																											
2	7268.16	41.08	54.00	-12.92	27.98	36.31	10.18	33.39	304	325	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	65.88	-----	-----	52.48	36.65	10.20	33.45	304	325	Average																																																																											



		82																																																																																												
Mode	Band Edge																																																																																													
	UNII-8_6875-7125_802.11be EHT20_CH233_Small RU 52+26 39+7_7115MHz																																																																																													
ANT	CDD 9+15																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>76.68</td> <td>88.20</td> <td>-11.52</td> <td>63.31</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7299.72</td> <td>51.45</td> <td>74.00</td> <td>-22.55</td> <td>38.41</td> <td>36.24</td> <td>10.18</td> <td>33.38</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	76.68	88.20	-11.52	63.31	36.62	10.20	33.45	100	56	Peak	2	7299.72	51.45	74.00	-22.55	38.41	36.24	10.18	33.38	100	56	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>99.96</td> <td>-----</td> <td>-----</td> <td>86.56</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	99.96	-----	-----	86.56	36.65	10.20	33.45	100	56	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	76.68	88.20	-11.52	63.31	36.62	10.20	33.45	100	56	Peak																																																																																			
2	7299.72	51.45	74.00	-22.55	38.41	36.24	10.18	33.38	100	56	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	99.96	-----	-----	86.56	36.65	10.20	33.45	100	56	Peak																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>58.36</td> <td>68.20</td> <td>-9.84</td> <td>44.99</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.13</td> <td>54.00</td> <td>-12.87</td> <td>28.03</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	58.36	68.20	-9.84	44.99	36.62	10.20	33.45	100	56	Average	2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	56	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>91.03</td> <td>-----</td> <td>-----</td> <td>77.63</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>56</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	91.03	-----	-----	77.63	36.65	10.20	33.45	100	56	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	58.36	68.20	-9.84	44.99	36.62	10.20	33.45	100	56	Average																																																																																			
2	7266.30	41.13	54.00	-12.87	28.03	36.31	10.18	33.39	100	56	Average																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	91.03	-----	-----	77.63	36.65	10.20	33.45	100	56	Average																																																																																			







		82																																																																																				
Mode	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Small RU 52+26 39+7_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>68.88</td> <td>88.20</td> <td>-19.32</td> <td>55.51</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>267</td> <td>320</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7320.19</td> <td>51.65</td> <td>74.00</td> <td>-22.35</td> <td>38.64</td> <td>36.20</td> <td>10.18</td> <td>33.37</td> <td>267</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	68.88	88.20	-19.32	55.51	36.62	10.20	33.45	267	320	Peak	2	7320.19	51.65	74.00	-22.35	38.64	36.20	10.18	33.37	267	320	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>89.59</td> <td>-----</td> <td>-----</td> <td>76.19</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>267</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	89.59	-----	-----	76.19	36.65	10.20	33.45	267	320	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	68.88	88.20	-19.32	55.51	36.62	10.20	33.45	267	320	Peak																																																																											
2	7320.19	51.65	74.00	-22.35	38.64	36.20	10.18	33.37	267	320	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	89.59	-----	-----	76.19	36.65	10.20	33.45	267	320	Peak																																																																											
Avg	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>51.74</td> <td>68.20</td> <td>-16.46</td> <td>38.37</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>267</td> <td>320</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.77</td> <td>41.11</td> <td>54.00</td> <td>-12.89</td> <td>28.01</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>267</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	51.74	68.20	-16.46	38.37	36.62	10.20	33.45	267	320	Average	2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	267	320	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.37</td> <td>-----</td> <td>-----</td> <td>68.97</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>267</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	82.37	-----	-----	68.97	36.65	10.20	33.45	267	320	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	51.74	68.20	-16.46	38.37	36.62	10.20	33.45	267	320	Average																																																																											
2	7266.77	41.11	54.00	-12.89	28.01	36.31	10.18	33.39	267	320	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	82.37	-----	-----	68.97	36.65	10.20	33.45	267	320	Average																																																																											



Mode	83																																																																																					
	Band Edge																																																																																					
	UNII-8_6875-7125_802.11be EHT20_CH233_Small RU 106+26 54+4_7115MHz																																																																																					
ANT	CDD 9+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>73.02</td> <td>88.20</td> <td>-15.18</td> <td>59.65</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7332.65</td> <td>51.79</td> <td>74.00</td> <td>-22.21</td> <td>38.81</td> <td>36.17</td> <td>10.18</td> <td>33.37</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	73.02	88.20	-15.18	59.65	36.62	10.20	33.45	100	58	Peak	2	7332.65	51.79	74.00	-22.21	38.81	36.17	10.18	33.37	100	58	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>82.34</td> <td>-----</td> <td>-----</td> <td>68.94</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	82.34	-----	-----	68.94	36.65	10.20	33.45	100	58	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	73.02	88.20	-15.18	59.65	36.62	10.20	33.45	100	58	Peak																																																																											
2	7332.65	51.79	74.00	-22.21	38.81	36.17	10.18	33.37	100	58	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	82.34	-----	-----	68.94	36.65	10.20	33.45	100	58	Peak																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.60</td> <td>68.20</td> <td>-5.60</td> <td>49.23</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7266.30</td> <td>41.10</td> <td>54.00</td> <td>-12.90</td> <td>28.00</td> <td>36.31</td> <td>10.18</td> <td>33.39</td> <td>100</td> <td>58</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	62.60	68.20	-5.60	49.23	36.62	10.20	33.45	100	58	Average	2	7266.30	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	58	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>74.25</td> <td>-----</td> <td>-----</td> <td>60.85</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>100</td> <td>58</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	74.25	-----	-----	60.85	36.65	10.20	33.45	100	58	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	62.60	68.20	-5.60	49.23	36.62	10.20	33.45	100	58	Average																																																																											
2	7266.30	41.10	54.00	-12.90	28.00	36.31	10.18	33.39	100	58	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	74.25	-----	-----	60.85	36.65	10.20	33.45	100	58	Average																																																																											



		<b>83</b>																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																					
	<b>UNII-8_6875-7125_802.11be EHT20_CH233_Small RU 106+26 54+4_7115MHz</b>																																																																																					
<b>ANT</b>	<b>CDD 9+15</b>																																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>68.01</td> <td>88.20</td> <td>-20.19</td> <td>54.64</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>266</td> <td>320</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7333.54</td> <td>51.64</td> <td>74.00</td> <td>-22.36</td> <td>38.66</td> <td>36.17</td> <td>10.18</td> <td>33.37</td> <td>266</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	68.01	88.20	-20.19	54.64	36.62	10.20	33.45	266	320	Peak	2	7333.54	51.64	74.00	-22.36	38.66	36.17	10.18	33.37	266	320	Peak	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>75.27</td> <td>-----</td> <td>-----</td> <td>61.87</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>266</td> <td>320</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	75.27	-----	-----	61.87	36.65	10.20	33.45	266	320	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	68.01	88.20	-20.19	54.64	36.62	10.20	33.45	266	320	Peak																																																																											
2	7333.54	51.64	74.00	-22.36	38.66	36.17	10.18	33.37	266	320	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	75.27	-----	-----	61.87	36.65	10.20	33.45	266	320	Peak																																																																											
<b>Avg</b>	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>57.18</td> <td>68.20</td> <td>-11.02</td> <td>43.81</td> <td>36.62</td> <td>10.20</td> <td>33.45</td> <td>266</td> <td>320</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7265.37</td> <td>41.16</td> <td>54.00</td> <td>-12.84</td> <td>28.05</td> <td>36.32</td> <td>10.18</td> <td>33.39</td> <td>266</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.00	57.18	68.20	-11.02	43.81	36.62	10.20	33.45	266	320	Average	2	7265.37	41.16	54.00	-12.84	28.05	36.32	10.18	33.39	266	320	Average	 <p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>66.23</td> <td>99.20</td> <td>-32.97</td> <td>52.83</td> <td>36.65</td> <td>10.20</td> <td>33.45</td> <td>266</td> <td>320</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	66.23	99.20	-32.97	52.83	36.65	10.20	33.45	266	320	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.00	57.18	68.20	-11.02	43.81	36.62	10.20	33.45	266	320	Average																																																																											
2	7265.37	41.16	54.00	-12.84	28.05	36.32	10.18	33.39	266	320	Average																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	66.23	99.20	-32.97	52.83	36.65	10.20	33.45	266	320	Average																																																																											





	87																																																																	
Mode	Harmonic																																																																	
	UNII-5_5925-6425_802.11be EHT40_CH43_Full_6165MHz																																																																	
ANT	CDD 9+15																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	<p>Data: 5 Level (dBuV/m) Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12330.00</td> <td>47.92</td> <td>-26.08</td> <td>74.00</td> <td>58.57</td> <td>39.57</td> <td>13.35</td> <td>63.57 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12330.00	47.92	-26.08	74.00	58.57	39.57	13.35	63.57 --- --- Peak	<p>Data: 6 Level (dBuV/m) Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12330.00</td> <td>47.39</td> <td>-26.61</td> <td>74.00</td> <td>58.04</td> <td>39.57</td> <td>13.35</td> <td>63.57 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12330.00	47.39	-26.61	74.00	58.04	39.57	13.35	63.57 --- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																											
1 * 12330.00	47.92	-26.08	74.00	58.57	39.57	13.35	63.57 --- --- Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																											
1 * 12330.00	47.39	-26.61	74.00	58.04	39.57	13.35	63.57 --- --- Peak																																																											



Mode	88																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT40_CH91_Full_6405MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12810.00</td> <td>48.89</td> <td>-39.31</td> <td>88.20</td> <td>59.28</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12810.00	48.89	-39.31	88.20	59.28	39.81	13.50	63.70	--- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12810.00</td> <td>48.06</td> <td>-40.14</td> <td>88.20</td> <td>58.45</td> <td>39.81</td> <td>13.50</td> <td>63.70</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12810.00	48.06	-40.14	88.20	58.45	39.81	13.50	63.70	--- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12810.00	48.89	-39.31	88.20	59.28	39.81	13.50	63.70	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12810.00	48.06	-40.14	88.20	58.45	39.81	13.50	63.70	--- Peak																																																												



Mode	89																																																																			
	Harmonic																																																																			
	UNII-6_6425-6525_802.11be EHT40_CH99_Full_6445MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 12890.00</td> <td>48.31</td> <td>-39.89</td> <td>88.20</td> <td>58.67</td> <td>39.85</td> <td>13.52</td> <td>63.73</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 12890.00	48.31	-39.89	88.20	58.67	39.85	13.52	63.73	--- --- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 12890.00</td> <td>48.00</td> <td>-40.20</td> <td>88.20</td> <td>58.36</td> <td>39.85</td> <td>13.52</td> <td>63.73</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 12890.00	48.00	-40.20	88.20	58.36	39.85	13.52	63.73	--- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																													
1 * 12890.00	48.31	-39.89	88.20	58.67	39.85	13.52	63.73	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Line	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																													
1 * 12890.00	48.00	-40.20	88.20	58.36	39.85	13.52	63.73	--- --- Peak																																																												



Mode	90																																																																	
	Harmonic																																																																	
	UNII-6_6425-6525_802.11be EHT40_CH107_Full_6485MHz																																																																	
ANT	CDD 9+15																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 12970.00</td> <td>48.40</td> <td>-39.80</td> <td>88.20</td> <td>58.71</td> <td>39.89</td> <td>13.55</td> <td>63.75 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1 * 12970.00	48.40	-39.80	88.20	58.71	39.89	13.55	63.75 --- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 12970.00</td> <td>47.94</td> <td>-40.26</td> <td>88.20</td> <td>58.25</td> <td>39.89</td> <td>13.55</td> <td>63.75 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1 * 12970.00	47.94	-40.26	88.20	58.25	39.89	13.55	63.75 --- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1 * 12970.00	48.40	-39.80	88.20	58.71	39.89	13.55	63.75 --- --- Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1 * 12970.00	47.94	-40.26	88.20	58.25	39.89	13.55	63.75 --- --- Peak																																																											



Mode	91																																																																	
	Harmonic																																																																	
	UNII-7_6525-6875_802.11be EHT40_CH123_Full_6565MHz																																																																	
ANT	CDD 9+15																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 13130.00</td> <td>49.24</td> <td>-38.96</td> <td>88.20</td> <td>59.44</td> <td>39.98</td> <td>13.60</td> <td>63.78 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 * 13130.00	49.24	-38.96	88.20	59.44	39.98	13.60	63.78 --- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 13130.00</td> <td>48.59</td> <td>-39.61</td> <td>88.20</td> <td>58.79</td> <td>39.98</td> <td>13.60</td> <td>63.78 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 * 13130.00	48.59	-39.61	88.20	58.79	39.98	13.60	63.78 --- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																											
1 * 13130.00	49.24	-38.96	88.20	59.44	39.98	13.60	63.78 --- --- Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																											
1 * 13130.00	48.59	-39.61	88.20	58.79	39.98	13.60	63.78 --- --- Peak																																																											



Mode	92																																																																			
	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT40_CH147_Full_6685MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13370.00</td> <td>48.79</td> <td>-25.21</td> <td>74.00</td> <td>58.82</td> <td>40.12</td> <td>13.67</td> <td>63.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13370.00	48.79	-25.21	74.00	58.82	40.12	13.67	63.82	--- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13370.00</td> <td>47.82</td> <td>-26.18</td> <td>74.00</td> <td>57.85</td> <td>40.12</td> <td>13.67</td> <td>63.82</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13370.00	47.82	-26.18	74.00	57.85	40.12	13.67	63.82	--- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13370.00	48.79	-25.21	74.00	58.82	40.12	13.67	63.82	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13370.00	47.82	-26.18	74.00	57.85	40.12	13.67	63.82	--- Peak																																																												



Mode	93																																																																			
	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT40_CH179_Full_6845MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13690.00</td> <td>50.63</td> <td>-37.57</td> <td>88.20</td> <td>60.41</td> <td>40.31</td> <td>13.77</td> <td>63.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13690.00	50.63	-37.57	88.20	60.41	40.31	13.77	63.86	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13690.00</td> <td>50.07</td> <td>-38.13</td> <td>88.20</td> <td>59.85</td> <td>40.31</td> <td>13.77</td> <td>63.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13690.00	50.07	-38.13	88.20	59.85	40.31	13.77	63.86	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13690.00	50.63	-37.57	88.20	60.41	40.31	13.77	63.86	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13690.00	50.07	-38.13	88.20	59.85	40.31	13.77	63.86	--- --- Peak																																																												



Mode	94																																																																			
	Harmonic																																																																			
	UNII-8_6875-7125_802.11be EHT40_CH195_Full_6925MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13850.00</td> <td>49.18</td> <td>-39.02</td> <td>88.20</td> <td>58.84</td> <td>40.41</td> <td>13.82</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13850.00	49.18	-39.02	88.20	58.84	40.41	13.82	63.89	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13850.00</td> <td>49.96</td> <td>-38.24</td> <td>88.20</td> <td>59.62</td> <td>40.41</td> <td>13.82</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13850.00	49.96	-38.24	88.20	59.62	40.41	13.82	63.89	--- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13850.00	49.18	-39.02	88.20	58.84	40.41	13.82	63.89	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13850.00	49.96	-38.24	88.20	59.62	40.41	13.82	63.89	--- --- Peak																																																												





Mode	95																																																																			
	Harmonic																																																																			
	UNII-8_6875-7125_802.11be EHT40_CH203_Full_6965MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13930.00</td> <td>50.41</td> <td>-37.79</td> <td>88.20</td> <td>59.99</td> <td>40.46</td> <td>13.86</td> <td>63.90</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13930.00	50.41	-37.79	88.20	59.99	40.46	13.86	63.90	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13930.00</td> <td>50.26</td> <td>-37.94</td> <td>88.20</td> <td>59.84</td> <td>40.46</td> <td>13.86</td> <td>63.90</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13930.00	50.26	-37.94	88.20	59.84	40.46	13.86	63.90	--- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13930.00	50.41	-37.79	88.20	59.99	40.46	13.86	63.90	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13930.00	50.26	-37.94	88.20	59.84	40.46	13.86	63.90	--- --- Peak																																																												



	96																																																	
Mode	Harmonic																																																	
	UNII-5_5925-6425_802.11be EHT80_CH39_Full_6145MHz																																																	
ANT	CDD 9+15																																																	
Pol.	Horizontal	Vertical																																																
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>ReadAntenna Level</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 12290.00</td> <td>49.06</td> <td>-24.94</td> <td>74.00</td> <td>59.73</td> <td>39.55</td> <td>13.33</td> <td>63.55 --- --- Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	ReadAntenna Level	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 12290.00	49.06	-24.94	74.00	59.73	39.55	13.33	63.55 --- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>ReadAntenna Level</th> <th>Cable Loss Factor</th> <th>Preamp Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 12290.00</td> <td>48.49</td> <td>-25.51</td> <td>74.00</td> <td>59.16</td> <td>39.55</td> <td>13.33</td> <td>63.55 --- --- Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	ReadAntenna Level	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 12290.00	48.49	-25.51	74.00	59.16	39.55	13.33	63.55 --- --- Peak
	Over Freq	Limit Level	ReadAntenna Level	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																											
1 * 12290.00	49.06	-24.94	74.00	59.73	39.55	13.33	63.55 --- --- Peak																																											
Over Freq	Limit Level	ReadAntenna Level	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																											
1 * 12290.00	48.49	-25.51	74.00	59.16	39.55	13.33	63.55 --- --- Peak																																											



Mode	97																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT80_CH87_Full_6385MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12770.00</td> <td>47.97</td> <td>-40.23</td> <td>88.20</td> <td>58.39</td> <td>39.78</td> <td>13.49</td> <td>63.69</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12770.00	47.97	-40.23	88.20	58.39	39.78	13.49	63.69	--- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12770.00</td> <td>48.49</td> <td>-39.71</td> <td>88.20</td> <td>58.91</td> <td>39.78</td> <td>13.49</td> <td>63.69</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12770.00	48.49	-39.71	88.20	58.91	39.78	13.49	63.69	--- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12770.00	47.97	-40.23	88.20	58.39	39.78	13.49	63.69	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12770.00	48.49	-39.71	88.20	58.91	39.78	13.49	63.69	--- Peak																																																												



Mode	98																																																	
	Harmonic																																																	
	UNII-6_6425-6525_802.11be EHT80_CH103_Full_6465MHz																																																	
ANT	CDD 9+15																																																	
Pol.	Horizontal	Vertical																																																
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>ReadAntenna Line</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 12930.00</td> <td>48.44</td> <td>-39.76</td> <td>88.20</td> <td>58.77</td> <td>39.87</td> <td>13.54</td> <td>63.74 --- --- Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	ReadAntenna Line	Cable Level	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 * 12930.00	48.44	-39.76	88.20	58.77	39.87	13.54	63.74 --- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>ReadAntenna Line</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 12930.00</td> <td>48.77</td> <td>-39.43</td> <td>88.20</td> <td>59.10</td> <td>39.87</td> <td>13.54</td> <td>63.74 --- --- Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	ReadAntenna Line	Cable Level	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 12930.00	48.77	-39.43	88.20	59.10	39.87	13.54	63.74 --- --- Peak
Over Freq	Limit Level	ReadAntenna Line	Cable Level	Preamp Factor	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																											
1 * 12930.00	48.44	-39.76	88.20	58.77	39.87	13.54	63.74 --- --- Peak																																											
Over Freq	Limit Level	ReadAntenna Line	Cable Level	Preamp Factor	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																											
1 * 12930.00	48.77	-39.43	88.20	59.10	39.87	13.54	63.74 --- --- Peak																																											



	99																																																																			
Mode	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT80_CH135_Full_6625MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13250.00</td> <td>48.92</td> <td>-25.08</td> <td>74.00</td> <td>59.03</td> <td>40.05</td> <td>13.64</td> <td>63.80</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13250.00</td> <td>49.11</td> <td>-24.89</td> <td>74.00</td> <td>59.22</td> <td>40.05</td> <td>13.64</td> <td>63.80</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	--- --- Peak																																																												



Mode	100																																																																													
	Harmonic																																																																													
	UNII-7_6525-6875_802.11be EHT80_CH151_Full_6705MHz																																																																													
ANT	CDD 9+15																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 13410.00</td> <td>48.04</td> <td>-40.16</td> <td>88.20</td> <td>58.03</td> <td>40.15</td> <td>13.68</td> <td>63.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 13410.00</td> <td>47.81</td> <td>-40.39</td> <td>88.20</td> <td>57.80</td> <td>40.15</td> <td>13.68</td> <td>63.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	Peak																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																								
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	Peak																																																																				



Mode	101																																																																																	
	Harmonic																																																																																	
	UNII-7_6525-6875_802.11be EHT80_CH167_Full_6785MHz																																																																																	
ANT	CDD 9+15																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak																																																																																		
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13570.00</td> <td>48.68</td> <td>-39.52</td> <td>88.20</td> <td>58.56</td> <td>40.24</td> <td>13.73</td> <td>63.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85								--- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13570.00</td> <td>48.90</td> <td>-39.30</td> <td>88.20</td> <td>58.78</td> <td>40.24</td> <td>13.73</td> <td>63.85</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85								--- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85																																																																											
							--- Peak																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																											
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																											
1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85																																																																											
							--- Peak																																																																											



Mode	102																																																																			
	Harmonic																																																																			
	UNII-8_6875-7125_802.11be EHT80_CH199_Full_6945MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13890.00</td> <td>49.16</td> <td>-39.04</td> <td>88.20</td> <td>58.77</td> <td>40.43</td> <td>13.85</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13890.00	49.16	-39.04	88.20	58.77	40.43	13.85	63.89	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13890.00</td> <td>49.14</td> <td>-39.06</td> <td>88.20</td> <td>58.75</td> <td>40.43</td> <td>13.85</td> <td>63.89</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13890.00	49.14	-39.06	88.20	58.75	40.43	13.85	63.89	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13890.00	49.16	-39.04	88.20	58.77	40.43	13.85	63.89	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13890.00	49.14	-39.06	88.20	58.75	40.43	13.85	63.89	--- --- Peak																																																												





Mode	103																																																																	
	Harmonic																																																																	
	UNII-5_5925-6425_802.11be EHT160_CH47_Full_6185MHz																																																																	
ANT	CDD 9+15																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12370.00</td> <td>47.22</td> <td>-26.78</td> <td>74.00</td> <td>57.85</td> <td>39.59</td> <td>13.36</td> <td>63.58 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12370.00	47.22	-26.78	74.00	57.85	39.59	13.36	63.58 --- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12370.00</td> <td>47.40</td> <td>-26.60</td> <td>74.00</td> <td>58.03</td> <td>39.59</td> <td>13.36</td> <td>63.58 --- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12370.00	47.40	-26.60	74.00	58.03	39.59	13.36	63.58 --- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																											
1 * 12370.00	47.22	-26.78	74.00	57.85	39.59	13.36	63.58 --- --- Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Limit	Level	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																											
1 * 12370.00	47.40	-26.60	74.00	58.03	39.59	13.36	63.58 --- --- Peak																																																											



Mode	104																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT160_CH79_Full_6345MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12690.00</td> <td>47.43</td> <td>-26.57</td> <td>74.00</td> <td>57.89</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12690.00</td> <td>47.48</td> <td>-26.52</td> <td>74.00</td> <td>57.94</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak																																																												



Mode	105																																																																			
	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT160_CH143_Full_6665MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13330.00</td> <td>47.66</td> <td>-26.34</td> <td>74.00</td> <td>57.71</td> <td>40.10</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81	--- Peak	<p>Data: 6</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13330.00</td> <td>48.15</td> <td>-25.85</td> <td>74.00</td> <td>58.20</td> <td>40.10</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81	--- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81	--- Peak																																																												



Mode	106																																																																			
	Harmonic																																																																			
	UNII-7-8_6525-7125_802.11a_CH185_Full_6875MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5</p> <p>Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13750.00</td> <td>49.91</td> <td>-38.29</td> <td>88.20</td> <td>59.63</td> <td>40.35</td> <td>13.80</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13750.00	49.91	-38.29	88.20	59.63	40.35	13.80	63.87	--- --- Peak	<p>Data: 6</p> <p>Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13750.00</td> <td>50.15</td> <td>-38.05</td> <td>88.20</td> <td>59.87</td> <td>40.35</td> <td>13.80</td> <td>63.87</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13750.00	50.15	-38.05	88.20	59.87	40.35	13.80	63.87	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13750.00	49.91	-38.29	88.20	59.63	40.35	13.80	63.87	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13750.00	50.15	-38.05	88.20	59.87	40.35	13.80	63.87	--- --- Peak																																																												



## Appendix D. Radiated Spurious Emission for Co-location mode

Mode 84

WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link (Band Edge @ 3m)

11a\_CH233 (Band Edge @ 3m)

WIFI Ant. 9+15	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a_CH233+11be EHT40_CH06+LTE B48 Link Co-location	*	7115	87.97	-	-	74.69	36.65	10.2	33.57	100	52	P	H
	*	7115	80.49	-	-	67.21	36.65	10.2	33.57	100	52	A	H
		7125	72.5	-15.7	88.2	59.23	36.65	10.2	33.58	100	52	P	H
		7348.22	51.69	-22.31	74	38.48	36.74	10.18	33.71	100	52	P	H
		7125	61.4	-6.8	68.2	48.13	36.65	10.2	33.58	100	52	A	H
		7331.4	40.85	-13.15	54	27.64	36.73	10.18	33.7	100	52	A	H
	*	7115	78.71	-	-	65.43	36.65	10.2	33.57	309	328	P	V
	*	7115	70.56	-	-	57.28	36.65	10.2	33.57	309	328	A	V
		7232.075	60.61	-27.59	88.2	47.38	36.69	10.18	33.64	309	328	P	V
		7259.665	51.6	-22.4	74	38.38	36.7	10.18	33.66	309	328	P	V
		7232.355	47.92	-20.28	68.2	34.69	36.69	10.18	33.64	309	328	A	V
		7330.005	39.82	-14.18	54	26.61	36.73	10.18	33.7	309	328	A	V
<b>Remark</b>	<ol style="list-style-type: none"> <li>No other spurious found.</li> <li>All results are PASS against Peak and Average limit line.</li> </ol>												



11be EHT40\_CH06 (Band Edge @ 3m)

WIFI Ant. 7+12	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link Co-location		2389.94	60.21	-13.79	74	57.46	30.63	5.37	33.25	100	40	P	H
		2389.94	45.28	-8.72	54	42.53	30.63	5.37	33.25	100	40	A	H
	*	2437	99.13	-	-	96.25	30.66	5.41	33.19	100	40	P	H
	*	2437	89.02	-	-	86.14	30.66	5.41	33.19	100	40	A	H
		2485.65	59.53	-14.47	74	56.5	30.69	5.46	33.12	100	40	P	H
		2483.5	44.68	-9.32	54	41.65	30.69	5.46	33.12	100	40	A	H
		2389.66	58.93	-15.07	74	56.18	30.63	5.37	33.25	223	89	P	V
		2389.8	45.7	-8.3	54	42.95	30.63	5.37	33.25	223	89	A	V
	*	2437	101.67	-	-	98.79	30.66	5.41	33.19	223	89	P	V
	*	2437	91.8	-	-	88.92	30.66	5.41	33.19	223	89	A	V
		2485.16	63.56	-10.44	74	60.53	30.69	5.46	33.12	223	89	P	V
		2483.5	47.77	-6.23	54	44.74	30.69	5.46	33.12	223	89	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode 85

WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link+BLE\_CH38

(Band Edge @ 3m)

11a\_CH233 (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		( MHz )	( dBμV/m )	( dB )	( dBμV/m )	( dBμV )	Factor	Loss	Factor	Pos	Pos	Avg.	
9+15							( dB/m )	( dB )	( dB )	( cm )	( deg )	( P/A )	( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location	*	7115	84.92	-	-	71.64	36.65	10.2	33.57	100	52	P	H
	*	7115	77.77	-	-	64.49	36.65	10.2	33.57	100	52	A	H
		7125	68.85	-19.35	88.2	55.58	36.65	10.2	33.58	100	52	P	H
		7265.895	52.18	-21.82	74	38.95	36.71	10.18	33.66	100	52	P	H
		7125	55.91	-12.29	68.2	42.64	36.65	10.2	33.58	100	52	A	H
		7330.47	40.78	-13.22	54	27.57	36.73	10.18	33.7	100	52	A	H
	*	7115	78.67	-	-	65.39	36.65	10.2	33.57	100	322	P	V
	*	7115	72.15	-	-	58.87	36.65	10.2	33.57	100	322	A	V
		7125	62.82	-25.38	88.2	49.55	36.65	10.2	33.58	100	322	P	V
		7314.4	51.78	-22.22	74	38.56	36.73	10.18	33.69	100	322	P	V
		7125	47.55	-20.65	68.2	34.28	36.65	10.2	33.58	100	322	A	V
	7330.005	39.9	-14.1	54	26.69	36.73	10.18	33.7	100	322	A	V	
Remark	<ol style="list-style-type: none"> <li>No other spurious found.</li> <li>All results are PASS against Peak and Average limit line.</li> </ol>												



11be EHT40\_CH06 (Band Edge @ 3m)

WIFI Ant. 12	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location		2389.66	54.61	-19.39	74	51.86	30.63	5.37	33.25	113	226	Pk	H
		2389.94	42.82	-11.18	54	40.07	30.63	5.37	33.25	113	226	A	H
	*	2437	95.1	-	-	92.22	30.66	5.41	33.19	113	226	P	H
	*	2437	81.63	-	-	78.75	30.66	5.41	33.19	113	226	P	H
		2484.67	56.67	-17.33	74	53.64	30.69	5.46	33.12	113	226	P	H
		2483.5	43.59	-10.41	54	40.56	30.69	5.46	33.12	113	226	A	H
		2389.52	58.25	-15.75	74	55.5	30.63	5.37	33.25	304	88	P	V
		2389.94	44.18	-9.82	54	41.43	30.63	5.37	33.25	304	88	A	V
	*	2437	94.55	-	-	91.67	30.66	5.41	33.19	304	88	P	V
	*	2437	85.3	-	-	82.42	30.66	5.41	33.19	304	88	P	V
		2484.32	57.03	-16.97	74	54	30.69	5.46	33.12	304	88	P	V
		2483.5	43.59	-10.41	54	40.56	30.69	5.46	33.12	304	88	A	V
<b>Remark</b>	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												





BLE\_CH38 (Band Edge @ 3m)

BLE Ant. 7	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location	*	2478	97.08	-	-	94.06	30.69	5.46	33.13	301	219	P	H
	*	2478	95.63	-	-	92.61	30.69	5.46	33.13	301	219	A	H
		2485.6	46.82	-27.18	74	43.79	30.69	5.46	33.12	301	219	P	H
		2483.8	36.81	-17.19	54	33.78	30.69	5.46	33.12	301	219	A	H
	*	2478	100.07	-	-	97.05	30.69	5.46	33.13	100	123	P	V
	*	2478	98.76	-	-	95.74	30.69	5.46	33.13	100	123	A	V
		2485.4	51.98	-22.02	74	48.95	30.69	5.46	33.12	100	123	P	V
		2483.96	40.73	-13.27	54	37.7	30.69	5.46	33.12	100	123	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode 86

WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link+BLE\_CH38

(Band Edge @ 3m)

11a\_CH233\_Ch233(Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		( MHz )	( dBμV/m )	( dB )	Line ( dBμV/m )	Level ( dBμV )	Factor ( dB/m )	Loss ( dB )	Factor ( dB )	Pos ( cm )	Pos ( deg )	Avg. ( P/A )	( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location	*	7115	87.86	-	-	74.58	36.65	10.2	33.57	100	56	P	H
	*	7115	80.36	-	-	67.08	36.65	10.2	33.57	100	56	A	H
		7125	70.68	-17.52	88.2	57.41	36.65	10.2	33.58	100	56	P	H
		7339.765	52.58	-21.42	74	39.36	36.74	10.18	33.7	100	56	P	H
		7125	53.05	-15.15	68.2	39.78	36.65	10.2	33.58	100	56	A	H
		7333.26	40.03	-13.97	54	26.82	36.73	10.18	33.7	100	56	A	H
	*	7115	79.33	-	-	66.05	36.65	10.2	33.57	100	323	P	V
	*	7115	72.45	-	-	59.17	36.65	10.2	33.57	100	323	A	V
		7125	62.5	-25.7	88.2	49.23	36.65	10.2	33.58	100	323	P	V
		7330.865	52.1	-21.9	74	38.89	36.73	10.18	33.7	100	323	P	V
		7125	47.89	-20.31	68.2	34.62	36.65	10.2	33.58	100	323	A	V
	7323.03	40	-14	54	26.78	36.73	10.18	33.69	100	323	A	V	
Remark	<ol style="list-style-type: none"> <li>No other spurious found.</li> <li>All results are PASS against Peak and Average limit line.</li> </ol>												



11be EHT40\_CH06 (Band Edge @ 3m)

WIFI Ant. 7	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location		2387.14	54.01	-19.99	74	51.27	30.63	5.37	33.26	100	230	P	H
		2389.94	42.23	-11.77	54	39.48	30.63	5.37	33.25	100	230	A	H
	*	2437	87.65	-	-	84.77	30.66	5.41	33.19	100	230	P	H
	*	2437	78.71	-	-	75.83	30.66	5.41	33.19	100	230	A	H
		2497.41	52.94	-21.06	74	49.88	30.7	5.46	33.1	100	230	P	H
		2483.55	40.94	-13.06	54	37.91	30.69	5.46	33.12	100	230	A	H
		2387.56	52.84	-21.16	74	50.1	30.63	5.37	33.26	280	86	P	V
		2389.94	41.29	-12.71	54	38.54	30.63	5.37	33.25	280	86	A	V
	*	2437	86.98	-	-	84.1	30.66	5.41	33.19	280	86	P	V
	*	2437	77.14	-	-	74.26	30.66	5.41	33.19	280	86	A	V
		2483.9	54.17	-19.83	74	51.14	30.69	5.46	33.12	280	86	P	V
		2483.55	41.02	-12.98	54	37.99	30.69	5.46	33.12	280	86	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



BLE\_CH38 (Band Edge @ 3m)

BLE Ant. 12	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link +BLE _CH38 Co-location	*	2478	86.24	-	-	83.22	30.69	5.46	33.13	299	86	P	H
	*	2478	84.6	-	-	81.58	30.69	5.46	33.13	299	86	A	H
		2483.76	52.78	-21.22	74	49.75	30.69	5.46	33.12	299	86	P	H
		2483.72	37.91	-16.09	54	34.88	30.69	5.46	33.12	299	86	A	H
	*	2478	83.05	-	-	80.03	30.69	5.46	33.13	334	254	P	V
	*	2478	81.91	-	-	78.89	30.69	5.46	33.13	334	254	A	V
		2484.08	48.51	-25.49	74	45.48	30.69	5.46	33.12	334	254	P	V
		2484.12	36.27	-17.73	54	33.24	30.69	5.46	33.12	334	254	A	V
Remark	<ol style="list-style-type: none"> <li>No other spurious found.</li> <li>All results are PASS against Peak and Average limit line.</li> </ol>												



Mode 84 WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link

(Harmonic @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		( MHz )	( dBμV/m )	( dB )	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
7+12/9+15					( dBμV/m )	( dBμV )	( dB/m )	( dB )	( dB )	( cm )	( deg )	( P/A )	( H/V )
WIFI 11a _CH233+ 11be EHT40 _CH06+ LTE B48 Link Co-location		4874	48.03	-25.97	74	36.37	35.55	8.76	32.65	-	-	P	H
		7311	41.04	-32.96	74	59	36.72	10.18	64.86	-	-	P	H
		14230.8	49.73	-18.57	68.3	59.09	40.55	13.98	63.89	-	-	P	H
		4874	48.46	-25.54	74	36.8	35.55	8.76	32.65	-	-	P	V
		7311	41.29	-32.71	74	59.25	36.72	10.18	64.86	-	-	P	V
		14230.8	48.78	-19.52	68.3	58.14	40.55	13.98	63.89	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode 85 WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link+BLE\_CH38 (Harmonic @ 3m)

Table with 14 columns: WIFI, Note, Frequency, Level, Margin, Limit, Read, Antenna, Path, Preamp, Ant, Table, Peak, Pol. It contains test results for various frequencies and a 'Remark' section at the bottom.



Mode 86 WLAN6G 11a\_CH233+WLAN2.4G 11be EHT40\_CH06+LTE B48 Link+BLE\_CH38 (Harmonic @ 3m)

Table with 14 columns: WIFI, Note, Frequency, Level, Margin, Limit, Read, Antenna, Path, Preamp, Ant, Table, Peak, Pol. It contains test data for various frequencies and a 'Remark' section at the bottom.

Legend table with 2 columns: Symbol and Description. Symbols include \*, !, P/A, and H/V.



**Test Plots:**

**Note symbol**

-L	Low channel location
-R	High channel location









Mode 84 11a\_CH233+11be EHT40\_CH06+LTE B48 Link (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																																																					
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																																																																																					
CDD	Horizontal	Fundamental																																																																																				
9+15																																																																																						
<b>Peak</b>	<p>Date: 2023-09-25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 7125.00</td> <td>72.50</td> <td>-15.70</td> <td>88.20</td> <td>59.23</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>52</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7348.22</td> <td>51.69</td> <td>-22.31</td> <td>74.00</td> <td>38.48</td> <td>36.74</td> <td>10.18</td> <td>33.71</td> <td>100</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 * 7125.00	72.50	-15.70	88.20	59.23	36.65	10.20	33.58	100	52	Peak	2	7348.22	51.69	-22.31	74.00	38.48	36.74	10.18	33.71	100	52	Peak	<p>Date: 2023-09-25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 7115.00</td> <td>87.97</td> <td>-31.23</td> <td>119.20</td> <td>74.69</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>52</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 * 7115.00	87.97	-31.23	119.20	74.69	36.65	10.20	33.57	100	52	Peak		
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																															
1 * 7125.00	72.50	-15.70	88.20	59.23	36.65	10.20	33.58	100	52	Peak																																																																												
2	7348.22	51.69	-22.31	74.00	38.48	36.74	10.18	33.71	100	52	Peak																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																															
1 * 7115.00	87.97	-31.23	119.20	74.69	36.65	10.20	33.57	100	52	Peak																																																																												
<b>Avg.</b>	<p>Date: 2023-09-25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>61.40</td> <td>-6.80</td> <td>68.20</td> <td>48.11</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>52</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7331.40</td> <td>48.05</td> <td>-13.15</td> <td>54.00</td> <td>27.64</td> <td>36.73</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7125.00	61.40	-6.80	68.20	48.11	36.65	10.20	33.58	100	52	Average	2	7331.40	48.05	-13.15	54.00	27.64	36.73	10.18	33.70	100	52	Average	<p>Date: 2023-09-25</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>88.49</td> <td>-18.71</td> <td>99.28</td> <td>67.21</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>52</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	7115.00	88.49	-18.71	99.28	67.21	36.65	10.20	33.57	100	52	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																															
1	7125.00	61.40	-6.80	68.20	48.11	36.65	10.20	33.58	100	52	Average																																																																											
2	7331.40	48.05	-13.15	54.00	27.64	36.73	10.18	33.70	100	52	Average																																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																															
1	7115.00	88.49	-18.71	99.28	67.21	36.65	10.20	33.57	100	52	Average																																																																											





WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																																													
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																																																																													
CDD	Vertical	Fundamental																																																																												
9+15																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7232.08</td> <td>68.61</td> <td>-27.59</td> <td>88.20</td> <td>47.38</td> <td>36.69</td> <td>10.18</td> <td>33.64</td> <td>309</td> <td>328</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7259.67</td> <td>51.60</td> <td>-22.40</td> <td>74.00</td> <td>38.38</td> <td>36.70</td> <td>10.18</td> <td>33.66</td> <td>309</td> <td>328</td> <td>Peak</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7232.08	68.61	-27.59	88.20	47.38	36.69	10.18	33.64	309	328	Peak	2	7259.67	51.60	-22.40	74.00	38.38	36.70	10.18	33.66	309	328	Peak	 <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>78.71</td> <td>-40.49</td> <td>119.20</td> <td>65.43</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>309</td> <td>328</td> <td>Peak</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7115.00	78.71	-40.49	119.20	65.43	36.65	10.20	33.57	309	328	Peak
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	7232.08	68.61	-27.59	88.20	47.38	36.69	10.18	33.64	309	328	Peak																																																																			
2	7259.67	51.60	-22.40	74.00	38.38	36.70	10.18	33.66	309	328	Peak																																																																			
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	7115.00	78.71	-40.49	119.20	65.43	36.65	10.20	33.57	309	328	Peak																																																																			
Avg.	 <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7232.36</td> <td>47.92</td> <td>-20.28</td> <td>68.20</td> <td>34.69</td> <td>36.69</td> <td>10.18</td> <td>33.64</td> <td>309</td> <td>328</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7330.01</td> <td>39.82</td> <td>-14.15</td> <td>54.00</td> <td>26.61</td> <td>36.73</td> <td>10.18</td> <td>33.70</td> <td>309</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7232.36	47.92	-20.28	68.20	34.69	36.69	10.18	33.64	309	328	Average	2	7330.01	39.82	-14.15	54.00	26.61	36.73	10.18	33.70	309	328	Average	 <table border="1"> <thead> <tr> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>70.56</td> <td>-28.64</td> <td>99.20</td> <td>57.28</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>309</td> <td>328</td> <td>Average</td> </tr> </tbody> </table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	7115.00	70.56	-28.64	99.20	57.28	36.65	10.20	33.57	309	328	Average
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	7232.36	47.92	-20.28	68.20	34.69	36.69	10.18	33.64	309	328	Average																																																																			
2	7330.01	39.82	-14.15	54.00	26.61	36.73	10.18	33.70	309	328	Average																																																																			
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1	7115.00	70.56	-28.64	99.20	57.28	36.65	10.20	33.57	309	328	Average																																																																			






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																																																									
CDD 7+12	Horizontal	Fundamental																																																								
Peak	 <table border="1" data-bbox="464 712 810 779"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.94</td> <td>60.21</td> <td>-13.79</td> <td>74.00</td> <td>57.46</td> <td>30.63</td> <td>5.37 33.25 100 40 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 2389.94	60.21	-13.79	74.00	57.46	30.63	5.37 33.25 100 40 Peak	 <table border="1" data-bbox="919 712 1265 779"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>99.13</td> <td>25.13</td> <td>74.00</td> <td>96.25</td> <td>30.66</td> <td>5.41 33.19 100 40 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 2437.00	99.13	25.13	74.00	96.25	30.66	5.41 33.19 100 40 Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																				
1 * 2389.94	60.21	-13.79	74.00	57.46	30.63	5.37 33.25 100 40 Peak																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																				
1 * 2437.00	99.13	25.13	74.00	96.25	30.66	5.41 33.19 100 40 Peak																																																				
Avg.	 <table border="1" data-bbox="464 1422 810 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 2389.94</td> <td>45.28</td> <td>-8.72</td> <td>54.00</td> <td>42.53</td> <td>30.63</td> <td>5.37 33.25 100 40 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 2389.94	45.28	-8.72	54.00	42.53	30.63	5.37 33.25 100 40 Average	 <table border="1" data-bbox="919 1422 1265 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>89.02</td> <td>35.02</td> <td>54.00</td> <td>86.14</td> <td>30.66</td> <td>5.41 33.19 100 40 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 2437.00	89.02	35.02	54.00	86.14	30.66	5.41 33.19 100 40 Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																				
1 2389.94	45.28	-8.72	54.00	42.53	30.63	5.37 33.25 100 40 Average																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																				
1 * 2437.00	89.02	35.02	54.00	86.14	30.66	5.41 33.19 100 40 Average																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																												
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																												
CDD 7+12	Horizontal	Fundamental																											
Peak	 <table border="1" data-bbox="454 757 813 817"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2485.65</td> <td>59.53</td> <td>-14.47</td> <td>74.00</td> <td>56.50</td> <td>38.69</td> <td>5.46</td> <td>33.12</td> <td>100 40 Peak</td> </tr> </tbody> </table>		Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1 * 2485.65	59.53	-14.47	74.00	56.50	38.69	5.46	33.12	100 40 Peak
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																					
1 * 2485.65	59.53	-14.47	74.00	56.50	38.69	5.46	33.12	100 40 Peak																					
Avg.	 <table border="1" data-bbox="454 1462 813 1523"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.58</td> <td>44.68</td> <td>-9.32</td> <td>54.00</td> <td>41.65</td> <td>38.69</td> <td>5.46</td> <td>33.12</td> <td>100 40 Average</td> </tr> </tbody> </table>		Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1 2483.58	44.68	-9.32	54.00	41.65	38.69	5.46	33.12	100 40 Average
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																					
1 2483.58	44.68	-9.32	54.00	41.65	38.69	5.46	33.12	100 40 Average																					



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																																																									
CDD 7+12	Vertical	Fundamental																																																								
Peak	 <p>Date: 15 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.66</td> <td>58.93</td> <td>-15.07</td> <td>74.00</td> <td>56.18</td> <td>30.63</td> <td>5.37 33.25 223 89 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1 * 2389.66	58.93	-15.07	74.00	56.18	30.63	5.37 33.25 223 89 Peak	 <p>Date: 17 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>181.67</td> <td>27.67</td> <td>74.00</td> <td>98.79</td> <td>30.66</td> <td>5.41 33.19 223 89 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1 * 2437.00	181.67	27.67	74.00	98.79	30.66	5.41 33.19 223 89 Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																				
1 * 2389.66	58.93	-15.07	74.00	56.18	30.63	5.37 33.25 223 89 Peak																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																				
1 * 2437.00	181.67	27.67	74.00	98.79	30.66	5.41 33.19 223 89 Peak																																																				
Avg.	 <p>Date: 16 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.80</td> <td>45.70</td> <td>-8.30</td> <td>54.00</td> <td>42.95</td> <td>30.63</td> <td>5.37 33.25 223 89 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1 * 2389.80	45.70	-8.30	54.00	42.95	30.63	5.37 33.25 223 89 Average	 <p>Date: 18 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>91.00</td> <td>17.00</td> <td>54.00</td> <td>88.92</td> <td>30.66</td> <td>5.41 33.19 223 89 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg	1 * 2437.00	91.00	17.00	54.00	88.92	30.66	5.41 33.19 223 89 Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																				
1 * 2389.80	45.70	-8.30	54.00	42.95	30.63	5.37 33.25 223 89 Average																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	deg																																																				
1 * 2437.00	91.00	17.00	54.00	88.92	30.66	5.41 33.19 223 89 Average																																																				



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																					
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link Co-location																																					
CDD 7+12	Vertical	Fundamental																																				
Peak	<p>Date: 19 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Antenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2485.16</td> <td>63.56</td> <td>-10.44</td> <td>74.00</td> <td>60.53</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>223 89 Peak</td> </tr> </tbody> </table>		Over	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1 * 2485.16	63.56	-10.44	74.00	60.53	30.69	5.46	33.12	223 89 Peak
Over	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																														
1 * 2485.16	63.56	-10.44	74.00	60.53	30.69	5.46	33.12	223 89 Peak																														
Avg.	<p>Date: 20 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>Read</th> <th>Antenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>47.77</td> <td>-6.23</td> <td>54.00</td> <td>44.74</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>223 89 Average</td> </tr> </tbody> </table>		Over	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1 2483.50	47.77	-6.23	54.00	44.74	30.69	5.46	33.12	223 89 Average
Over	Limit	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																														
1 2483.50	47.77	-6.23	54.00	44.74	30.69	5.46	33.12	223 89 Average																														



Mode 85 11a\_CH233+11be EHT40\_CH06+LTE B48+BLE\_CH38 (Band Edge @ 3m)





WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																									
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																									
CDD	Horizontal	Fundamental																																																								
9+15																																																										
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7125.00</td> <td>68.85</td> <td>-19.35</td> <td>88.20</td> <td>55.58</td> <td>36.65</td> <td>10.20</td> <td>33.58 100 52 Peak</td> </tr> <tr> <td>2 7265.90</td> <td>52.18</td> <td>-21.82</td> <td>74.00</td> <td>38.95</td> <td>36.71</td> <td>10.18</td> <td>33.66 100 52 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1 * 7125.00	68.85	-19.35	88.20	55.58	36.65	10.20	33.58 100 52 Peak	2 7265.90	52.18	-21.82	74.00	38.95	36.71	10.18	33.66 100 52 Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 7115.00</td> <td>84.92</td> <td>-34.28</td> <td>119.20</td> <td>71.64</td> <td>36.65</td> <td>10.20</td> <td>33.57 100 52 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1 * 7115.00	84.92	-34.28	119.20	71.64	36.65	10.20	33.57 100 52 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																				
1 * 7125.00	68.85	-19.35	88.20	55.58	36.65	10.20	33.58 100 52 Peak																																																			
2 7265.90	52.18	-21.82	74.00	38.95	36.71	10.18	33.66 100 52 Peak																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																				
1 * 7115.00	84.92	-34.28	119.20	71.64	36.65	10.20	33.57 100 52 Peak																																																			
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>55.91</td> <td>-12.29</td> <td>68.20</td> <td>42.64</td> <td>36.65</td> <td>10.20</td> <td>33.58 100 52 Average</td> </tr> <tr> <td>2 7330.47</td> <td>40.78</td> <td>-13.22</td> <td>54.00</td> <td>27.57</td> <td>36.73</td> <td>10.18</td> <td>33.70 100 52 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1 7125.00	55.91	-12.29	68.20	42.64	36.65	10.20	33.58 100 52 Average	2 7330.47	40.78	-13.22	54.00	27.57	36.73	10.18	33.70 100 52 Average	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>77.77</td> <td>-21.43</td> <td>99.20</td> <td>64.49</td> <td>36.65</td> <td>10.20</td> <td>33.57 100 52 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level Factor	Loss Factor	dB	cm	deg		1 7115.00	77.77	-21.43	99.20	64.49	36.65	10.20	33.57 100 52 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																				
1 7125.00	55.91	-12.29	68.20	42.64	36.65	10.20	33.58 100 52 Average																																																			
2 7330.47	40.78	-13.22	54.00	27.57	36.73	10.18	33.70 100 52 Average																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Level	Line	Level Factor	Loss Factor	dB	cm	deg																																																				
1 7115.00	77.77	-21.43	99.20	64.49	36.65	10.20	33.57 100 52 Average																																																			



WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																																																							
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																																							
CDD	Vertical	Fundamental																																																																																						
9+15																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.82</td> <td>-25.38</td> <td>88.20</td> <td>49.55</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>322</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7314.00</td> <td>51.78</td> <td>-22.22</td> <td>74.00</td> <td>38.56</td> <td>36.73</td> <td>10.18</td> <td>33.69</td> <td>100</td> <td>322</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	62.82	-25.38	88.20	49.55	36.65	10.20	33.58	100	322	Peak	2	7314.00	51.78	-22.22	74.00	38.56	36.73	10.18	33.69	100	322	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>78.67</td> <td>-40.53</td> <td>119.20</td> <td>65.39</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>322</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	78.67	-40.53	119.20	65.39	36.65	10.20	33.57	100	322	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	7125.00	62.82	-25.38	88.20	49.55	36.65	10.20	33.58	100	322	Peak																																																																													
2	7314.00	51.78	-22.22	74.00	38.56	36.73	10.18	33.69	100	322	Peak																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	7125.00	78.67	-40.53	119.20	65.39	36.65	10.20	33.57	100	322	Peak																																																																													
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>47.55</td> <td>-20.65</td> <td>68.20</td> <td>34.28</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>322</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7330.01</td> <td>39.90</td> <td>-14.10</td> <td>54.00</td> <td>26.69</td> <td>36.73</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>322</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	47.55	-20.65	68.20	34.28	36.65	10.20	33.58	100	322	Average	2	7330.01	39.90	-14.10	54.00	26.69	36.73	10.18	33.70	100	322	Average	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.15</td> <td>-27.05</td> <td>99.20</td> <td>58.87</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>322</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	72.15	-27.05	99.20	58.87	36.65	10.20	33.57	100	322	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	7125.00	47.55	-20.65	68.20	34.28	36.65	10.20	33.58	100	322	Average																																																																													
2	7330.01	39.90	-14.10	54.00	26.69	36.73	10.18	33.70	100	322	Average																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	7125.00	72.15	-27.05	99.20	58.87	36.65	10.20	33.57	100	322	Average																																																																													









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																			
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																			
12	Horizontal	Fundamental																																																		
Peak	 <p>Graph showing Peak Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a rising signal level starting around 2394 MHz, reaching a peak of approximately 95 dBuV/m at 2437.88 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.66</td> <td>54.61</td> <td>-19.39</td> <td>74.00</td> <td>51.86</td> <td>30.63</td> <td>5.37</td> <td>33.25</td> <td>113</td> <td>226</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1 * 2389.66	54.61	-19.39	74.00	51.86	30.63	5.37	33.25	113	226	Peak	 <p>Graph showing Peak Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 2437.88 MHz with a level of 95.18 dBuV/m. A red horizontal line indicates the limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.88</td> <td>95.18</td> <td>21.18</td> <td>74.00</td> <td>92.22</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>113</td> <td>226</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1 * 2437.88	95.18	21.18	74.00	92.22	30.66	5.41	33.19	113	226	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																														
1 * 2389.66	54.61	-19.39	74.00	51.86	30.63	5.37	33.25	113	226	Peak																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																														
1 * 2437.88	95.18	21.18	74.00	92.22	30.66	5.41	33.19	113	226	Peak																																										
Avg.	 <p>Graph showing Average Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a rising signal level starting around 2394 MHz, reaching an average level of approximately 78 dBuV/m at 2437.88 MHz. A red horizontal line indicates the limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.94</td> <td>42.82</td> <td>-11.18</td> <td>54.00</td> <td>40.87</td> <td>30.63</td> <td>5.37</td> <td>33.25</td> <td>113</td> <td>226</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1 * 2389.94	42.82	-11.18	54.00	40.87	30.63	5.37	33.25	113	226	Average	 <p>Graph showing Average Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a sharp peak at 2437.88 MHz with an average level of 81.63 dBuV/m. A red horizontal line indicates the limit at 74.00 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.88</td> <td>81.63</td> <td>27.63</td> <td>54.00</td> <td>78.75</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>113</td> <td>226</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	cm	deg	1 * 2437.88	81.63	27.63	54.00	78.75	30.66	5.41	33.19	113	226	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																														
1 * 2389.94	42.82	-11.18	54.00	40.87	30.63	5.37	33.25	113	226	Average																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																														
Freq	Level	Line	Level Factor	Loss Factor	cm	deg																																														
1 * 2437.88	81.63	27.63	54.00	78.75	30.66	5.41	33.19	113	226	Peak																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																									
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																									
12	Horizontal	Fundamental																								
Peak	<table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2484.67</td> <td>56.67</td> <td>-17.33</td> <td>74.00</td> <td>53.64</td> <td>30.69</td> <td>5.46</td> <td>33.12 113 226 Peak</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 2484.67	56.67	-17.33	74.00	53.64	30.69	5.46	33.12 113 226 Peak	
Over Freq	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																			
1 * 2484.67	56.67	-17.33	74.00	53.64	30.69	5.46	33.12 113 226 Peak																			
Avg.	<table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamplifier</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.50</td> <td>43.59</td> <td>-19.41</td> <td>54.00</td> <td>40.56</td> <td>30.69</td> <td>5.46</td> <td>33.12 113 226 Average</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 2483.50	43.59	-19.41	54.00	40.56	30.69	5.46	33.12 113 226 Average	
Over Freq	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																			
1 2483.50	43.59	-19.41	54.00	40.56	30.69	5.46	33.12 113 226 Average																			



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																											
12	Vertical	Fundamental																																																																										
Peak	 <p>Date: 7 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2389.52</td> <td>58.25</td> <td>-15.75</td> <td>74.00</td> <td>55.50</td> <td>30.63</td> <td>5.37</td> <td>33.25</td> <td>304</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2389.52	58.25	-15.75	74.00	55.50	30.63	5.37	33.25	304	88	Peak	 <p>Date: 9 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2437.00</td> <td>94.55</td> <td>20.55</td> <td>74.00</td> <td>91.67</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>304</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2437.00	94.55	20.55	74.00	91.67	30.66	5.41	33.19	304	88	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Level	Line	Level	Loss	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2389.52	58.25	-15.75	74.00	55.50	30.63	5.37	33.25	304	88	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Level	Line	Level	Loss	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2437.00	94.55	20.55	74.00	91.67	30.66	5.41	33.19	304	88	Peak																																																																	
Avg.	 <p>Date: 8 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2389.94</td> <td>44.18</td> <td>-9.82</td> <td>54.00</td> <td>41.43</td> <td>30.63</td> <td>5.37</td> <td>33.25</td> <td>304</td> <td>88</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2389.94	44.18	-9.82	54.00	41.43	30.63	5.37	33.25	304	88	Average	 <p>Date: 10 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2437.00</td> <td>85.30</td> <td>31.30</td> <td>54.00</td> <td>82.42</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>304</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Level	Line	Level	Loss	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2437.00	85.30	31.30	54.00	82.42	30.66	5.41	33.19	304	88	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Level	Line	Level	Loss	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2389.94	44.18	-9.82	54.00	41.43	30.63	5.37	33.25	304	88	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Level	Line	Level	Loss	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2437.00	85.30	31.30	54.00	82.42	30.66	5.41	33.19	304	88	Peak																																																																	



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																											
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																											
12	Vertical	Fundamental																										
Peak	<table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2484.32</td> <td>57.83</td> <td>-16.97</td> <td>74.00</td> <td>54.00</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>304</td> <td>88</td> <td>Peak</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 2484.32	57.83	-16.97	74.00	54.00	30.69	5.46	33.12	304	88	Peak	
Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																					
1 * 2484.32	57.83	-16.97	74.00	54.00	30.69	5.46	33.12	304	88	Peak																		
Avg.	<table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.58</td> <td>43.59</td> <td>-10.41</td> <td>54.00</td> <td>40.56</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>304</td> <td>88</td> <td>Average</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 2483.58	43.59	-10.41	54.00	40.56	30.69	5.46	33.12	304	88	Average	
Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																						
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																					
1 2483.58	43.59	-10.41	54.00	40.56	30.69	5.46	33.12	304	88	Average																		







BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																	
7	Horizontal	Fundamental																																																																
Peak	<p>Date: 15 Date: 2023-09-23</p> <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2476 MHz. A red line indicates the peak level at 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2476.00</td> <td>46.82</td> <td>-27.18</td> <td>74.00</td> <td>43.79</td> <td>30.69</td> <td>5.46</td> <td>33.12 301 219 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2476.00	46.82	-27.18	74.00	43.79	30.69	5.46	33.12 301 219 Peak	<p>Date: 13 Date: 2023-09-23</p> <p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 2478 MHz. A red line indicates the peak level at 74 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>97.08</td> <td>23.08</td> <td>74.00</td> <td>94.06</td> <td>30.69</td> <td>5.46</td> <td>33.13 301 219 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2478.00	97.08	23.08	74.00	94.06	30.69	5.46	33.13 301 219 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2476.00	46.82	-27.18	74.00	43.79	30.69	5.46	33.12 301 219 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2478.00	97.08	23.08	74.00	94.06	30.69	5.46	33.13 301 219 Peak																																																											
Avg.	<p>Date: 16 Date: 2023-09-23</p> <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2476 MHz. A red line indicates the average level at 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2476.00</td> <td>36.01</td> <td>-17.19</td> <td>54.00</td> <td>33.78</td> <td>30.69</td> <td>5.46</td> <td>33.12 301 219 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2476.00	36.01	-17.19	54.00	33.78	30.69	5.46	33.12 301 219 Average	<p>Date: 14 Date: 2023-09-23</p> <p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 2478 MHz. A red line indicates the average level at 54 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>95.63</td> <td>41.63</td> <td>54.00</td> <td>92.61</td> <td>30.69</td> <td>5.46</td> <td>33.13 301 219 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2478.00	95.63	41.63	54.00	92.61	30.69	5.46	33.13 301 219 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2476.00	36.01	-17.19	54.00	33.78	30.69	5.46	33.12 301 219 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2478.00	95.63	41.63	54.00	92.61	30.69	5.46	33.13 301 219 Average																																																											







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																									
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																									
7	Vertical	Fundamental																																																								
Peak	<p>Date: 19 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2485.40</td> <td>51.98</td> <td>-22.02</td> <td>74.00</td> <td>48.95</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 * 2485.40	51.98	-22.02	74.00	48.95	30.69	5.46	33.12	100	123	Peak	<p>Date: 17 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>100.07</td> <td>26.07</td> <td>74.00</td> <td>97.05</td> <td>30.69</td> <td>5.46</td> <td>33.13</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 * 2478.00	100.07	26.07	74.00	97.05	30.69	5.46	33.13	100	123	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																		
1 * 2485.40	51.98	-22.02	74.00	48.95	30.69	5.46	33.12	100	123	Peak																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																		
1 * 2478.00	100.07	26.07	74.00	97.05	30.69	5.46	33.13	100	123	Peak																																																
Avg.	<p>Date: 20 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2483.96</td> <td>40.73</td> <td>-13.27</td> <td>54.00</td> <td>37.70</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 * 2483.96	40.73	-13.27	54.00	37.70	30.69	5.46	33.12	100	123	Average	<p>Date: 18 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>98.76</td> <td>44.76</td> <td>54.00</td> <td>95.74</td> <td>30.69</td> <td>5.46</td> <td>33.13</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg	1 * 2478.00	98.76	44.76	54.00	95.74	30.69	5.46	33.13	100	123	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																		
1 * 2483.96	40.73	-13.27	54.00	37.70	30.69	5.46	33.12	100	123	Average																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																			
Freq	Level	Line	Level Factor	Loss Factor	dB	dB	cm	deg																																																		
1 * 2478.00	98.76	44.76	54.00	95.74	30.69	5.46	33.13	100	123	Average																																																



Mode 86 11a\_CH233+11be EHT40\_CH06+LTE B48+BLE\_CH38 (Band Edge @ 3m)





WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																																															
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																															
CDD 9+15	Horizontal	Fundamental																																																																														
Peak	 <p>Date: 3 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 7125.00</td> <td>70.68</td> <td>-17.52</td> <td>88.20</td> <td>57.41</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>56 Peak</td> </tr> <tr> <td>2 7339.77</td> <td>52.58</td> <td>-21.42</td> <td>74.00</td> <td>39.36</td> <td>36.74</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>56 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 7125.00	70.68	-17.52	88.20	57.41	36.65	10.20	33.58	100	56 Peak	2 7339.77	52.58	-21.42	74.00	39.36	36.74	10.18	33.70	100	56 Peak	 <p>Date: 1 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 7115.00</td> <td>87.86</td> <td>-31.34</td> <td>119.20</td> <td>74.58</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>56 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 7115.00	87.86	-31.34	119.20	74.58	36.65	10.20	33.57	100	56 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																									
1 * 7125.00	70.68	-17.52	88.20	57.41	36.65	10.20	33.58	100	56 Peak																																																																							
2 7339.77	52.58	-21.42	74.00	39.36	36.74	10.18	33.70	100	56 Peak																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																									
1 * 7115.00	87.86	-31.34	119.20	74.58	36.65	10.20	33.57	100	56 Peak																																																																							
Avg.	 <p>Date: 4 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>53.05</td> <td>-15.15</td> <td>68.20</td> <td>39.78</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>56 Average</td> </tr> <tr> <td>2 7333.26</td> <td>40.03</td> <td>-13.97</td> <td>54.00</td> <td>26.82</td> <td>36.73</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>56 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 7125.00	53.05	-15.15	68.20	39.78	36.65	10.20	33.58	100	56 Average	2 7333.26	40.03	-13.97	54.00	26.82	36.73	10.18	33.70	100	56 Average	 <p>Date: 2 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>80.36</td> <td>-18.84</td> <td>99.20</td> <td>67.08</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>56 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 7115.00	80.36	-18.84	99.20	67.08	36.65	10.20	33.57	100	56 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																									
1 7125.00	53.05	-15.15	68.20	39.78	36.65	10.20	33.58	100	56 Average																																																																							
2 7333.26	40.03	-13.97	54.00	26.82	36.73	10.18	33.70	100	56 Average																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
Freq	Level	Limit	Line	Level Factor	Loss Factor																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																									
1 7115.00	80.36	-18.84	99.20	67.08	36.65	10.20	33.57	100	56 Average																																																																							





WIFI	U-NII 8 - 6875-7125MHzMHz Band Edge @ 3m																																																																																			
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																																			
CDD 9+15	Vertical	Fundamental																																																																																		
Peak	 <table border="1" data-bbox="462 689 790 750"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>42.58</td> <td>-25.70</td> <td>88.28</td> <td>49.23</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>323</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7130.87</td> <td>52.18</td> <td>-21.90</td> <td>74.00</td> <td>38.89</td> <td>36.73</td> <td>10.18</td> <td>33.70</td> <td>100</td> <td>323</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	42.58	-25.70	88.28	49.23	36.65	10.20	33.58	100	323	Peak	2	7130.87	52.18	-21.90	74.00	38.89	36.73	10.18	33.70	100	323	Peak	 <table border="1" data-bbox="936 689 1264 750"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>79.33</td> <td>-39.87</td> <td>119.20</td> <td>66.85</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>323</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	79.33	-39.87	119.20	66.85	36.65	10.20	33.57	100	323	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.00	42.58	-25.70	88.28	49.23	36.65	10.20	33.58	100	323	Peak																																																																									
2	7130.87	52.18	-21.90	74.00	38.89	36.73	10.18	33.70	100	323	Peak																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.00	79.33	-39.87	119.20	66.85	36.65	10.20	33.57	100	323	Peak																																																																									
Avg.	 <table border="1" data-bbox="437 1294 790 1377"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>47.89</td> <td>-20.31</td> <td>68.20</td> <td>34.62</td> <td>36.65</td> <td>10.20</td> <td>33.58</td> <td>100</td> <td>323</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7323.03</td> <td>48.00</td> <td>-14.00</td> <td>54.00</td> <td>26.78</td> <td>36.73</td> <td>10.18</td> <td>33.69</td> <td>100</td> <td>323</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	47.89	-20.31	68.20	34.62	36.65	10.20	33.58	100	323	Average	2	7323.03	48.00	-14.00	54.00	26.78	36.73	10.18	33.69	100	323	Average	 <table border="1" data-bbox="909 1294 1292 1377"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.45</td> <td>-26.75</td> <td>99.20</td> <td>59.17</td> <td>36.65</td> <td>10.20</td> <td>33.57</td> <td>100</td> <td>323</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	7125.00	72.45	-26.75	99.20	59.17	36.65	10.20	33.57	100	323	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.00	47.89	-20.31	68.20	34.62	36.65	10.20	33.58	100	323	Average																																																																									
2	7323.03	48.00	-14.00	54.00	26.78	36.73	10.18	33.69	100	323	Average																																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.00	72.45	-26.75	99.20	59.17	36.65	10.20	33.57	100	323	Average																																																																									









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																	
7	Horizontal	Fundamental																																																																
Peak	 <p>Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 2387.14</td> <td>54.81</td> <td>-19.99</td> <td>74.80</td> <td>51.27</td> <td>38.63</td> <td>5.37</td> <td>33.26</td> <td>100</td> <td>230</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1 * 2387.14	54.81	-19.99	74.80	51.27	38.63	5.37	33.26	100	230	Peak	 <p>Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.88</td> <td>87.65</td> <td>13.65</td> <td>74.00</td> <td>84.77</td> <td>38.66</td> <td>5.41</td> <td>33.19</td> <td>100</td> <td>230</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1 * 2437.88	87.65	13.65	74.00	84.77	38.66	5.41	33.19	100	230	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																												
1 * 2387.14	54.81	-19.99	74.80	51.27	38.63	5.37	33.26	100	230	Peak																																																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																												
1 * 2437.88	87.65	13.65	74.00	84.77	38.66	5.41	33.19	100	230	Peak																																																								
Avg.	 <p>Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.94</td> <td>42.23</td> <td>-11.77</td> <td>54.00</td> <td>39.48</td> <td>38.63</td> <td>5.37</td> <td>33.25</td> <td>100</td> <td>230</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1 * 2389.94	42.23	-11.77	54.00	39.48	38.63	5.37	33.25	100	230	Average	 <p>Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.88</td> <td>78.71</td> <td>24.71</td> <td>54.00</td> <td>75.83</td> <td>38.66</td> <td>5.41</td> <td>33.19</td> <td>100</td> <td>230</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	1 * 2437.88	78.71	24.71	54.00	75.83	38.66	5.41	33.19	100	230	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																												
1 * 2389.94	42.23	-11.77	54.00	39.48	38.63	5.37	33.25	100	230	Average																																																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm																																																												
1 * 2437.88	78.71	24.71	54.00	75.83	38.66	5.41	33.19	100	230	Average																																																								



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																						
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																						
7	Horizontal	Fundamental																					
Peak	 <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2483.41</td> <td>52.94</td> <td>-21.86</td> <td>74.00</td> <td>49.88</td> <td>30.70</td> <td>5.46 33.10 100 230 Peak</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm deg	1 * 2483.41	52.94	-21.86	74.00	49.88	30.70	5.46 33.10 100 230 Peak	
Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm deg																	
1 * 2483.41	52.94	-21.86	74.00	49.88	30.70	5.46 33.10 100 230 Peak																	
Avg.	 <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.55</td> <td>48.94</td> <td>-13.06</td> <td>54.00</td> <td>37.91</td> <td>38.69</td> <td>5.46 33.12 100 230 Average</td> </tr> </tbody> </table>	Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm deg	1 2483.55	48.94	-13.06	54.00	37.91	38.69	5.46 33.12 100 230 Average	
Over Freq	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm deg																	
1 2483.55	48.94	-13.06	54.00	37.91	38.69	5.46 33.12 100 230 Average																	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																			
7	Vertical	Fundamental																																																																		
Peak	 <p>Date: 23 Level (dBV/m)</p> <p>125 109.4 93.8 78.1 62.5 46.9 31.3 15.6</p> <p>2310 2338 2366 2394 2422 2450</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2387.56</td> <td>52.84</td> <td>-21.16</td> <td>74.00</td> <td>50.10</td> <td>30.63</td> <td>5.37</td> <td>33.26</td> <td>280</td> <td>86 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1 * 2387.56	52.84	-21.16	74.00	50.10	30.63	5.37	33.26	280	86 Peak	 <p>Date: 25 Level (dBV/m)</p> <p>125 109.4 93.8 78.1 62.5 46.9 31.3 15.6</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>86.98</td> <td>12.98</td> <td>74.00</td> <td>84.10</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>280</td> <td>86 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1 * 2437.00	86.98	12.98	74.00	84.10	30.66	5.41	33.19	280	86 Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1 * 2387.56	52.84	-21.16	74.00	50.10	30.63	5.37	33.26	280	86 Peak																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1 * 2437.00	86.98	12.98	74.00	84.10	30.66	5.41	33.19	280	86 Peak																																																											
Avg.	 <p>Date: 24 Level (dBV/m)</p> <p>125 109.4 93.8 78.1 62.5 46.9 31.3 15.6</p> <p>2310 2338 2366 2394 2422 2450</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2389.94</td> <td>41.29</td> <td>-12.71</td> <td>54.00</td> <td>38.54</td> <td>30.63</td> <td>5.37</td> <td>33.25</td> <td>280</td> <td>86 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1 * 2389.94	41.29	-12.71	54.00	38.54	30.63	5.37	33.25	280	86 Average	 <p>Date: 26 Level (dBV/m)</p> <p>125 109.4 93.8 78.1 62.5 46.9 31.3 15.6</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBV/m</th> <th>dB</th> <th>dBV/m</th> <th>dBV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>77.14</td> <td>23.14</td> <td>54.00</td> <td>74.26</td> <td>30.66</td> <td>5.41</td> <td>33.19</td> <td>280</td> <td>86 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg	1 * 2437.00	77.14	23.14	54.00	74.26	30.66	5.41	33.19	280	86 Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1 * 2389.94	41.29	-12.71	54.00	38.54	30.63	5.37	33.25	280	86 Average																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBV/m	dB	dBV/m	dBV/m	dB	dB	cm	deg																																																												
1 * 2437.00	77.14	23.14	54.00	74.26	30.66	5.41	33.19	280	86 Average																																																											







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																					
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																					
7	Vertical	Fundamental																																				
Peak	<p>Date: 27 Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2483.50</td> <td>54.17</td> <td>-19.83</td> <td>74.00</td> <td>51.14</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>280</td> <td>86</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1 * 2483.50	54.17	-19.83	74.00	51.14	30.69	5.46	33.12	280	86	Peak	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																														
1 * 2483.50	54.17	-19.83	74.00	51.14	30.69	5.46	33.12	280	86	Peak																												
Avg.	<p>Date: 28 Date: 2023-09-24</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.55</td> <td>41.02</td> <td>-12.98</td> <td>54.00</td> <td>37.99</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>280</td> <td>86</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1 2483.55	41.02	-12.98	54.00	37.99	30.69	5.46	33.12	280	86	Average	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																														
1 2483.55	41.02	-12.98	54.00	37.99	30.69	5.46	33.12	280	86	Average																												





BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																																			
12	Horizontal	Fundamental																																																																		
Peak	 <p>Date: 11 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2483.76</td> <td>52.78</td> <td>-21.22</td> <td>74.00</td> <td>49.75</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>299</td> <td>86</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 * 2483.76	52.78	-21.22	74.00	49.75	30.69	5.46	33.12	299	86	Peak	 <p>Date: 9 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>86.24</td> <td>12.24</td> <td>74.00</td> <td>83.22</td> <td>30.69</td> <td>5.46</td> <td>33.13</td> <td>299</td> <td>86</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 * 2478.00	86.24	12.24	74.00	83.22	30.69	5.46	33.13	299	86	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 * 2483.76	52.78	-21.22	74.00	49.75	30.69	5.46	33.12	299	86	Peak																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 * 2478.00	86.24	12.24	74.00	83.22	30.69	5.46	33.13	299	86	Peak																																																										
Avg.	 <p>Date: 12 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2483.72</td> <td>37.91</td> <td>-16.09</td> <td>54.00</td> <td>34.88</td> <td>30.69</td> <td>5.46</td> <td>33.12</td> <td>299</td> <td>86</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 * 2483.72	37.91	-16.09	54.00	34.88	30.69	5.46	33.12	299	86	Average	 <p>Date: 10 Date: 2023-09-23</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>84.60</td> <td>30.60</td> <td>54.00</td> <td>81.58</td> <td>30.69</td> <td>5.46</td> <td>33.13</td> <td>299</td> <td>86</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg	1 * 2478.00	84.60	30.60	54.00	81.58	30.69	5.46	33.13	299	86	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 * 2483.72	37.91	-16.09	54.00	34.88	30.69	5.46	33.12	299	86	Average																																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Line	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																													
1 * 2478.00	84.60	30.60	54.00	81.58	30.69	5.46	33.13	299	86	Average																																																										



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																	
ANT	11a_TX_CH233+11be EHT40_CH06+B48 Link+BLE_TX_CH38Co-location																																																	
12	Vertical	Fundamental																																																
Peak	 <p>Graph showing Peak Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at approximately 2478 MHz. A red horizontal line indicates the peak level at 74 dBuV/m. The x-axis ranges from 2460 to 2500 MHz, and the y-axis ranges from 17.5 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2484.88</td> <td>48.51</td> <td>-25.49</td> <td>74.00</td> <td>45.48</td> <td>30.69</td> <td>5.46</td> <td>33.12 334 254 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 * 2484.88	48.51	-25.49	74.00	45.48	30.69	5.46	33.12 334 254 Peak	 <p>Graph showing Peak Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a peak at approximately 2478 MHz. A red horizontal line indicates the peak level at 74 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 17.5 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>83.05</td> <td>9.85</td> <td>74.00</td> <td>80.83</td> <td>30.69</td> <td>5.46</td> <td>33.13 334 254 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 * 2478.00	83.05	9.85	74.00	80.83	30.69	5.46	33.13 334 254 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1 * 2484.88	48.51	-25.49	74.00	45.48	30.69	5.46	33.12 334 254 Peak																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1 * 2478.00	83.05	9.85	74.00	80.83	30.69	5.46	33.13 334 254 Peak																																											
Avg.	 <p>Graph showing Average Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a peak at approximately 2478 MHz. A red horizontal line indicates the average level at 54 dBuV/m. The x-axis ranges from 2460 to 2500 MHz, and the y-axis ranges from 17.5 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2484.12</td> <td>36.27</td> <td>-17.73</td> <td>54.00</td> <td>33.24</td> <td>30.69</td> <td>5.46</td> <td>33.12 334 254 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 2484.12	36.27	-17.73	54.00	33.24	30.69	5.46	33.12 334 254 Average	 <p>Graph showing Average Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a peak at approximately 2478 MHz. A red horizontal line indicates the average level at 54 dBuV/m. The x-axis ranges from 1000 to 3000 MHz, and the y-axis ranges from 17.5 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2478.00</td> <td>81.91</td> <td>27.91</td> <td>54.00</td> <td>78.89</td> <td>30.69</td> <td>5.46</td> <td>33.13 334 254 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg	1 * 2478.00	81.91	27.91	54.00	78.89	30.69	5.46	33.13 334 254 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1 2484.12	36.27	-17.73	54.00	33.24	30.69	5.46	33.12 334 254 Average																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																											
Freq	Level	Line	Level Factor	Loss Factor	dB	cm	deg																																											
1 * 2478.00	81.91	27.91	54.00	78.89	30.69	5.46	33.13 334 254 Average																																											





Mode 84 11a\_CH233+11be EHT40\_CH06+LTE B48 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																									
ANT	11a_CH233+11be EHT40_CH06+LTE B48 Link Co-location																																																																																									
7+12/ 9+15	Horizontal	Vertical																																																																																								
Peak	 <table border="1" data-bbox="363 1008 810 1115"> <thead> <tr> <th>Peak</th> <th>1</th> <th>2</th> <th>3 *</th> </tr> </thead> <tbody> <tr> <td>Freq (MHz)</td> <td>4874.00</td> <td>7311.00</td> <td>14230.00</td> </tr> <tr> <td>Level (dBuV/m)</td> <td>48.03</td> <td>41.04</td> <td>49.73</td> </tr> <tr> <td>Limit (dB)</td> <td>-25.97</td> <td>-32.96</td> <td>-18.57</td> </tr> <tr> <td>ReadAntenna Level (dBuV)</td> <td>74.00</td> <td>74.00</td> <td>68.30</td> </tr> <tr> <td>Factor</td> <td>36.37</td> <td>59.00</td> <td>59.09</td> </tr> <tr> <td>Cable Loss (dB)</td> <td>35.55</td> <td>36.72</td> <td>40.55</td> </tr> <tr> <td>Preamp Loss (dB)</td> <td>8.76</td> <td>10.18</td> <td>13.98</td> </tr> <tr> <td>A/Pos (dB)</td> <td>32.65</td> <td>64.86</td> <td>63.89</td> </tr> <tr> <td>T/Pos (cm)</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Remark</td> <td>Peak</td> <td>Peak</td> <td>Peak</td> </tr> </tbody> </table>	Peak	1	2	3 *	Freq (MHz)	4874.00	7311.00	14230.00	Level (dBuV/m)	48.03	41.04	49.73	Limit (dB)	-25.97	-32.96	-18.57	ReadAntenna Level (dBuV)	74.00	74.00	68.30	Factor	36.37	59.00	59.09	Cable Loss (dB)	35.55	36.72	40.55	Preamp Loss (dB)	8.76	10.18	13.98	A/Pos (dB)	32.65	64.86	63.89	T/Pos (cm)	---	---	---	Remark	Peak	Peak	Peak	 <table border="1" data-bbox="941 1008 1388 1115"> <thead> <tr> <th>Peak</th> <th>1</th> <th>2</th> <th>3 *</th> </tr> </thead> <tbody> <tr> <td>Freq (MHz)</td> <td>4874.00</td> <td>7311.00</td> <td>14230.00</td> </tr> <tr> <td>Level (dBuV/m)</td> <td>48.46</td> <td>41.29</td> <td>48.78</td> </tr> <tr> <td>Limit (dB)</td> <td>-25.54</td> <td>-32.71</td> <td>-19.52</td> </tr> <tr> <td>ReadAntenna Level (dBuV)</td> <td>74.00</td> <td>74.00</td> <td>68.30</td> </tr> <tr> <td>Factor</td> <td>36.80</td> <td>59.25</td> <td>58.14</td> </tr> <tr> <td>Cable Loss (dB)</td> <td>35.55</td> <td>36.72</td> <td>40.55</td> </tr> <tr> <td>Preamp Loss (dB)</td> <td>8.76</td> <td>10.18</td> <td>13.98</td> </tr> <tr> <td>A/Pos (dB)</td> <td>32.65</td> <td>64.86</td> <td>63.89</td> </tr> <tr> <td>T/Pos (cm)</td> <td>---</td> <td>---</td> <td>---</td> </tr> <tr> <td>Remark</td> <td>Peak</td> <td>Peak</td> <td>Peak</td> </tr> </tbody> </table>	Peak	1	2	3 *	Freq (MHz)	4874.00	7311.00	14230.00	Level (dBuV/m)	48.46	41.29	48.78	Limit (dB)	-25.54	-32.71	-19.52	ReadAntenna Level (dBuV)	74.00	74.00	68.30	Factor	36.80	59.25	58.14	Cable Loss (dB)	35.55	36.72	40.55	Preamp Loss (dB)	8.76	10.18	13.98	A/Pos (dB)	32.65	64.86	63.89	T/Pos (cm)	---	---	---	Remark	Peak	Peak	Peak
Peak	1	2	3 *																																																																																							
Freq (MHz)	4874.00	7311.00	14230.00																																																																																							
Level (dBuV/m)	48.03	41.04	49.73																																																																																							
Limit (dB)	-25.97	-32.96	-18.57																																																																																							
ReadAntenna Level (dBuV)	74.00	74.00	68.30																																																																																							
Factor	36.37	59.00	59.09																																																																																							
Cable Loss (dB)	35.55	36.72	40.55																																																																																							
Preamp Loss (dB)	8.76	10.18	13.98																																																																																							
A/Pos (dB)	32.65	64.86	63.89																																																																																							
T/Pos (cm)	---	---	---																																																																																							
Remark	Peak	Peak	Peak																																																																																							
Peak	1	2	3 *																																																																																							
Freq (MHz)	4874.00	7311.00	14230.00																																																																																							
Level (dBuV/m)	48.46	41.29	48.78																																																																																							
Limit (dB)	-25.54	-32.71	-19.52																																																																																							
ReadAntenna Level (dBuV)	74.00	74.00	68.30																																																																																							
Factor	36.80	59.25	58.14																																																																																							
Cable Loss (dB)	35.55	36.72	40.55																																																																																							
Preamp Loss (dB)	8.76	10.18	13.98																																																																																							
A/Pos (dB)	32.65	64.86	63.89																																																																																							
T/Pos (cm)	---	---	---																																																																																							
Remark	Peak	Peak	Peak																																																																																							





Mode 85 11a\_CH233+11be EHT40\_CH06+LTE B48+BLE\_CH38 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																																													
ANT	11a_CH233+11be EHT40_CH06+LTE B48+BLE_CH38 Co-location																																																																																																																																													
7/12/9+15	Horizontal	Vertical																																																																																																																																												
Peak	 <table border="1" data-bbox="395 936 818 1059"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.81</td> <td>-26.19</td> <td>74.00</td> <td>36.15</td> <td>35.55</td> <td>8.76</td> <td>32.65</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>48.20</td> <td>-25.80</td> <td>74.00</td> <td>36.64</td> <td>35.71</td> <td>8.53</td> <td>32.68</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.12</td> <td>-31.88</td> <td>74.00</td> <td>60.08</td> <td>36.72</td> <td>10.18</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>40.12</td> <td>-33.88</td> <td>74.00</td> <td>58.04</td> <td>36.77</td> <td>10.17</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>5 *</td> <td>14230.00</td> <td>49.31</td> <td>-18.99</td> <td>68.30</td> <td>58.67</td> <td>40.55</td> <td>13.98</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	MHz	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4874.00	47.81	-26.19	74.00	36.15	35.55	8.76	32.65	--- Peak	2	4956.00	48.20	-25.80	74.00	36.64	35.71	8.53	32.68	--- Peak	3	7311.00	42.12	-31.88	74.00	60.08	36.72	10.18	64.86	--- Peak	4	7434.00	40.12	-33.88	74.00	58.04	36.77	10.17	64.86	--- Peak	5 *	14230.00	49.31	-18.99	68.30	58.67	40.55	13.98	63.89	--- Peak	 <table border="1" data-bbox="938 936 1361 1059"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.76</td> <td>-26.24</td> <td>74.00</td> <td>36.10</td> <td>35.55</td> <td>8.76</td> <td>32.65</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>47.94</td> <td>-26.06</td> <td>74.00</td> <td>36.38</td> <td>35.71</td> <td>8.53</td> <td>32.68</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.70</td> <td>-31.30</td> <td>74.00</td> <td>60.66</td> <td>36.72</td> <td>10.18</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>41.88</td> <td>-32.12</td> <td>74.00</td> <td>59.80</td> <td>36.77</td> <td>10.17</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>5 *</td> <td>14230.00</td> <td>48.83</td> <td>-19.47</td> <td>68.30</td> <td>58.19</td> <td>40.55</td> <td>13.98</td> <td>63.89</td> <td>--- Peak</td> </tr> </tbody> </table>	MHz	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4874.00	47.76	-26.24	74.00	36.10	35.55	8.76	32.65	--- Peak	2	4956.00	47.94	-26.06	74.00	36.38	35.71	8.53	32.68	--- Peak	3	7311.00	42.70	-31.30	74.00	60.66	36.72	10.18	64.86	--- Peak	4	7434.00	41.88	-32.12	74.00	59.80	36.77	10.17	64.86	--- Peak	5 *	14230.00	48.83	-19.47	68.30	58.19	40.55	13.98	63.89	--- Peak
MHz	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4874.00	47.81	-26.19	74.00	36.15	35.55	8.76	32.65	--- Peak																																																																																																																																					
2	4956.00	48.20	-25.80	74.00	36.64	35.71	8.53	32.68	--- Peak																																																																																																																																					
3	7311.00	42.12	-31.88	74.00	60.08	36.72	10.18	64.86	--- Peak																																																																																																																																					
4	7434.00	40.12	-33.88	74.00	58.04	36.77	10.17	64.86	--- Peak																																																																																																																																					
5 *	14230.00	49.31	-18.99	68.30	58.67	40.55	13.98	63.89	--- Peak																																																																																																																																					
MHz	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																						
1	4874.00	47.76	-26.24	74.00	36.10	35.55	8.76	32.65	--- Peak																																																																																																																																					
2	4956.00	47.94	-26.06	74.00	36.38	35.71	8.53	32.68	--- Peak																																																																																																																																					
3	7311.00	42.70	-31.30	74.00	60.66	36.72	10.18	64.86	--- Peak																																																																																																																																					
4	7434.00	41.88	-32.12	74.00	59.80	36.77	10.17	64.86	--- Peak																																																																																																																																					
5 *	14230.00	48.83	-19.47	68.30	58.19	40.55	13.98	63.89	--- Peak																																																																																																																																					





Mode 86 11a\_CH233+11be EHT40\_CH06+LTE B48+BLE\_CH38 (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																																					
ANT	11a_CH233+11be EHT40_CH06+LTE B48+BLE_CH38 Co-location																																																																																																																																					
12/7/9+15	Horizontal	Vertical																																																																																																																																				
Peak	 <table border="1" data-bbox="395 936 817 1057"> <thead> <tr> <th>Peak</th> <th>MHz</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level Factor (dB)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.27</td> <td>-26.73</td> <td>74.00</td> <td>35.61</td> <td>35.55</td> <td>8.76</td> <td>32.65</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>48.23</td> <td>-25.77</td> <td>74.00</td> <td>36.67</td> <td>35.71</td> <td>8.53</td> <td>32.68</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>41.12</td> <td>-32.88</td> <td>74.00</td> <td>59.08</td> <td>36.72</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>40.40</td> <td>-33.60</td> <td>74.00</td> <td>58.32</td> <td>36.77</td> <td>10.17</td> <td>64.86</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5 *</td> <td>14230.00</td> <td>47.84</td> <td>-26.16</td> <td>68.30</td> <td>57.20</td> <td>40.55</td> <td>13.98</td> <td>63.89</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	MHz	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level Factor (dB)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4874.00	47.27	-26.73	74.00	35.61	35.55	8.76	32.65	---	Peak	2	4956.00	48.23	-25.77	74.00	36.67	35.71	8.53	32.68	---	Peak	3	7311.00	41.12	-32.88	74.00	59.08	36.72	10.18	64.86	---	Peak	4	7434.00	40.40	-33.60	74.00	58.32	36.77	10.17	64.86	---	Peak	5 *	14230.00	47.84	-26.16	68.30	57.20	40.55	13.98	63.89	---	Peak	 <table border="1" data-bbox="938 936 1359 1057"> <thead> <tr> <th>Peak</th> <th>MHz</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level Factor (dB)</th> <th>Cable Loss Factor (dB)</th> <th>Preamp Loss Factor (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>47.54</td> <td>-26.46</td> <td>74.00</td> <td>35.88</td> <td>35.55</td> <td>8.76</td> <td>32.65</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4956.00</td> <td>49.39</td> <td>-24.61</td> <td>74.00</td> <td>37.83</td> <td>35.71</td> <td>8.53</td> <td>32.68</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.31</td> <td>-31.69</td> <td>74.00</td> <td>60.27</td> <td>36.72</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>40.40</td> <td>-33.60</td> <td>74.00</td> <td>58.32</td> <td>36.77</td> <td>10.17</td> <td>64.86</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5 *</td> <td>14230.00</td> <td>48.63</td> <td>-19.67</td> <td>68.30</td> <td>57.99</td> <td>40.55</td> <td>13.98</td> <td>63.89</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	MHz	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level Factor (dB)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4874.00	47.54	-26.46	74.00	35.88	35.55	8.76	32.65	---	Peak	2	4956.00	49.39	-24.61	74.00	37.83	35.71	8.53	32.68	---	Peak	3	7311.00	42.31	-31.69	74.00	60.27	36.72	10.18	64.86	---	Peak	4	7434.00	40.40	-33.60	74.00	58.32	36.77	10.17	64.86	---	Peak	5 *	14230.00	48.63	-19.67	68.30	57.99	40.55	13.98	63.89	---	Peak
Peak	MHz	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level Factor (dB)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																												
1	4874.00	47.27	-26.73	74.00	35.61	35.55	8.76	32.65	---	Peak																																																																																																																												
2	4956.00	48.23	-25.77	74.00	36.67	35.71	8.53	32.68	---	Peak																																																																																																																												
3	7311.00	41.12	-32.88	74.00	59.08	36.72	10.18	64.86	---	Peak																																																																																																																												
4	7434.00	40.40	-33.60	74.00	58.32	36.77	10.17	64.86	---	Peak																																																																																																																												
5 *	14230.00	47.84	-26.16	68.30	57.20	40.55	13.98	63.89	---	Peak																																																																																																																												
Peak	MHz	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level Factor (dB)	Cable Loss Factor (dB)	Preamp Loss Factor (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																												
1	4874.00	47.54	-26.46	74.00	35.88	35.55	8.76	32.65	---	Peak																																																																																																																												
2	4956.00	49.39	-24.61	74.00	37.83	35.71	8.53	32.68	---	Peak																																																																																																																												
3	7311.00	42.31	-31.69	74.00	60.27	36.72	10.18	64.86	---	Peak																																																																																																																												
4	7434.00	40.40	-33.60	74.00	58.32	36.77	10.17	64.86	---	Peak																																																																																																																												
5 *	14230.00	48.63	-19.67	68.30	57.99	40.55	13.98	63.89	---	Peak																																																																																																																												


Note: the highest signals over limit are co-location fundamental signals.



## Appendix E. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
9/15	802.11a	98.97	-	-	10Hz
9/15	802.11be EHT20	100	-	-	10Hz
9/15	802.11be EHT40	100	-	-	10Hz
9/15	802.11be EHT80	100	-	-	10Hz
9/15	802.11be EHT160	100	-	-	10Hz
9/15	802.11be EHT320	98.04	-	-	10Hz


### 802.11a



Date: 7.SEP.2023 00:32:32




### 802.11be EHT20



Date: 7.SEP.2023 00:56:31


### 802.11be EHT40



Date: 7.SEP.2023 01:13:49




802.11be EHT80



Date: 7.SEP.2023 01:31:12


802.11be EHT160



Date: 7.SEP.2023 01:45:25



802.11be EHT320



Date: 7.SEP.2023 01:56:57