



Mode	96																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT80_CH39_Full_6145MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12290.00</td> <td>49.06</td> <td>-24.94</td> <td>74.00</td> <td>59.73</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12290.00	49.06	-24.94	74.00	59.73	39.55	13.33	63.55	--- --- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12290.00</td> <td>48.49</td> <td>-25.51</td> <td>74.00</td> <td>59.16</td> <td>39.55</td> <td>13.33</td> <td>63.55</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12290.00	48.49	-25.51	74.00	59.16	39.55	13.33	63.55	--- --- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12290.00	49.06	-24.94	74.00	59.73	39.55	13.33	63.55	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12290.00	48.49	-25.51	74.00	59.16	39.55	13.33	63.55	--- --- Peak																																																												



Mode	97																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT80_CH87_Full_6385MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12770.00</td> <td>47.97</td> <td>-40.23</td> <td>88.20</td> <td>58.39</td> <td>39.78</td> <td>13.49</td> <td>63.69</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12770.00	47.97	-40.23	88.20	58.39	39.78	13.49	63.69	--- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12770.00</td> <td>48.49</td> <td>-39.71</td> <td>88.20</td> <td>58.91</td> <td>39.78</td> <td>13.49</td> <td>63.69</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12770.00	48.49	-39.71	88.20	58.91	39.78	13.49	63.69	--- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12770.00	47.97	-40.23	88.20	58.39	39.78	13.49	63.69	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12770.00	48.49	-39.71	88.20	58.91	39.78	13.49	63.69	--- Peak																																																												



	99																																																																			
Mode	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT80_CH135_Full_6625MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13250.00</td> <td>48.92</td> <td>-25.08</td> <td>74.00</td> <td>59.03</td> <td>40.05</td> <td>13.64</td> <td>63.80</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	--- Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 13250.00</td> <td>49.11</td> <td>-24.89</td> <td>74.00</td> <td>59.22</td> <td>40.05</td> <td>13.64</td> <td>63.80</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	--- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13250.00	48.92	-25.08	74.00	59.03	40.05	13.64	63.80	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 13250.00	49.11	-24.89	74.00	59.22	40.05	13.64	63.80	--- Peak																																																												



Mode	100																																																																			
	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT80_CH151_Full_6705MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>1 * 13410.00</td> <td>48.04</td> <td>-40.16</td> <td>88.20</td> <td>58.03</td> <td>40.15</td> <td>13.68</td> <td>63.82</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Peak	1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	---	---	Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>1 * 13410.00</td> <td>47.81</td> <td>-40.39</td> <td>88.20</td> <td>57.80</td> <td>40.15</td> <td>13.68</td> <td>63.82</td> <td>---</td> <td>---</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Peak	1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	---	---	Peak
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Peak																																																								
1 * 13410.00	48.04	-40.16	88.20	58.03	40.15	13.68	63.82	---	---	---	---	Peak																																																								
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																														
Freq	Level	Limit	Line	Level	Factor	Loss	Factor	dB	dB	cm	deg	Peak																																																								
1 * 13410.00	47.81	-40.39	88.20	57.80	40.15	13.68	63.82	---	---	---	---	Peak																																																								



Mode	101																																																																							
	Harmonic																																																																							
	UNII-7_6525-6875_802.11be EHT80_CH167_Full_6785MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak																																																																								
Avg																																																																								
	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13570.00</td> <td>48.68</td> <td>-39.52</td> <td>88.20</td> <td>58.56</td> <td>40.24</td> <td>13.73</td> <td>63.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85	---	---	Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13570.00</td> <td>48.90</td> <td>-39.30</td> <td>88.20</td> <td>58.78</td> <td>40.24</td> <td>13.73</td> <td>63.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85	---	---	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 * 13570.00	48.68	-39.52	88.20	58.56	40.24	13.73	63.85	---	---	Peak																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Limit	Level	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 * 13570.00	48.90	-39.30	88.20	58.78	40.24	13.73	63.85	---	---	Peak																																																														



Mode	103																																																													
	Harmonic																																																													
	UNII-5_5925-6425_802.11be EHT160_CH47_Full_6185MHz																																																													
ANT	CDD 9+15																																																													
Pol.	Horizontal	Vertical																																																												
Peak Avg	<p>Data: 5 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>Limit dB</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 12370.00</td> <td>47.22</td> <td>-26.78</td> <td>74.00</td> <td>57.85</td> <td>13.36</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	Limit dB	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 * 12370.00	47.22	-26.78	74.00	57.85	13.36	63.58	---	---	Peak	<p>Data: 6 Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>Limit dB</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 12370.00</td> <td>47.40</td> <td>-26.60</td> <td>74.00</td> <td>58.03</td> <td>13.36</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	Limit dB	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 * 12370.00	47.40	-26.60	74.00	58.03	13.36	63.58	---	---	Peak
	Over Freq	Limit Level	Limit dB	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1 * 12370.00	47.22	-26.78	74.00	57.85	13.36	63.58	---	---	Peak																																																					
Over Freq	Limit Level	Limit dB	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1 * 12370.00	47.40	-26.60	74.00	58.03	13.36	63.58	---	---	Peak																																																					



Mode	104																																																																			
	Harmonic																																																																			
	UNII-5_5925-6425_802.11be EHT160_CH79_Full_6345MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12690.00</td> <td>47.43</td> <td>-26.57</td> <td>74.00</td> <td>57.89</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 12690.00</td> <td>47.48</td> <td>-26.52</td> <td>74.00</td> <td>57.94</td> <td>39.75</td> <td>13.46</td> <td>63.67</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12690.00	47.43	-26.57	74.00	57.89	39.75	13.46	63.67	--- --- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB																																																													
1 * 12690.00	47.48	-26.52	74.00	57.94	39.75	13.46	63.67	--- --- Peak																																																												




Mode	105																																																																			
	Harmonic																																																																			
	UNII-7_6525-6875_802.11be EHT160_CH143_Full_6665MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak Avg	<p>Data: 5</p> <p>Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13330.00</td> <td>47.66</td> <td>-26.34</td> <td>74.00</td> <td>57.71</td> <td>40.10</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81	--- Peak	<p>Data: 6</p> <p>Date: 2023-09-28</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 * 13330.00</td> <td>48.15</td> <td>-25.85</td> <td>74.00</td> <td>58.20</td> <td>40.10</td> <td>13.66</td> <td>63.81</td> <td>--- Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81	--- Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																													
1 * 13330.00	47.66	-26.34	74.00	57.71	40.10	13.66	63.81	--- Peak																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
Freq	Level	Limit	Level	Loss	Factor	Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																													
1 * 13330.00	48.15	-25.85	74.00	58.20	40.10	13.66	63.81	--- Peak																																																												



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
9/15	802.11a	98.97	-	-	10Hz
9/15	802.11be EHT20	100	-	-	10Hz
9/15	802.11be EHT40	100	-	-	10Hz
9/15	802.11be EHT80	100	-	-	10Hz
9/15	802.11be EHT160	100	-	-	10Hz
9/15	802.11be EHT320	98.04	-	-	10Hz


802.11a



Date: 7.SEP.2023 00:32:32




802.11be EHT20



Date: 7.SEP.2023 00:56:31


802.11be EHT40



Date: 7.SEP.2023 01:13:49




802.11be EHT80



Date: 7.SEP.2023 01:31:12


802.11be EHT160



Date: 7.SEP.2023 01:45:25



802.11be EHT320



Date: 7.SEP.2023 01:56:57