




## Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ  
Condition: FCC 15E\_QP LISN\_20230420\_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.17	33.12	-22.04	55.16	12.50	10.48	10.14	Average
2 *	0.17	51.42	-13.74	65.16	30.80	10.48	10.14	QP
3	0.21	28.45	-24.65	53.10	7.90	10.40	10.15	Average
4	0.21	43.05	-20.05	63.10	22.50	10.40	10.15	QP
5	0.27	24.13	-27.12	51.25	3.60	10.38	10.15	Average
6	0.27	38.33	-22.92	61.25	17.80	10.38	10.15	QP
7	0.30	23.32	-26.87	50.19	2.80	10.37	10.15	Average
8	0.30	37.32	-22.87	60.19	16.80	10.37	10.15	QP
9	0.37	23.05	-25.47	48.52	2.59	10.30	10.16	Average
10	0.37	34.95	-23.57	58.52	14.49	10.30	10.16	QP
11	0.99	27.80	-18.20	46.00	7.40	10.24	10.16	Average
12	0.99	36.70	-19.30	56.00	16.30	10.24	10.16	QP



Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ  
 Condition: FCC 15E\_QP LISN\_20230420\_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	34.88	-20.55	55.43	14.30	10.44	10.14	Average
2 *	0.16	52.58	-12.85	65.43	32.00	10.44	10.14	QP
3	0.19	27.12	-26.86	53.98	6.60	10.37	10.15	Average
4	0.19	46.92	-17.06	63.98	26.40	10.37	10.15	QP
5	0.25	25.77	-26.09	51.86	5.30	10.32	10.15	Average
6	0.25	42.67	-19.19	61.86	22.20	10.32	10.15	QP
7	0.31	24.15	-25.78	49.93	3.71	10.29	10.15	Average
8	0.31	39.05	-20.88	59.93	18.61	10.29	10.15	QP
9	0.37	24.21	-24.35	48.56	3.80	10.25	10.16	Average
10	0.37	37.01	-21.55	58.56	16.60	10.25	10.16	QP
11	1.05	27.92	-18.08	46.00	7.51	10.25	10.16	Average
12	1.05	36.92	-19.08	56.00	16.51	10.25	10.16	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



### Appendix C. Radiated Spurious Emission

Test Engineer :	Reid Huang	Relative Humidity :	50%
		Temperature :	20-22°C

### Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 9+15	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 9+15	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 9+15	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 9+15	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 9+15	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 9+15	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 9+15	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 9+15	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 9+15	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT40	134	5670	MCS0	Full	-
Mode 25	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT80	42	5210	MCS0	Full	-
Mode 26	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT80	106	5530	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT80	122	5610	MCS0	Full	-
Mode 29	U-NII-2A	5.15-5.35	CDD 9+15	802.11be EHT160	50	5250	MCS0	Full	-
Mode 30	U-NII-2C	5.15-5.35	CDD 9+15	802.11be EHT160	114	5570	MCS0	Full	-
Mode 31	U-NII-3	5.725-5.85	CDD 9+15	802.11a	149	5745	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	CDD 9+15	802.11a	157	5785	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	CDD 9+15	802.11a	165	5825	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Full	-
Mode 35	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	157	5785	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT40	151	5755	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT40	159	5795	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT80	155	5775	MCS0	Full	-
Mode 40	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Single RU 26/0	-
Mode 41	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Single RU 52/37	-
Mode 42	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Single RU 106/53	-
Mode 43	U-NII-2A	5.15-5.25	CDD 9+15	802.11be EHT20	64	5320	MCS0	Single RU 26/0	-
Mode 44	U-NII-2A	5.15-5.25	CDD 9+15	802.11be EHT20	64	5320	MCS0	Single RU 52/40	-
Mode 45	U-NII-2A	5.15-5.25	CDD 9+15	802.11be EHT20	64	5320	MCS0	Single RU 106/54	-
Mode 46	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	100	5500	MCS0	Single RU 26/0	-
Mode 47	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	100	5500	MCS0	Single RU 52/37	-
Mode 48	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	100	5500	MCS0	Single RU 106/53	-
Mode 49	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	140	5700	MCS0	Single RU 26/8	-
Mode 50	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	140	5700	MCS0	Single RU 52/40	-
Mode 51	U-NII-2C	5.25-5.35	CDD 9+15	802.11be EHT20	140	5700	MCS0	Single RU 106/54	-
Mode 52	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Single RU 26/0	-
Mode 53	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Single RU 52/37	-
Mode 54	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Single RU 106/53	-
Mode 55	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Single RU 26/0	-
Mode 56	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Single RU 52/40	-
Mode 57	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Single RU 106/54	-
Mode 58	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Small RU 52+26 38+1	-
Mode 59	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	36	5180	MCS0	Small RU 106+26 53+4	-
Mode 60	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT20	64	5320	MCS0	Small RU 52+26 39+7	-
Mode 61	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT20	64	5320	MCS0	Small RU 106+26 54+4	-
Mode 62	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	100	5500	MCS0	Small RU 52+26 38+1	-
Mode 63	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	100	5500	MCS0	Small RU 106+26 53+4	-
Mode 64	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	140	5700	MCS0	Small RU 52+26 39+7	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	140	5700	MCS0	Small RU 106+26 54+4	-
Mode 66	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Small RU 52+26 38+1	-
Mode 67	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	149	5745	MCS0	Small RU 106+26 53+4	-
Mode 68	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Small RU 52+26 39+7	-
Mode 69	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT20	165	5825	MCS0	Small RU 106+26 54+4	-
Mode 70	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 71	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 72	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 73	U-NII-2A	5.15-5.35	CDD 9+15	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑤	-
Mode 74	U-NII-2A	5.15-5.35	CDD 9+15	802.11be EHT160	50	5250	MCS0	Puncturing 40M ②	-
Mode 75	U-NII-2C	5.15-5.35	CDD 9+15	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 76	U-NII-2C	5.15-5.35	CDD 9+15	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 77	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT80	155	5775	MCS0	Puncturing 20M ③	-
Mode 78	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 79	U-NII-2A	5.25-5.35	CDD 9+15	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ①	-
Mode 80	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 81	U-NII-2A	5.15-5.35	CDD 9+15	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ③	-
Mode 82	U-NII-2C	5.15-5.35	CDD 9+15	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 83	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ③	-
Mode 84	U-NII-2C	5.15-5.35	CDD 9+15	802.11be EHT160	114	5570	MCS0	Full	LF
Mode 85	U-NII-3	5.725-5.85	CDD 9+15	802.11be EHT80	155	5775	MCS0	Full	LF
Mode 89	U-NII-1	5.15-5.25	CDD 9+15	802.11be EHT20	40	5200	MCS0	Full	-
Mode 90	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	104	5520	MCS0	Full	-
Mode 91	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT20	136	5680	MCS0	Full	-
Mode 92	U-NII-2C	5.47-5.725	CDD 9+15	802.11be EHT40	126	5630	MCS0	Full	-



### Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	-	-	-	-	-	-	-	Band Edge
	802.11a	36	10360.00	47.59	68.30	-20.71	H	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	47.76	68.30	-20.54	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	47.09	68.30	-21.21	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	10520.00	46.99	68.30	-21.31	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	15900.00	47.77	74.00	-26.23	V	Peak	Pass	Harmonic
6	802.11a	64	-	-	-	-	-	-	-	Band Edge
	802.11a	64	15960.00	47.23	74.00	-26.77	V	Peak	Pass	Harmonic
7	802.11a	100	-	-	-	-	-	-	-	Band Edge
	802.11a	100	16500.00	48.96	68.30	-19.34	V	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
	802.11a	116	16740.00	46.41	68.30	-21.89	H	Peak	Pass	Harmonic
9	802.11a	140	-	-	-	-	-	-	-	Band Edge
	802.11a	140	17100.00	48.19	68.30	-20.11	H	Peak	Pass	Harmonic
10	802.11be EHT20	36	5057.96	40.56	54.00	-13.44	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	10360.00	47.68	68.30	-20.62	H	Peak	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	44	10440.00	47.56	68.30	-20.74	V	Peak	Pass	Harmonic
12	802.11be EHT20	48	5050.64	40.97	54.00	-13.03	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	48	10480.00	47.37	68.30	-20.93	H	Peak	Pass	Harmonic
13	802.11be EHT20	52	5055.38	40.89	54.00	-13.11	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	52	10520.00	48.03	68.30	-20.27	V	Peak	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	60	15900.00	48.30	74.00	-25.70	V	Peak	Pass	Harmonic
15	802.11be EHT20	64	5350.94	39.50	54.00	-14.50	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	10640.00	48.80	74.00	-25.20	H	Peak	Pass	Harmonic
16	802.11be EHT20	100	5458.30	39.87	54.00	-14.13	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	16500.00	46.25	68.30	-22.05	H	Peak	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	116	16740.00	45.70	68.30	-22.60	H	Peak	Pass	Harmonic
18	802.11be EHT20	140	5758.37	50.54	68.30	-17.76	V	PEAK	Pass	Band Edge
	802.11be EHT20	140	17100.00	45.73	68.30	-22.57	V	Peak	Pass	Harmonic
19	802.11be EHT40	38	5144.97	41.08	54.00	-12.92	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11be EHT40	46	5111.55	41.08	54.00	-12.92	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11be EHT40	54	5049.68	40.32	54.00	-13.68	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11be EHT40	62	5357.85	41.23	54.00	-12.77	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11be EHT40	102	5459.28	40.32	54.00	-13.68	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11be EHT40	134	5386.16	39.61	54.00	-14.39	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11be EHT80	42	5149.73	43.84	54.00	-10.16	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
26	802.11be EHT80	58	5383.84	46.75	54.00	-7.25	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT80	106	5459.62	48.06	54.00	-5.94	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11be EHT80	122	5457.90	42.40	54.00	-11.60	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11be EHT160	50	5403.72	46.60	54.00	-7.40	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
30	802.11be EHT160	114	5458.90	48.75	54.00	-5.25	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	114	16710.00	46.33	68.30	-21.97	V	Peak	Pass	Harmonic
31	802.11a	149	-	-	-	-	-	-	-	Band Edge
	802.11a	149	17235.00	47.49	68.30	-20.81	V	Peak	Pass	Harmonic
32	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	17355.00	47.20	68.30	-21.10	H	Peak	Pass	Harmonic
33	802.11a	165	-	-	-	-	-	-	-	Band Edge
	802.11a	165	17475.00	46.63	68.30	-21.67	V	Peak	Pass	Harmonic
34	802.11be EHT20	149	5640.02	50.25	68.30	-18.05	V	PEAK	Pass	Band Edge
	802.11be EHT20	149	17235.00	47.21	68.30	-21.09	H	Peak	Pass	Harmonic
35	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
	802.11be EHT20	157	17355.00	47.23	68.30	-21.07	V	Peak	Pass	Harmonic
36	802.11be EHT20	165	5925.50	51.34	68.30	-16.96	V	PEAK	Pass	Band Edge
	802.11be EHT20	165	17475.00	46.83	68.30	-21.47	V	Peak	Pass	Harmonic
37	802.11be EHT40	151	5649.29	52.83	68.30	-15.47	V	PEAK	Pass	Band Edge
	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT40	159	5934.66	52.86	68.30	-15.44	V	PEAK	Pass	Band Edge
	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
39	802.11be EHT80	155	5650.23	61.60	68.47	-6.87	V	PEAK	Pass	Band Edge
	802.11be EHT80	155	17325.00	46.28	68.30	-22.02	H	Peak	Pass	Harmonic
40	802.11be EHT20	36	5048.60	40.23	54.00	-13.77	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT20	36	5101.16	40.23	54.00	-13.77	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT20	36	5053.46	40.35	54.00	-13.65	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT20	64	5386.78	39.11	54.00	-14.89	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
44	802.11be EHT20	64	5351.64	39.00	54.00	-15.00	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT20	64	5350.52	39.23	54.00	-14.77	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
46	802.11be EHT20	100	5436.55	39.08	54.00	-14.92	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	100	5433.85	39.23	54.00	-14.77	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	100	5418.85	39.59	54.00	-14.41	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	140	5733.54	50.03	68.30	-18.27	V	PEAK	Pass	Band Edge
	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	140	5761.30	49.99	68.30	-18.31	V	PEAK	Pass	Band Edge
	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	140	5728.80	50.98	68.30	-17.32	V	PEAK	Pass	Band Edge
	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	149	5607.25	49.12	68.30	-19.18	V	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
53	802.11be EHT20	149	5649.88	48.97	68.30	-19.33	V	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	149	5634.22	48.98	68.30	-19.32	H	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	165	5924.63	50.12	68.48	-18.36	V	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	165	5938.50	49.87	68.30	-18.43	V	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT20	165	5941.38	49.98	68.30	-18.32	H	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT20	36	5081.54	40.40	54.00	-13.60	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	36	5053.64	40.58	54.00	-13.42	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	64	5350.10	39.88	54.00	-14.12	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	64	5363.54	39.31	54.00	-14.69	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT20	100	5433.85	39.09	54.00	-14.91	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT20	100	5455.75	39.00	54.00	-15.00	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT20	140	5752.13	49.66	68.30	-18.64	H	PEAK	Pass	Band Edge
	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	140	5750.38	49.71	68.30	-18.59	V	PEAK	Pass	Band Edge
	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	149	5643.65	48.52	68.30	-19.78	V	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	149	5633.35	48.70	68.30	-19.60	H	PEAK	Pass	Band Edge
	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	165	5932.50	50.31	68.30	-17.99	H	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	165	5925.13	50.67	68.30	-17.63	V	PEAK	Pass	Band Edge
	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT80	42	5149.94	45.00	54.00	-9.00	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT80	58	5357.83	46.88	54.00	-7.12	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT80	106	5453.68	47.16	54.00	-6.84	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT160	50	5146.00	48.50	54.00	-5.50	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT160	50	5116.25	48.20	54.00	-5.80	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT160	114	5456.04	44.91	54.00	-7.09	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	114	5413.80	46.78	54.00	-7.22	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT80	155	5652.15	54.49	69.89	-15.40	V	PEAK	Pass	Band Edge
	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	42	5149.31	46.87	54.00	-7.13	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	58	5354.77	42.20	54.00	-11.80	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
80	802.11be EHT80	106	5454.94	43.59	54.00	-10.41	V	AVERAGE	Pass	Band Edge
	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT160	50	5350.80	48.77	54.00	-5.53	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	114	5415.56	46.43	54.00	-7.57	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT80	155	5931.80	58.28	68.30	-10.02	V	PEAK	Pass	Band Edge
	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	114	934.74	32.49	46.00	-13.51	V	Peak	Pass	LF
85	802.11be EHT80 LF	155	867.11	31.40	46.00	-14.60	V	Peak	Pass	LF
89	802.11be EHT20	40	5052.60	40.44	54.00	-13.56	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	40	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT20	104	5459.48	41.21	54.00	-12.79	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	104	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT20	136	5737.63	51.44	68.30	-16.86	V	PEAK	Pass	Band Edge
	802.11be EHT20	136	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT40	126	5456.12	39.78	54.00	-14.22	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	126	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2023-09-12</p>	<p style="text-align: right;">Date: 2023-09-12</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.59</td> <td>68.30</td> <td>-20.71</td> <td>58.24</td> <td>37.62</td> <td>10.73</td> <td>59.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>46.34</td> <td>74.00</td> <td>-27.66</td> <td>52.00</td> <td>40.56</td> <td>12.72</td> <td>58.94</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.59	68.30	-20.71	58.24	37.62	10.73	59.00	-- -- Peak	2	15540.00	46.34	74.00	-27.66	52.00	40.56	12.72	58.94	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.28</td> <td>68.30</td> <td>-22.02</td> <td>56.93</td> <td>37.62</td> <td>10.73</td> <td>59.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>46.26</td> <td>74.00</td> <td>-27.74</td> <td>51.92</td> <td>40.56</td> <td>12.72</td> <td>58.94</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.28	68.30	-22.02	56.93	37.62	10.73	59.00	-- -- Peak	2	15540.00	46.26	74.00	-27.74	51.92	40.56	12.72	58.94
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	47.59	68.30	-20.71	58.24	37.62	10.73	59.00	-- -- Peak																																																																																								
2	15540.00	46.34	74.00	-27.66	52.00	40.56	12.72	58.94	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10360.00	46.28	68.30	-22.02	56.93	37.62	10.73	59.00	-- -- Peak																																																																																								
2	15540.00	46.26	74.00	-27.74	51.92	40.56	12.72	58.94	-- -- Peak																																																																																								



Mode	2																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																				
ANT	CDD 9+15																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p style="text-align: right;">Date: 2023-09-12</p>	<p style="text-align: right;">Date: 2023-09-12</p>																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>46.31</td> <td>68.30</td> <td>-21.99</td> <td>56.77</td> <td>37.66</td> <td>10.79</td> <td>58.91</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>46.70</td> <td>74.00</td> <td>-27.30</td> <td>52.44</td> <td>40.60</td> <td>12.72</td> <td>59.06</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.31	68.30	-21.99	56.77	37.66	10.79	58.91	--	Peak	2	15660.00	46.70	74.00	-27.30	52.44	40.60	12.72	59.06	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.76</td> <td>68.30</td> <td>-20.54</td> <td>58.22</td> <td>37.66</td> <td>10.79</td> <td>58.91</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.88</td> <td>74.00</td> <td>-26.12</td> <td>53.62</td> <td>40.60</td> <td>12.72</td> <td>59.06</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.76	68.30	-20.54	58.22	37.66	10.79	58.91	--	Peak	2	15660.00	47.88	74.00	-26.12	53.62	40.60	12.72	59.06	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10440.00	46.31	68.30	-21.99	56.77	37.66	10.79	58.91	--	Peak																																																																																											
2	15660.00	46.70	74.00	-27.30	52.44	40.60	12.72	59.06	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10440.00	47.76	68.30	-20.54	58.22	37.66	10.79	58.91	--	Peak																																																																																											
2	15660.00	47.88	74.00	-26.12	53.62	40.60	12.72	59.06	--	Peak																																																																																											



Mode	3																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																											
ANT	CDD 9+15																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>47.09</td> <td>68.30</td> <td>-21.21</td> <td>57.45</td> <td>37.69</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>47.11</td> <td>74.00</td> <td>-26.89</td> <td>52.90</td> <td>40.62</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.09	68.30	-21.21	57.45	37.69	10.82	58.87	--	--	Peak	2	15720.00	47.11	74.00	-26.89	52.90	40.62	12.71	59.12	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>46.60</td> <td>68.30</td> <td>-21.70</td> <td>56.96</td> <td>37.69</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>47.42</td> <td>74.00</td> <td>-26.58</td> <td>53.21</td> <td>40.62</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	46.60	68.30	-21.70	56.96	37.69	10.82	58.87	--	--	Peak	2	15720.00	47.42	74.00	-26.58	53.21	40.62	12.71	59.12	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	47.09	68.30	-21.21	57.45	37.69	10.82	58.87	--	--	Peak																																																																																																	
2	15720.00	47.11	74.00	-26.89	52.90	40.62	12.71	59.12	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10480.00	46.60	68.30	-21.70	56.96	37.69	10.82	58.87	--	--	Peak																																																																																																	
2	15720.00	47.42	74.00	-26.58	53.21	40.62	12.71	59.12	--	--	Peak																																																																																																	



Mode	4																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																													
ANT	CDD 9+15																																																																																													
Pol.	Horizontal	Vertical																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.95</td> <td>68.30</td> <td>-21.35</td> <td>57.21</td> <td>37.71</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>52.77</td> <td>40.63</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.95	68.30	-21.35	57.21	37.71	10.85	58.82	--	--	Peak	2	15780.00	46.93	74.00	-27.07	52.77	40.63	12.71	59.18	--	--	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.99</td> <td>68.30</td> <td>-21.31</td> <td>57.25</td> <td>37.71</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>53.01</td> <td>40.63</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.99	68.30	-21.31	57.25	37.71	10.85	58.82	--	--	Peak	2	15780.00	47.17	74.00	-26.83	53.01	40.63	12.71	59.18	--	--	Peak
	Limit		Read								Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq		Level	Line Margin																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10520.00	46.95	68.30	-21.35	57.21	37.71	10.85	58.82	--	--	Peak																																																																																			
2	15780.00	46.93	74.00	-27.07	52.77	40.63	12.71	59.18	--	--	Peak																																																																																			
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
	Freq	Level							Line Margin																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10520.00	46.99	68.30	-21.31	57.25	37.71	10.85	58.82	--	--	Peak																																																																																			
2	15780.00	47.17	74.00	-26.83	53.01	40.63	12.71	59.18	--	--	Peak																																																																																			



Mode	5																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																			
ANT	CDD 9+15																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>56.67</td> <td>37.78</td> <td>10.91</td> <td>58.73</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>46.72</td> <td>74.00</td> <td>-27.28</td> <td>52.64</td> <td>40.67</td> <td>12.71</td> <td>59.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	46.63	74.00	-27.37	56.67	37.78	10.91	58.73	--	--	Peak	2	15900.00	46.72	74.00	-27.28	52.64	40.67	12.71	59.30	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.05</td> <td>74.00</td> <td>-26.95</td> <td>57.09</td> <td>37.78</td> <td>10.91</td> <td>58.73</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>47.77</td> <td>74.00</td> <td>-26.23</td> <td>53.69</td> <td>40.67</td> <td>12.71</td> <td>59.30</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	47.05	74.00	-26.95	57.09	37.78	10.91	58.73	--	--	Peak	2	15900.00	47.77	74.00	-26.23	53.69	40.67	12.71	59.30	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10600.00	46.63	74.00	-27.37	56.67	37.78	10.91	58.73	--	--	Peak																																																																																									
2	15900.00	46.72	74.00	-27.28	52.64	40.67	12.71	59.30	--	--	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	10600.00	47.05	74.00	-26.95	57.09	37.78	10.91	58.73	--	--	Peak																																																																																									
2	15900.00	47.77	74.00	-26.23	53.69	40.67	12.71	59.30	--	--	Peak																																																																																									





Mode	6																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																														
ANT	CDD 9+15																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-09-12</p>	<p>Date: 2023-09-12</p>																																																																																													
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>46.67</td> <td>74.00</td> <td>-27.33</td> <td>56.61</td> <td>37.81</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>45.82</td> <td>74.00</td> <td>-28.18</td> <td>51.80</td> <td>40.69</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.67	74.00	-27.33	56.61	37.81	10.94	58.69	--	--	Peak	2	15960.00	45.82	74.00	-28.18	51.80	40.69	12.70	59.37	--	--	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>47.17</td> <td>74.00</td> <td>-26.83</td> <td>57.11</td> <td>37.81</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.23</td> <td>74.00</td> <td>-26.77</td> <td>53.21</td> <td>40.69</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.17	74.00	-26.83	57.11	37.81	10.94	58.69	--	--	Peak	2	15960.00	47.23	74.00	-26.77	53.21	40.69	12.70	59.37	--	--
Limit	Read		Ant	Cable							Preamp	APos	TPos	Remark																																																																																	
	Freq	Level			Line Margin																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10640.00	46.67	74.00	-27.33	56.61	37.81	10.94	58.69	--	--	Peak																																																																																				
2	15960.00	45.82	74.00	-28.18	51.80	40.69	12.70	59.37	--	--	Peak																																																																																				
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level							Line Margin																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10640.00	47.17	74.00	-26.83	57.11	37.81	10.94	58.69	--	--	Peak																																																																																				
2	15960.00	47.23	74.00	-26.77	53.21	40.69	12.70	59.37	--	--	Peak																																																																																				



Mode	7																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																															
ANT	CDD 9+15																																																																																															
Pol.	Horizontal	Vertical																																																																																														
Peak Avg	<p>Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.16</td> <td>74.00</td> <td>-26.84</td> <td>56.15</td> <td>38.10</td> <td>11.21</td> <td>58.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>46.21</td> <td>68.30</td> <td>-22.09</td> <td>51.20</td> <td>40.95</td> <td>12.91</td> <td>58.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.16	74.00	-26.84	56.15	38.10	11.21	58.30	--	Peak	2	16500.00	46.21	68.30	-22.09	51.20	40.95	12.91	58.85	--	Peak	<p>Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.72</td> <td>74.00</td> <td>-26.28</td> <td>56.71</td> <td>38.10</td> <td>11.21</td> <td>58.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>48.96</td> <td>68.30</td> <td>-19.34</td> <td>53.95</td> <td>40.95</td> <td>12.91</td> <td>58.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	47.72	74.00	-26.28	56.71	38.10	11.21	58.30	--	Peak	2	16500.00	48.96	68.30	-19.34	53.95	40.95	12.91	58.85	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11000.00	47.16	74.00	-26.84	56.15	38.10	11.21	58.30	--	Peak																																																																																						
2	16500.00	46.21	68.30	-22.09	51.20	40.95	12.91	58.85	--	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11000.00	47.72	74.00	-26.28	56.71	38.10	11.21	58.30	--	Peak																																																																																						
2	16500.00	48.96	68.30	-19.34	53.95	40.95	12.91	58.85	--	Peak																																																																																						



Mode	8																																																																																																										
	Harmonic																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																										
ANT	CDD 9+15																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.84</td> <td>74.00</td> <td>-25.16</td> <td>57.41</td> <td>38.26</td> <td>11.29</td> <td>58.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>46.41</td> <td>68.30</td> <td>-21.89</td> <td>50.91</td> <td>41.07</td> <td>13.01</td> <td>58.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	48.84	74.00	-25.16	57.41	38.26	11.29	58.12	--	--	Peak	2	16740.00	46.41	68.30	-21.89	50.91	41.07	13.01	58.58	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>47.12</td> <td>74.00</td> <td>-26.88</td> <td>55.69</td> <td>38.26</td> <td>11.29</td> <td>58.12</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16740.00</td> <td>46.26</td> <td>68.30</td> <td>-22.04</td> <td>50.76</td> <td>41.07</td> <td>13.01</td> <td>58.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	47.12	74.00	-26.88	55.69	38.26	11.29	58.12	--	--	Peak	2	16740.00	46.26	68.30	-22.04	50.76	41.07	13.01	58.58	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11160.00	48.84	74.00	-25.16	57.41	38.26	11.29	58.12	--	--	Peak																																																																																																
2	16740.00	46.41	68.30	-21.89	50.91	41.07	13.01	58.58	--	--	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11160.00	47.12	74.00	-26.88	55.69	38.26	11.29	58.12	--	--	Peak																																																																																																
2	16740.00	46.26	68.30	-22.04	50.76	41.07	13.01	58.58	--	--	Peak																																																																																																



Mode	9																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	CDD 9+15																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p style="text-align: right;">Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>54.82</td> <td>38.50</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>48.19</td> <td>68.30</td> <td>-20.11</td> <td>51.97</td> <td>41.24</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	46.87	74.00	-27.13	54.82	38.50	11.41	57.86	--	--	Peak	2	17100.00	48.19	68.30	-20.11	51.97	41.24	13.14	58.16	--	--	Peak	<p style="text-align: right;">Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.73</td> <td>74.00</td> <td>-26.27</td> <td>55.68</td> <td>38.50</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>47.43</td> <td>68.30</td> <td>-20.87</td> <td>51.21</td> <td>41.24</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	47.73	74.00	-26.27	55.68	38.50	11.41	57.86	--	--	Peak	2	17100.00	47.43	68.30	-20.87	51.21	41.24	13.14	58.16	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11400.00	46.87	74.00	-27.13	54.82	38.50	11.41	57.86	--	--	Peak																																																																																							
2	17100.00	48.19	68.30	-20.11	51.97	41.24	13.14	58.16	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11400.00	47.73	74.00	-26.27	55.68	38.50	11.41	57.86	--	--	Peak																																																																																							
2	17100.00	47.43	68.30	-20.87	51.21	41.24	13.14	58.16	--	--	Peak																																																																																							



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5042.66</td> <td>50.23</td> <td>74.00</td> <td>-23.77</td> <td>40.47</td> <td>34.58</td> <td>7.85</td> <td>32.67</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5042.66	50.23	74.00	-23.77	40.47	34.58	7.85	32.67	300	48	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.85</td> <td>-----</td> <td>-----</td> <td>87.28</td> <td>34.53</td> <td>7.94</td> <td>32.90</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	96.85	-----	-----	87.28	34.53	7.94	32.90	300	48	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5042.66	50.23	74.00	-23.77	40.47	34.58	7.85	32.67	300	48	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	96.85	-----	-----	87.28	34.53	7.94	32.90	300	48	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5043.38</td> <td>40.38</td> <td>54.00</td> <td>-13.62</td> <td>30.62</td> <td>34.58</td> <td>7.85</td> <td>32.67</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5043.38	40.38	54.00	-13.62	30.62	34.58	7.85	32.67	300	48	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>89.66</td> <td>-----</td> <td>-----</td> <td>80.09</td> <td>34.53</td> <td>7.94</td> <td>32.90</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	89.66	-----	-----	80.09	34.53	7.94	32.90	300	48	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5043.38	40.38	54.00	-13.62	30.62	34.58	7.85	32.67	300	48	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	89.66	-----	-----	80.09	34.53	7.94	32.90	300	48	AVERAGE																																																																	



	10																																																																											
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.62</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>40.36</td> <td>34.55</td> <td>7.90</td> <td>32.81</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5127.62	50.00	74.00	-24.00	40.36	34.55	7.90	32.81	300	45	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.02</td> <td>-----</td> <td>-----</td> <td>91.44</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>300</td> <td>45</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	101.02	-----	-----	91.44	34.53	7.94	32.89	300	45	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5127.62	50.00	74.00	-24.00	40.36	34.55	7.90	32.81	300	45	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	101.02	-----	-----	91.44	34.53	7.94	32.89	300	45	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5057.96</td> <td>40.56</td> <td>54.00</td> <td>-13.44</td> <td>30.82</td> <td>34.58</td> <td>7.86</td> <td>32.70</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5057.96	40.56	54.00	-13.44	30.82	34.58	7.86	32.70	300	45	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>91.62</td> <td>-----</td> <td>-----</td> <td>82.04</td> <td>34.53</td> <td>7.94</td> <td>32.89</td> <td>300</td> <td>45</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	91.62	-----	-----	82.04	34.53	7.94	32.89	300	45	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5057.96	40.56	54.00	-13.44	30.82	34.58	7.86	32.70	300	45	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	91.62	-----	-----	82.04	34.53	7.94	32.89	300	45	AVERAGE																																																																	



Mode	10																																																																																																											
	Harmonic																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																											
ANT	CDD 9+15																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>47.68</td> <td>68.30</td> <td>-20.62</td> <td>58.33</td> <td>37.62</td> <td>10.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>47.08</td> <td>74.00</td> <td>-26.92</td> <td>52.74</td> <td>40.56</td> <td>12.72</td> <td>58.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.68	68.30	-20.62	58.33	37.62	10.73	59.00	--	--	Peak	2	15540.00	47.08	74.00	-26.92	52.74	40.56	12.72	58.94	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>46.62</td> <td>68.30</td> <td>-21.68</td> <td>57.27</td> <td>37.62</td> <td>10.73</td> <td>59.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>46.69</td> <td>74.00</td> <td>-27.31</td> <td>52.35</td> <td>40.56</td> <td>12.72</td> <td>58.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.62	68.30	-21.68	57.27	37.62	10.73	59.00	--	--	Peak	2	15540.00	46.69	74.00	-27.31	52.35	40.56	12.72	58.94	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10360.00	47.68	68.30	-20.62	58.33	37.62	10.73	59.00	--	--	Peak																																																																																																	
2	15540.00	47.08	74.00	-26.92	52.74	40.56	12.72	58.94	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	10360.00	46.62	68.30	-21.68	57.27	37.62	10.73	59.00	--	--	Peak																																																																																																	
2	15540.00	46.69	74.00	-27.31	52.35	40.56	12.72	58.94	--	--	Peak																																																																																																	





Mode	11																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.15</td> <td>68.30</td> <td>-21.15</td> <td>57.61</td> <td>37.66</td> <td>10.79</td> <td>58.91</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>46.95</td> <td>74.00</td> <td>-27.05</td> <td>52.69</td> <td>40.60</td> <td>12.72</td> <td>59.06</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.15	68.30	-21.15	57.61	37.66	10.79	58.91	-- -- Peak	2	15660.00	46.95	74.00	-27.05	52.69	40.60	12.72	59.06	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>47.56</td> <td>68.30</td> <td>-20.74</td> <td>58.02</td> <td>37.66</td> <td>10.79</td> <td>58.91</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>47.69</td> <td>74.00</td> <td>-26.31</td> <td>53.43</td> <td>40.60</td> <td>12.72</td> <td>59.06</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	47.56	68.30	-20.74	58.02	37.66	10.79	58.91	-- -- Peak	2	15660.00	47.69	74.00	-26.31	53.43	40.60	12.72	59.06
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	47.15	68.30	-21.15	57.61	37.66	10.79	58.91	-- -- Peak																																																																																								
2	15660.00	46.95	74.00	-27.05	52.69	40.60	12.72	59.06	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10440.00	47.56	68.30	-20.74	58.02	37.66	10.79	58.91	-- -- Peak																																																																																								
2	15660.00	47.69	74.00	-26.31	53.43	40.60	12.72	59.06	-- -- Peak																																																																																								



		12																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5105.60</td> <td>50.86</td> <td>74.00</td> <td>-23.14</td> <td>41.18</td> <td>34.56</td> <td>7.89</td> <td>32.77</td> <td>300</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5105.60	50.86	74.00	-23.14	41.18	34.56	7.89	32.77	300	137	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>103.17</td> <td>-----</td> <td>-----</td> <td>93.63</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>300</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5240.00	103.17	-----	-----	93.63	34.51	8.01	32.98	300	137	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5105.60	50.86	74.00	-23.14	41.18	34.56	7.89	32.77	300	137	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5240.00	103.17	-----	-----	93.63	34.51	8.01	32.98	300	137	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5050.64</td> <td>40.97</td> <td>54.00</td> <td>-13.03</td> <td>31.23</td> <td>34.58</td> <td>7.85</td> <td>32.69</td> <td>300</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5050.64	40.97	54.00	-13.03	31.23	34.58	7.85	32.69	300	137	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5240.00</td> <td>95.02</td> <td>-----</td> <td>-----</td> <td>85.48</td> <td>34.51</td> <td>8.02</td> <td>32.99</td> <td>300</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5240.00	95.02	-----	-----	85.48	34.51	8.02	32.99	300	137	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5050.64	40.97	54.00	-13.03	31.23	34.58	7.85	32.69	300	137	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5240.00	95.02	-----	-----	85.48	34.51	8.02	32.99	300	137	AVERAGE																																																																	



	12																																				
Mode	Band Edge - R																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																				
ANT	CDD 9+15																																				
Pol.	Horizontal	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5406.54</td> <td>50.04</td> <td>74.00</td> <td>-23.96</td> <td>40.38</td> <td>34.44</td> <td>8.48</td> <td>33.26</td> <td>300</td> <td>137</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5406.54	50.04	74.00	-23.96	40.38	34.44	8.48	33.26	300	137
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5406.54	50.04	74.00	-23.96	40.38	34.44	8.48	33.26	300	137	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5404.78</td> <td>39.20</td> <td>54.00</td> <td>-14.80</td> <td>29.55</td> <td>34.44</td> <td>8.47</td> <td>33.26</td> <td>300</td> <td>137</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5404.78	39.20	54.00	-14.80	29.55	34.44	8.47	33.26	300	137
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5404.78	39.20	54.00	-14.80	29.55	34.44	8.47	33.26	300	137	AVERAGE																										



	12																																																																							
Mode	Band Edge - L																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5056.16</td> <td>50.26</td> <td>74.00</td> <td>-23.74</td> <td>40.51</td> <td>34.58</td> <td>7.86</td> <td>32.69</td> <td>200</td> <td>347 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5056.16	50.26	74.00	-23.74	40.51	34.58	7.86	32.69	200	347 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>107.78</td> <td>-----</td> <td>-----</td> <td>98.22</td> <td>34.50</td> <td>8.06</td> <td>33.00</td> <td>200</td> <td>347 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5240.00	107.78	-----	-----	98.22	34.50	8.06	33.00	200	347 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5056.16	50.26	74.00	-23.74	40.51	34.58	7.86	32.69	200	347 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5240.00	107.78	-----	-----	98.22	34.50	8.06	33.00	200	347 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5019.20</td> <td>40.84</td> <td>54.00</td> <td>-13.16</td> <td>31.05</td> <td>34.59</td> <td>7.83</td> <td>32.63</td> <td>200</td> <td>347 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5019.20	40.84	54.00	-13.16	31.05	34.59	7.83	32.63	200	347 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5240.00</td> <td>99.11</td> <td>-----</td> <td>-----</td> <td>89.55</td> <td>34.50</td> <td>8.06</td> <td>33.00</td> <td>200</td> <td>347 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5240.00	99.11	-----	-----	89.55	34.50	8.06	33.00	200	347 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5019.20	40.84	54.00	-13.16	31.05	34.59	7.83	32.63	200	347 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5240.00	99.11	-----	-----	89.55	34.50	8.06	33.00	200	347 AVERAGE																																																															



	12																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.84</td> <td>49.69</td> <td>74.00</td> <td>-24.31</td> <td>40.05</td> <td>34.45</td> <td>8.40</td> <td>33.21</td> <td>200</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5376.84	49.69	74.00	-24.31	40.05	34.45	8.40	33.21	200	347	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5376.84	49.69	74.00	-24.31	40.05	34.45	8.40	33.21	200	347	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5388.50</td> <td>39.42</td> <td>54.00</td> <td>-14.58</td> <td>29.78</td> <td>34.44</td> <td>8.43</td> <td>33.23</td> <td>200</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5388.50	39.42	54.00	-14.58	29.78	34.44	8.43	33.23	200	347	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5388.50	39.42	54.00	-14.58	29.78	34.44	8.43	33.23	200	347	AVERAGE																											
Blank																																						



Mode	12																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>47.37</td> <td>68.30</td> <td>-20.93</td> <td>57.73</td> <td>37.69</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 15720.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>53.33</td> <td>40.62</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	47.37	68.30	-20.93	57.73	37.69	10.82	58.87	--	-- Peak	2 15720.00	47.54	74.00	-26.46	53.33	40.62	12.71	59.12	--	-- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>47.00</td> <td>68.30</td> <td>-21.30</td> <td>57.36</td> <td>37.69</td> <td>10.82</td> <td>58.87</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2 15720.00</td> <td>48.50</td> <td>74.00</td> <td>-25.50</td> <td>54.29</td> <td>40.62</td> <td>12.71</td> <td>59.12</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	47.00	68.30	-21.30	57.36	37.69	10.82	58.87	--	-- Peak	2 15720.00	48.50	74.00	-25.50	54.29	40.62	12.71	59.12	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10480.00	47.37	68.30	-20.93	57.73	37.69	10.82	58.87	--	-- Peak																																																																																								
2 15720.00	47.54	74.00	-26.46	53.33	40.62	12.71	59.12	--	-- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10480.00	47.00	68.30	-21.30	57.36	37.69	10.82	58.87	--	-- Peak																																																																																								
2 15720.00	48.50	74.00	-25.50	54.29	40.62	12.71	59.12	--	-- Peak																																																																																								







		13																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5132.34</td> <td>50.52</td> <td>74.00</td> <td>-23.48</td> <td>40.88</td> <td>34.55</td> <td>7.91</td> <td>32.82</td> <td>198</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5132.34	50.52	74.00	-23.48	40.88	34.55	7.91	32.82	198	18	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>100.49</td> <td>-----</td> <td>-----</td> <td>90.93</td> <td>34.49</td> <td>8.10</td> <td>33.03</td> <td>198</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	100.49	-----	-----	90.93	34.49	8.10	33.03	198	18	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5132.34	50.52	74.00	-23.48	40.88	34.55	7.91	32.82	198	18	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5260.00	100.49	-----	-----	90.93	34.49	8.10	33.03	198	18	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5055.38</td> <td>40.89</td> <td>54.00</td> <td>-13.11</td> <td>31.14</td> <td>34.58</td> <td>7.86</td> <td>32.69</td> <td>198</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5055.38	40.89	54.00	-13.11	31.14	34.58	7.86	32.69	198	18	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>92.39</td> <td>-----</td> <td>-----</td> <td>82.83</td> <td>34.49</td> <td>8.10</td> <td>33.03</td> <td>198</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	92.39	-----	-----	82.83	34.49	8.10	33.03	198	18	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5055.38	40.89	54.00	-13.11	31.14	34.58	7.86	32.69	198	18	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5260.00	92.39	-----	-----	82.83	34.49	8.10	33.03	198	18	AVERAGE																																																																	





	13																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																							
ANT	CDD 9+15																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.20</td> <td>49.02</td> <td>74.00</td> <td>-24.98</td> <td>39.37</td> <td>34.44</td> <td>8.46</td> <td>33.25</td> <td>198</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.20	49.02	74.00	-24.98	39.37	34.44	8.46	33.25	198	18	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5401.20	49.02	74.00	-24.98	39.37	34.44	8.46	33.25	198	18	PEAK																													
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.20</td> <td>39.14</td> <td>54.00</td> <td>-14.86</td> <td>29.49</td> <td>34.44</td> <td>8.45</td> <td>33.24</td> <td>198</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.20	39.14	54.00	-14.86	29.49	34.44	8.45	33.24	198	18	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5394.20	39.14	54.00	-14.86	29.49	34.44	8.45	33.24	198	18	AVERAGE																													



		13																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5024.18</td> <td>49.74</td> <td>74.00</td> <td>-24.26</td> <td>39.96</td> <td>34.59</td> <td>7.83</td> <td>32.64</td> <td>177</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5024.18	49.74	74.00	-24.26	39.96	34.59	7.83	32.64	177	360	PEAK	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>108.84</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>34.50</td> <td>8.09</td> <td>33.02</td> <td>177</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	108.84	-----	-----	99.27	34.50	8.09	33.02	177	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5024.18	49.74	74.00	-24.26	39.96	34.59	7.83	32.64	177	360	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5260.00	108.84	-----	-----	99.27	34.50	8.09	33.02	177	360	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5044.46</td> <td>40.82</td> <td>54.00</td> <td>-13.18</td> <td>31.07</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>177</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5044.46	40.82	54.00	-13.18	31.07	34.58	7.85	32.68	177	360	AVERAGE	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5260.00</td> <td>101.31</td> <td>-----</td> <td>-----</td> <td>91.74</td> <td>34.50</td> <td>8.09</td> <td>33.02</td> <td>177</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	101.31	-----	-----	91.74	34.50	8.09	33.02	177	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5044.46	40.82	54.00	-13.18	31.07	34.58	7.85	32.68	177	360	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5260.00	101.31	-----	-----	91.74	34.50	8.09	33.02	177	360	AVERAGE																																																																	



	13																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5392.40</td> <td>49.47</td> <td>74.00</td> <td>-24.53</td> <td>39.83</td> <td>34.44</td> <td>8.44</td> <td>33.24</td> <td>177</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5392.40	49.47	74.00	-24.53	39.83	34.44	8.44	33.24	177	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5392.40	49.47	74.00	-24.53	39.83	34.44	8.44	33.24	177	360	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>40.07</td> <td>54.00</td> <td>-13.93</td> <td>30.45</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>177</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.00	40.07	54.00	-13.93	30.45	34.46	8.33	33.17	177	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.00	40.07	54.00	-13.93	30.45	34.46	8.33	33.17	177	360	AVERAGE																											



Mode	13																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																				
ANT	CDD 9+15																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2023-09-12</p>	<p>Date: 2023-09-12</p>																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>46.57</td> <td>68.30</td> <td>-21.73</td> <td>56.83</td> <td>37.71</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>53.46</td> <td>40.63</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.57	68.30	-21.73	56.83	37.71	10.85	58.82	--	Peak	2	15780.00	47.62	74.00	-26.38	53.46	40.63	12.71	59.18	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>48.03</td> <td>68.30</td> <td>-20.27</td> <td>58.29</td> <td>37.71</td> <td>10.85</td> <td>58.82</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>47.48</td> <td>74.00</td> <td>-26.52</td> <td>53.32</td> <td>40.63</td> <td>12.71</td> <td>59.18</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	48.03	68.30	-20.27	58.29	37.71	10.85	58.82	--	Peak	2	15780.00	47.48	74.00	-26.52	53.32	40.63	12.71	59.18	--
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	46.57	68.30	-21.73	56.83	37.71	10.85	58.82	--	Peak																																																																																											
2	15780.00	47.62	74.00	-26.38	53.46	40.63	12.71	59.18	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10520.00	48.03	68.30	-20.27	58.29	37.71	10.85	58.82	--	Peak																																																																																											
2	15780.00	47.48	74.00	-26.52	53.32	40.63	12.71	59.18	--	Peak																																																																																											



Mode	14																																																																																				
	Harmonic																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																				
ANT	CDD 9+15																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>57.95</td> <td>37.78</td> <td>10.91</td> <td>58.73</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>47.53</td> <td>74.00</td> <td>-26.47</td> <td>53.45</td> <td>40.67</td> <td>12.71</td> <td>59.30</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	47.91	74.00	-26.09	57.95	37.78	10.91	58.73	-- -- Peak	2	15900.00	47.53	74.00	-26.47	53.45	40.67	12.71	59.30	-- -- Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>47.81</td> <td>74.00</td> <td>-26.19</td> <td>57.85</td> <td>37.78</td> <td>10.91</td> <td>58.73</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>48.30</td> <td>74.00</td> <td>-25.70</td> <td>54.22</td> <td>40.67</td> <td>12.71</td> <td>59.30</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	47.81	74.00	-26.19	57.85	37.78	10.91	58.73	-- -- Peak	2	15900.00	48.30	74.00	-25.70	54.22	40.67	12.71	59.30
Limit	Read		Ant	Cable							Preamp	APos	TPos	Remark																																																																							
	Freq	Level			Line Margin																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	10600.00	47.91	74.00	-26.09	57.95	37.78	10.91	58.73	-- -- Peak																																																																												
2	15900.00	47.53	74.00	-26.47	53.45	40.67	12.71	59.30	-- -- Peak																																																																												
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	Freq	Level							Line Margin																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	10600.00	47.81	74.00	-26.19	57.85	37.78	10.91	58.73	-- -- Peak																																																																												
2	15900.00	48.30	74.00	-25.70	54.22	40.67	12.71	59.30	-- -- Peak																																																																												



		15																																																																						
Mode	Band Edge																																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-09</p>	<p style="text-align: right;">Date: 2023-09-09</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5397.98</td> <td>48.22</td> <td>74.00</td> <td>-25.78</td> <td>38.57</td> <td>34.44</td> <td>8.46</td> <td>33.25</td> <td>300</td> <td>133 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5397.98	48.22	74.00	-25.78	38.57	34.44	8.46	33.25	300	133 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>98.67</td> <td>-----</td> <td>-----</td> <td>89.08</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>300</td> <td>133 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	98.67	-----	-----	89.08	34.47	8.23	33.11	300
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5397.98	48.22	74.00	-25.78	38.57	34.44	8.46	33.25	300	133 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5320.00	98.67	-----	-----	89.08	34.47	8.23	33.11	300	133 PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-09-09</p>	<p style="text-align: right;">Date: 2023-09-09</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5407.64</td> <td>38.76</td> <td>54.00</td> <td>-15.24</td> <td>29.10</td> <td>34.44</td> <td>8.48</td> <td>33.26</td> <td>300</td> <td>133 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5407.64	38.76	54.00	-15.24	29.10	34.44	8.48	33.26	300	133 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>90.80</td> <td>-----</td> <td>-----</td> <td>81.21</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>300</td> <td>133 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	90.80	-----	-----	81.21	34.47	8.23	33.11	300
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5407.64	38.76	54.00	-15.24	29.10	34.44	8.48	33.26	300	133 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5320.00	90.80	-----	-----	81.21	34.47	8.23	33.11	300	133 AVERAGE																																																															







		15																																																																								
Mode	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-09-09</p>	<p style="text-align: right;">Date: 2023-09-09</p>																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.90</td> <td>48.58</td> <td>74.00</td> <td>-25.42</td> <td>38.95</td> <td>34.46</td> <td>8.34</td> <td>33.17</td> <td>200</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5352.90	48.58	74.00	-25.42	38.95	34.46	8.34	33.17	200	42	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.24</td> <td>-----</td> <td>-----</td> <td>93.65</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>200</td> <td>42</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	103.24	-----	-----	93.65	34.47	8.23	33.11	200	42
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5352.90	48.58	74.00	-25.42	38.95	34.46	8.34	33.17	200	42	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	103.24	-----	-----	93.65	34.47	8.23	33.11	200	42	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-09-09</p>	<p style="text-align: right;">Date: 2023-09-09</p>																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.94</td> <td>39.50</td> <td>54.00</td> <td>-14.50</td> <td>29.88</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>200</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5350.94	39.50	54.00	-14.50	29.88	34.46	8.33	33.17	200	42	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>95.99</td> <td>-----</td> <td>-----</td> <td>86.39</td> <td>34.47</td> <td>8.25</td> <td>33.12</td> <td>200</td> <td>42</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	95.99	-----	-----	86.39	34.47	8.25	33.12	200	42
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5350.94	39.50	54.00	-14.50	29.88	34.46	8.33	33.17	200	42	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	95.99	-----	-----	86.39	34.47	8.25	33.12	200	42	AVERAGE																																																															





Mode	15																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																														
ANT	CDD 9+15																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-09-12</p>	<p>Date: 2023-09-12</p>																																																																																													
	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>58.74</td> <td>37.81</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>53.57</td> <td>40.69</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.80	74.00	-25.20	58.74	37.81	10.94	58.69	--	--	Peak	2	15960.00	47.59	74.00	-26.41	53.57	40.69	12.70	59.37	--	--	Peak	<table border="1"> <thead> <tr> <th rowspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>57.34</td> <td>37.81</td> <td>10.94</td> <td>58.69</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>47.25</td> <td>74.00</td> <td>-26.75</td> <td>53.23</td> <td>40.69</td> <td>12.70</td> <td>59.37</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.40	74.00	-26.60	57.34	37.81	10.94	58.69	--	--	Peak	2	15960.00	47.25	74.00	-26.75	53.23	40.69	12.70	59.37	--	--
Limit	Read		Ant	Cable							Preamp	APos	TPos	Remark																																																																																	
	Freq	Level			Line Margin																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10640.00	48.80	74.00	-25.20	58.74	37.81	10.94	58.69	--	--	Peak																																																																																				
2	15960.00	47.59	74.00	-26.41	53.57	40.69	12.70	59.37	--	--	Peak																																																																																				
Limit	Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level							Line Margin																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	10640.00	47.40	74.00	-26.60	57.34	37.81	10.94	58.69	--	--	Peak																																																																																				
2	15960.00	47.25	74.00	-26.75	53.23	40.69	12.70	59.37	--	--	Peak																																																																																				



	16																																																																																							
<b>Mode</b>	<b>Band Edge</b>																																																																																							
	<b>U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz</b>																																																																																							
<b>ANT</b>	<b>CDD 9+15</b>																																																																																							
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																						
<b>Peak</b>	 <p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5390.05</td> <td>48.54</td> <td>74.00</td> <td>-25.46</td> <td>38.90</td> <td>34.44</td> <td>8.43</td> <td>33.23</td> <td>315</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.55</td> <td>48.64</td> <td>68.30</td> <td>-19.66</td> <td>39.16</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>315</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5390.05	48.54	74.00	-25.46	38.90	34.44	8.43	33.23	315	0	PEAK	2	5460.55	48.64	68.30	-19.66	39.16	34.42	8.41	33.35	315	0	PEAK	 <p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>99.15</td> <td>-----</td> <td>-----</td> <td>89.79</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>315</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	99.15	-----	-----	89.79	34.40	8.36	33.40	315	0	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5390.05	48.54	74.00	-25.46	38.90	34.44	8.43	33.23	315	0	PEAK																																																																													
2	5460.55	48.64	68.30	-19.66	39.16	34.42	8.41	33.35	315	0	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	99.15	-----	-----	89.79	34.40	8.36	33.40	315	0	PEAK																																																																													
<b>Avg</b>	 <p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.90</td> <td>39.20</td> <td>54.00</td> <td>-14.80</td> <td>29.57</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>315</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5413.90	39.20	54.00	-14.80	29.57	34.43	8.47	33.27	315	0	AVERAGE	 <p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>89.67</td> <td>-----</td> <td>-----</td> <td>80.31</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>315</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	89.67	-----	-----	80.31	34.40	8.36	33.40	315	0	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5413.90	39.20	54.00	-14.80	29.57	34.43	8.47	33.27	315	0	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	89.67	-----	-----	80.31	34.40	8.36	33.40	315	0	AVERAGE																																																																													



	16																																																																																													
Mode	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																													
ANT	CDD 9+15																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.55</td> <td>49.20</td> <td>74.00</td> <td>-24.80</td> <td>39.66</td> <td>34.42</td> <td>8.44</td> <td>33.32</td> <td>300</td> <td>28</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.25</td> <td>49.48</td> <td>68.30</td> <td>-18.82</td> <td>40.03</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>300</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.55	49.20	74.00	-24.80	39.66	34.42	8.44	33.32	300	28	PEAK	2	5469.25	49.48	68.30	-18.82	40.03	34.41	8.40	33.36	300	28	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>105.72</td> <td>-----</td> <td>-----</td> <td>96.36</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>300</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	105.72	-----	-----	96.36	34.41	8.35	33.40	300	28	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5439.55	49.20	74.00	-24.80	39.66	34.42	8.44	33.32	300	28	PEAK																																																																																			
2	5469.25	49.48	68.30	-18.82	40.03	34.41	8.40	33.36	300	28	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	105.72	-----	-----	96.36	34.41	8.35	33.40	300	28	PEAK																																																																																			
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.30</td> <td>39.87</td> <td>54.00</td> <td>-14.13</td> <td>30.39</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>300</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.30	39.87	54.00	-14.13	30.39	34.42	8.41	33.35	300	28	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.73</td> <td>-----</td> <td>-----</td> <td>87.37</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>300</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	96.73	-----	-----	87.37	34.41	8.35	33.40	300	28	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5458.30	39.87	54.00	-14.13	30.39	34.42	8.41	33.35	300	28	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	96.73	-----	-----	87.37	34.41	8.35	33.40	300	28	AVERAGE																																																																																			



Mode	16																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Full_5500MHz																																																																																																				
ANT	CDD 9+15																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2023-09-12</p>	<p>Date: 2023-09-12</p>																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>48.23</td> <td>74.00</td> <td>-25.77</td> <td>57.22</td> <td>38.10</td> <td>11.21</td> <td>58.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>46.25</td> <td>68.30</td> <td>-22.05</td> <td>51.24</td> <td>40.95</td> <td>12.91</td> <td>58.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	48.23	74.00	-25.77	57.22	38.10	11.21	58.30	--	Peak	2	16500.00	46.25	68.30	-22.05	51.24	40.95	12.91	58.85	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>47.57</td> <td>74.00</td> <td>-26.43</td> <td>56.56</td> <td>38.10</td> <td>11.21</td> <td>58.30</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>46.07</td> <td>68.30</td> <td>-22.23</td> <td>51.06</td> <td>40.95</td> <td>12.91</td> <td>58.85</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	47.57	74.00	-26.43	56.56	38.10	11.21	58.30	--	Peak	2	16500.00	46.07	68.30	-22.23	51.06	40.95	12.91	58.85	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11000.00	48.23	74.00	-25.77	57.22	38.10	11.21	58.30	--	Peak																																																																																											
2	16500.00	46.25	68.30	-22.05	51.24	40.95	12.91	58.85	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11000.00	47.57	74.00	-26.43	56.56	38.10	11.21	58.30	--	Peak																																																																																											
2	16500.00	46.07	68.30	-22.23	51.06	40.95	12.91	58.85	--	Peak																																																																																											



Mode	17																																																																																										
	Harmonic																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_Full_5580MHz																																																																																										
ANT	CDD 9+15																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>47.59</td> <td>74.00</td> <td>-26.41</td> <td>56.16</td> <td>38.26</td> <td>11.29</td> <td>58.12</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>45.70</td> <td>68.30</td> <td>-22.60</td> <td>50.20</td> <td>41.07</td> <td>13.01</td> <td>58.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11160.00	47.59	74.00	-26.41	56.16	38.26	11.29	58.12	-- -- Peak	2 16740.00	45.70	68.30	-22.60	50.20	41.07	13.01	58.58	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11160.00</td> <td>48.51</td> <td>74.00</td> <td>-25.49</td> <td>57.08</td> <td>38.26</td> <td>11.29</td> <td>58.12</td> <td>-- -- Peak</td> </tr> <tr> <td>2 16740.00</td> <td>45.25</td> <td>68.30</td> <td>-23.05</td> <td>49.75</td> <td>41.07</td> <td>13.01</td> <td>58.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11160.00	48.51	74.00	-25.49	57.08	38.26	11.29	58.12	-- -- Peak	2 16740.00	45.25	68.30	-23.05	49.75	41.07	13.01	58.58
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 11160.00	47.59	74.00	-26.41	56.16	38.26	11.29	58.12	-- -- Peak																																																																																			
2 16740.00	45.70	68.30	-22.60	50.20	41.07	13.01	58.58	-- -- Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1 11160.00	48.51	74.00	-25.49	57.08	38.26	11.29	58.12	-- -- Peak																																																																																			
2 16740.00	45.25	68.30	-23.05	49.75	41.07	13.01	58.58	-- -- Peak																																																																																			



	<b>18</b>																																																																							
<b>Mode</b>	<b>Band Edge</b>																																																																							
	<b>U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz</b>																																																																							
<b>ANT</b>	<b>CDD 9+15</b>																																																																							
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																						
<b>Peak</b>	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5764.68</td> <td>49.62</td> <td>68.30</td> <td>-18.68</td> <td>39.17</td> <td>34.98</td> <td>8.82</td> <td>33.35</td> <td>200</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5764.68	49.62	68.30	-18.68	39.17	34.98	8.82	33.35	200	10 PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>94.10</td> <td>-----</td> <td>-----</td> <td>84.05</td> <td>34.84</td> <td>8.57</td> <td>33.36</td> <td>200</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	94.10	-----	-----	84.05	34.84	8.57	33.36	200	10 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5764.68	49.62	68.30	-18.68	39.17	34.98	8.82	33.35	200	10 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	94.10	-----	-----	84.05	34.84	8.57	33.36	200	10 PEAK																																																															
<b>Avg</b>	<b>Blank</b>	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>86.56</td> <td>-----</td> <td>-----</td> <td>76.51</td> <td>34.84</td> <td>8.57</td> <td>33.36</td> <td>200</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	86.56	-----	-----	76.51	34.84	8.57	33.36	200	10 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	86.56	-----	-----	76.51	34.84	8.57	33.36	200	10 AVERAGE																																																															



		<b>18</b>																																																																					
<b>Mode</b>	<b>Band Edge</b>																																																																						
	<b>U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz</b>																																																																						
<b>ANT</b>	<b>CDD 9+15</b>																																																																						
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																					
<b>Peak</b>	<p style="text-align: right;">Date: 2023-09-09</p>		<p style="text-align: right;">Date: 2023-09-09</p>																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5758.37</td> <td>50.54</td> <td>68.30</td> <td>-17.76</td> <td>40.12</td> <td>34.97</td> <td>8.80</td> <td>33.35</td> <td>100</td> <td>16 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5758.37	50.54	68.30	-17.76	40.12	34.97	8.80	33.35	100	16 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.16</td> <td>-----</td> <td>-----</td> <td>94.04</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>100</td> <td>16 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	104.16	-----	-----	94.04	34.86	8.62	33.36	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 5758.37	50.54	68.30	-17.76	40.12	34.97	8.80	33.35	100	16 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 5700.00	104.16	-----	-----	94.04	34.86	8.62	33.36	100	16 PEAK																																																														
<b>Avg</b>	<b>Blank</b>		<p style="text-align: right;">Date: 2023-09-09</p>																																																																				
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>95.69</td> <td>-----</td> <td>-----</td> <td>85.60</td> <td>34.85</td> <td>8.60</td> <td>33.36</td> <td>100</td> <td>16 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	95.69	-----	-----	85.60	34.85	8.60	33.36	100	16 AVERAGE																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																
1 5700.00	95.69	-----	-----	85.60	34.85	8.60	33.36	100	16 AVERAGE																																																														



Mode	18																																																																																																										
	Harmonic																																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Full_5700MHz																																																																																																										
ANT	CDD 9+15																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg	<p>Date: 2023-09-12</p>	<p>Date: 2023-09-12</p>																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.00</td> <td>74.00</td> <td>-27.00</td> <td>54.95</td> <td>38.50</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>45.62</td> <td>68.30</td> <td>-22.68</td> <td>49.40</td> <td>41.24</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.00	74.00	-27.00	54.95	38.50	11.41	57.86	--	--	Peak	2	17100.00	45.62	68.30	-22.68	49.40	41.24	13.14	58.16	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>47.43</td> <td>74.00</td> <td>-26.57</td> <td>55.38</td> <td>38.50</td> <td>11.41</td> <td>57.86</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17100.00</td> <td>45.73</td> <td>68.30</td> <td>-22.57</td> <td>49.51</td> <td>41.24</td> <td>13.14</td> <td>58.16</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.43	74.00	-26.57	55.38	38.50	11.41	57.86	--	--	Peak	2	17100.00	45.73	68.30	-22.57	49.51	41.24	13.14	58.16	--	--
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11400.00	47.00	74.00	-27.00	54.95	38.50	11.41	57.86	--	--	Peak																																																																																																
2	17100.00	45.62	68.30	-22.68	49.40	41.24	13.14	58.16	--	--	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11400.00	47.43	74.00	-26.57	55.38	38.50	11.41	57.86	--	--	Peak																																																																																																
2	17100.00	45.73	68.30	-22.57	49.51	41.24	13.14	58.16	--	--	Peak																																																																																																





		19																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5027.55</td> <td>49.81</td> <td>74.00</td> <td>-24.19</td> <td>40.03</td> <td>34.59</td> <td>7.84</td> <td>32.65</td> <td>271</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5027.55	49.81	74.00	-24.19	40.03	34.59	7.84	32.65	271	0	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.30</td> <td>-----</td> <td>-----</td> <td>87.73</td> <td>34.53</td> <td>7.94</td> <td>32.90</td> <td>271</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	97.30	-----	-----	87.73	34.53	7.94	32.90	271	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5027.55	49.81	74.00	-24.19	40.03	34.59	7.84	32.65	271	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	97.30	-----	-----	87.73	34.53	7.94	32.90	271	0	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5045.41</td> <td>40.39</td> <td>54.00</td> <td>-13.61</td> <td>30.64</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>271</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5045.41	40.39	54.00	-13.61	30.64	34.58	7.85	32.68	271	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>89.08</td> <td>-----</td> <td>-----</td> <td>79.53</td> <td>34.52</td> <td>7.94</td> <td>32.91</td> <td>271</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	89.08	-----	-----	79.53	34.52	7.94	32.91	271	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5045.41	40.39	54.00	-13.61	30.64	34.58	7.85	32.68	271	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5190.00	89.08	-----	-----	79.53	34.52	7.94	32.91	271	0	AVERAGE																																																																	



		<b>19</b>																																											
<b>Mode</b>	<b>Band Edge - R</b>																																												
	<b>U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz</b>																																												
<b>ANT</b>	<b>CDD 9+15</b>																																												
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																											
<b>Peak</b>	<p style="text-align: right;">Date: 2023-09-09</p>		<b>Blank</b>																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5398.44</td> <td>47.83</td> <td>74.00</td> <td>-26.17</td> <td>38.18</td> <td>34.44</td> <td>8.46</td> <td>33.25</td> <td>271</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5398.44	47.83	74.00	-26.17	38.18	34.44	8.46	33.25	271
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5398.44	47.83	74.00	-26.17	38.18	34.44	8.46	33.25	271	0	PEAK																																		
<b>Avg</b>	<p style="text-align: right;">Date: 2023-09-09</p>		<b>Blank</b>																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5408.70</td> <td>38.72</td> <td>54.00</td> <td>-15.28</td> <td>29.07</td> <td>34.44</td> <td>8.48</td> <td>33.27</td> <td>271</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5408.70	38.72	54.00	-15.28	29.07	34.44	8.48	33.27	271
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5408.70	38.72	54.00	-15.28	29.07	34.44	8.48	33.27	271	0	AVERAGE																																		



		19																																																																											
Mode	Band Edge - L																																																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.50</td> <td>50.42</td> <td>74.00</td> <td>-23.58</td> <td>40.77</td> <td>34.55</td> <td>7.90</td> <td>32.80</td> <td>119</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.50	50.42	74.00	-23.58	40.77	34.55	7.90	32.80	119	28	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>100.91</td> <td>-----</td> <td>-----</td> <td>91.36</td> <td>34.52</td> <td>7.94</td> <td>32.91</td> <td>119</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	100.91	-----	-----	91.36	34.52	7.94	32.91	119	28	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5123.50	50.42	74.00	-23.58	40.77	34.55	7.90	32.80	119	28	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5190.00	100.91	-----	-----	91.36	34.52	7.94	32.91	119	28	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.97</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>31.46</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>119</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.97	41.08	54.00	-12.92	31.46	34.54	7.92	32.84	119	28	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>92.23</td> <td>-----</td> <td>-----</td> <td>82.66</td> <td>34.53</td> <td>7.94</td> <td>32.90</td> <td>119</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5190.00	92.23	-----	-----	82.66	34.53	7.94	32.90	119	28	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5144.97	41.08	54.00	-12.92	31.46	34.54	7.92	32.84	119	28	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5190.00	92.23	-----	-----	82.66	34.53	7.94	32.90	119	28	AVERAGE																																																																		



	19																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.84</td> <td>48.26</td> <td>74.00</td> <td>-25.74</td> <td>38.68</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>119</td> <td>28</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5430.84	48.26	74.00	-25.74	38.68	34.43	8.45	33.30	119	28	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5430.84	48.26	74.00	-25.74	38.68	34.43	8.45	33.30	119	28	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5410.86</td> <td>38.70</td> <td>54.00</td> <td>-15.30</td> <td>29.06</td> <td>34.44</td> <td>8.47</td> <td>33.27</td> <td>119</td> <td>28</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5410.86	38.70	54.00	-15.30	29.06	34.44	8.47	33.27	119	28	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5410.86	38.70	54.00	-15.30	29.06	34.44	8.47	33.27	119	28	AVERAGE																											



		20																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5051.75</td> <td>49.96</td> <td>74.00</td> <td>-24.04</td> <td>40.22</td> <td>34.58</td> <td>7.85</td> <td>32.69</td> <td>349</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5051.75	49.96	74.00	-24.04	40.22	34.58	7.85	32.69	349	0	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>99.62</td> <td>-----</td> <td>-----</td> <td>90.09</td> <td>34.51</td> <td>7.99</td> <td>32.97</td> <td>349</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	99.62	-----	-----	90.09	34.51	7.99	32.97	349	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5051.75	49.96	74.00	-24.04	40.22	34.58	7.85	32.69	349	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5230.00	99.62	-----	-----	90.09	34.51	7.99	32.97	349	0	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5120.98</td> <td>40.44</td> <td>54.00</td> <td>-13.56</td> <td>30.79</td> <td>34.55</td> <td>7.90</td> <td>32.80</td> <td>349</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5120.98	40.44	54.00	-13.56	30.79	34.55	7.90	32.80	349	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>90.54</td> <td>-----</td> <td>-----</td> <td>81.00</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>349</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	90.54	-----	-----	81.00	34.51	8.01	32.98	349	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5120.98	40.44	54.00	-13.56	30.79	34.55	7.90	32.80	349	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5230.00	90.54	-----	-----	81.00	34.51	8.01	32.98	349	0	AVERAGE																																																																	



	20																																				
Mode	Band Edge - R																																				
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																				
ANT	CDD 9+15																																				
Pol.	Horizontal	Fundamental																																			
Peak																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5367.77</td> <td>48.80</td> <td>74.00</td> <td>-25.20</td> <td>39.17</td> <td>34.45</td> <td>8.38</td> <td>33.20</td> <td>349</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5367.77	48.80	74.00	-25.20	39.17	34.45	8.38	33.20	349	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5367.77	48.80	74.00	-25.20	39.17	34.45	8.38	33.20	349	0	PEAK																										
Avg																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5406.64</td> <td>38.54</td> <td>54.00</td> <td>-15.46</td> <td>28.88</td> <td>34.44</td> <td>8.48</td> <td>33.26</td> <td>349</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5406.64	38.54	54.00	-15.46	28.88	34.44	8.48	33.26	349	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																														
1	5406.64	38.54	54.00	-15.46	28.88	34.44	8.48	33.26	349	0	AVERAGE																										



		20																																																																											
Mode	Band Edge - L																																																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5063.94</td> <td>50.96</td> <td>74.00</td> <td>-23.04</td> <td>41.24</td> <td>34.57</td> <td>7.86</td> <td>32.71</td> <td>114</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5063.94	50.96	74.00	-23.04	41.24	34.57	7.86	32.71	114	360	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>104.98</td> <td>-----</td> <td>-----</td> <td>95.45</td> <td>34.52</td> <td>7.96</td> <td>32.95</td> <td>114</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	104.98	-----	-----	95.45	34.52	7.96	32.95	114	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5063.94	50.96	74.00	-23.04	41.24	34.57	7.86	32.71	114	360	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5230.00	104.98	-----	-----	95.45	34.52	7.96	32.95	114	360	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5111.55</td> <td>41.08</td> <td>54.00</td> <td>-12.92</td> <td>31.41</td> <td>34.56</td> <td>7.89</td> <td>32.78</td> <td>114</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5111.55	41.08	54.00	-12.92	31.41	34.56	7.89	32.78	114	360	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>94.78</td> <td>-----</td> <td>-----</td> <td>85.24</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>114</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	94.78	-----	-----	85.24	34.51	8.01	32.98	114	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5111.55	41.08	54.00	-12.92	31.41	34.56	7.89	32.78	114	360	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5230.00	94.78	-----	-----	85.24	34.51	8.01	32.98	114	360	AVERAGE																																																																		



	20	
Mode	Band Edge - R	
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz	
ANT	CDD 9+15	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	





		21																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5065.88</td> <td>49.99</td> <td>74.00</td> <td>-24.01</td> <td>40.27</td> <td>34.57</td> <td>7.86</td> <td>32.71</td> <td>200</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5065.88	49.99	74.00	-24.01	40.27	34.57	7.86	32.71	200	269	PEAK	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>91.94</td> <td>-----</td> <td>-----</td> <td>82.36</td> <td>34.49</td> <td>8.14</td> <td>33.05</td> <td>200</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	91.94	-----	-----	82.36	34.49	8.14	33.05	200	269	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5065.88	49.99	74.00	-24.01	40.27	34.57	7.86	32.71	200	269	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	91.94	-----	-----	82.36	34.49	8.14	33.05	200	269	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5052.65</td> <td>40.24</td> <td>54.00</td> <td>-13.76</td> <td>30.50</td> <td>34.58</td> <td>7.85</td> <td>32.69</td> <td>200</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5052.65	40.24	54.00	-13.76	30.50	34.58	7.85	32.69	200	269	AVERAGE	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>84.08</td> <td>-----</td> <td>-----</td> <td>74.50</td> <td>34.49</td> <td>8.14</td> <td>33.05</td> <td>200</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	84.08	-----	-----	74.50	34.49	8.14	33.05	200	269	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5052.65	40.24	54.00	-13.76	30.50	34.58	7.85	32.69	200	269	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	84.08	-----	-----	74.50	34.49	8.14	33.05	200	269	AVERAGE																																																																	



	21																																							
Mode	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																							
ANT	CDD 9+15																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5359.87</td> <td>47.97</td> <td>74.00</td> <td>-26.03</td> <td>38.35</td> <td>34.46</td> <td>8.35</td> <td>33.19</td> <td>200</td> <td>269</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.87	47.97	74.00	-26.03	38.35	34.46	8.35	33.19	200	269	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5359.87	47.97	74.00	-26.03	38.35	34.46	8.35	33.19	200	269	PEAK																													
Blank																																								
Avg	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.03</td> <td>38.46</td> <td>54.00</td> <td>-15.54</td> <td>28.83</td> <td>34.46</td> <td>8.34</td> <td>33.17</td> <td>200</td> <td>269</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.03	38.46	54.00	-15.54	28.83	34.46	8.34	33.17	200	269	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5353.03	38.46	54.00	-15.54	28.83	34.46	8.34	33.17	200	269	AVERAGE																													
Blank																																								



		21																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5051.84</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>40.12</td> <td>34.58</td> <td>7.85</td> <td>32.69</td> <td>300</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5051.84	49.86	74.00	-24.14	40.12	34.58	7.85	32.69	300	34	PEAK	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>101.18</td> <td>-----</td> <td>-----</td> <td>91.60</td> <td>34.48</td> <td>8.17</td> <td>33.07</td> <td>300</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	101.18	-----	-----	91.60	34.48	8.17	33.07	300	34	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5051.84	49.86	74.00	-24.14	40.12	34.58	7.85	32.69	300	34	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5270.00	101.18	-----	-----	91.60	34.48	8.17	33.07	300	34	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5049.68</td> <td>40.32</td> <td>54.00</td> <td>-13.68</td> <td>30.57</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>300</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5049.68	40.32	54.00	-13.68	30.57	34.58	7.85	32.68	300	34	AVERAGE	<p style="text-align: right;">Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5270.00</td> <td>92.27</td> <td>-----</td> <td>-----</td> <td>82.70</td> <td>34.49</td> <td>8.12</td> <td>33.04</td> <td>300</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	92.27	-----	-----	82.70	34.49	8.12	33.04	300	34	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5049.68	40.32	54.00	-13.68	30.57	34.58	7.85	32.68	300	34	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5270.00	92.27	-----	-----	82.70	34.49	8.12	33.04	300	34	AVERAGE																																																																		



	21																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																												
ANT	CDD 9+15																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.59</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>39.49</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>300</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5414.59	49.12	74.00	-24.88	39.49	34.43	8.47	33.27	300	34
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5414.59	49.12	74.00	-24.88	39.49	34.43	8.47	33.27	300	34	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5393.31</td> <td>39.36</td> <td>54.00</td> <td>-14.64</td> <td>29.72</td> <td>34.44</td> <td>8.44</td> <td>33.24</td> <td>300</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5393.31	39.36	54.00	-14.64	29.72	34.44	8.44	33.24	300	34
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5393.31	39.36	54.00	-14.64	29.72	34.44	8.44	33.24	300	34	AVERAGE																																		



		22																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5105.40</td> <td>49.77</td> <td>74.00</td> <td>-24.23</td> <td>40.09</td> <td>34.56</td> <td>7.89</td> <td>32.77</td> <td>391</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5105.40	49.77	74.00	-24.23	40.09	34.56	7.89	32.77	391	360	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.15</td> <td>-----</td> <td>-----</td> <td>86.55</td> <td>34.48</td> <td>8.22</td> <td>33.10</td> <td>391</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	96.15	-----	-----	86.55	34.48	8.22	33.10	391	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5105.40	49.77	74.00	-24.23	40.09	34.56	7.89	32.77	391	360	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	96.15	-----	-----	86.55	34.48	8.22	33.10	391	360	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.26</td> <td>40.34</td> <td>54.00</td> <td>-13.66</td> <td>30.67</td> <td>34.56</td> <td>7.89</td> <td>32.78</td> <td>391</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5107.26	40.34	54.00	-13.66	30.67	34.56	7.89	32.78	391	360	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>88.10</td> <td>-----</td> <td>-----</td> <td>78.50</td> <td>34.48</td> <td>8.22</td> <td>33.10</td> <td>391</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	88.10	-----	-----	78.50	34.48	8.22	33.10	391	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5107.26	40.34	54.00	-13.66	30.67	34.56	7.89	32.78	391	360	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	88.10	-----	-----	78.50	34.48	8.22	33.10	391	360	AVERAGE																																																																	



	22																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.55</td> <td>48.63</td> <td>74.00</td> <td>-25.37</td> <td>38.99</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>391</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5384.55	48.63	74.00	-25.37	38.99	34.45	8.42	33.23	391	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5384.55	48.63	74.00	-25.37	38.99	34.45	8.42	33.23	391	360	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5356.35</td> <td>39.17</td> <td>54.00</td> <td>-14.83</td> <td>29.55</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>391</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5356.35	39.17	54.00	-14.83	29.55	34.46	8.34	33.18	391	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5356.35	39.17	54.00	-14.83	29.55	34.46	8.34	33.18	391	360	AVERAGE																											



		22																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5024.18</td> <td>49.18</td> <td>74.00</td> <td>-24.82</td> <td>39.40</td> <td>34.59</td> <td>7.83</td> <td>32.64</td> <td>109</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5024.18	49.18	74.00	-24.82	39.40	34.59	7.83	32.64	109	357	PEAK	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>101.84</td> <td>-----</td> <td>-----</td> <td>92.25</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>109</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	101.84	-----	-----	92.25	34.47	8.23	33.11	109	357	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5024.18	49.18	74.00	-24.82	39.40	34.59	7.83	32.64	109	357	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	101.84	-----	-----	92.25	34.47	8.23	33.11	109	357	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5020.77</td> <td>40.43</td> <td>54.00</td> <td>-13.57</td> <td>30.65</td> <td>34.59</td> <td>7.83</td> <td>32.64</td> <td>109</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5020.77	40.43	54.00	-13.57	30.65	34.59	7.83	32.64	109	357	AVERAGE	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.45</td> <td>-----</td> <td>-----</td> <td>83.87</td> <td>34.48</td> <td>8.17</td> <td>33.07</td> <td>109</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	93.45	-----	-----	83.87	34.48	8.17	33.07	109	357	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5020.77	40.43	54.00	-13.57	30.65	34.59	7.83	32.64	109	357	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	93.45	-----	-----	83.87	34.48	8.17	33.07	109	357	AVERAGE																																																																	



	22																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.60</td> <td>49.84</td> <td>74.00</td> <td>-24.16</td> <td>40.21</td> <td>34.46</td> <td>8.35</td> <td>33.18</td> <td>109</td> <td>357 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.60	49.84	74.00	-24.16	40.21	34.46	8.35	33.18	109	357 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1	5358.60	49.84	74.00	-24.16	40.21	34.46	8.35	33.18	109	357 PEAK																													
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-09-09</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.85</td> <td>41.23</td> <td>54.00</td> <td>-12.77</td> <td>31.60</td> <td>34.46</td> <td>8.35</td> <td>33.18</td> <td>109</td> <td>357 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.85	41.23	54.00	-12.77	31.60	34.46	8.35	33.18	109	357 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1	5357.85	41.23	54.00	-12.77	31.60	34.46	8.35	33.18	109	357 AVERAGE																													
Blank																																							





		23																																																																													
Mode	Band Edge - L																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																														
ANT	CDD 9+15																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5362.80</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>38.73</td> <td>34.45</td> <td>8.36</td> <td>33.19</td> <td>300</td> <td>15 PEAK</td> </tr> <tr> <td>2</td> <td>5460.56</td> <td>48.67</td> <td>68.30</td> <td>-19.63</td> <td>39.19</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>300</td> <td>15 PEAK</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.80	48.35	74.00	-25.65	38.73	34.45	8.36	33.19	300	15 PEAK	2	5460.56	48.67	68.30	-19.63	39.19	34.42	8.41	33.35	300	15 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>92.68</td> <td>-----</td> <td>-----</td> <td>83.32</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>300</td> <td>15 PEAK</td> </tr> </tbody> </table>			Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.68	-----	-----	83.32	34.41	8.35	33.40	300
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5362.80	48.35	74.00	-25.65	38.73	34.45	8.36	33.19	300	15 PEAK																																																																					
2	5460.56	48.67	68.30	-19.63	39.19	34.42	8.41	33.35	300	15 PEAK																																																																					
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5510.00	92.68	-----	-----	83.32	34.41	8.35	33.40	300	15 PEAK																																																																					
Avg																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5423.76</td> <td>38.51</td> <td>54.00</td> <td>-15.49</td> <td>28.91</td> <td>34.43</td> <td>8.46</td> <td>33.29</td> <td>300</td> <td>15 AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.76	38.51	54.00	-15.49	28.91	34.43	8.46	33.29	300	15 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Level</th> <th>Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>83.77</td> <td>-----</td> <td>-----</td> <td>74.39</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>300</td> <td>15 AVERAGE</td> </tr> </tbody> </table>			Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.77	-----	-----	74.39	34.45	8.32	33.39	300	15 AVERAGE										
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5423.76	38.51	54.00	-15.49	28.91	34.43	8.46	33.29	300	15 AVERAGE																																																																					
	Limit Freq	Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5510.00	83.77	-----	-----	74.39	34.45	8.32	33.39	300	15 AVERAGE																																																																					



Mode	23																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.02</td> <td>49.62</td> <td>68.30</td> <td>-18.68</td> <td>39.23</td> <td>34.96</td> <td>8.78</td> <td>33.35</td> <td>300</td> <td>15</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.02	49.62	68.30	-18.68	39.23	34.96	8.78	33.35	300	15	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																													
1 5753.02	49.62	68.30	-18.68	39.23	34.96	8.78	33.35	300	15																													



	23																																																																																					
<b>Mode</b>	<b>Band Edge - L</b>																																																																																					
	<b>U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz</b>																																																																																					
<b>ANT</b>	<b>CDD 9+15</b>																																																																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5429.36</td> <td>49.97</td> <td>74.00</td> <td>-24.03</td> <td>40.39</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>232</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.76</td> <td>49.27</td> <td>68.30</td> <td>-19.03</td> <td>39.82</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>232</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5429.36	49.97	74.00	-24.03	40.39	34.43	8.45	33.30	232	360	PEAK	2	5467.76	49.27	68.30	-19.03	39.82	34.41	8.40	33.36	232	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>101.98</td> <td>-----</td> <td>-----</td> <td>92.62</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>232</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	101.98	-----	-----	92.62	34.41	8.35	33.40	232	360	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5429.36	49.97	74.00	-24.03	40.39	34.43	8.45	33.30	232	360	PEAK																																																																											
2	5467.76	49.27	68.30	-19.03	39.82	34.41	8.40	33.36	232	360	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	101.98	-----	-----	92.62	34.41	8.35	33.40	232	360	PEAK																																																																											
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.28</td> <td>40.32</td> <td>54.00</td> <td>-13.68</td> <td>30.84</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>232</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.28	40.32	54.00	-13.68	30.84	34.42	8.41	33.35	232	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>93.52</td> <td>-----</td> <td>-----</td> <td>84.16</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>232</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	93.52	-----	-----	84.16	34.40	8.36	33.40	232	360	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.28	40.32	54.00	-13.68	30.84	34.42	8.41	33.35	232	360	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	93.52	-----	-----	84.16	34.40	8.36	33.40	232	360	AVERAGE																																																																											



Mode	23																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-09-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5746.90</td> <td>49.31</td> <td>68.30</td> <td>-18.99</td> <td>38.97</td> <td>34.94</td> <td>8.75</td> <td>33.35</td> <td>232</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5746.90	49.31	68.30	-18.99	38.97	34.94	8.75	33.35	232	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5746.90	49.31	68.30	-18.99	38.97	34.94	8.75	33.35	232	360	PEAK																													



		24																																																																																						
Mode	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.84</td> <td>48.62</td> <td>74.00</td> <td>-25.38</td> <td>39.11</td> <td>34.42</td> <td>8.42</td> <td>33.33</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.72</td> <td>48.41</td> <td>68.30</td> <td>-19.89</td> <td>38.93</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.84	48.62	74.00	-25.38	39.11	34.42	8.42	33.33	286	360	PEAK	2	5460.72	48.41	68.30	-19.89	38.93	34.42	8.41	33.35	286	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.58</td> <td>-----</td> <td>-----</td> <td>85.79</td> <td>34.74</td> <td>8.42</td> <td>33.37</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	95.58	-----	-----	85.79	34.74	8.42	33.37	286	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5449.84	48.62	74.00	-25.38	39.11	34.42	8.42	33.33	286	360	PEAK																																																																													
2	5460.72	48.41	68.30	-19.89	38.93	34.42	8.41	33.35	286	360	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5670.00	95.58	-----	-----	85.79	34.74	8.42	33.37	286	360	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.56</td> <td>39.26</td> <td>54.00</td> <td>-14.74</td> <td>29.68</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>286</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.56	39.26	54.00	-14.74	29.68	34.43	8.45	33.30	286	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>87.65</td> <td>-----</td> <td>-----</td> <td>77.75</td> <td>34.78</td> <td>8.49</td> <td>33.37</td> <td>286</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	87.65	-----	-----	77.75	34.78	8.49	33.37	286	360	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5432.56	39.26	54.00	-14.74	29.68	34.43	8.45	33.30	286	360	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5670.00	87.65	-----	-----	77.75	34.78	8.49	33.37	286	360	AVERAGE																																																																													



Mode	24																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																		
ANT	CDD 9+15																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5728.24</td> <td>49.32</td> <td>68.30</td> <td>-18.98</td> <td>39.08</td> <td>34.90</td> <td>8.69</td> <td>33.35</td> <td>286 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5728.24	49.32	68.30	-18.98	39.08	34.90	8.69	33.35	286 360 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5728.24	49.32	68.30	-18.98	39.08	34.90	8.69	33.35	286 360 PEAK																											



		24																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																													
ANT	CDD 9+15																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.52</td> <td>49.79</td> <td>74.00</td> <td>-24.21</td> <td>40.17</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>198</td> <td>22</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.84</td> <td>47.47</td> <td>68.30</td> <td>-20.83</td> <td>38.02</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>198</td> <td>22</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.52	49.79	74.00	-24.21	40.17	34.46	8.34	33.18	198	22	PEAK	2	5465.84	47.47	68.30	-20.83	38.02	34.41	8.40	33.36	198	22	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>104.09</td> <td>-----</td> <td>-----</td> <td>94.19</td> <td>34.78</td> <td>8.49</td> <td>33.37</td> <td>198</td> <td>22</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	104.09	-----	-----	94.19	34.78	8.49	33.37	198	22	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5353.52	49.79	74.00	-24.21	40.17	34.46	8.34	33.18	198	22	PEAK																																																																																			
2	5465.84	47.47	68.30	-20.83	38.02	34.41	8.40	33.36	198	22	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5670.00	104.09	-----	-----	94.19	34.78	8.49	33.37	198	22	PEAK																																																																																			
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.16</td> <td>39.61</td> <td>54.00</td> <td>-14.39</td> <td>29.97</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>198</td> <td>22</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5386.16	39.61	54.00	-14.39	29.97	34.45	8.42	33.23	198	22	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.81</td> <td>-----</td> <td>-----</td> <td>85.91</td> <td>34.78</td> <td>8.49</td> <td>33.37</td> <td>198</td> <td>22</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	95.81	-----	-----	85.91	34.78	8.49	33.37	198	22	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5386.16	39.61	54.00	-14.39	29.97	34.45	8.42	33.23	198	22	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5670.00	95.81	-----	-----	85.91	34.78	8.49	33.37	198	22	AVERAGE																																																																																			



Mode	24																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																		
ANT	CDD 9+15																																		
Pol.	Vertical	Fundamental																																	
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5741.82</td> <td>51.14</td> <td>68.30</td> <td>-17.16</td> <td>40.82</td> <td>34.93</td> <td>8.74</td> <td>33.35</td> <td>198 22 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5741.82	51.14	68.30	-17.16	40.82	34.93	8.74	33.35	198 22 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5741.82	51.14	68.30	-17.16	40.82	34.93	8.74	33.35	198 22 PEAK																											





		25																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5099.96</td> <td>51.94</td> <td>74.00</td> <td>-22.06</td> <td>42.26</td> <td>34.56</td> <td>7.89</td> <td>32.77</td> <td>226</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5099.96	51.94	74.00	-22.06	42.26	34.56	7.89	32.77	226	46	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>101.05</td> <td>-----</td> <td>-----</td> <td>91.50</td> <td>34.52</td> <td>7.94</td> <td>32.91</td> <td>226</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	101.05	-----	-----	91.50	34.52	7.94	32.91	226	46	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5099.96	51.94	74.00	-22.06	42.26	34.56	7.89	32.77	226	46	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	101.05	-----	-----	91.50	34.52	7.94	32.91	226	46	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5100.38</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>32.77</td> <td>34.56</td> <td>7.89</td> <td>32.77</td> <td>226</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5100.38	42.45	54.00	-11.55	32.77	34.56	7.89	32.77	226	46	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>90.89</td> <td>-----</td> <td>-----</td> <td>81.35</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>226</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	90.89	-----	-----	81.35	34.51	8.01	32.98	226	46	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5100.38	42.45	54.00	-11.55	32.77	34.56	7.89	32.77	226	46	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	90.89	-----	-----	81.35	34.51	8.01	32.98	226	46	AVERAGE																																																																	



	25																																												
Mode	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																												
ANT	CDD 9+15																																												
Pol.	Horizontal	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5386.25</td> <td>49.07</td> <td>74.00</td> <td>-24.93</td> <td>39.43</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>226</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5386.25	49.07	74.00	-24.93	39.43	34.45	8.42	33.23	226	46
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5386.25	49.07	74.00	-24.93	39.43	34.45	8.42	33.23	226	46	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.50</td> <td>39.76</td> <td>54.00</td> <td>-14.24</td> <td>30.14</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>226</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5353.50	39.76	54.00	-14.24	30.14	34.46	8.34	33.18	226	46
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5353.50	39.76	54.00	-14.24	30.14	34.46	8.34	33.18	226	46	AVERAGE																																		







		25																																																																															
Mode	Band Edge - L																																																																																
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																
ANT	CDD 9+15																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<p style="text-align: right;">Date: 2023-09-11</p>		<p style="text-align: right;">Date: 2023-09-11</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5106.26</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>43.53</td> <td>34.56</td> <td>7.89</td> <td>32.78</td> <td>205</td> <td>0 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5106.26	53.20	74.00	-20.80	43.53	34.56	7.89	32.78	205	0 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>102.72</td> <td>-----</td> <td>-----</td> <td>93.18</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>205</td> <td>0 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	102.72	-----	-----	93.18	34.51	8.01	32.98	205
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5106.26	53.20	74.00	-20.80	43.53	34.56	7.89	32.78	205	0 PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5210.00	102.72	-----	-----	93.18	34.51	8.01	32.98	205	0 PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2023-09-11</p>		<p style="text-align: right;">Date: 2023-09-11</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.73</td> <td>43.84</td> <td>54.00</td> <td>-10.16</td> <td>34.23</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>205</td> <td>0 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.73	43.84	54.00	-10.16	34.23	34.54	7.92	32.85	205	0 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>93.56</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>34.52</td> <td>7.95</td> <td>32.92</td> <td>205</td> <td>0 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	93.56	-----	-----	84.01	34.52	7.95	32.92	205
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5149.73	43.84	54.00	-10.16	34.23	34.54	7.92	32.85	205	0 AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5210.00	93.56	-----	-----	84.01	34.52	7.95	32.92	205	0 AVERAGE																																																																							



	25																																												
Mode	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																												
ANT	CDD 9+15																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.00</td> <td>50.84</td> <td>74.00</td> <td>-23.16</td> <td>41.21</td> <td>34.46</td> <td>8.36</td> <td>33.19</td> <td>205</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5361.00	50.84	74.00	-23.16	41.21	34.46	8.36	33.19	205	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5361.00	50.84	74.00	-23.16	41.21	34.46	8.36	33.19	205	0	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.25</td> <td>40.65</td> <td>54.00</td> <td>-13.35</td> <td>31.03</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>205</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5354.25	40.65	54.00	-13.35	31.03	34.46	8.34	33.18	205	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5354.25	40.65	54.00	-13.35	31.03	34.46	8.34	33.18	205	0	AVERAGE																																		



		26																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5089.61</td> <td>51.13</td> <td>74.00</td> <td>-22.87</td> <td>41.44</td> <td>34.56</td> <td>7.88</td> <td>32.75</td> <td>200</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5089.61	51.13	74.00	-22.87	41.44	34.56	7.88	32.75	200	61	PEAK	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>98.61</td> <td>-----</td> <td>-----</td> <td>89.04</td> <td>34.50</td> <td>8.09</td> <td>33.02</td> <td>200</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	98.61	-----	-----	89.04	34.50	8.09	33.02	200	61	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5089.61	51.13	74.00	-22.87	41.44	34.56	7.88	32.75	200	61	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	98.61	-----	-----	89.04	34.50	8.09	33.02	200	61	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5136.88</td> <td>41.18</td> <td>54.00</td> <td>-12.82</td> <td>31.54</td> <td>34.55</td> <td>7.91</td> <td>32.82</td> <td>200</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5136.88	41.18	54.00	-12.82	31.54	34.55	7.91	32.82	200	61	AVERAGE	 <p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.75</td> <td>-----</td> <td>-----</td> <td>81.17</td> <td>34.49</td> <td>8.15</td> <td>33.06</td> <td>200</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	90.75	-----	-----	81.17	34.49	8.15	33.06	200	61	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5136.88	41.18	54.00	-12.82	31.54	34.55	7.91	32.82	200	61	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	90.75	-----	-----	81.17	34.49	8.15	33.06	200	61	AVERAGE																																																																	



	26																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																												
ANT	CDD 9+15																																												
Pol.	Horizontal	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5375.00</td> <td>54.90</td> <td>74.00</td> <td>-19.10</td> <td>45.27</td> <td>34.45</td> <td>8.39</td> <td>33.21</td> <td>200</td> <td>61</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5375.00	54.90	74.00	-19.10	45.27	34.45	8.39	33.21	200	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5375.00	54.90	74.00	-19.10	45.27	34.45	8.39	33.21	200	61	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5373.98</td> <td>44.37</td> <td>54.00</td> <td>-9.63</td> <td>34.74</td> <td>34.45</td> <td>8.39</td> <td>33.21</td> <td>200</td> <td>61</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5373.98	44.37	54.00	-9.63	34.74	34.45	8.39	33.21	200	61
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5373.98	44.37	54.00	-9.63	34.74	34.45	8.39	33.21	200	61	AVERAGE																																		



	26																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5040.89</td> <td>51.70</td> <td>74.00</td> <td>-22.30</td> <td>41.94</td> <td>34.58</td> <td>7.85</td> <td>32.67</td> <td>196</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5040.89	51.70	74.00	-22.30	41.94	34.58	7.85	32.67	196	0	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.99</td> <td>-----</td> <td>-----</td> <td>93.42</td> <td>34.49</td> <td>8.12</td> <td>33.04</td> <td>196</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	102.99	-----	-----	93.42	34.49	8.12	33.04	196	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5040.89	51.70	74.00	-22.30	41.94	34.58	7.85	32.67	196	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	102.99	-----	-----	93.42	34.49	8.12	33.04	196	0	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.39</td> <td>42.46</td> <td>54.00</td> <td>-11.54</td> <td>32.84</td> <td>34.54</td> <td>7.91</td> <td>32.83</td> <td>196</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5142.39	42.46	54.00	-11.54	32.84	34.54	7.91	32.83	196	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.39</td> <td>-----</td> <td>-----</td> <td>84.80</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>196</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	94.39	-----	-----	84.80	34.47	8.23	33.11	196	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5142.39	42.46	54.00	-11.54	32.84	34.54	7.91	32.83	196	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	94.39	-----	-----	84.80	34.47	8.23	33.11	196	0	AVERAGE																																																																	



	26																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																												
ANT	CDD 9+15																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5384.35</td> <td>57.05</td> <td>74.00</td> <td>-16.95</td> <td>47.41</td> <td>34.45</td> <td>8.42</td> <td>33.23</td> <td>196</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5384.35	57.05	74.00	-16.95	47.41	34.45	8.42	33.23	196	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5384.35	57.05	74.00	-16.95	47.41	34.45	8.42	33.23	196	0	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5383.84</td> <td>46.75</td> <td>54.00</td> <td>-7.25</td> <td>37.10</td> <td>34.45</td> <td>8.42</td> <td>33.22</td> <td>196</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5383.84	46.75	54.00	-7.25	37.10	34.45	8.42	33.22	196	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5383.84	46.75	54.00	-7.25	37.10	34.45	8.42	33.22	196	0	AVERAGE																																		





		27																																																																																					
Mode		Band Edge - L																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																					
ANT		CDD 9+15																																																																																					
Pol.		Horizontal	Fundamental																																																																																				
Peak		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5438.56</td> <td>53.17</td> <td>74.00</td> <td>-20.83</td> <td>43.62</td> <td>34.42</td> <td>8.44</td> <td>33.31</td> <td>310</td> <td>309</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5462.86</td> <td>53.74</td> <td>68.30</td> <td>-14.56</td> <td>44.27</td> <td>34.41</td> <td>8.41</td> <td>33.35</td> <td>310</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5438.56	53.17	74.00	-20.83	43.62	34.42	8.44	33.31	310	309	PEAK	2	5462.86	53.74	68.30	-14.56	44.27	34.41	8.41	33.35	310	309	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>98.29</td> <td>-----</td> <td>-----</td> <td>88.91</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>310</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5530.00	98.29	-----	-----	88.91	34.45	8.32	33.39	310	309	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	5438.56	53.17	74.00	-20.83	43.62	34.42	8.44	33.31	310	309	PEAK																																																																												
2	5462.86	53.74	68.30	-14.56	44.27	34.41	8.41	33.35	310	309	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	5530.00	98.29	-----	-----	88.91	34.45	8.32	33.39	310	309	PEAK																																																																												
Avg		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>45.03</td> <td>54.00</td> <td>-8.97</td> <td>35.55</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>310</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5459.80	45.03	54.00	-8.97	35.55	34.42	8.41	33.35	310	309	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>90.06</td> <td>-----</td> <td>-----</td> <td>80.70</td> <td>34.41</td> <td>8.35</td> <td>33.40</td> <td>310</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5530.00	90.06	-----	-----	80.70	34.41	8.35	33.40	310	309	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	5459.80	45.03	54.00	-8.97	35.55	34.42	8.41	33.35	310	309	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																
1	5530.00	90.06	-----	-----	80.70	34.41	8.35	33.40	310	309	AVERAGE																																																																												



Mode	27																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																						
ANT	CDD 9+15																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5751.37</td> <td>50.56</td> <td>68.30</td> <td>-17.74</td> <td>40.19</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>310</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5751.37	50.56	68.30	-17.74	40.19	34.95	8.77	33.35	310	309	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5751.37	50.56	68.30	-17.74	40.19	34.95	8.77	33.35	310	309	PEAK																													



		27																																																																																						
<b>Mode</b>		Band Edge - L																																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																						
<b>ANT</b>		CDD 9+15																																																																																						
<b>Pol.</b>	Vertical	Fundamental																																																																																						
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.72</td> <td>56.91</td> <td>74.00</td> <td>-17.09</td> <td>47.43</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.34</td> <td>56.42</td> <td>68.30</td> <td>-11.88</td> <td>46.94</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.72	56.91	74.00	-17.09	47.43	34.42	8.41	33.35	233	360	PEAK	2	5460.34	56.42	68.30	-11.88	46.94	34.42	8.41	33.35	233	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>103.65</td> <td>-----</td> <td>-----</td> <td>94.23</td> <td>34.53</td> <td>8.28</td> <td>33.39</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	103.65	-----	-----	94.23	34.53	8.28	33.39	233	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5458.72	56.91	74.00	-17.09	47.43	34.42	8.41	33.35	233	360	PEAK																																																																													
2	5460.34	56.42	68.30	-11.88	46.94	34.42	8.41	33.35	233	360	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	103.65	-----	-----	94.23	34.53	8.28	33.39	233	360	PEAK																																																																													
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.62</td> <td>48.06</td> <td>54.00</td> <td>-5.94</td> <td>38.58</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>233</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.62	48.06	54.00	-5.94	38.58	34.42	8.41	33.35	233	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>94.96</td> <td>-----</td> <td>-----</td> <td>85.54</td> <td>34.53</td> <td>8.28</td> <td>33.39</td> <td>233</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	94.96	-----	-----	85.54	34.53	8.28	33.39	233	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5459.62	48.06	54.00	-5.94	38.58	34.42	8.41	33.35	233	360	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	94.96	-----	-----	85.54	34.53	8.28	33.39	233	360	AVERAGE																																																																													



Mode	27																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5753.25</td> <td>51.52</td> <td>68.30</td> <td>-16.78</td> <td>41.13</td> <td>34.96</td> <td>8.78</td> <td>33.35</td> <td>233</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.25	51.52	68.30	-16.78	41.13	34.96	8.78	33.35	233	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5753.25	51.52	68.30	-16.78	41.13	34.96	8.78	33.35	233	360	PEAK																													



		28																																																																																						
Mode	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.44</td> <td>49.05</td> <td>74.00</td> <td>-24.95</td> <td>39.42</td> <td>34.46</td> <td>8.36</td> <td>33.19</td> <td>233</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.88</td> <td>49.22</td> <td>68.30</td> <td>-19.08</td> <td>39.76</td> <td>34.41</td> <td>8.40</td> <td>33.35</td> <td>233</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5361.44	49.05	74.00	-24.95	39.42	34.46	8.36	33.19	233	65	PEAK	2	5463.88	49.22	68.30	-19.08	39.76	34.41	8.40	33.35	233	65	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>98.83</td> <td>-----</td> <td>-----</td> <td>89.07</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>233</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	98.83	-----	-----	89.07	34.73	8.40	33.37	233	65	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5361.44	49.05	74.00	-24.95	39.42	34.46	8.36	33.19	233	65	PEAK																																																																													
2	5463.88	49.22	68.30	-19.08	39.76	34.41	8.40	33.35	233	65	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5610.00	98.83	-----	-----	89.07	34.73	8.40	33.37	233	65	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.54</td> <td>39.68</td> <td>54.00</td> <td>-14.32</td> <td>30.08</td> <td>34.43</td> <td>8.46</td> <td>33.29</td> <td>233</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5422.54	39.68	54.00	-14.32	30.08	34.43	8.46	33.29	233	65	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>91.10</td> <td>-----</td> <td>-----</td> <td>81.34</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>233</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	91.10	-----	-----	81.34	34.73	8.40	33.37	233	65	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5422.54	39.68	54.00	-14.32	30.08	34.43	8.46	33.29	233	65	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5610.00	91.10	-----	-----	81.34	34.73	8.40	33.37	233	65	AVERAGE																																																																													



Mode	28																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																						
ANT	CDD 9+15																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5735.24</td> <td>51.51</td> <td>68.30</td> <td>-16.79</td> <td>41.23</td> <td>34.92</td> <td>8.71</td> <td>33.35</td> <td>233</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5735.24	51.51	68.30	-16.79	41.23	34.92	8.71	33.35	233	65	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5735.24	51.51	68.30	-16.79	41.23	34.92	8.71	33.35	233	65	PEAK																													



		28																																																																																					
Mode	Band Edge - L																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																						
ANT	CDD 9+15																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.94</td> <td>51.87</td> <td>74.00</td> <td>-22.13</td> <td>42.26</td> <td>34.43</td> <td>8.46</td> <td>33.28</td> <td>223</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.28</td> <td>52.25</td> <td>68.30</td> <td>-16.05</td> <td>42.77</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>223</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5419.94	51.87	74.00	-22.13	42.26	34.43	8.46	33.28	223	360	PEAK	2	5461.28	52.25	68.30	-16.05	42.77	34.42	8.41	33.35	223	360	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>104.72</td> <td>-----</td> <td>-----</td> <td>94.99</td> <td>34.72</td> <td>8.38</td> <td>33.37</td> <td>223</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	104.72	-----	-----	94.99	34.72	8.38	33.37	223	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	5419.94	51.87	74.00	-22.13	42.26	34.43	8.46	33.28	223	360	PEAK																																																																												
2	5461.28	52.25	68.30	-16.05	42.77	34.42	8.41	33.35	223	360	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	5610.00	104.72	-----	-----	94.99	34.72	8.38	33.37	223	360	PEAK																																																																												
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.90</td> <td>42.40</td> <td>54.00</td> <td>-11.60</td> <td>32.91</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>223</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.90	42.40	54.00	-11.60	32.91	34.42	8.41	33.34	223	360	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>96.41</td> <td>-----</td> <td>-----</td> <td>86.68</td> <td>34.72</td> <td>8.38</td> <td>33.37</td> <td>223</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	96.41	-----	-----	86.68	34.72	8.38	33.37	223	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	5457.90	42.40	54.00	-11.60	32.91	34.42	8.41	33.34	223	360	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	5610.00	96.41	-----	-----	86.68	34.72	8.38	33.37	223	360	AVERAGE																																																																												



Mode	28																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																		
ANT	CDD 9+15																																		
Pol.	Vertical	Fundamental																																	
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.63</td> <td>55.42</td> <td>68.30</td> <td>-12.88</td> <td>45.20</td> <td>34.90</td> <td>8.68</td> <td>33.36</td> <td>223 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.63	55.42	68.30	-12.88	45.20	34.90	8.68	33.36	223 360 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5725.63	55.42	68.30	-12.88	45.20	34.90	8.68	33.36	223 360 PEAK																											





		29																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.75</td> <td>54.18</td> <td>74.00</td> <td>-19.82</td> <td>44.57</td> <td>34.54</td> <td>7.91</td> <td>32.84</td> <td>200</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5143.75	54.18	74.00	-19.82	44.57	34.54	7.91	32.84	200	40	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>98.08</td> <td>-----</td> <td>-----</td> <td>88.51</td> <td>34.49</td> <td>8.12</td> <td>33.04</td> <td>200</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	98.08	-----	-----	88.51	34.49	8.12	33.04	200	40	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5143.75	54.18	74.00	-19.82	44.57	34.54	7.91	32.84	200	40	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5250.00	98.08	-----	-----	88.51	34.49	8.12	33.04	200	40	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.50</td> <td>44.11</td> <td>54.00</td> <td>-9.89</td> <td>34.49</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>200</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.50	44.11	54.00	-9.89	34.49	34.54	7.92	32.84	200	40	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>88.74</td> <td>-----</td> <td>-----</td> <td>79.20</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>200</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	88.74	-----	-----	79.20	34.51	8.01	32.98	200	40	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5145.50	44.11	54.00	-9.89	34.49	34.54	7.92	32.84	200	40	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5250.00	88.74	-----	-----	79.20	34.51	8.01	32.98	200	40	AVERAGE																																																																		



	29																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																												
ANT	CDD 9+15																																												
Pol.	Horizontal	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5432.49</td> <td>50.40</td> <td>74.00</td> <td>-23.60</td> <td>40.82</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>200</td> <td>40</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5432.49	50.40	74.00	-23.60	40.82	34.43	8.45	33.30	200	40
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5432.49	50.40	74.00	-23.60	40.82	34.43	8.45	33.30	200	40	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5430.18</td> <td>41.84</td> <td>54.00</td> <td>-12.16</td> <td>32.26</td> <td>34.43</td> <td>8.45</td> <td>33.30</td> <td>200</td> <td>40</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5430.18	41.84	54.00	-12.16	32.26	34.43	8.45	33.30	200	40
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5430.18	41.84	54.00	-12.16	32.26	34.43	8.45	33.30	200	40	AVERAGE																																		



		29																																																																										
Mode	Band Edge - L																																																																											
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.75</td> <td>58.23</td> <td>74.00</td> <td>-15.77</td> <td>48.61</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>262</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.75	58.23	74.00	-15.77	48.61	34.54	7.92	32.84	262	0	PEAK	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>101.36</td> <td>-----</td> <td>-----</td> <td>91.76</td> <td>34.47</td> <td>8.25</td> <td>33.12</td> <td>262</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	101.36	-----	-----	91.76	34.47	8.25	33.12	262	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5146.75	58.23	74.00	-15.77	48.61	34.54	7.92	32.84	262	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5250.00	101.36	-----	-----	91.76	34.47	8.25	33.12	262	0	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5133.25</td> <td>44.77</td> <td>54.00</td> <td>-9.23</td> <td>35.13</td> <td>34.55</td> <td>7.91</td> <td>32.82</td> <td>262</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5133.25	44.77	54.00	-9.23	35.13	34.55	7.91	32.82	262	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>92.30</td> <td>-----</td> <td>-----</td> <td>82.74</td> <td>34.50</td> <td>8.07</td> <td>33.01</td> <td>262</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	92.30	-----	-----	82.74	34.50	8.07	33.01	262	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5133.25	44.77	54.00	-9.23	35.13	34.55	7.91	32.82	262	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5250.00	92.30	-----	-----	82.74	34.50	8.07	33.01	262	0	AVERAGE																																																																	



	29																																												
Mode	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Full_5250MHz																																												
ANT	CDD 9+15																																												
Pol.	Vertical	Fundamental																																											
Peak																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5360.67</td> <td>62.01</td> <td>74.00</td> <td>-11.99</td> <td>52.38</td> <td>34.46</td> <td>8.36</td> <td>33.19</td> <td>262</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5360.67	62.01	74.00	-11.99	52.38	34.46	8.36	33.19	262	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5360.67	62.01	74.00	-11.99	52.38	34.46	8.36	33.19	262	0	PEAK																																		
Avg																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5403.72</td> <td>46.60</td> <td>54.00</td> <td>-7.40</td> <td>36.95</td> <td>34.44</td> <td>8.47</td> <td>33.26</td> <td>262</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5403.72	46.60	54.00	-7.40	36.95	34.44	8.47	33.26	262	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5403.72	46.60	54.00	-7.40	36.95	34.44	8.47	33.26	262	0	AVERAGE																																		



	30																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																																																																							
ANT	CDD 9+15																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5436.90</td> <td>56.40</td> <td>74.00</td> <td>-17.60</td> <td>46.84</td> <td>34.43</td> <td>8.44</td> <td>33.31</td> <td>400</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.30</td> <td>52.89</td> <td>68.30</td> <td>-15.41</td> <td>43.43</td> <td>34.41</td> <td>8.40</td> <td>33.35</td> <td>400</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5436.90	56.40	74.00	-17.60	46.84	34.43	8.44	33.31	400	319	PEAK	2	5463.30	52.89	68.30	-15.41	43.43	34.41	8.40	33.35	400	319	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>95.62</td> <td>-----</td> <td>-----</td> <td>86.22</td> <td>34.49</td> <td>8.30</td> <td>33.39</td> <td>400</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	95.62	-----	-----	86.22	34.49	8.30	33.39	400	319	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5436.90	56.40	74.00	-17.60	46.84	34.43	8.44	33.31	400	319	PEAK																																																																													
2	5463.30	52.89	68.30	-15.41	43.43	34.41	8.40	33.35	400	319	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5570.00	95.62	-----	-----	86.22	34.49	8.30	33.39	400	319	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>45.11</td> <td>54.00</td> <td>-8.89</td> <td>35.63</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>400</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	45.11	54.00	-8.89	35.63	34.42	8.41	33.35	400	319	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>87.08</td> <td>-----</td> <td>-----</td> <td>77.64</td> <td>34.58</td> <td>8.24</td> <td>33.38</td> <td>400</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	87.08	-----	-----	77.64	34.58	8.24	33.38	400	319	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5458.90	45.11	54.00	-8.89	35.63	34.42	8.41	33.35	400	319	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5570.00	87.08	-----	-----	77.64	34.58	8.24	33.38	400	319	AVERAGE																																																																													



Mode	30																																		
	Band Edge - R																																		
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																		
ANT	CDD 9+15																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5738.09</td> <td>55.35</td> <td>68.30</td> <td>-12.95</td> <td>45.06</td> <td>34.92</td> <td>8.72</td> <td>33.35</td> <td>400 319 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5738.09	55.35	68.30	-12.95	45.06	34.92	8.72	33.35	400 319 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5738.09	55.35	68.30	-12.95	45.06	34.92	8.72	33.35	400 319 PEAK																											



		<b>30</b>																																																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																																																														
	<b>U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz</b>																																																																																														
<b>ANT</b>	<b>CDD 9+15</b>																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																													
<b>Peak</b>	<p style="text-align: right;">Date: 2023-09-11</p>		<p style="text-align: right;">Date: 2023-09-11</p>																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.36</td> <td>59.82</td> <td>74.00</td> <td>-14.18</td> <td>50.30</td> <td>34.42</td> <td>8.43</td> <td>33.33</td> <td>208</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.40</td> <td>62.38</td> <td>68.30</td> <td>-5.92</td> <td>52.93</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>208</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.36	59.82	74.00	-14.18	50.30	34.42	8.43	33.33	208	360	PEAK	2	5464.40	62.38	68.30	-5.92	52.93	34.41	8.40	33.36	208	360	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>101.87</td> <td>-----</td> <td>-----</td> <td>92.45</td> <td>34.53</td> <td>8.28</td> <td>33.39</td> <td>208</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	101.87	-----	-----	92.45	34.53	8.28	33.39	208	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5446.36	59.82	74.00	-14.18	50.30	34.42	8.43	33.33	208	360	PEAK																																																																																				
2	5464.40	62.38	68.30	-5.92	52.93	34.41	8.40	33.36	208	360	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5570.00	101.87	-----	-----	92.45	34.53	8.28	33.39	208	360	PEAK																																																																																				
<b>Avg</b>	<p style="text-align: right;">Date: 2023-09-11</p>		<p style="text-align: right;">Date: 2023-09-11</p>																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.90</td> <td>48.75</td> <td>54.00</td> <td>-5.25</td> <td>39.27</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>208</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	48.75	54.00	-5.25	39.27	34.42	8.41	33.35	208	360	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>93.16</td> <td>-----</td> <td>-----</td> <td>83.72</td> <td>34.58</td> <td>8.24</td> <td>33.38</td> <td>208</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	93.16	-----	-----	83.72	34.58	8.24	33.38	208	360	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5458.90	48.75	54.00	-5.25	39.27	34.42	8.41	33.35	208	360	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5570.00	93.16	-----	-----	83.72	34.58	8.24	33.38	208	360	AVERAGE																																																																																				



Mode	30																																						
	Band Edge - R																																						
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Full_5570MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5729.32</td> <td>62.42</td> <td>68.30</td> <td>-5.88</td> <td>52.18</td> <td>34.90</td> <td>8.69</td> <td>33.35</td> <td>208</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5729.32	62.42	68.30	-5.88	52.18	34.90	8.69	33.35	208	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5729.32	62.42	68.30	-5.88	52.18	34.90	8.69	33.35	208	360	PEAK																													





Mode	30																																																																																														
	Harmonic																																																																																														
	U-NII-2C_5.15-5.35_802.11ax HE160_CH114_Full_5570MHz																																																																																														
ANT	CDD 9+15																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p>Date: 2023-09-16</p>	<p>Date: 2023-09-16</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>56.42</td> <td>38.24</td> <td>11.28</td> <td>58.14</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>45.02</td> <td>68.30</td> <td>-23.28</td> <td>49.57</td> <td>41.06</td> <td>13.00</td> <td>58.61</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	47.80	74.00	-26.20	56.42	38.24	11.28	58.14	-- -- Peak	2	16710.00	45.02	68.30	-23.28	49.57	41.06	13.00	58.61	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11140.00</td> <td>46.71</td> <td>74.00</td> <td>-27.29</td> <td>55.33</td> <td>38.24</td> <td>11.28</td> <td>58.14</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>16710.00</td> <td>46.33</td> <td>68.30</td> <td>-21.97</td> <td>50.88</td> <td>41.06</td> <td>13.00</td> <td>58.61</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	46.71	74.00	-27.29	55.33	38.24	11.28	58.14	-- -- Peak	2	16710.00	46.33	68.30	-21.97	50.88	41.06	13.00	58.61
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11140.00	47.80	74.00	-26.20	56.42	38.24	11.28	58.14	-- -- Peak																																																																																						
2	16710.00	45.02	68.30	-23.28	49.57	41.06	13.00	58.61	-- -- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	11140.00	46.71	74.00	-27.29	55.33	38.24	11.28	58.14	-- -- Peak																																																																																						
2	16710.00	46.33	68.30	-21.97	50.88	41.06	13.00	58.61	-- -- Peak																																																																																						



Mode	31																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																	
ANT	CDD 9+15																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>55.64</td> <td>38.58</td> <td>11.45</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>46.66</td> <td>68.30</td> <td>-21.64</td> <td>50.17</td> <td>41.29</td> <td>13.17</td> <td>57.97</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.91	74.00	-26.09	55.64	38.58	11.45	57.76	--	--	Peak	2	17235.00	46.66	68.30	-21.64	50.17	41.29	13.17	57.97	--	--	Peak	<p>Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.06</td> <td>74.00</td> <td>-26.94</td> <td>54.79</td> <td>38.58</td> <td>11.45</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>47.49</td> <td>68.30</td> <td>-20.81</td> <td>51.00</td> <td>41.29</td> <td>13.17</td> <td>57.97</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.06	74.00	-26.94	54.79	38.58	11.45	57.76	--	--	Peak	2	17235.00	47.49	68.30	-20.81	51.00	41.29	13.17	57.97	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11490.00	47.91	74.00	-26.09	55.64	38.58	11.45	57.76	--	--	Peak																																																																																							
2	17235.00	46.66	68.30	-21.64	50.17	41.29	13.17	57.97	--	--	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	11490.00	47.06	74.00	-26.94	54.79	38.58	11.45	57.76	--	--	Peak																																																																																							
2	17235.00	47.49	68.30	-20.81	51.00	41.29	13.17	57.97	--	--	Peak																																																																																							



Mode	32																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																				
ANT	CDD 9+15																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	<p>Date: 2023-09-13</p>	<p>Date: 2023-09-13</p>																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>55.85</td> <td>38.68</td> <td>11.49</td> <td>57.67</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>47.20</td> <td>68.30</td> <td>-21.10</td> <td>50.46</td> <td>41.34</td> <td>13.20</td> <td>57.80</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	48.35	74.00	-25.65	55.85	38.68	11.49	57.67	--	Peak	2	17355.00	47.20	68.30	-21.10	50.46	41.34	13.20	57.80	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>47.54</td> <td>74.00</td> <td>-26.46</td> <td>55.04</td> <td>38.68</td> <td>11.49</td> <td>57.67</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>45.36</td> <td>68.30</td> <td>-22.94</td> <td>48.62</td> <td>41.34</td> <td>13.20</td> <td>57.80</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	47.54	74.00	-26.46	55.04	38.68	11.49	57.67	--	Peak	2	17355.00	45.36	68.30	-22.94	48.62	41.34	13.20	57.80	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11570.00	48.35	74.00	-25.65	55.85	38.68	11.49	57.67	--	Peak																																																																																											
2	17355.00	47.20	68.30	-21.10	50.46	41.34	13.20	57.80	--	Peak																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11570.00	47.54	74.00	-26.46	55.04	38.68	11.49	57.67	--	Peak																																																																																											
2	17355.00	45.36	68.30	-22.94	48.62	41.34	13.20	57.80	--	Peak																																																																																											



Mode	33																																																																																																										
	Harmonic																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																										
ANT	CDD 9+15																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg	<p>Date: 2023-09-13</p>	<p>Date: 2023-09-13</p>																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.43</td> <td>74.00</td> <td>-26.57</td> <td>54.70</td> <td>38.78</td> <td>11.53</td> <td>57.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>45.37</td> <td>68.30</td> <td>-22.93</td> <td>48.38</td> <td>41.39</td> <td>13.23</td> <td>57.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.43	74.00	-26.57	54.70	38.78	11.53	57.58	--	--	Peak	2	17475.00	45.37	68.30	-22.93	48.38	41.39	13.23	57.63	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>55.18</td> <td>38.78</td> <td>11.53</td> <td>57.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>46.63</td> <td>68.30</td> <td>-21.67</td> <td>49.64</td> <td>41.39</td> <td>13.23</td> <td>57.63</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.91	74.00	-26.09	55.18	38.78	11.53	57.58	--	--	Peak	2	17475.00	46.63	68.30	-21.67	49.64	41.39	13.23	57.63	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11650.00	47.43	74.00	-26.57	54.70	38.78	11.53	57.58	--	--	Peak																																																																																																
2	17475.00	45.37	68.30	-22.93	48.38	41.39	13.23	57.63	--	--	Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	11650.00	47.91	74.00	-26.09	55.18	38.78	11.53	57.58	--	--	Peak																																																																																																
2	17475.00	46.63	68.30	-21.67	49.64	41.39	13.23	57.63	--	--	Peak																																																																																																



		<b>34</b>																																																																																																																			
<b>Mode</b>	<b>Band Edge</b>																																																																																																																				
	<b>U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz</b>																																																																																																																				
<b>ANT</b>	<b>CDD 9+15</b>																																																																																																																				
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																																			
<b>Peak</b>																																																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.18</td> <td>49.13</td> <td>68.30</td> <td>-19.17</td> <td>39.48</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>272</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>49.15</td> <td>68.86</td> <td>-19.71</td> <td>39.39</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>272</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.63</td> <td>51.75</td> <td>105.38</td> <td>-53.63</td> <td>41.69</td> <td>34.84</td> <td>8.58</td> <td>33.36</td> <td>272</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.35</td> <td>51.79</td> <td>111.60</td> <td>-59.81</td> <td>41.61</td> <td>34.88</td> <td>8.66</td> <td>33.36</td> <td>272</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5631.18	49.13	68.30	-19.17	39.48	34.69	8.33	33.37	272	53	PEAK	2	5650.75	49.15	68.86	-19.71	39.39	34.73	8.40	33.37	272	53	PEAK	3	5700.63	51.75	105.38	-53.63	41.69	34.84	8.58	33.36	272	53	PEAK	4	5720.35	51.79	111.60	-59.81	41.61	34.88	8.66	33.36	272	53	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.37</td> <td>-----</td> <td>-----</td> <td>96.00</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>272</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	106.37	-----	-----	96.00	34.95	8.77	33.35	272	53
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5631.18	49.13	68.30	-19.17	39.48	34.69	8.33	33.37	272	53	PEAK																																																																																																										
2	5650.75	49.15	68.86	-19.71	39.39	34.73	8.40	33.37	272	53	PEAK																																																																																																										
3	5700.63	51.75	105.38	-53.63	41.69	34.84	8.58	33.36	272	53	PEAK																																																																																																										
4	5720.35	51.79	111.60	-59.81	41.61	34.88	8.66	33.36	272	53	PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5745.00	106.37	-----	-----	96.00	34.95	8.77	33.35	272	53	PEAK																																																																																																										
<b>Avg</b>	<b>Blank</b>																																																																																																																				
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.55</td> <td>-----</td> <td>-----</td> <td>88.18</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>272</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	98.55	-----	-----	88.18	34.95	8.77	33.35	272	53	AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5745.00	98.55	-----	-----	88.18	34.95	8.77	33.35	272	53	AVERAGE																																																																																																										



		<b>34</b>																																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																																														
	<b>U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz</b>																																																																																																														
<b>ANT</b>	<b>CDD 9+15</b>																																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																																													
<b>Peak</b>																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.02</td> <td>50.25</td> <td>68.30</td> <td>-18.05</td> <td>40.55</td> <td>34.71</td> <td>8.36</td> <td>33.37</td> <td>192</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.90</td> <td>49.41</td> <td>68.96</td> <td>-19.55</td> <td>39.65</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>192</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.77</td> <td>66.88</td> <td>110.74</td> <td>-43.86</td> <td>56.71</td> <td>34.88</td> <td>8.65</td> <td>33.36</td> <td>192</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>62.48</td> <td>110.94</td> <td>-48.46</td> <td>52.30</td> <td>34.88</td> <td>8.66</td> <td>33.36</td> <td>192</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5640.02	50.25	68.30	-18.05	40.55	34.71	8.36	33.37	192	360	PEAK	2	5650.90	49.41	68.96	-19.55	39.65	34.73	8.40	33.37	192	360	PEAK	3	5719.77	66.88	110.74	-43.86	56.71	34.88	8.65	33.36	192	360	PEAK	4	5720.06	62.48	110.94	-48.46	52.30	34.88	8.66	33.36	192	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.34</td> <td>-----</td> <td>-----</td> <td>102.03</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>192</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	112.34	-----	-----	102.03	34.93	8.73	33.35	192	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5640.02	50.25	68.30	-18.05	40.55	34.71	8.36	33.37	192	360	PEAK																																																																																																				
2	5650.90	49.41	68.96	-19.55	39.65	34.73	8.40	33.37	192	360	PEAK																																																																																																				
3	5719.77	66.88	110.74	-43.86	56.71	34.88	8.65	33.36	192	360	PEAK																																																																																																				
4	5720.06	62.48	110.94	-48.46	52.30	34.88	8.66	33.36	192	360	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5745.00	112.34	-----	-----	102.03	34.93	8.73	33.35	192	360	PEAK																																																																																																				
<b>Avg</b>	<b>Blank</b>																																																																																																														
		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.44</td> <td>-----</td> <td>-----</td> <td>94.13</td> <td>34.93</td> <td>8.73</td> <td>33.35</td> <td>192</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	104.44	-----	-----	94.13	34.93	8.73	33.35	192	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5745.00	104.44	-----	-----	94.13	34.93	8.73	33.35	192	360	AVERAGE																																																																																																				



Mode	34																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																											
ANT	CDD 9+15																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>47.60</td> <td>74.00</td> <td>-26.40</td> <td>55.33</td> <td>38.58</td> <td>11.45</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>47.21</td> <td>68.30</td> <td>-21.09</td> <td>50.72</td> <td>41.29</td> <td>13.17</td> <td>57.97</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.60	74.00	-26.40	55.33	38.58	11.45	57.76	--	--	Peak	2	17235.00	47.21	68.30	-21.09	50.72	41.29	13.17	57.97	--	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>56.98</td> <td>38.58</td> <td>11.45</td> <td>57.76</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>45.26</td> <td>68.30</td> <td>-23.04</td> <td>48.77</td> <td>41.29</td> <td>13.17</td> <td>57.97</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	49.25	74.00	-24.75	56.98	38.58	11.45	57.76	--	--	Peak	2	17235.00	45.26	68.30	-23.04	48.77	41.29	13.17	57.97	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11490.00	47.60	74.00	-26.40	55.33	38.58	11.45	57.76	--	--	Peak																																																																																																	
2	17235.00	47.21	68.30	-21.09	50.72	41.29	13.17	57.97	--	--	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	11490.00	49.25	74.00	-24.75	56.98	38.58	11.45	57.76	--	--	Peak																																																																																																	
2	17235.00	45.26	68.30	-23.04	48.77	41.29	13.17	57.97	--	--	Peak																																																																																																	



Mode	35																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																		
ANT	CDD 9+15																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg	<p>Date: 2023-09-13</p>	<p>Date: 2023-09-13</p>																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>47.15</td> <td>74.00</td> <td>-26.85</td> <td>54.65</td> <td>38.68</td> <td>11.49</td> <td>57.67</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>47.22</td> <td>68.30</td> <td>-21.08</td> <td>50.48</td> <td>41.34</td> <td>13.20</td> <td>57.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	47.15	74.00	-26.85	54.65	38.68	11.49	57.67	--	--	Peak	2	17355.00	47.22	68.30	-21.08	50.48	41.34	13.20	57.80	--	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>47.30</td> <td>74.00</td> <td>-26.70</td> <td>54.80</td> <td>38.68</td> <td>11.49</td> <td>57.67</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17355.00</td> <td>47.23</td> <td>68.30</td> <td>-21.07</td> <td>50.49</td> <td>41.34</td> <td>13.20</td> <td>57.80</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11570.00	47.30	74.00	-26.70	54.80	38.68	11.49	57.67	--	--	Peak	2	17355.00	47.23	68.30	-21.07	50.49	41.34	13.20	57.80	--	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11570.00	47.15	74.00	-26.85	54.65	38.68	11.49	57.67	--	--	Peak																																																																																								
2	17355.00	47.22	68.30	-21.08	50.48	41.34	13.20	57.80	--	--	Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																											
1	11570.00	47.30	74.00	-26.70	54.80	38.68	11.49	57.67	--	--	Peak																																																																																								
2	17355.00	47.23	68.30	-21.07	50.49	41.34	13.20	57.80	--	--	Peak																																																																																								





		36																																																																																																												
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																													
ANT	CDD 9+15																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.88</td> <td>53.26</td> <td>111.08</td> <td>-57.82</td> <td>42.54</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>220</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.75</td> <td>56.82</td> <td>109.19</td> <td>-52.37</td> <td>46.10</td> <td>35.19</td> <td>8.86</td> <td>33.33</td> <td>220</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>48.50</td> <td>68.20</td> <td>-19.70</td> <td>37.70</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>220</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.50</td> <td>51.26</td> <td>68.30</td> <td>-17.04</td> <td>40.45</td> <td>35.35</td> <td>8.78</td> <td>33.32</td> <td>220</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.88	53.26	111.08	-57.82	42.54	35.18	8.87	33.33	220	314	PEAK	2	5860.75	56.82	109.19	-52.37	46.10	35.19	8.86	33.33	220	314	PEAK	3	5925.00	48.50	68.20	-19.70	37.70	35.33	8.79	33.32	220	314	PEAK	4	5931.50	51.26	68.30	-17.04	40.45	35.35	8.78	33.32	220	314	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.59</td> <td>-----</td> <td>-----</td> <td>95.91</td> <td>35.11</td> <td>8.91</td> <td>33.34</td> <td>220</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	106.59	-----	-----	95.91	35.11	8.91	33.34	220	314
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5854.88	53.26	111.08	-57.82	42.54	35.18	8.87	33.33	220	314	PEAK																																																																																																			
2	5860.75	56.82	109.19	-52.37	46.10	35.19	8.86	33.33	220	314	PEAK																																																																																																			
3	5925.00	48.50	68.20	-19.70	37.70	35.33	8.79	33.32	220	314	PEAK																																																																																																			
4	5931.50	51.26	68.30	-17.04	40.45	35.35	8.78	33.32	220	314	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	106.59	-----	-----	95.91	35.11	8.91	33.34	220	314	PEAK																																																																																																			
Avg	Blank																																																																																																													
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.14</td> <td>-----</td> <td>-----</td> <td>88.46</td> <td>35.10</td> <td>8.92</td> <td>33.34</td> <td>220</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	99.14	-----	-----	88.46	35.10	8.92	33.34	220	314	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	99.14	-----	-----	88.46	35.10	8.92	33.34	220	314	AVERAGE																																																																																																			



	36																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																															
ANT	CDD 9+15																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>58.61</td> <td>110.80</td> <td>-52.19</td> <td>47.89</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>293</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5867.00</td> <td>58.81</td> <td>107.44</td> <td>-48.63</td> <td>48.07</td> <td>35.21</td> <td>8.86</td> <td>33.33</td> <td>293</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>50.56</td> <td>68.29</td> <td>-17.73</td> <td>39.76</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>293</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.50</td> <td>51.34</td> <td>68.30</td> <td>-16.96</td> <td>40.53</td> <td>35.34</td> <td>8.79</td> <td>33.32</td> <td>293</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5855.00	58.61	110.80	-52.19	47.89	35.18	8.87	33.33	293	360	PEAK	2	5867.00	58.81	107.44	-48.63	48.07	35.21	8.86	33.33	293	360	PEAK	3	5924.88	50.56	68.29	-17.73	39.76	35.33	8.79	33.32	293	360	PEAK	4	5925.50	51.34	68.30	-16.96	40.53	35.34	8.79	33.32	293	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>114.04</td> <td>-----</td> <td>-----</td> <td>103.36</td> <td>35.11</td> <td>8.91</td> <td>33.34</td> <td>293</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	114.04	-----	-----	103.36	35.11	8.91	33.34	293	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5855.00	58.61	110.80	-52.19	47.89	35.18	8.87	33.33	293	360	PEAK																																																																																																					
2	5867.00	58.81	107.44	-48.63	48.07	35.21	8.86	33.33	293	360	PEAK																																																																																																					
3	5924.88	50.56	68.29	-17.73	39.76	35.33	8.79	33.32	293	360	PEAK																																																																																																					
4	5925.50	51.34	68.30	-16.96	40.53	35.34	8.79	33.32	293	360	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	114.04	-----	-----	103.36	35.11	8.91	33.34	293	360	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>105.67</td> <td>-----</td> <td>-----</td> <td>94.99</td> <td>35.11</td> <td>8.91</td> <td>33.34</td> <td>293</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	105.67	-----	-----	94.99	35.11	8.91	33.34	293	360	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	105.67	-----	-----	94.99	35.11	8.91	33.34	293	360	AVERAGE																																																																																																					



Mode	36																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																
ANT	CDD 9+15																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2023-09-13</p>	<p>Date: 2023-09-13</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.52</td> <td>74.00</td> <td>-26.48</td> <td>54.79</td> <td>38.78</td> <td>11.53</td> <td>57.58</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>46.80</td> <td>68.30</td> <td>-21.50</td> <td>49.81</td> <td>41.39</td> <td>13.23</td> <td>57.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	47.52	74.00	-26.48	54.79	38.78	11.53	57.58	-- -- Peak	2	17475.00	46.80	68.30	-21.50	49.81	41.39	13.23	57.63	-- -- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>54.48</td> <td>38.78</td> <td>11.53</td> <td>57.58</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>46.83</td> <td>68.30</td> <td>-21.47</td> <td>49.84</td> <td>41.39</td> <td>13.23</td> <td>57.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11650.00	47.21	74.00	-26.79	54.48	38.78	11.53	57.58	-- -- Peak	2	17475.00	46.83	68.30	-21.47	49.84	41.39	13.23	57.63
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11650.00	47.52	74.00	-26.48	54.79	38.78	11.53	57.58	-- -- Peak																																																																																								
2	17475.00	46.80	68.30	-21.50	49.81	41.39	13.23	57.63	-- -- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																								
1	11650.00	47.21	74.00	-26.79	54.48	38.78	11.53	57.58	-- -- Peak																																																																																								
2	17475.00	46.83	68.30	-21.47	49.84	41.39	13.23	57.63	-- -- Peak																																																																																								



		<b>37</b>																																																																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																														
	<b>U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz</b>																																																																																																														
<b>ANT</b>	<b>CDD 9+15</b>																																																																																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																													
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5618.91</td> <td>49.12</td> <td>68.30</td> <td>-19.18</td> <td>39.56</td> <td>34.66</td> <td>8.28</td> <td>33.38</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.84</td> <td>47.90</td> <td>68.92</td> <td>-21.02</td> <td>38.14</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.52</td> <td>56.31</td> <td>108.15</td> <td>-51.84</td> <td>46.19</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.59</td> <td>52.52</td> <td>112.15</td> <td>-59.63</td> <td>42.33</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5618.91	49.12	68.30	-19.18	39.56	34.66	8.28	33.38	210	0	PEAK	2	5650.84	47.90	68.92	-21.02	38.14	34.73	8.40	33.37	210	0	PEAK	3	5710.52	56.31	108.15	-51.84	46.19	34.86	8.62	33.36	210	0	PEAK	4	5720.59	52.52	112.15	-59.63	42.33	34.89	8.66	33.36	210	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>98.87</td> <td>-----</td> <td>-----</td> <td>88.45</td> <td>34.97</td> <td>8.80</td> <td>33.35</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	98.87	-----	-----	88.45	34.97	8.80	33.35	210	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5618.91	49.12	68.30	-19.18	39.56	34.66	8.28	33.38	210	0	PEAK																																																																																																				
2	5650.84	47.90	68.92	-21.02	38.14	34.73	8.40	33.37	210	0	PEAK																																																																																																				
3	5710.52	56.31	108.15	-51.84	46.19	34.86	8.62	33.36	210	0	PEAK																																																																																																				
4	5720.59	52.52	112.15	-59.63	42.33	34.89	8.66	33.36	210	0	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5755.00	98.87	-----	-----	88.45	34.97	8.80	33.35	210	0	PEAK																																																																																																				
<b>Avg</b>	<b>Blank</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>90.48</td> <td>-----</td> <td>-----</td> <td>80.11</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>210</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	90.48	-----	-----	80.11	34.95	8.77	33.35	210	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5755.00	90.48	-----	-----	80.11	34.95	8.77	33.35	210	0	AVERAGE																																																																																																				



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>49.86</td> <td>111.17</td> <td>-61.31</td> <td>39.14</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>48.88</td> <td>105.22</td> <td>-56.34</td> <td>38.14</td> <td>35.22</td> <td>8.85</td> <td>33.33</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>49.85</td> <td>68.75</td> <td>-18.90</td> <td>39.05</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.21</td> <td>49.71</td> <td>68.30</td> <td>-18.59</td> <td>38.88</td> <td>35.36</td> <td>8.78</td> <td>33.31</td> <td>210</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	49.86	111.17	-61.31	39.14	35.18	8.87	33.33	210	0	PEAK	2	5874.93	48.88	105.22	-56.34	38.14	35.22	8.85	33.33	210	0	PEAK	3	5924.26	49.85	68.75	-18.90	39.05	35.33	8.79	33.32	210	0	PEAK	4	5934.21	49.71	68.30	-18.59	38.88	35.36	8.78	33.31	210	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	49.86	111.17	-61.31	39.14	35.18	8.87	33.33	210	0	PEAK																																																															
2	5874.93	48.88	105.22	-56.34	38.14	35.22	8.85	33.33	210	0	PEAK																																																															
3	5924.26	49.85	68.75	-18.90	39.05	35.33	8.79	33.32	210	0	PEAK																																																															
4	5934.21	49.71	68.30	-18.59	38.88	35.36	8.78	33.31	210	0	PEAK																																																															



<b>37</b>																																																																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																												
<b>U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz</b>																																																																																																													
<b>ANT</b>	<b>CDD 9+15</b>																																																																																																												
<b>Pol.</b>	<b>Vertical</b>																																																																																																												
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.29</td> <td>52.83</td> <td>68.30</td> <td>-15.47</td> <td>43.08</td> <td>34.73</td> <td>8.39</td> <td>33.37</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.31</td> <td>51.23</td> <td>69.27</td> <td>-18.04</td> <td>41.47</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.52</td> <td>63.85</td> <td>108.15</td> <td>-44.30</td> <td>53.73</td> <td>34.86</td> <td>8.62</td> <td>33.36</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.45</td> <td>70.76</td> <td>116.39</td> <td>-45.63</td> <td>60.57</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>109.11</td> <td>-----</td> <td>-----</td> <td>98.77</td> <td>34.94</td> <td>8.75</td> <td>33.35</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5649.29	52.83	68.30	-15.47	43.08	34.73	8.39	33.37	203	0	PEAK	2	5651.31	51.23	69.27	-18.04	41.47	34.73	8.40	33.37	203	0	PEAK	3	5710.52	63.85	108.15	-44.30	53.73	34.86	8.62	33.36	203	0	PEAK	4	5722.45	70.76	116.39	-45.63	60.57	34.89	8.66	33.36	203	0	PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	109.11	-----	-----	98.77	34.94	8.75	33.35	203	0	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5649.29	52.83	68.30	-15.47	43.08	34.73	8.39	33.37	203	0	PEAK																																																																																																		
2	5651.31	51.23	69.27	-18.04	41.47	34.73	8.40	33.37	203	0	PEAK																																																																																																		
3	5710.52	63.85	108.15	-44.30	53.73	34.86	8.62	33.36	203	0	PEAK																																																																																																		
4	5722.45	70.76	116.39	-45.63	60.57	34.89	8.66	33.36	203	0	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5755.00	109.11	-----	-----	98.77	34.94	8.75	33.35	203	0	PEAK																																																																																																		
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p><b>Blank</b></p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.60</td> <td>-----</td> <td>-----</td> <td>91.23</td> <td>34.95</td> <td>8.77</td> <td>33.35</td> <td>203</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	101.60	-----	-----	91.23	34.95	8.77	33.35	203	0	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5755.00	101.60	-----	-----	91.23	34.95	8.77	33.35	203	0	AVERAGE																																																																																																		



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-09-11</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.22</td> <td>111.17</td> <td>-57.95</td> <td>42.50</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.17</td> <td>51.96</td> <td>105.71</td> <td>-53.75</td> <td>41.22</td> <td>35.22</td> <td>8.85</td> <td>33.33</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.46</td> <td>49.90</td> <td>68.60</td> <td>-18.70</td> <td>39.10</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.94</td> <td>51.59</td> <td>68.30</td> <td>-16.71</td> <td>40.79</td> <td>35.34</td> <td>8.78</td> <td>33.32</td> <td>203</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	53.22	111.17	-57.95	42.50	35.18	8.87	33.33	203	0	PEAK	2	5873.17	51.96	105.71	-53.75	41.22	35.22	8.85	33.33	203	0	PEAK	3	5924.46	49.90	68.60	-18.70	39.10	35.33	8.79	33.32	203	0	PEAK	4	5928.94	51.59	68.30	-16.71	40.79	35.34	8.78	33.32	203	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	53.22	111.17	-57.95	42.50	35.18	8.87	33.33	203	0	PEAK																																																															
2	5873.17	51.96	105.71	-53.75	41.22	35.22	8.85	33.33	203	0	PEAK																																																															
3	5924.46	49.90	68.60	-18.70	39.10	35.33	8.79	33.32	203	0	PEAK																																																															
4	5928.94	51.59	68.30	-16.71	40.79	35.34	8.78	33.32	203	0	PEAK																																																															