



		76																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Puncturing 40M ① 5570MHz																																																																																											
ANT		CDD 9+15																																																																																											
Pol.		Horizontal	Fundamental																																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-14</p>		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																										
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.58</td> <td>56.17</td> <td>74.00</td> <td>-17.83</td> <td>46.54</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.06</td> <td>50.41</td> <td>68.30</td> <td>-17.89</td> <td>40.96</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5413.58	56.17	74.00	-17.83	46.54	34.43	8.47	33.27	200	46	PEAK	2	5465.06	50.41	68.30	-17.89	40.96	34.41	8.40	33.36	200	46	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>94.54</td> <td>-----</td> <td>-----</td> <td>85.17</td> <td>34.43</td> <td>8.34</td> <td>33.40</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	94.54	-----	-----	85.17	34.43	8.34	33.40	200	46
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	5413.58	56.17	74.00	-17.83	46.54	34.43	8.47	33.27	200	46	PEAK																																																																																		
2	5465.06	50.41	68.30	-17.89	40.96	34.41	8.40	33.36	200	46	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	5570.00	94.54	-----	-----	85.17	34.43	8.34	33.40	200	46	PEAK																																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-14</p>		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																										
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.58</td> <td>42.84</td> <td>54.00</td> <td>-11.16</td> <td>33.21</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>200</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5413.58	42.84	54.00	-11.16	33.21	34.43	8.47	33.27	200	46	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>84.20</td> <td>-----</td> <td>-----</td> <td>74.79</td> <td>34.52</td> <td>8.28</td> <td>33.39</td> <td>200</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5570.00	84.20	-----	-----	74.79	34.52	8.28	33.39	200	46	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	5413.58	42.84	54.00	-11.16	33.21	34.43	8.47	33.27	200	46	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	cm	deg	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																					
1	5570.00	84.20	-----	-----	74.79	34.52	8.28	33.39	200	46	AVERAGE																																																																																		



	76																																					
Mode	Band Edge - R																																					
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Puncturing 40M ① 5570MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<div style="text-align: right; font-size: small;">Date: 2023-09-14</div>																																					
	Blank																																					
	<table border="1" style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5761.30</td> <td>51.49</td> <td>68.30</td> <td>-16.81</td> <td>41.06</td> <td>34.97</td> <td>8.81</td> <td>33.35</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5761.30	51.49	68.30	-16.81	41.06	34.97	8.81	33.35	200	46	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5761.30	51.49	68.30	-16.81	41.06	34.97	8.81	33.35	200	46	PEAK																											



		76																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Puncturing 40M ① 5570MHz																																																																																										
ANT		CDD 9+15																																																																																										
Pol.		Vertical	Fundamental																																																																																									
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5412.92</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>51.13</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>240</td> <td>23</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5465.94</td> <td>53.50</td> <td>68.30</td> <td>-14.80</td> <td>44.05</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>240</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5412.92	60.76	74.00	-13.24	51.13	34.43	8.47	33.27	240	23	PEAK	2	5465.94	53.50	68.30	-14.80	44.05	34.41	8.40	33.36	240	23	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>97.33</td> <td>-----</td> <td>-----</td> <td>87.89</td> <td>34.56</td> <td>8.26</td> <td>33.38</td> <td>240</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	97.33	-----	-----	87.89	34.56	8.26	33.38	240	23	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5412.92	60.76	74.00	-13.24	51.13	34.43	8.47	33.27	240	23	PEAK																																																																																	
2	5465.94	53.50	68.30	-14.80	44.05	34.41	8.40	33.36	240	23	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5570.00	97.33	-----	-----	87.89	34.56	8.26	33.38	240	23	PEAK																																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.80</td> <td>46.78</td> <td>54.00</td> <td>-7.22</td> <td>37.15</td> <td>34.43</td> <td>8.47</td> <td>33.27</td> <td>240</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5413.80	46.78	54.00	-7.22	37.15	34.43	8.47	33.27	240	23	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>89.46</td> <td>-----</td> <td>-----</td> <td>80.05</td> <td>34.52</td> <td>8.28</td> <td>33.39</td> <td>240</td> <td>23</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	89.46	-----	-----	80.05	34.52	8.28	33.39	240	23	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5413.80	46.78	54.00	-7.22	37.15	34.43	8.47	33.27	240	23	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor		cm	deg																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5570.00	89.46	-----	-----	80.05	34.52	8.28	33.39	240	23	AVERAGE																																																																																	



Mode	76																																							
	Band Edge - R																																							
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Puncturing 40M ① 5570MHz																																							
ANT	CDD 9+15																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.71</td> <td>54.31</td> <td>68.30</td> <td>-13.99</td> <td>44.06</td> <td>34.91</td> <td>8.69</td> <td>33.35</td> <td>240</td> <td>23</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.71	54.31	68.30	-13.99	44.06	34.91	8.69	33.35	240	23	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1	5729.71	54.31	68.30	-13.99	44.06	34.91	8.69	33.35	240	23	PEAK																													



77																																																																																																													
Mode	Band Edge - L																																																																																																												
U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ③_5775MHz																																																																																																													
ANT	CDD 9+15																																																																																																												
Pol.	Horizontal																																																																																																												
Peak	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.98</td> <td>48.89</td> <td>68.30</td> <td>-19.41</td> <td>39.16</td> <td>34.72</td> <td>8.38</td> <td>33.37</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.58</td> <td>47.92</td> <td>68.73</td> <td>-20.81</td> <td>38.16</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.50</td> <td>53.64</td> <td>105.62</td> <td>-51.98</td> <td>43.57</td> <td>34.84</td> <td>8.59</td> <td>33.36</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>50.63</td> <td>111.31</td> <td>-60.68</td> <td>40.45</td> <td>34.88</td> <td>8.66</td> <td>33.36</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>94.58</td> <td>-----</td> <td>-----</td> <td>83.91</td> <td>35.09</td> <td>8.92</td> <td>33.34</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5644.98	48.89	68.30	-19.41	39.16	34.72	8.38	33.37	300	303	PEAK	2	5650.58	47.92	68.73	-20.81	38.16	34.73	8.40	33.37	300	303	PEAK	3	5701.50	53.64	105.62	-51.98	43.57	34.84	8.59	33.36	300	303	PEAK	4	5720.23	50.63	111.31	-60.68	40.45	34.88	8.66	33.36	300	303	PEAK	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	94.58	-----	-----	83.91	35.09	8.92	33.34	300	303	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5644.98	48.89	68.30	-19.41	39.16	34.72	8.38	33.37	300	303	PEAK																																																																																																		
2	5650.58	47.92	68.73	-20.81	38.16	34.73	8.40	33.37	300	303	PEAK																																																																																																		
3	5701.50	53.64	105.62	-51.98	43.57	34.84	8.59	33.36	300	303	PEAK																																																																																																		
4	5720.23	50.63	111.31	-60.68	40.45	34.88	8.66	33.36	300	303	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5775.00	94.58	-----	-----	83.91	35.09	8.92	33.34	300	303	PEAK																																																																																																		
Avg	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%; text-align: center;"> <p>Blank</p> </div> <div style="width: 48%;"> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>85.18</td> <td>-----</td> <td>-----</td> <td>74.51</td> <td>35.09</td> <td>8.92</td> <td>33.34</td> <td>300</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	85.18	-----	-----	74.51	35.09	8.92	33.34	300	303	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	5775.00	85.18	-----	-----	74.51	35.09	8.92	33.34	300	303	AVERAGE																																																																																																		



	77																																																																			
Mode	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ③_5775MHz																																																																			
ANT	CDD 9+15																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>49.55</td> <td>110.86</td> <td>-61.31</td> <td>38.83</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.83</td> <td>54.18</td> <td>105.81</td> <td>-51.63</td> <td>43.44</td> <td>35.22</td> <td>8.85</td> <td>33.33</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>48.47</td> <td>68.22</td> <td>-19.75</td> <td>37.67</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.83</td> <td>50.69</td> <td>68.30</td> <td>-17.61</td> <td>39.89</td> <td>35.34</td> <td>8.78</td> <td>33.32</td> <td>300</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	5854.98	49.55	110.86	-61.31	38.83	35.18	8.87	33.33	300	303	PEAK	2	5872.83	54.18	105.81	-51.63	43.44	35.22	8.85	33.33	300	303	PEAK	3	5924.98	48.47	68.22	-19.75	37.67	35.33	8.79	33.32	300	303	PEAK	4	5928.83	50.69	68.30	-17.61	39.89	35.34	8.78	33.32	300	303	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	5854.98	49.55	110.86	-61.31	38.83	35.18	8.87	33.33	300	303	PEAK																																																									
2	5872.83	54.18	105.81	-51.63	43.44	35.22	8.85	33.33	300	303	PEAK																																																									
3	5924.98	48.47	68.22	-19.75	37.67	35.33	8.79	33.32	300	303	PEAK																																																									
4	5928.83	50.69	68.30	-17.61	39.89	35.34	8.78	33.32	300	303	PEAK																																																									



		77																																																																																																												
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ③_5775MHz																																																																																																													
ANT	CDD 9+15																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p style="text-align: right;">Date: 2023-09-14</p>		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.85</td> <td>52.50</td> <td>68.30</td> <td>-15.80</td> <td>42.85</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>200</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.15</td> <td>54.49</td> <td>69.89</td> <td>-15.40</td> <td>44.72</td> <td>34.73</td> <td>8.41</td> <td>33.37</td> <td>200</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.10</td> <td>59.74</td> <td>107.19</td> <td>-47.45</td> <td>49.63</td> <td>34.86</td> <td>8.61</td> <td>33.36</td> <td>200</td> <td>39</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>58.69</td> <td>112.51</td> <td>-53.82</td> <td>48.50</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>200</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5631.85	52.50	68.30	-15.80	42.85	34.69	8.33	33.37	200	39	PEAK	2	5652.15	54.49	69.89	-15.40	44.72	34.73	8.41	33.37	200	39	PEAK	3	5707.10	59.74	107.19	-47.45	49.63	34.86	8.61	33.36	200	39	PEAK	4	5720.75	58.69	112.51	-53.82	48.50	34.89	8.66	33.36	200	39	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>105.17</td> <td>-----</td> <td>-----</td> <td>94.51</td> <td>35.06</td> <td>8.94</td> <td>33.34</td> <td>200</td> <td>39</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	105.17	-----	-----	94.51	35.06	8.94	33.34	200	39
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5631.85	52.50	68.30	-15.80	42.85	34.69	8.33	33.37	200	39	PEAK																																																																																																			
2	5652.15	54.49	69.89	-15.40	44.72	34.73	8.41	33.37	200	39	PEAK																																																																																																			
3	5707.10	59.74	107.19	-47.45	49.63	34.86	8.61	33.36	200	39	PEAK																																																																																																			
4	5720.75	58.69	112.51	-53.82	48.50	34.89	8.66	33.36	200	39	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	105.17	-----	-----	94.51	35.06	8.94	33.34	200	39	PEAK																																																																																																			
Avg	Blank		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																																											
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>94.54</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>35.06</td> <td>8.94</td> <td>33.34</td> <td>200</td> <td>39</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	94.54	-----	-----	83.88	35.06	8.94	33.34	200	39	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	94.54	-----	-----	83.88	35.06	8.94	33.34	200	39	AVERAGE																																																																																																			



Mode	77																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ③_5775MHz																																																									
ANT	CDD 9+15																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.93</td> <td>53.63</td> <td>113.25</td> <td>-59.62</td> <td>42.91</td> <td>35.18</td> <td>8.87 33.33 200 39 PEAK</td> </tr> <tr> <td>2</td> <td>5866.18</td> <td>61.88</td> <td>107.67</td> <td>-45.79</td> <td>51.14</td> <td>35.21</td> <td>8.86 33.33 200 39 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>50.17</td> <td>68.35</td> <td>-18.18</td> <td>39.37</td> <td>35.33</td> <td>8.79 33.32 200 39 PEAK</td> </tr> <tr> <td>4</td> <td>5947.90</td> <td>51.34</td> <td>68.30</td> <td>-16.96</td> <td>40.50</td> <td>35.39</td> <td>8.76 33.31 200 39 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5853.93	53.63	113.25	-59.62	42.91	35.18	8.87 33.33 200 39 PEAK	2	5866.18	61.88	107.67	-45.79	51.14	35.21	8.86 33.33 200 39 PEAK	3	5924.80	50.17	68.35	-18.18	39.37	35.33	8.79 33.32 200 39 PEAK	4	5947.90	51.34	68.30	-16.96	40.50	35.39	8.76 33.31 200 39 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																			
1	5853.93	53.63	113.25	-59.62	42.91	35.18	8.87 33.33 200 39 PEAK																																																			
2	5866.18	61.88	107.67	-45.79	51.14	35.21	8.86 33.33 200 39 PEAK																																																			
3	5924.80	50.17	68.35	-18.18	39.37	35.33	8.79 33.32 200 39 PEAK																																																			
4	5947.90	51.34	68.30	-16.96	40.50	35.39	8.76 33.31 200 39 PEAK																																																			



		78																																																																											
Mode	Band Edge - L																																																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ④ 5210MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.52</td> <td>56.73</td> <td>74.00</td> <td>-17.27</td> <td>47.12</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>400</td> <td>342</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.52	56.73	74.00	-17.27	47.12	34.54	7.92	32.85	400	342	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>96.88</td> <td>-----</td> <td>-----</td> <td>87.34</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>400</td> <td>342</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	96.88	-----	-----	87.34	34.51	8.01	32.98	400	342	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5149.52	56.73	74.00	-17.27	47.12	34.54	7.92	32.85	400	342	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	96.88	-----	-----	87.34	34.51	8.01	32.98	400	342	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.73</td> <td>44.24</td> <td>54.00</td> <td>-9.76</td> <td>34.63</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>400</td> <td>342</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.73	44.24	54.00	-9.76	34.63	34.54	7.92	32.85	400	342	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>89.77</td> <td>-----</td> <td>-----</td> <td>80.23</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>400</td> <td>342</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	89.77	-----	-----	80.23	34.51	8.01	32.98	400	342	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5149.73	44.24	54.00	-9.76	34.63	34.54	7.92	32.85	400	342	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5210.00	89.77	-----	-----	80.23	34.51	8.01	32.98	400	342	AVERAGE																																																																		



	78																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ④5210MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5401.00</td> <td>48.56</td> <td>74.00</td> <td>-25.44</td> <td>38.91</td> <td>34.44</td> <td>8.46</td> <td>33.25</td> <td>400</td> <td>342</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5401.00	48.56	74.00	-25.44	38.91	34.44	8.46	33.25	400	342	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5401.00	48.56	74.00	-25.44	38.91	34.44	8.46	33.25	400	342	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5407.25</td> <td>39.23</td> <td>54.00</td> <td>-14.77</td> <td>29.57</td> <td>34.44</td> <td>8.48</td> <td>33.26</td> <td>400</td> <td>342</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5407.25	39.23	54.00	-14.77	29.57	34.44	8.48	33.26	400	342	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5407.25	39.23	54.00	-14.77	29.57	34.44	8.48	33.26	400	342	AVERAGE																											
Blank																																						



		78																																																																										
Mode	Band Edge - L																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ④ 5210MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.94</td> <td>60.53</td> <td>74.00</td> <td>-13.47</td> <td>50.92</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>224</td> <td>2</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.94	60.53	74.00	-13.47	50.92	34.54	7.92	32.85	224	2	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>102.83</td> <td>-----</td> <td>-----</td> <td>93.29</td> <td>34.51</td> <td>8.01</td> <td>32.98</td> <td>224</td> <td>2</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	102.83	-----	-----	93.29	34.51	8.01	32.98	224	2	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.94	60.53	74.00	-13.47	50.92	34.54	7.92	32.85	224	2	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	102.83	-----	-----	93.29	34.51	8.01	32.98	224	2	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.31</td> <td>46.87</td> <td>54.00</td> <td>-7.13</td> <td>37.26</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>224</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.31	46.87	54.00	-7.13	37.26	34.54	7.92	32.85	224	2	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>91.66</td> <td>-----</td> <td>-----</td> <td>82.11</td> <td>34.52</td> <td>7.95</td> <td>32.92</td> <td>224</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	91.66	-----	-----	82.11	34.52	7.95	32.92	224	2	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5149.31	46.87	54.00	-7.13	37.26	34.54	7.92	32.85	224	2	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5210.00	91.66	-----	-----	82.11	34.52	7.95	32.92	224	2	AVERAGE																																																																	



	78																																					
Mode	Band Edge - R																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ④5210MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.75</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>39.74</td> <td>34.42</td> <td>8.42</td> <td>33.33</td> <td>224</td> <td>2</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5448.75	49.25	74.00	-24.75	39.74	34.42	8.42	33.33	224	2	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5448.75	49.25	74.00	-24.75	39.74	34.42	8.42	33.33	224	2	PEAK																											
Blank																																						
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.50</td> <td>39.52</td> <td>54.00</td> <td>-14.48</td> <td>29.90</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>224</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5354.50	39.52	54.00	-14.48	29.90	34.46	8.34	33.18	224	2	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5354.50	39.52	54.00	-14.48	29.90	34.46	8.34	33.18	224	2	AVERAGE																											
Blank																																						







		79																																																																																								
Mode	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ① 5290MHz																																																																																									
ANT	CDD 9+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5049.88</td> <td>50.23</td> <td>74.00</td> <td>-23.77</td> <td>40.48</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>200</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5049.88	50.23	74.00	-23.77	40.48	34.58	7.85	32.68	200	62	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>98.58</td> <td>-----</td> <td>-----</td> <td>88.98</td> <td>34.48</td> <td>8.22</td> <td>33.10</td> <td>200</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5290.00	98.58	-----	-----	88.98	34.48	8.22	33.10	200	62	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5049.88	50.23	74.00	-23.77	40.48	34.58	7.85	32.68	200	62	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5290.00	98.58	-----	-----	88.98	34.48	8.22	33.10	200	62	PEAK																																																																															
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5055.68</td> <td>40.63</td> <td>54.00</td> <td>-13.37</td> <td>30.88</td> <td>34.58</td> <td>7.86</td> <td>32.69</td> <td>200</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5055.68	40.63	54.00	-13.37	30.88	34.58	7.86	32.69	200	62	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>90.72</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>34.48</td> <td>8.22</td> <td>33.10</td> <td>200</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5290.00	90.72	-----	-----	81.12	34.48	8.22	33.10	200	62	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5055.68	40.63	54.00	-13.37	30.88	34.58	7.86	32.69	200	62	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5290.00	90.72	-----	-----	81.12	34.48	8.22	33.10	200	62	AVERAGE																																																																															



		79																																					
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ①_5290MHz																																						
ANT	CDD 9+15																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.90</td> <td>52.36</td> <td>74.00</td> <td>-21.64</td> <td>42.73</td> <td>34.46</td> <td>8.34</td> <td>33.17</td> <td>200</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5352.90	52.36	74.00	-21.64	42.73	34.46	8.34	33.17	200	62	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5352.90	52.36	74.00	-21.64	42.73	34.46	8.34	33.17	200	62	PEAK																												
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.61</td> <td>40.96</td> <td>54.00</td> <td>-13.04</td> <td>31.34</td> <td>34.45</td> <td>8.36</td> <td>33.19</td> <td>200</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5363.61	40.96	54.00	-13.04	31.34	34.45	8.36	33.19	200	62	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																
1	5363.61	40.96	54.00	-13.04	31.34	34.45	8.36	33.19	200	62	AVERAGE																												







		79																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ① 5290MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5048.14</td> <td>50.24</td> <td>74.00</td> <td>-23.76</td> <td>40.49</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5048.14	50.24	74.00	-23.76	40.49	34.58	7.85	32.68	100	85	PEAK	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>97.71</td> <td>-----</td> <td>-----</td> <td>88.11</td> <td>34.47</td> <td>8.26</td> <td>33.13</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	97.71	-----	-----	88.11	34.47	8.26	33.13	100	85	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5048.14	50.24	74.00	-23.76	40.49	34.58	7.85	32.68	100	85	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5290.00	97.71	-----	-----	88.11	34.47	8.26	33.13	100	85	PEAK																																																																		
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5062.06</td> <td>40.71</td> <td>54.00</td> <td>-13.29</td> <td>30.97</td> <td>34.58</td> <td>7.86</td> <td>32.70</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5062.06	40.71	54.00	-13.29	30.97	34.58	7.86	32.70	100	85	AVERAGE	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.82</td> <td>-----</td> <td>-----</td> <td>79.24</td> <td>34.49</td> <td>8.15</td> <td>33.06</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	88.82	-----	-----	79.24	34.49	8.15	33.06	100	85	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5062.06	40.71	54.00	-13.29	30.97	34.58	7.86	32.70	100	85	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5290.00	88.82	-----	-----	79.24	34.49	8.15	33.06	100	85	AVERAGE																																																																		



		79																																											
Mode	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ①_5290MHz																																												
ANT	CDD 9+15																																												
Pol.	Vertical	Fundamental																																											
Peak	<p style="text-align: right;">Date: 2023-09-14</p>		Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.88</td> <td>56.12</td> <td>74.00</td> <td>-17.88</td> <td>46.50</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>100</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5351.88	56.12	74.00	-17.88	46.50	34.46	8.33	33.17	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5351.88	56.12	74.00	-17.88	46.50	34.46	8.33	33.17	100	85	PEAK																																		
Avg	<p style="text-align: right;">Date: 2023-09-14</p>		Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5354.77</td> <td>42.20</td> <td>54.00</td> <td>-11.80</td> <td>32.58</td> <td>34.46</td> <td>8.34</td> <td>33.18</td> <td>100</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5354.77	42.20	54.00	-11.80	32.58	34.46	8.34	33.18	100
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5354.77	42.20	54.00	-11.80	32.58	34.46	8.34	33.18	100	85	AVERAGE																																		



		80																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 5530MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.40</td> <td>52.55</td> <td>74.00</td> <td>-21.45</td> <td>43.05</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.44</td> <td>52.68</td> <td>68.30</td> <td>-15.62</td> <td>43.23</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.40	52.55	74.00	-21.45	43.05	34.42	8.42	33.34	200	47	PEAK	2	5468.44	52.68	68.30	-15.62	43.23	34.41	8.40	33.36	200	47	PEAK	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>97.90</td> <td>-----</td> <td>-----</td> <td>88.54</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	97.90	-----	-----	88.54	34.40	8.36	33.40	200	47	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5454.40	52.55	74.00	-21.45	43.05	34.42	8.42	33.34	200	47	PEAK																																																																													
2	5468.44	52.68	68.30	-15.62	43.23	34.41	8.40	33.36	200	47	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	97.90	-----	-----	88.54	34.40	8.36	33.40	200	47	PEAK																																																																													
Avg	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.60</td> <td>41.03</td> <td>54.00</td> <td>-12.97</td> <td>31.53</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>200</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5452.60	41.03	54.00	-12.97	31.53	34.42	8.42	33.34	200	47	AVERAGE	 <p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>89.05</td> <td>-----</td> <td>-----</td> <td>79.69</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>200</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	89.05	-----	-----	79.69	34.40	8.36	33.40	200	47	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5452.60	41.03	54.00	-12.97	31.53	34.42	8.42	33.34	200	47	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5530.00	89.05	-----	-----	79.69	34.40	8.36	33.40	200	47	AVERAGE																																																																													



Mode	80																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 ① 5530MHz																																						
ANT	CDD 9+15																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5738.45</td> <td>49.06</td> <td>68.30</td> <td>-19.24</td> <td>38.77</td> <td>34.92</td> <td>8.72</td> <td>33.35</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5738.45	49.06	68.30	-19.24	38.77	34.92	8.72	33.35	200	47	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5738.45	49.06	68.30	-19.24	38.77	34.92	8.72	33.35	200	47	PEAK																													



		80																																																																																				
Mode		Band Edge - L																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 5530MHz																																																																																				
ANT		CDD 9+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.74</td> <td>55.51</td> <td>74.00</td> <td>-18.49</td> <td>46.02</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>269</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.84</td> <td>56.88</td> <td>68.30</td> <td>-11.42</td> <td>47.43</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>269</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5456.74	55.51	74.00	-18.49	46.02	34.42	8.41	33.34	269	29	PEAK	2	5464.84	56.88	68.30	-11.42	47.43	34.41	8.40	33.36	269	29	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>101.45</td> <td>-----</td> <td>-----</td> <td>92.09</td> <td>34.40</td> <td>8.36</td> <td>33.40</td> <td>269</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	101.45	-----	-----	92.09	34.40	8.36	33.40	269	29	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5456.74	55.51	74.00	-18.49	46.02	34.42	8.41	33.34	269	29	PEAK																																																																											
2	5464.84	56.88	68.30	-11.42	47.43	34.41	8.40	33.36	269	29	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	101.45	-----	-----	92.09	34.40	8.36	33.40	269	29	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.94</td> <td>43.59</td> <td>54.00</td> <td>-10.41</td> <td>34.09</td> <td>34.42</td> <td>8.42</td> <td>33.34</td> <td>269</td> <td>29</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5454.94	43.59	54.00	-10.41	34.09	34.42	8.42	33.34	269	29	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.38</td> <td>-----</td> <td>-----</td> <td>84.01</td> <td>34.43</td> <td>8.34</td> <td>33.40</td> <td>269</td> <td>29</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	93.38	-----	-----	84.01	34.43	8.34	33.40	269	29	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5454.94	43.59	54.00	-10.41	34.09	34.42	8.42	33.34	269	29	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	93.38	-----	-----	84.01	34.43	8.34	33.40	269	29	AVERAGE																																																																											



Mode	80																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 ① 5530MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.23</td> <td>50.07</td> <td>68.30</td> <td>-18.23</td> <td>39.84</td> <td>34.90</td> <td>8.68</td> <td>33.35</td> <td>269</td> <td>29 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.23	50.07	68.30	-18.23	39.84	34.90	8.68	33.35	269	29 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																													
1 5726.23	50.07	68.30	-18.23	39.84	34.90	8.68	33.35	269	29 PEAK																													



		81																																																																														
Mode	Band Edge - L																																																																															
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																																															
ANT	CDD 9+15																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2023-09-14</p>	<p style="text-align: right;">Date: 2023-09-14</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.25</td> <td>57.46</td> <td>74.00</td> <td>-16.54</td> <td>47.84</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>169</td> <td>67 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.25	57.46	74.00	-16.54	47.84	34.54	7.92	32.84	169	67 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>96.81</td> <td>-----</td> <td>-----</td> <td>87.25</td> <td>34.50</td> <td>8.06</td> <td>33.00</td> <td>169</td> <td>67 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	96.81	-----	-----	87.25	34.50	8.06	33.00	169
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5145.25	57.46	74.00	-16.54	47.84	34.54	7.92	32.84	169	67 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5250.00	96.81	-----	-----	87.25	34.50	8.06	33.00	169	67 PEAK																																																																						
Avg	<p style="text-align: right;">Date: 2023-09-14</p>	<p style="text-align: right;">Date: 2023-09-14</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.50</td> <td>43.86</td> <td>54.00</td> <td>-10.14</td> <td>34.25</td> <td>34.54</td> <td>7.92</td> <td>32.85</td> <td>169</td> <td>67 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.50	43.86	54.00	-10.14	34.25	34.54	7.92	32.85	169	67 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>88.80</td> <td>-----</td> <td>-----</td> <td>79.24</td> <td>34.50</td> <td>8.06</td> <td>33.00</td> <td>169</td> <td>67 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	88.80	-----	-----	79.24	34.50	8.06	33.00	169
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5149.50	43.86	54.00	-10.14	34.25	34.54	7.92	32.85	169	67 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																							
1	5250.00	88.80	-----	-----	79.24	34.50	8.06	33.00	169	67 AVERAGE																																																																						



		81																																											
Mode	Band Edge - R																																												
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																												
ANT	CDD 9+15																																												
Pol.	Horizontal	Fundamental																																											
Peak			Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.03</td> <td>58.80</td> <td>74.00</td> <td>-15.20</td> <td>49.17</td> <td>34.45</td> <td>8.37</td> <td>33.19</td> <td>169</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5364.03	58.80	74.00	-15.20	49.17	34.45	8.37	33.19	169
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5364.03	58.80	74.00	-15.20	49.17	34.45	8.37	33.19	169	67	PEAK																																		
Avg			Blank																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5364.03</td> <td>45.29</td> <td>54.00</td> <td>-8.71</td> <td>35.66</td> <td>34.45</td> <td>8.37</td> <td>33.19</td> <td>169</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5364.03	45.29	54.00	-8.71	35.66	34.45	8.37	33.19	169
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																						
						cm	deg																																						
1	5364.03	45.29	54.00	-8.71	35.66	34.45	8.37	33.19	169	67	AVERAGE																																		



		81																																																																											
Mode	Band Edge - L																																																																												
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																																												
ANT	CDD 9+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5135.75</td> <td>61.26</td> <td>74.00</td> <td>-12.74</td> <td>51.62</td> <td>34.55</td> <td>7.91</td> <td>32.82</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5135.75	61.26	74.00	-12.74	51.62	34.55	7.91	32.82	200	0	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>99.43</td> <td>-----</td> <td>-----</td> <td>89.84</td> <td>34.47</td> <td>8.23</td> <td>33.11</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	99.43	-----	-----	89.84	34.47	8.23	33.11	200	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5135.75	61.26	74.00	-12.74	51.62	34.55	7.91	32.82	200	0	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5250.00	99.43	-----	-----	89.84	34.47	8.23	33.11	200	0	PEAK																																																																		
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.25</td> <td>45.35</td> <td>54.00</td> <td>-8.65</td> <td>35.73</td> <td>34.54</td> <td>7.92</td> <td>32.84</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.25	45.35	54.00	-8.65	35.73	34.54	7.92	32.84	200	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>90.27</td> <td>-----</td> <td>-----</td> <td>80.69</td> <td>34.48</td> <td>8.18</td> <td>33.08</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5250.00	90.27	-----	-----	80.69	34.48	8.18	33.08	200	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5146.25	45.35	54.00	-8.65	35.73	34.54	7.92	32.84	200	0	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5250.00	90.27	-----	-----	80.69	34.48	8.18	33.08	200	0	AVERAGE																																																																		



	81																																					
Mode	Band Edge - R																																					
	U-NII-2A_5.15-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																					
ANT	CDD 9+15																																					
Pol.	Vertical	Fundamental																																				
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5369.49</td> <td>61.88</td> <td>74.00</td> <td>-12.12</td> <td>52.25</td> <td>34.45</td> <td>8.38</td> <td>33.20</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5369.49	61.88	74.00	-12.12	52.25	34.45	8.38	33.20	200	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5369.49	61.88	74.00	-12.12	52.25	34.45	8.38	33.20	200	0	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.80</td> <td>48.47</td> <td>54.00</td> <td>-5.53</td> <td>38.85</td> <td>34.46</td> <td>8.33</td> <td>33.17</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.80	48.47	54.00	-5.53	38.85	34.46	8.33	33.17	200	0	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5350.80	48.47	54.00	-5.53	38.85	34.46	8.33	33.17	200	0	AVERAGE																											



		82																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Large RU 996+484 ① 5570MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.	Horizontal	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.34</td> <td>60.04</td> <td>74.00</td> <td>-13.96</td> <td>50.42</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>200</td> <td>52</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.02</td> <td>52.78</td> <td>68.30</td> <td>-15.52</td> <td>43.33</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>200</td> <td>52</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.34	60.04	74.00	-13.96	50.42	34.43	8.47	33.28	200	52	PEAK	2	5469.02	52.78	68.30	-15.52	43.33	34.41	8.40	33.36	200	52	PEAK	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>94.60</td> <td>-----</td> <td>-----</td> <td>85.23</td> <td>34.43</td> <td>8.34</td> <td>33.40</td> <td>200</td> <td>52</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	94.60	-----	-----	85.23	34.43	8.34	33.40	200	52	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5415.34	60.04	74.00	-13.96	50.42	34.43	8.47	33.28	200	52	PEAK																																																																													
2	5469.02	52.78	68.30	-15.52	43.33	34.41	8.40	33.36	200	52	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5570.00	94.60	-----	-----	85.23	34.43	8.34	33.40	200	52	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.34</td> <td>42.78</td> <td>54.00</td> <td>-11.22</td> <td>33.16</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>200</td> <td>52</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.34	42.78	54.00	-11.22	33.16	34.43	8.47	33.28	200	52	AVERAGE	<p style="text-align: right;">Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>85.77</td> <td>-----</td> <td>-----</td> <td>76.31</td> <td>34.60</td> <td>8.24</td> <td>33.38</td> <td>200</td> <td>52</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	85.77	-----	-----	76.31	34.60	8.24	33.38	200	52	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5415.34	42.78	54.00	-11.22	33.16	34.43	8.47	33.28	200	52	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5570.00	85.77	-----	-----	76.31	34.60	8.24	33.38	200	52	AVERAGE																																																																													



Mode	82																																					
	Band Edge - R																																					
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Large RU 996+484 ① 5570MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5760.91</td> <td>51.92</td> <td>68.30</td> <td>-16.38</td> <td>41.49</td> <td>34.97</td> <td>8.81</td> <td>33.35</td> <td>200</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5760.91	51.92	68.30	-16.38	41.49	34.97	8.81	33.35	200	52 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																													
1 5760.91	51.92	68.30	-16.38	41.49	34.97	8.81	33.35	200	52 PEAK																													



		82																																																																																													
Mode	Band Edge - L																																																																																														
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Large RU 996+484 ① 5570MHz																																																																																														
ANT	CDD 9+15																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<p style="text-align: right;">Date: 2023-09-14</p>		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.56</td> <td>63.94</td> <td>74.00</td> <td>-10.06</td> <td>54.32</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>167</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.70</td> <td>58.90</td> <td>68.30</td> <td>-9.40</td> <td>49.45</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>167</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.56	63.94	74.00	-10.06	54.32	34.43	8.47	33.28	167	360	PEAK	2	5467.70	58.90	68.30	-9.40	49.45	34.41	8.40	33.36	167	360	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>100.94</td> <td>-----</td> <td>-----</td> <td>91.50</td> <td>34.57</td> <td>8.25</td> <td>33.38</td> <td>167</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	100.94	-----	-----	91.50	34.57	8.25	33.38	167	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5415.56	63.94	74.00	-10.06	54.32	34.43	8.47	33.28	167	360	PEAK																																																																																				
2	5467.70	58.90	68.30	-9.40	49.45	34.41	8.40	33.36	167	360	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5570.00	100.94	-----	-----	91.50	34.57	8.25	33.38	167	360	PEAK																																																																																				
Avg	<p style="text-align: right;">Date: 2023-09-14</p>		<p style="text-align: right;">Date: 2023-09-14</p>																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.56</td> <td>46.43</td> <td>54.00</td> <td>-7.57</td> <td>36.81</td> <td>34.43</td> <td>8.47</td> <td>33.28</td> <td>167</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.56	46.43	54.00	-7.57	36.81	34.43	8.47	33.28	167	360	AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>91.10</td> <td>-----</td> <td>-----</td> <td>81.68</td> <td>34.53</td> <td>8.28</td> <td>33.39</td> <td>167</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	91.10	-----	-----	81.68	34.53	8.28	33.39	167	360	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5415.56	46.43	54.00	-7.57	36.81	34.43	8.47	33.28	167	360	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5570.00	91.10	-----	-----	81.68	34.53	8.28	33.39	167	360	AVERAGE																																																																																				



Mode	82																																						
	Band Edge - R																																						
	U-NII-2C_5.15-5.35_802.11be EHT160_CH114_Large RU 996+484 ① 5570MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-09-14</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5762.86</td> <td>57.25</td> <td>68.30</td> <td>-11.05</td> <td>46.81</td> <td>34.98</td> <td>8.81</td> <td>33.35</td> <td>167</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5762.86	57.25	68.30	-11.05	46.81	34.98	8.81	33.35	167	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5762.86	57.25	68.30	-11.05	46.81	34.98	8.81	33.35	167	360	PEAK																													



		83																																																																																																												
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ③_5775MHz																																																																																																													
ANT	CDD 9+15																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5617.50</td> <td>53.78</td> <td>68.30</td> <td>-14.52</td> <td>44.22</td> <td>34.66</td> <td>8.28</td> <td>33.38</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.10</td> <td>50.02</td> <td>69.12</td> <td>-19.10</td> <td>40.26</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.28</td> <td>63.62</td> <td>105.28</td> <td>-41.66</td> <td>53.56</td> <td>34.84</td> <td>8.58</td> <td>33.36</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>59.90</td> <td>112.51</td> <td>-52.61</td> <td>49.71</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5617.50	53.78	68.30	-14.52	44.22	34.66	8.28	33.38	300	322	PEAK	2	5651.10	50.02	69.12	-19.10	40.26	34.73	8.40	33.37	300	322	PEAK	3	5700.28	63.62	105.28	-41.66	53.56	34.84	8.58	33.36	300	322	PEAK	4	5720.75	59.90	112.51	-52.61	49.71	34.89	8.66	33.36	300	322	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.07</td> <td>-----</td> <td>-----</td> <td>87.41</td> <td>35.07</td> <td>8.93</td> <td>33.34</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	98.07	-----	-----	87.41	35.07	8.93	33.34	300	322
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5617.50	53.78	68.30	-14.52	44.22	34.66	8.28	33.38	300	322	PEAK																																																																																																			
2	5651.10	50.02	69.12	-19.10	40.26	34.73	8.40	33.37	300	322	PEAK																																																																																																			
3	5700.28	63.62	105.28	-41.66	53.56	34.84	8.58	33.36	300	322	PEAK																																																																																																			
4	5720.75	59.90	112.51	-52.61	49.71	34.89	8.66	33.36	300	322	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	98.07	-----	-----	87.41	35.07	8.93	33.34	300	322	PEAK																																																																																																			
Avg	Blank																																																																																																													
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>89.82</td> <td>-----</td> <td>-----</td> <td>79.16</td> <td>35.07</td> <td>8.93</td> <td>33.34</td> <td>300</td> <td>322</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	89.82	-----	-----	79.16	35.07	8.93	33.34	300	322	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	89.82	-----	-----	79.16	35.07	8.93	33.34	300	322	AVERAGE																																																																																																			



Mode	83																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ③_5775MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. Date: 2023-09-14. The plot shows a blue signal line and a red limit line. A red label 'PEAK_BE(B4)_16-24' is present. The signal level is generally below the limit line.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.28</td> <td>55.30</td> <td>112.45</td> <td>-57.15</td> <td>44.58</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.48</td> <td>61.37</td> <td>105.91</td> <td>-44.54</td> <td>50.63</td> <td>35.22</td> <td>8.85</td> <td>33.33</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>50.58</td> <td>68.48</td> <td>-17.90</td> <td>39.78</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.98</td> <td>52.69</td> <td>68.30</td> <td>-15.61</td> <td>41.88</td> <td>35.35</td> <td>8.78</td> <td>33.32</td> <td>300</td> <td>322</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.28	55.30	112.45	-57.15	44.58	35.18	8.87	33.33	300	322	PEAK	2	5872.48	61.37	105.91	-44.54	50.63	35.22	8.85	33.33	300	322	PEAK	3	5924.63	50.58	68.48	-17.90	39.78	35.33	8.79	33.32	300	322	PEAK	4	5931.98	52.69	68.30	-15.61	41.88	35.35	8.78	33.32	300	322	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.28	55.30	112.45	-57.15	44.58	35.18	8.87	33.33	300	322	PEAK																																																															
2	5872.48	61.37	105.91	-44.54	50.63	35.22	8.85	33.33	300	322	PEAK																																																															
3	5924.63	50.58	68.48	-17.90	39.78	35.33	8.79	33.32	300	322	PEAK																																																															
4	5931.98	52.69	68.30	-15.61	41.88	35.35	8.78	33.32	300	322	PEAK																																																															



		83																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ③_5775MHz																																																																																																														
ANT	CDD 9+15																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak																																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.15</td> <td>55.28</td> <td>68.30</td> <td>-13.02</td> <td>45.63</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.58</td> <td>53.17</td> <td>68.73</td> <td>-15.56</td> <td>43.41</td> <td>34.73</td> <td>8.40</td> <td>33.37</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.80</td> <td>69.54</td> <td>105.42</td> <td>-35.88</td> <td>59.48</td> <td>34.84</td> <td>8.58</td> <td>33.36</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.75</td> <td>66.93</td> <td>112.51</td> <td>-45.58</td> <td>56.74</td> <td>34.89</td> <td>8.66</td> <td>33.36</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5631.15	55.28	68.30	-13.02	45.63	34.69	8.33	33.37	129	0	PEAK	2	5650.58	53.17	68.73	-15.56	43.41	34.73	8.40	33.37	129	0	PEAK	3	5700.80	69.54	105.42	-35.88	59.48	34.84	8.58	33.36	129	0	PEAK	4	5720.75	66.93	112.51	-45.58	56.74	34.89	8.66	33.36	129	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>105.41</td> <td>-----</td> <td>-----</td> <td>94.75</td> <td>35.07</td> <td>8.93</td> <td>33.34</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	105.41	-----	-----	94.75	35.07	8.93	33.34	129	0
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5631.15	55.28	68.30	-13.02	45.63	34.69	8.33	33.37	129	0	PEAK																																																																																																				
2	5650.58	53.17	68.73	-15.56	43.41	34.73	8.40	33.37	129	0	PEAK																																																																																																				
3	5700.80	69.54	105.42	-35.88	59.48	34.84	8.58	33.36	129	0	PEAK																																																																																																				
4	5720.75	66.93	112.51	-45.58	56.74	34.89	8.66	33.36	129	0	PEAK																																																																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5775.00	105.41	-----	-----	94.75	35.07	8.93	33.34	129	0	PEAK																																																																																																				
Avg	Blank																																																																																																														
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.71</td> <td>-----</td> <td>-----</td> <td>86.05</td> <td>35.07</td> <td>8.93</td> <td>33.34</td> <td>129</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	96.71	-----	-----	86.05	35.07	8.93	33.34	129	0	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																								
1	5775.00	96.71	-----	-----	86.05	35.07	8.93	33.34	129	0	AVERAGE																																																																																																				



Mode	83																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ③_5775MHz																																																																									
ANT	CDD 9+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot. Date: 2023-09-14. The plot shows a blue signal line and a red limit line. A red label 'PEAK_BE(B4)_16-24' is present. The x-axis ranges from 5775 to 5950 MHz, and the y-axis ranges from 0 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.88</td> <td>64.27</td> <td>115.64</td> <td>-51.37</td> <td>53.55</td> <td>35.18</td> <td>8.87</td> <td>33.33</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.48</td> <td>65.19</td> <td>105.91</td> <td>-40.72</td> <td>54.45</td> <td>35.22</td> <td>8.85</td> <td>33.33</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.10</td> <td>54.52</td> <td>68.86</td> <td>-14.34</td> <td>43.72</td> <td>35.33</td> <td>8.79</td> <td>33.32</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.80</td> <td>58.28</td> <td>68.30</td> <td>-10.02</td> <td>47.47</td> <td>35.35</td> <td>8.78</td> <td>33.32</td> <td>129</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5852.88	64.27	115.64	-51.37	53.55	35.18	8.87	33.33	129	0	PEAK	2	5872.48	65.19	105.91	-40.72	54.45	35.22	8.85	33.33	129	0	PEAK	3	5924.10	54.52	68.86	-14.34	43.72	35.33	8.79	33.32	129	0	PEAK	4	5931.80	58.28	68.30	-10.02	47.47	35.35	8.78	33.32	129	0	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5852.88	64.27	115.64	-51.37	53.55	35.18	8.87	33.33	129	0	PEAK																																																															
2	5872.48	65.19	105.91	-40.72	54.45	35.22	8.85	33.33	129	0	PEAK																																																															
3	5924.10	54.52	68.86	-14.34	43.72	35.33	8.79	33.32	129	0	PEAK																																																															
4	5931.80	58.28	68.30	-10.02	47.47	35.35	8.78	33.32	129	0	PEAK																																																															







Mode	84																																																																																																																																																																	
	LF																																																																																																																																																																	
	U-NII-2C_5.15-5.35_802.11be EHT160 LF_CH114_Full_5570MHz																																																																																																																																																																	
ANT	CDD 9+15																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
QP/ Peak	<p>Data: 1 Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>24.91</td><td>-15.09</td><td>40.00</td><td>30.84</td><td>25.34</td><td>0.53</td><td>31.80</td><td>--- Peak</td></tr> <tr><td>2</td><td>146.40</td><td>23.76</td><td>-19.74</td><td>43.50</td><td>36.66</td><td>17.21</td><td>1.24</td><td>31.35</td><td>--- Peak</td></tr> <tr><td>3</td><td>213.33</td><td>26.56</td><td>-16.94</td><td>43.50</td><td>41.15</td><td>15.22</td><td>1.49</td><td>31.30</td><td>--- Peak</td></tr> <tr><td>4</td><td>337.49</td><td>26.81</td><td>-19.19</td><td>46.00</td><td>35.81</td><td>20.37</td><td>1.93</td><td>31.30</td><td>--- Peak</td></tr> <tr><td>5</td><td>634.31</td><td>28.11</td><td>-17.89</td><td>46.00</td><td>30.36</td><td>26.43</td><td>2.62</td><td>31.30</td><td>--- Peak</td></tr> <tr><td>6</td><td>942.77</td><td>31.99</td><td>-14.01</td><td>46.00</td><td>30.20</td><td>30.08</td><td>3.22</td><td>31.51</td><td>--- Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	24.91	-15.09	40.00	30.84	25.34	0.53	31.80	--- Peak	2	146.40	23.76	-19.74	43.50	36.66	17.21	1.24	31.35	--- Peak	3	213.33	26.56	-16.94	43.50	41.15	15.22	1.49	31.30	--- Peak	4	337.49	26.81	-19.19	46.00	35.81	20.37	1.93	31.30	--- Peak	5	634.31	28.11	-17.89	46.00	30.36	26.43	2.62	31.30	--- Peak	6	942.77	31.99	-14.01	46.00	30.20	30.08	3.22	31.51	--- Peak	<p>Data: 2 Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.78</td><td>-14.22</td><td>40.00</td><td>31.71</td><td>25.34</td><td>0.53</td><td>31.80</td><td>--- Peak</td></tr> <tr><td>2</td><td>147.37</td><td>20.54</td><td>-22.96</td><td>43.50</td><td>33.51</td><td>17.14</td><td>1.24</td><td>31.35</td><td>--- Peak</td></tr> <tr><td>3</td><td>211.39</td><td>22.61</td><td>-20.09</td><td>43.50</td><td>37.24</td><td>15.19</td><td>1.48</td><td>31.30</td><td>--- Peak</td></tr> <tr><td>4</td><td>467.47</td><td>24.38</td><td>-21.62</td><td>46.00</td><td>29.96</td><td>23.48</td><td>2.24</td><td>31.30</td><td>--- Peak</td></tr> <tr><td>5</td><td>619.76</td><td>28.25</td><td>-17.75</td><td>46.00</td><td>30.57</td><td>26.34</td><td>2.60</td><td>31.26</td><td>--- Peak</td></tr> <tr><td>6</td><td>943.74</td><td>32.49</td><td>-13.51</td><td>46.00</td><td>30.69</td><td>30.09</td><td>3.22</td><td>31.51</td><td>--- Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	25.78	-14.22	40.00	31.71	25.34	0.53	31.80	--- Peak	2	147.37	20.54	-22.96	43.50	33.51	17.14	1.24	31.35	--- Peak	3	211.39	22.61	-20.09	43.50	37.24	15.19	1.48	31.30	--- Peak	4	467.47	24.38	-21.62	46.00	29.96	23.48	2.24	31.30	--- Peak	5	619.76	28.25	-17.75	46.00	30.57	26.34	2.60	31.26	--- Peak	6	943.74	32.49	-13.51	46.00	30.69	30.09	3.22	31.51	--- Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	30.00	24.91	-15.09	40.00	30.84	25.34	0.53	31.80	--- Peak																																																																																																																																																									
2	146.40	23.76	-19.74	43.50	36.66	17.21	1.24	31.35	--- Peak																																																																																																																																																									
3	213.33	26.56	-16.94	43.50	41.15	15.22	1.49	31.30	--- Peak																																																																																																																																																									
4	337.49	26.81	-19.19	46.00	35.81	20.37	1.93	31.30	--- Peak																																																																																																																																																									
5	634.31	28.11	-17.89	46.00	30.36	26.43	2.62	31.30	--- Peak																																																																																																																																																									
6	942.77	31.99	-14.01	46.00	30.20	30.08	3.22	31.51	--- Peak																																																																																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	30.00	25.78	-14.22	40.00	31.71	25.34	0.53	31.80	--- Peak																																																																																																																																																									
2	147.37	20.54	-22.96	43.50	33.51	17.14	1.24	31.35	--- Peak																																																																																																																																																									
3	211.39	22.61	-20.09	43.50	37.24	15.19	1.48	31.30	--- Peak																																																																																																																																																									
4	467.47	24.38	-21.62	46.00	29.96	23.48	2.24	31.30	--- Peak																																																																																																																																																									
5	619.76	28.25	-17.75	46.00	30.57	26.34	2.60	31.26	--- Peak																																																																																																																																																									
6	943.74	32.49	-13.51	46.00	30.69	30.09	3.22	31.51	--- Peak																																																																																																																																																									



Mode	85																																																																																																																																																																																									
	LF																																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80 LF_CH155_Full_5775MHz																																																																																																																																																																																									
ANT	CDD 9+15																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																								
QP/ Peak	<p>Data: 1 Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>24.45</td><td>-15.55</td><td>40.00</td><td>30.38</td><td>25.34</td><td>0.53</td><td>31.80</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>146.40</td><td>24.39</td><td>-19.11</td><td>43.50</td><td>37.29</td><td>17.21</td><td>1.24</td><td>31.35</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>206.54</td><td>26.54</td><td>-16.96</td><td>43.50</td><td>41.28</td><td>15.10</td><td>1.46</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>338.46</td><td>26.50</td><td>-19.50</td><td>46.00</td><td>35.46</td><td>20.40</td><td>1.94</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>579.02</td><td>28.20</td><td>-17.80</td><td>46.00</td><td>31.12</td><td>25.78</td><td>2.52</td><td>31.22</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>895.24</td><td>31.09</td><td>-14.91</td><td>46.00</td><td>30.07</td><td>29.46</td><td>3.15</td><td>31.59</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	24.45	-15.55	40.00	30.38	25.34	0.53	31.80	---	---	Peak	2	146.40	24.39	-19.11	43.50	37.29	17.21	1.24	31.35	---	---	Peak	3	206.54	26.54	-16.96	43.50	41.28	15.10	1.46	31.30	---	---	Peak	4	338.46	26.50	-19.50	46.00	35.46	20.40	1.94	31.30	---	---	Peak	5	579.02	28.20	-17.80	46.00	31.12	25.78	2.52	31.22	---	---	Peak	6	895.24	31.09	-14.91	46.00	30.07	29.46	3.15	31.59	---	---	Peak	<p>Data: 2 Date: 2023-09-12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>24.98</td><td>-15.02</td><td>40.00</td><td>31.39</td><td>24.83</td><td>0.54</td><td>31.78</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>146.40</td><td>22.94</td><td>-20.56</td><td>43.50</td><td>35.84</td><td>17.21</td><td>1.24</td><td>31.35</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>210.42</td><td>22.91</td><td>-20.59</td><td>43.50</td><td>37.56</td><td>15.17</td><td>1.48</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>453.89</td><td>24.26</td><td>-21.74</td><td>46.00</td><td>30.13</td><td>23.22</td><td>2.21</td><td>31.30</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>570.29</td><td>27.59</td><td>-18.41</td><td>46.00</td><td>30.73</td><td>25.59</td><td>2.50</td><td>31.23</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>867.11</td><td>31.40</td><td>-14.60</td><td>46.00</td><td>30.71</td><td>29.13</td><td>3.09</td><td>31.53</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.97	24.98	-15.02	40.00	31.39	24.83	0.54	31.78	---	---	Peak	2	146.40	22.94	-20.56	43.50	35.84	17.21	1.24	31.35	---	---	Peak	3	210.42	22.91	-20.59	43.50	37.56	15.17	1.48	31.30	---	---	Peak	4	453.89	24.26	-21.74	46.00	30.13	23.22	2.21	31.30	---	---	Peak	5	570.29	27.59	-18.41	46.00	30.73	25.59	2.50	31.23	---	---	Peak	6	867.11	31.40	-14.60	46.00	30.71	29.13	3.09	31.53	---	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	30.00	24.45	-15.55	40.00	30.38	25.34	0.53	31.80	---	---	Peak																																																																																																																																																																															
2	146.40	24.39	-19.11	43.50	37.29	17.21	1.24	31.35	---	---	Peak																																																																																																																																																																															
3	206.54	26.54	-16.96	43.50	41.28	15.10	1.46	31.30	---	---	Peak																																																																																																																																																																															
4	338.46	26.50	-19.50	46.00	35.46	20.40	1.94	31.30	---	---	Peak																																																																																																																																																																															
5	579.02	28.20	-17.80	46.00	31.12	25.78	2.52	31.22	---	---	Peak																																																																																																																																																																															
6	895.24	31.09	-14.91	46.00	30.07	29.46	3.15	31.59	---	---	Peak																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	30.97	24.98	-15.02	40.00	31.39	24.83	0.54	31.78	---	---	Peak																																																																																																																																																																															
2	146.40	22.94	-20.56	43.50	35.84	17.21	1.24	31.35	---	---	Peak																																																																																																																																																																															
3	210.42	22.91	-20.59	43.50	37.56	15.17	1.48	31.30	---	---	Peak																																																																																																																																																																															
4	453.89	24.26	-21.74	46.00	30.13	23.22	2.21	31.30	---	---	Peak																																																																																																																																																																															
5	570.29	27.59	-18.41	46.00	30.73	25.59	2.50	31.23	---	---	Peak																																																																																																																																																																															
6	867.11	31.40	-14.60	46.00	30.71	29.13	3.09	31.53	---	---	Peak																																																																																																																																																																															



		89																																																																															
Mode	Band Edge																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full_5200MHz																																																																																
ANT	CDD 9+15																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	 <p style="text-align: right;">Date: 2023-09-15</p>		 <p style="text-align: right;">Date: 2023-09-15</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5042.60</td> <td>50.04</td> <td>74.00</td> <td>-23.96</td> <td>40.28</td> <td>34.58</td> <td>7.85</td> <td>32.67</td> <td>128</td> <td>337 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5042.60	50.04	74.00	-23.96	40.28	34.58	7.85	32.67	128	337 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5200.00</td> <td>99.16</td> <td>-----</td> <td>-----</td> <td>89.61</td> <td>34.52</td> <td>7.95</td> <td>32.92</td> <td>128</td> <td>337 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	99.16	-----	-----	89.61	34.52	7.95	32.92	128
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5042.60	50.04	74.00	-23.96	40.28	34.58	7.85	32.67	128	337 PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5200.00	99.16	-----	-----	89.61	34.52	7.95	32.92	128	337 PEAK																																																																							
Avg	 <p style="text-align: right;">Date: 2023-09-15</p>		 <p style="text-align: right;">Date: 2023-09-15</p>																																																																														
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5047.80</td> <td>40.29</td> <td>54.00</td> <td>-13.71</td> <td>30.54</td> <td>34.58</td> <td>7.85</td> <td>32.68</td> <td>128</td> <td>337 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5047.80	40.29	54.00	-13.71	30.54	34.58	7.85	32.68	128	337 AVERAGE	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5200.00</td> <td>90.60</td> <td>-----</td> <td>-----</td> <td>81.05</td> <td>34.52</td> <td>7.95</td> <td>32.92</td> <td>128</td> <td>337 AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5200.00	90.60	-----	-----	81.05	34.52	7.95	32.92	128
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5047.80	40.29	54.00	-13.71	30.54	34.58	7.85	32.68	128	337 AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																								
1	5200.00	90.60	-----	-----	81.05	34.52	7.95	32.92	128	337 AVERAGE																																																																							



	89																																																																							
Mode	Band Edge																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH40_Full_5200MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5016.20</td> <td>50.24</td> <td>74.00</td> <td>-23.76</td> <td>40.45</td> <td>34.59</td> <td>7.83</td> <td>32.63</td> <td>100</td> <td>29 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5016.20	50.24	74.00	-23.76	40.45	34.59	7.83	32.63	100	29 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5200.00</td> <td>103.12</td> <td>-----</td> <td>-----</td> <td>93.58</td> <td>34.52</td> <td>7.96</td> <td>32.94</td> <td>100</td> <td>29 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5200.00	103.12	-----	-----	93.58	34.52	7.96	32.94	100	29 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5016.20	50.24	74.00	-23.76	40.45	34.59	7.83	32.63	100	29 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5200.00	103.12	-----	-----	93.58	34.52	7.96	32.94	100	29 PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5052.60</td> <td>40.44</td> <td>54.00</td> <td>-13.56</td> <td>30.70</td> <td>34.58</td> <td>7.85</td> <td>32.69</td> <td>100</td> <td>29 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5052.60	40.44	54.00	-13.56	30.70	34.58	7.85	32.69	100	29 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5200.00</td> <td>96.23</td> <td>-----</td> <td>-----</td> <td>86.69</td> <td>34.52</td> <td>7.96</td> <td>32.94</td> <td>100</td> <td>29 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5200.00	96.23	-----	-----	86.69	34.52	7.96	32.94	100	29 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5052.60	40.44	54.00	-13.56	30.70	34.58	7.85	32.69	100	29 AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5200.00	96.23	-----	-----	86.69	34.52	7.96	32.94	100	29 AVERAGE																																																															



		90																																																																																							
Mode	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT20_CH104_Full_5520MHz																																																																																								
ANT	CDD 9+15																																																																																								
Pol.	Horizontal	Fundamental																																																																																							
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5393.18</td> <td>49.50</td> <td>74.00</td> <td>-24.50</td> <td>39.86</td> <td>34.44</td> <td>8.44</td> <td>33.24</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.56</td> <td>49.00</td> <td>68.30</td> <td>-19.30</td> <td>39.54</td> <td>34.41</td> <td>8.40</td> <td>33.35</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5393.18	49.50	74.00	-24.50	39.86	34.44	8.44	33.24	200	46	PEAK	2	5463.56	49.00	68.30	-19.30	39.54	34.41	8.40	33.35	200	46	PEAK	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>105.41</td> <td>-----</td> <td>-----</td> <td>96.03</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>200</td> <td>46</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5520.00	105.41	-----	-----	96.03	34.45	8.32	33.39	200	46	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5393.18	49.50	74.00	-24.50	39.86	34.44	8.44	33.24	200	46	PEAK																																																																														
2	5463.56	49.00	68.30	-19.30	39.54	34.41	8.40	33.35	200	46	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5520.00	105.41	-----	-----	96.03	34.45	8.32	33.39	200	46	PEAK																																																																														
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.46</td> <td>39.28</td> <td>54.00</td> <td>-14.72</td> <td>29.80</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>200</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.46	39.28	54.00	-14.72	29.80	34.42	8.41	33.35	200	46	AVERAGE	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>96.20</td> <td>-----</td> <td>-----</td> <td>86.82</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>200</td> <td>46</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5520.00	96.20	-----	-----	86.82	34.45	8.32	33.39	200	46	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5458.46	39.28	54.00	-14.72	29.80	34.42	8.41	33.35	200	46	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5520.00	96.20	-----	-----	86.82	34.45	8.32	33.39	200	46	AVERAGE																																																																														



		90																																																																																						
Mode		Band Edge																																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT20_CH104_Full_5520MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.44</td> <td>49.86</td> <td>74.00</td> <td>-24.14</td> <td>40.37</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.39</td> <td>49.77</td> <td>68.30</td> <td>-18.53</td> <td>40.31</td> <td>34.41</td> <td>8.40</td> <td>33.35</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.44	49.86	74.00	-24.14	40.37	34.42	8.41	33.34	157	0	PEAK	2	5463.39	49.77	68.30	-18.53	40.31	34.41	8.40	33.35	157	0	PEAK	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>109.46</td> <td>-----</td> <td>-----</td> <td>100.08</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>157</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5520.00	109.46	-----	-----	100.08	34.45	8.32	33.39	157	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5457.44	49.86	74.00	-24.14	40.37	34.42	8.41	33.34	157	0	PEAK																																																																													
2	5463.39	49.77	68.30	-18.53	40.31	34.41	8.40	33.35	157	0	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5520.00	109.46	-----	-----	100.08	34.45	8.32	33.39	157	0	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.48</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>31.73</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>157</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.48	41.21	54.00	-12.79	31.73	34.42	8.41	33.35	157	0	AVERAGE	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5520.00</td> <td>101.69</td> <td>-----</td> <td>-----</td> <td>92.31</td> <td>34.45</td> <td>8.32</td> <td>33.39</td> <td>157</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5520.00	101.69	-----	-----	92.31	34.45	8.32	33.39	157	0	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5459.48	41.21	54.00	-12.79	31.73	34.42	8.41	33.35	157	0	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5520.00	101.69	-----	-----	92.31	34.45	8.32	33.39	157	0	AVERAGE																																																																													



		91																																																																										
Mode	Band Edge																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH136_Full_5680MHz																																																																											
ANT	CDD 9+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5742.22</td> <td>49.65</td> <td>68.30</td> <td>-18.65</td> <td>39.33</td> <td>34.93</td> <td>8.74</td> <td>33.35</td> <td>199</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5742.22	49.65	68.30	-18.65	39.33	34.93	8.74	33.35	199	49	PEAK	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>105.80</td> <td>-----</td> <td>-----</td> <td>95.85</td> <td>34.80</td> <td>8.51</td> <td>33.36</td> <td>199</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	105.80	-----	-----	95.85	34.80	8.51	33.36	199	49	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5742.22	49.65	68.30	-18.65	39.33	34.93	8.74	33.35	199	49	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5680.00	105.80	-----	-----	95.85	34.80	8.51	33.36	199	49	PEAK																																																																	
Avg	Blank	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>95.56</td> <td>-----</td> <td>-----</td> <td>85.61</td> <td>34.80</td> <td>8.51</td> <td>33.36</td> <td>199</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	95.56	-----	-----	85.61	34.80	8.51	33.36	199	49	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	dB	cm	deg																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5680.00	95.56	-----	-----	85.61	34.80	8.51	33.36	199	49	AVERAGE																																																																	



		91																																																																						
Mode	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH136_Full_5680MHz																																																																							
ANT	CDD 9+15																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5737.63</td> <td>51.44</td> <td>68.30</td> <td>-16.86</td> <td>41.15</td> <td>34.92</td> <td>8.72</td> <td>33.35</td> <td>109</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5737.63	51.44	68.30	-16.86	41.15	34.92	8.72	33.35	109	19 PEAK	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>109.50</td> <td>-----</td> <td>-----</td> <td>99.55</td> <td>34.80</td> <td>8.51</td> <td>33.36</td> <td>109</td> <td>19 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5680.00	109.50	-----	-----	99.55	34.80	8.51	33.36	109	19 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5737.63	51.44	68.30	-16.86	41.15	34.92	8.72	33.35	109	19 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5680.00	109.50	-----	-----	99.55	34.80	8.51	33.36	109	19 PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>101.07</td> <td>-----</td> <td>-----</td> <td>91.12</td> <td>34.80</td> <td>8.51</td> <td>33.36</td> <td>109</td> <td>19 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5680.00	101.07	-----	-----	91.12	34.80	8.51	33.36	109	19 AVERAGE																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5680.00	101.07	-----	-----	91.12	34.80	8.51	33.36	109	19 AVERAGE																																																															



		92																																																																																			
Mode	Band Edge - L																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT40_CH126_Full_5630MHz																																																																																				
ANT	CDD 9+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5409.08</td> <td>47.80</td> <td>74.00</td> <td>-26.20</td> <td>38.15</td> <td>34.44</td> <td>8.48</td> <td>33.27</td> <td>200</td> <td>54 PEAK</td> </tr> <tr> <td>2</td> <td>5463.96</td> <td>47.71</td> <td>68.30</td> <td>-20.59</td> <td>38.25</td> <td>34.41</td> <td>8.40</td> <td>33.35</td> <td>200</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5409.08	47.80	74.00	-26.20	38.15	34.44	8.48	33.27	200	54 PEAK	2	5463.96	47.71	68.30	-20.59	38.25	34.41	8.40	33.35	200	54 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>101.27</td> <td>-----</td> <td>-----</td> <td>91.62</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>200</td> <td>54 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5630.00	101.27	-----	-----	91.62	34.69	8.33	33.37	200	54 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	5409.08	47.80	74.00	-26.20	38.15	34.44	8.48	33.27	200	54 PEAK																																																																											
2	5463.96	47.71	68.30	-20.59	38.25	34.41	8.40	33.35	200	54 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	5630.00	101.27	-----	-----	91.62	34.69	8.33	33.37	200	54 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>38.72</td> <td>54.00</td> <td>-15.28</td> <td>29.24</td> <td>34.42</td> <td>8.41</td> <td>33.35</td> <td>200</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.20	38.72	54.00	-15.28	29.24	34.42	8.41	33.35	200	54 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>93.16</td> <td>-----</td> <td>-----</td> <td>83.63</td> <td>34.65</td> <td>8.26</td> <td>33.38</td> <td>200</td> <td>54 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5630.00	93.16	-----	-----	83.63	34.65	8.26	33.38	200	54 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	5459.20	38.72	54.00	-15.28	29.24	34.42	8.41	33.35	200	54 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																													
1	5630.00	93.16	-----	-----	83.63	34.65	8.26	33.38	200	54 AVERAGE																																																																											



Mode	92																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH126_Full_5630MHz																																					
ANT	CDD 9+15																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.26</td> <td>50.26</td> <td>68.30</td> <td>-18.04</td> <td>39.90</td> <td>34.95</td> <td>8.76</td> <td>33.35</td> <td>200</td> <td>54</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5748.26	50.26	68.30	-18.04	39.90	34.95	8.76	33.35	200	54	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																													
1 5748.26	50.26	68.30	-18.04	39.90	34.95	8.76	33.35	200	54																													



		92																																																																																						
Mode		Band Edge - L																																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT40_CH126_Full_5630MHz																																																																																						
ANT		CDD 9+15																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5419.16</td> <td>49.08</td> <td>74.00</td> <td>-24.92</td> <td>39.47</td> <td>34.43</td> <td>8.46</td> <td>33.28</td> <td>200</td> <td>29</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.28</td> <td>48.47</td> <td>68.30</td> <td>-19.83</td> <td>39.02</td> <td>34.41</td> <td>8.40</td> <td>33.36</td> <td>200</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5419.16	49.08	74.00	-24.92	39.47	34.43	8.46	33.28	200	29	PEAK	2	5469.28	48.47	68.30	-19.83	39.02	34.41	8.40	33.36	200	29	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>108.28</td> <td>-----</td> <td>-----</td> <td>98.63</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>200</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5630.00	108.28	-----	-----	98.63	34.69	8.33	33.37	200	29	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5419.16	49.08	74.00	-24.92	39.47	34.43	8.46	33.28	200	29	PEAK																																																																													
2	5469.28	48.47	68.30	-19.83	39.02	34.41	8.40	33.36	200	29	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5630.00	108.28	-----	-----	98.63	34.69	8.33	33.37	200	29	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.12</td> <td>39.78</td> <td>54.00</td> <td>-14.22</td> <td>30.29</td> <td>34.42</td> <td>8.41</td> <td>33.34</td> <td>200</td> <td>29</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.12	39.78	54.00	-14.22	30.29	34.42	8.41	33.34	200	29	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5630.00</td> <td>98.74</td> <td>-----</td> <td>-----</td> <td>89.09</td> <td>34.69</td> <td>8.33</td> <td>33.37</td> <td>200</td> <td>29</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5630.00	98.74	-----	-----	89.09	34.69	8.33	33.37	200	29	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5456.12	39.78	54.00	-14.22	30.29	34.42	8.41	33.34	200	29	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5630.00	98.74	-----	-----	89.09	34.69	8.33	33.37	200	29	AVERAGE																																																																													



Mode	92																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH126_Full_5630MHz																																						
ANT	CDD 9+15																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-09-15</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5745.29</td> <td>52.60</td> <td>68.30</td> <td>-15.70</td> <td>42.26</td> <td>34.94</td> <td>8.75</td> <td>33.35</td> <td>200</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.29	52.60	68.30	-15.70	42.26	34.94	8.75	33.35	200	29	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5745.29	52.60	68.30	-15.70	42.26	34.94	8.75	33.35	200	29	PEAK																													



<Simultaneous transmission>

Mode 86 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

11be EHT40_Ch06 (Band Edge @ 3m)

	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
11be EHT40_Ch 06+11be EHT160_C h114+LTE_ B48 o-location		2388.4	57.49	-16.51	74	55.74	30.6	4.81	33.66	129	217	P	H
		2388.54	45.34	-8.66	54	43.59	30.6	4.81	33.66	129	217	A	H
	*	2437	98.41	-	-	96.5	30.7	4.86	33.65	129	217	P	H
	*	2437	90.66	-	-	88.75	30.7	4.86	33.65	129	217	A	H
		2488.8	57.04	-16.96	74	54.84	30.9	4.92	33.62	129	217	P	H
		2488.94	44.98	-9.02	54	42.78	30.9	4.92	33.62	129	217	A	H
		2387	58.7	-15.3	74	56.95	30.6	4.81	33.66	185	218	P	V
		2389.8	46.28	-7.72	54	44.53	30.6	4.81	33.66	185	218	A	V
	*	2437	102.42	-	-	100.51	30.7	4.86	33.65	185	218	P	V
	*	2437	93.77	-	-	91.86	30.7	4.86	33.65	185	218	A	V
		2483.83	59.48	-14.52	74	57.35	30.83	4.92	33.62	185	218	P	V
		2483.5	47.01	-6.99	54	44.88	30.83	4.92	33.62	185	218	A	V

Remark	1. No other spurious found.
	2. All results are PASS against Peak and Average limit line.



11be EHT160_Ch114 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
11be EHT40_Ch 06+11be EHT160_C h114+LTE B48 Co-location		5450.08	55.25	-18.75	74	45.28	34.86	8.43	33.32	246	66	P	H
		5460.4	56.96	-11.34	68.3	47.03	34.86	8.43	33.36	246	66	P	H
		5447.92	42.12	-11.88	54	32.15	34.86	8.43	33.32	246	66	A	H
	*	5570	91.81	-	-	81.99	34.94	8.27	33.39	246	66	P	H
	*	5570	84.36	-	-	74.54	34.94	8.27	33.39	246	66	A	H
		5743.58	59.48	-8.82	68.3	48.99	35.04	8.8	33.35	246	66	P	H
		5431.36	61.88	-12.12	74	51.92	34.85	8.43	33.32	164	348	P	V
		5465.92	57.17	-11.13	68.3	47.28	34.87	8.38	33.36	164	348	P	V
		5455.12	46.62	-7.38	54	36.69	34.86	8.43	33.36	164	348	A	V
	*	5570	98.62	-	-	88.8	34.94	8.27	33.39	164	348	P	V
	*	5570	91.09	-	-	81.27	34.94	8.27	33.39	164	348	A	V
		5728.145	59.43	-8.87	68.3	49.1	35.03	8.65	33.35	164	348	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Mode 87 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

BLE_CH38 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE_CH38+ 11be EHT40_Ch06 +11be EHT160_Ch1 14+LTE_B48 Co-location	*	2478	99.69	-	-	97.56	30.83	4.92	33.62	100	123	P	H
	*	2478	98.48	-	-	96.35	30.83	4.92	33.62	100	123	A	H
		2486.2	56.28	-17.72	74	54.15	30.83	4.92	33.62	100	123	P	H
		2484.52	48.48	-5.52	54	46.35	30.83	4.92	33.62	100	123	A	H
	*	2478	101.63	-	-	99.5	30.83	4.92	33.62	329	321	P	V
	*	2478	100.4	-	-	98.27	30.83	4.92	33.62	329	321	A	V
		2483.76	52.17	-21.83	74	50.04	30.83	4.92	33.62	329	321	P	V
		2484.68	43.76	-10.24	54	41.63	30.83	4.92	33.62	329	321	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



11be EHT40_Ch06 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE_CH38 + 11be EHT40_Ch 06+11be EHT160_C h114+LTE_ B48 Co-location		2389.38	58.34	-15.66	74	56.59	30.6	4.81	33.66	147	306	P	H
		2389.94	47.99	-6.01	54	46.24	30.6	4.81	33.66	147	306	A	H
	*	2437	100.56	-	-	98.65	30.7	4.86	33.65	147	306	P	H
	*	2437	91.01	-	-	89.1	30.7	4.86	33.65	147	306	A	H
		2485.72	58.84	-15.16	74	56.71	30.83	4.92	33.62	147	306	P	H
		2483.5	46.59	-7.41	54	44.46	30.83	4.92	33.62	147	306	A	H
		2388.96	57.8	-16.2	74	56.05	30.6	4.81	33.66	111	247	P	V
		2389.94	47.01	-6.99	54	45.26	30.6	4.81	33.66	111	247	A	V
	*	2437	98.35	-	-	96.44	30.7	4.86	33.65	111	247	P	V
	*	2437	89.24	-	-	87.33	30.7	4.86	33.65	111	247	A	V
		2484.32	60.45	-13.55	74	58.32	30.83	4.92	33.62	111	247	P	V
		2483.5	46.74	-7.26	54	44.61	30.83	4.92	33.62	111	247	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



11be EHT160_Ch114 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
BLE_CH38 + 11be EHT40_Ch 06+11be EHT160_C h114+LTE_ B48 Co-location		5437.6	62	-12	74	52.04	34.85	8.43	33.32	321	310	P	H
		5459.92	55.18	-18.82	74	45.25	34.86	8.43	33.36	321	310	P	H
		5457.52	46.39	-7.61	54	36.46	34.86	8.43	33.36	321	310	A	H
	*	5570	96.97	-	-	87.15	34.94	8.27	33.39	321	310	P	H
	*	5570	90.06	-	-	80.24	34.94	8.27	33.39	321	310	A	H
		5727.2	62.2	-6.1	68.3	51.87	35.03	8.65	33.35	321	310	P	H
		5440	62.63	-11.37	74	52.67	34.85	8.43	33.32	279	24	P	V
		5469.76	60.43	-7.87	68.3	50.54	34.87	8.38	33.36	279	24	P	V
		5447.68	47.82	-6.18	54	37.85	34.86	8.43	33.32	279	24	A	V
		5570	102.54	-	-	92.72	34.94	8.27	33.39	279	24	P	V
	5570	98.45	-	-	88.63	34.94	8.27	33.39	279	24	A	V	
		5726.57	60.36	-7.94	68.3	50.03	35.03	8.65	33.35	279	24	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode 88 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

BLE_CH38 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	Factor	Loss	Factor	Pos	Pos	Avg.	(H/V)
BLE_CH38+ 11be EHT40_Ch06 +11be EHT160_Ch1 14+LTE_B48 Co-location	*	2478	102.47	-	-	100.34	30.83	4.92	33.62	322	297	P	H
	*	2478	101.68	-	-	99.55	30.83	4.92	33.62	322	297	A	H
		2485.44	51.17	-22.83	74	49.04	30.83	4.92	33.62	322	297	P	H
		2485.76	43.19	-10.81	54	41.06	30.83	4.92	33.62	322	297	A	H
	*	2478	91.51	-	-	89.38	30.83	4.92	33.62	318	294	P	V
	*	2478	90.22	-	-	88.09	30.83	4.92	33.62	318	294	A	V
		2485.56	54.31	-19.69	74	52.18	30.83	4.92	33.62	318	294	P	V
		2483.8	46.03	-7.97	54	43.9	30.83	4.92	33.62	318	294	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

11be EHT40_Ch06 (Band Edge @ 3m)

	Note	Frequency	Level	Margin	Limit	Read	Antenna	Cable	Preamp	Ant	Table	Peak	Pol.
		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	Factor	Loss	Factor	Pos	Pos	Avg.	(H/V)
BLE_CH38 + 11be EHT40_Ch 06+11be EHT160_C h114+LTE B48 Co-location		2389.24	59.24	-14.76	74	57.49	30.6	4.81	33.66	349	317	P	H
		2389.94	47.71	-6.29	54	45.96	30.6	4.81	33.66	349	317	A	H
	*	2437	98.37	-	-	96.46	30.7	4.86	33.65	349	317	P	H
	*	2437	89.43	-	-	87.52	30.7	4.86	33.65	349	317	A	H
		2483.97	60.36	-13.64	74	58.23	30.83	4.92	33.62	349	317	P	H
		2483.5	46.87	-7.13	54	44.74	30.83	4.92	33.62	349	317	A	H
		2389.8	57.32	-16.68	74	55.57	30.6	4.81	33.66	101	259	P	V
		2389.94	47.14	-6.86	54	45.39	30.6	4.81	33.66	101	259	A	V
	*	2437	100.92	-	-	99.01	30.7	4.86	33.65	101	259	P	V
	*	2437	90.2	-	-	88.29	30.7	4.86	33.65	101	259	A	V
		2485.58	58.76	-15.24	74	56.63	30.83	4.92	33.62	101	259	P	V
		2483.5	46.43	-7.57	54	44.3	30.83	4.92	33.62	101	259	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



11be EHT160_Ch114 (Band Edge @ 3m)

Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
	5437.36	58.03	-15.97	74	48.07	34.85	8.43	33.32	304	311	P	H
	5461.6	53.94	-14.36	68.3	44.01	34.86	8.43	33.36	304	311	P	H
	5458.96	43.95	-10.05	54	34.02	34.86	8.43	33.36	304	311	A	H
BLE_CH38 + 11be	* 5570	95.53	-	-	85.71	34.94	8.27	33.39	304	311	P	H
EHT40_Ch 06+11be	* 5570	88.35	-	-	78.53	34.94	8.27	33.39	304	311	A	H
	5726.57	61.02	-7.28	68.3	50.69	35.03	8.65	33.35	304	311	P	H
EHT160_C h114+LTE_	5454.64	60.81	-13.19	74	50.88	34.86	8.43	33.36	233	23	P	V
B48	5463.28	61.32	-6.98	68.3	51.38	34.87	8.43	33.36	233	23	P	V
	5448.88	46.64	-7.36	54	36.67	34.86	8.43	33.32	233	23	A	V
Co-location	* 5570	100.42	-	-	90.6	34.94	8.27	33.39	233	23	P	V
	* 5570	93.45	-	-	83.63	34.94	8.27	33.39	233	23	A	V
	5730.665	60.51	-7.79	68.3	50.18	35.03	8.65	33.35	233	23	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.											

Harmonic (Harmonic @ 3m)

Mode 86 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
11be	4874	41.3	-32.7	74	56.73	34.33	7.76	57.52	-	-	P	H
EHT40_Ch	7311	43.96	-30.04	74	58.49	35.44	8.95	58.92	-	-	P	H
06+11be	11140	46.09	-27.91	74	55.31	37.65	11.28	58.15	-	-	P	H
EHT160_C	16710	46.31	-21.99	68.3	52.26	39.67	13	58.62	-	-	P	H
h114+LTE_	4874	39.99	-34.01	74	55.42	34.33	7.76	57.52	-	-	P	V
B48	7311	43.47	-30.53	74	58	35.44	8.95	58.92	-	-	P	V
Co-location	11140	46.97	-27.03	74	56.19	37.65	11.28	58.15	-	-	P	V
	16710	47.93	-20.37	68.3	53.88	39.67	13	58.62	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.											



Mode 87 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_CH38 + 11be EHT40_Ch 06+11be EHT160_C h114+LTE_ B48 Co-location	4874	41.83	-32.17	74	57.26	34.33	7.76	57.52	-	-	P	H
	4956	43.11	-30.89	74	58.44	34.45	7.8	57.58	-	-	P	H
	7311	43.06	-30.94	74	57.59	35.44	8.95	58.92	-	-	P	H
	7434	43.45	-30.55	74	57.82	35.41	9.19	58.97	-	-	P	H
	11140	48.09	-25.91	74	57.31	37.65	11.28	58.15	-	-	P	H
	16710	47.56	-20.74	68.3	53.51	39.67	13	58.62	-	-	P	H
	4874	41.43	-32.57	74	56.86	34.33	7.76	57.52	-	-	P	V
	4956	42.18	-31.82	74	57.51	34.45	7.8	57.58	-	-	P	V
	7311	42.67	-31.33	74	57.2	35.44	8.95	58.92	-	-	P	V
	7434	43.29	-30.71	74	57.66	35.41	9.19	58.97	-	-	P	V
	11140	48.23	-25.77	74	57.45	37.65	11.28	58.15	-	-	P	V
	16710	46.21	-22.09	68.3	52.16	39.67	13	58.62	-	-	P	V

Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.



Mode 88 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE_CH38 + 11be EHT40_Ch 06+11be EHT160_C h114+LTE B48 Co-location	4874	42.75	-31.25	74	58.18	34.33	7.76	57.52	-	-	P	H
	4956	44.88	-29.12	74	60.21	34.45	7.8	57.58	-	-	P	H
	7311	43.74	-30.26	74	58.27	35.44	8.95	58.92	-	-	P	H
	7434	41.58	-32.42	74	55.95	35.41	9.19	58.97	-	-	P	H
	11140	47.72	-26.28	74	56.94	37.65	11.28	58.15	-	-	P	H
	16710	45.61	-22.69	68.3	51.56	39.67	13	58.62	-	-	P	H
	4874	40.96	-33.04	74	56.39	34.33	7.76	57.52	-	-	P	V
	4956	44.47	-29.53	74	59.8	34.45	7.8	57.58	-	-	P	V
	7311	42.74	-31.26	74	57.27	35.44	8.95	58.92	-	-	P	V
	7434	42.33	-31.67	74	56.7	35.41	9.19	58.97	-	-	P	V
Co-location	11140	47.59	-26.41	74	56.81	37.65	11.28	58.15	-	-	P	V
	16710	45.69	-22.61	68.3	51.64	39.67	13	58.62	-	-	P	V





Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.





11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

11be EHT40_Ch06 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																																																												
7+12	Horizontal	Fundamental																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.48</td> <td>57.49</td> <td>-16.51</td> <td>74.00</td> <td>55.74</td> <td>30.00</td> <td>4.81</td> <td>33.66</td> <td>129</td> <td>217</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2388.48	57.49	-16.51	74.00	55.74	30.00	4.81	33.66	129	217	Peak	 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>98.41</td> <td>24.41</td> <td>74.00</td> <td>96.50</td> <td>30.70</td> <td>4.86</td> <td>33.65</td> <td>129</td> <td>217</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2437.00	98.41	24.41	74.00	96.50	30.70	4.86	33.65	129	217	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	2388.48	57.49	-16.51	74.00	55.74	30.00	4.81	33.66	129	217	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	2437.00	98.41	24.41	74.00	96.50	30.70	4.86	33.65	129	217	Peak																																																																	
Avg.	 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.54</td> <td>45.34</td> <td>-8.68</td> <td>54.00</td> <td>43.59</td> <td>30.00</td> <td>4.81</td> <td>33.66</td> <td>129</td> <td>217</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2388.54	45.34	-8.68	54.00	43.59	30.00	4.81	33.66	129	217	Average	 <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>90.66</td> <td>36.66</td> <td>54.00</td> <td>88.75</td> <td>30.70</td> <td>4.86</td> <td>33.65</td> <td>129</td> <td>217</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2437.00	90.66	36.66	54.00	88.75	30.70	4.86	33.65	129	217	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	2388.54	45.34	-8.68	54.00	43.59	30.00	4.81	33.66	129	217	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1	2437.00	90.66	36.66	54.00	88.75	30.70	4.86	33.65	129	217	Average																																																																	





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																						
7+12	Horizontal	Fundamental																																					
<p>Peak</p>	 <table border="1" data-bbox="438 660 790 728"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.08</td> <td>57.04</td> <td>-16.96</td> <td>74.00</td> <td>54.84</td> <td>30.90</td> <td>4.92</td> <td>33.62</td> <td>129</td> <td>217</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2488.08	57.04	-16.96	74.00	54.84	30.90	4.92	33.62	129	217	Peak	<p>Blank</p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																															
1	2488.08	57.04	-16.96	74.00	54.84	30.90	4.92	33.62	129	217	Peak																												
<p>Avg.</p>	 <table border="1" data-bbox="438 1332 790 1400"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.94</td> <td>44.96</td> <td>-9.02</td> <td>54.00</td> <td>42.78</td> <td>30.90</td> <td>4.92</td> <td>33.62</td> <td>129</td> <td>217</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	2488.94	44.96	-9.02	54.00	42.78	30.90	4.92	33.62	129	217	Average	<p>Blank</p>
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																															
1	2488.94	44.96	-9.02	54.00	42.78	30.90	4.92	33.62	129	217	Average																												



ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																																																	
7+12	Vertical	Fundamental																																																																
Peak	<p>Date: 7 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.00</td> <td>58.70</td> <td>-15.39</td> <td>74.00</td> <td>56.95</td> <td>30.00</td> <td>4.83 35.66 185 218 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2387.00	58.70	-15.39	74.00	56.95	30.00	4.83 35.66 185 218 Peak	<p>Date: 9 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>182.42</td> <td>28.42</td> <td>74.00</td> <td>180.51</td> <td>30.70</td> <td>4.86 33.65 185 218 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2437.00	182.42	28.42	74.00	180.51	30.70	4.86 33.65 185 218 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	2387.00	58.70	-15.39	74.00	56.95	30.00	4.83 35.66 185 218 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	2437.00	182.42	28.42	74.00	180.51	30.70	4.86 33.65 185 218 Peak																																																											
Avg.	<p>Date: 8 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.00</td> <td>46.28</td> <td>-7.72</td> <td>54.00</td> <td>44.53</td> <td>30.00</td> <td>4.83 35.66 185 218 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2389.00	46.28	-7.72	54.00	44.53	30.00	4.83 35.66 185 218 Average	<p>Date: 10 Level (dBuV/m)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>93.77</td> <td>39.77</td> <td>54.00</td> <td>91.06</td> <td>30.70</td> <td>4.86 33.65 185 218 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2437.00	93.77	39.77	54.00	91.06	30.70	4.86 33.65 185 218 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	2389.00	46.28	-7.72	54.00	44.53	30.00	4.83 35.66 185 218 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																																																											
1	2437.00	93.77	39.77	54.00	91.06	30.70	4.86 33.65 185 218 Average																																																											



ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																							
7+12	Vertical	Fundamental																																					
Peak	 <table border="1" data-bbox="438 667 794 719"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.83</td> <td>59.48</td> <td>-14.52</td> <td>74.00</td> <td>57.35</td> <td>30.85</td> <td>4.92</td> <td>33.62</td> <td>185</td> <td>218</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	2483.83	59.48	-14.52	74.00	57.35	30.85	4.92	33.62	185	218	Peak	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																															
1	2483.83	59.48	-14.52	74.00	57.35	30.85	4.92	33.62	185	218	Peak																												
Avg.	 <table border="1" data-bbox="438 1344 794 1395"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>47.01</td> <td>-6.99</td> <td>54.00</td> <td>44.88</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>185</td> <td>218</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1	2483.50	47.01	-6.99	54.00	44.88	30.83	4.92	33.62	185	218	Average	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																															
1	2483.50	47.01	-6.99	54.00	44.88	30.83	4.92	33.62	185	218	Average																												



11be EHT160_Ch114 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																					
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																																																																					
9+15	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5498.08</td> <td>55.25</td> <td>-12.75</td> <td>74.00</td> <td>45.28</td> <td>34.86</td> <td>0.43 33.32 246</td> <td>66 Peak</td> </tr> <tr> <td>2</td> <td>5468.48</td> <td>56.96</td> <td>-11.34</td> <td>69.30</td> <td>47.83</td> <td>34.86</td> <td>0.43 33.36 246</td> <td>66 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	5498.08	55.25	-12.75	74.00	45.28	34.86	0.43 33.32 246	66 Peak	2	5468.48	56.96	-11.34	69.30	47.83	34.86	0.43 33.36 246	66 Peak	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5570.00</td> <td>81.81</td> <td>22.51</td> <td>68.30</td> <td>81.99</td> <td>34.94</td> <td>8.27 33.39 246</td> <td>66 Peak</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>84.36</td> <td>.....</td> <td>74.54</td> <td>34.94</td> <td>8.27 33.39 246</td> <td></td> <td>66 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	5570.00	81.81	22.51	68.30	81.99	34.94	8.27 33.39 246	66 Peak	2	5578.00	84.36	74.54	34.94	8.27 33.39 246		66 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																																															
1	5498.08	55.25	-12.75	74.00	45.28	34.86	0.43 33.32 246	66 Peak																																																																														
2	5468.48	56.96	-11.34	69.30	47.83	34.86	0.43 33.36 246	66 Peak																																																																														
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																																															
1	5570.00	81.81	22.51	68.30	81.99	34.94	8.27 33.39 246	66 Peak																																																																														
2	5578.00	84.36	74.54	34.94	8.27 33.39 246		66 Average																																																																														
Avg.	<table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.92</td> <td>42.12</td> <td>-11.88</td> <td>54.00</td> <td>32.15</td> <td>34.86</td> <td>0.43 33.32 246</td> <td>66 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	5447.92	42.12	-11.88	54.00	32.15	34.86	0.43 33.32 246	66 Average	Blank																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																																															
1	5447.92	42.12	-11.88	54.00	32.15	34.86	0.43 33.32 246	66 Average																																																																														



ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m	
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location	
9+15	Horizontal	Fundamental
<p>Peak</p>		<p>Blank</p>
<p>Avg.</p>	<p>Blank</p>	<p>Blank</p>







ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																			
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																																																																																																			
9+15	Vertical	Fundamental																																																																																																		
Peak	<p>Date: 5 Date: 2023-09-19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5431.36</td> <td>61.88</td> <td>-12.12</td> <td>74.00</td> <td>51.92</td> <td>34.85</td> <td>8.43</td> <td>33.32</td> <td>164</td> <td>348</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5465.92</td> <td>57.17</td> <td>-11.13</td> <td>68.30</td> <td>47.28</td> <td>34.87</td> <td>8.38</td> <td>33.36</td> <td>164</td> <td>348</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	5431.36	61.88	-12.12	74.00	51.92	34.85	8.43	33.32	164	348	Peak	2	5465.92	57.17	-11.13	68.30	47.28	34.87	8.38	33.36	164	348	Peak	<p>Date: 7 Date: 2023-09-19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>88.62</td> <td>38.32</td> <td>68.30</td> <td>88.88</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>164</td> <td>348</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>91.89</td> <td>-----</td> <td>-----</td> <td>81.27</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>164</td> <td>348</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	5578.00	88.62	38.32	68.30	88.88	34.94	8.27	33.39	164	348	Peak	2	5578.00	91.89	-----	-----	81.27	34.94	8.27	33.39	164	348	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																												
1	5431.36	61.88	-12.12	74.00	51.92	34.85	8.43	33.32	164	348	Peak																																																																																									
2	5465.92	57.17	-11.13	68.30	47.28	34.87	8.38	33.36	164	348	Peak																																																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																												
1	5578.00	88.62	38.32	68.30	88.88	34.94	8.27	33.39	164	348	Peak																																																																																									
2	5578.00	91.89	-----	-----	81.27	34.94	8.27	33.39	164	348	Average																																																																																									
Avg.	<p>Date: 6 Date: 2023-09-19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.12</td> <td>46.62</td> <td>-7.38</td> <td>54.00</td> <td>36.69</td> <td>34.86</td> <td>8.43</td> <td>33.36</td> <td>164</td> <td>348</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg	1	5455.12	46.62	-7.38	54.00	36.69	34.86	8.43	33.36	164	348	Average	Blank																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																													
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																												
1	5455.12	46.62	-7.38	54.00	36.69	34.86	8.43	33.36	164	348	Average																																																																																									





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48Co-location																															
9+15	Vertical	Fundamental																														
Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>5728.15</td> <td>59.45</td> <td>-8.87</td> <td>68.38</td> <td>49.18</td> <td>35.85</td> <td>8.65</td> <td>35.35</td> <td>164</td> <td>348 Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		5728.15	59.45	-8.87	68.38	49.18	35.85	8.65	35.35	164	348 Peak	Blank
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																								
5728.15	59.45	-8.87	68.38	49.18	35.85	8.65	35.35	164	348 Peak																							
Avg.	Blank	Blank																														







BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48
11be EHT40_Ch06 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																							
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																								
12	Horizontal	Fundamental																																																						
Peak	 <table border="1" data-bbox="446 862 790 929"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2389.38</td> <td>58.34</td> <td>-15.66</td> <td>74.00</td> <td>56.59</td> <td>30.00</td> <td>4.83</td> <td>33.66</td> <td>147 306 Peak</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 2389.38	58.34	-15.66	74.00	56.59	30.00	4.83	33.66	147 306 Peak	 <table border="1" data-bbox="917 862 1260 929"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>100.56</td> <td>26.56</td> <td>74.00</td> <td>98.65</td> <td>30.70</td> <td>4.86</td> <td>33.65</td> <td>147 306 Peak</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 2437.00	100.56	26.56	74.00	98.65	30.70	4.86	33.65	147 306 Peak
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 * 2389.38	58.34	-15.66	74.00	56.59	30.00	4.83	33.66	147 306 Peak																																																
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 * 2437.00	100.56	26.56	74.00	98.65	30.70	4.86	33.65	147 306 Peak																																																
Avg.	 <table border="1" data-bbox="446 1534 790 1601"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2389.94</td> <td>47.99</td> <td>-6.81</td> <td>54.00</td> <td>46.24</td> <td>30.00</td> <td>4.83</td> <td>33.66</td> <td>147 306 Average</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 2389.94	47.99	-6.81	54.00	46.24	30.00	4.83	33.66	147 306 Average	 <table border="1" data-bbox="917 1534 1260 1601"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2437.00</td> <td>91.81</td> <td>37.81</td> <td>54.00</td> <td>89.10</td> <td>30.70</td> <td>4.86</td> <td>33.65</td> <td>147 306 Average</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1 * 2437.00	91.81	37.81	54.00	89.10	30.70	4.86	33.65	147 306 Average
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 * 2389.94	47.99	-6.81	54.00	46.24	30.00	4.83	33.66	147 306 Average																																																
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																	
1 * 2437.00	91.81	37.81	54.00	89.10	30.70	4.86	33.65	147 306 Average																																																





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																					
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																					
12	Horizontal	Fundamental																																				
Peak	 <table border="1" data-bbox="446 851 798 907"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.72</td> <td>58.84</td> <td>-15.16</td> <td>74.00</td> <td>56.71</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>147</td> <td>306</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	1	2483.72	58.84	-15.16	74.00	56.71	30.83	4.92	35.62	147	306	Peak	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																															
1	2483.72	58.84	-15.16	74.00	56.71	30.83	4.92	35.62	147	306	Peak																											
Avg.	 <table border="1" data-bbox="446 1523 798 1579"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>46.59</td> <td>-7.41</td> <td>54.00</td> <td>44.46</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>147</td> <td>306</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	1	2483.58	46.59	-7.41	54.00	44.46	30.83	4.92	35.62	147	306	Average	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																															
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																															
1	2483.58	46.59	-7.41	54.00	44.46	30.83	4.92	35.62	147	306	Average																											





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																												
12	Vertical	Fundamental																																																																										
Peak	 <table border="1" data-bbox="446 757 794 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.96</td> <td>57.00</td> <td>-15.28</td> <td>74.00</td> <td>56.85</td> <td>38.00</td> <td>4.81</td> <td>33.66</td> <td>111</td> <td>247</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	Loss	Loss		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2388.96	57.00	-15.28	74.00	56.85	38.00	4.81	33.66	111	247	Peak	 <table border="1" data-bbox="919 757 1267 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>98.25</td> <td>24.25</td> <td>74.00</td> <td>96.44</td> <td>38.70</td> <td>4.86</td> <td>33.65</td> <td>111</td> <td>247</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	Loss	Loss		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2437.00	98.25	24.25	74.00	96.44	38.70	4.86	33.65	111	247	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Level	Level	Level	Loss	Loss																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2388.96	57.00	-15.28	74.00	56.85	38.00	4.81	33.66	111	247	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Level	Level	Level	Loss	Loss																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2437.00	98.25	24.25	74.00	96.44	38.70	4.86	33.65	111	247	Peak																																																																	
Avg.	 <table border="1" data-bbox="446 1426 794 1487"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>47.01</td> <td>-6.99</td> <td>54.00</td> <td>45.26</td> <td>38.00</td> <td>4.81</td> <td>33.66</td> <td>111</td> <td>247</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	Loss	Loss		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2389.94	47.01	-6.99	54.00	45.26	38.00	4.81	33.66	111	247	Average	 <table border="1" data-bbox="919 1426 1267 1487"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>89.24</td> <td>35.24</td> <td>54.00</td> <td>87.35</td> <td>38.70</td> <td>4.86</td> <td>33.65</td> <td>111</td> <td>247</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	Loss	Loss		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2437.00	89.24	35.24	54.00	87.35	38.70	4.86	33.65	111	247	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Level	Level	Level	Loss	Loss																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.94	47.01	-6.99	54.00	45.26	38.00	4.81	33.66	111	247	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Level	Level	Level	Loss	Loss																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2437.00	89.24	35.24	54.00	87.35	38.70	4.86	33.65	111	247	Peak																																																																	




ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																															
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																															
12	Vertical	Fundamental																														
Peak	 <table border="1" data-bbox="446 757 794 817"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2474.32</td> <td>68.45</td> <td>-13.55</td> <td>74.00</td> <td>58.32</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>111</td> <td>247</td> <td>Peak</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	cm	deg		1	2474.32	68.45	-13.55	74.00	58.32	38.83	4.92	33.62	111	247	Peak	Blank
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBm	dBm	dB	dB	dB	cm	deg																									
1	2474.32	68.45	-13.55	74.00	58.32	38.83	4.92	33.62	111	247	Peak																					
Avg.	 <table border="1" data-bbox="446 1435 794 1496"> <thead> <tr> <th>Over Freq</th> <th>Level</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>46.74</td> <td>-7.28</td> <td>54.08</td> <td>44.61</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>111</td> <td>247</td> <td>Average</td> </tr> </tbody> </table>	Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dBm	dB	dB	dB	cm	deg		1	2483.58	46.74	-7.28	54.08	44.61	38.83	4.92	33.62	111	247	Average	Blank
Over Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																								
MHz	dBm	dBm	dB	dB	dB	cm	deg																									
1	2483.58	46.74	-7.28	54.08	44.61	38.83	4.92	33.62	111	247	Average																					






11be EHT160_Ch114 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																													
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																																													
9+15	Horizontal	Fundamental																																																																																												
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.68</td> <td>62.00</td> <td>-12.80</td> <td>74.00</td> <td>52.84</td> <td>34.85</td> <td>0.43</td> <td>33.32</td> <td>321</td> <td>318 Peak</td> </tr> <tr> <td>2</td> <td>5439.92</td> <td>55.18</td> <td>-18.82</td> <td>74.00</td> <td>45.25</td> <td>34.86</td> <td>0.43</td> <td>33.36</td> <td>321</td> <td>318 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5437.68	62.00	-12.80	74.00	52.84	34.85	0.43	33.32	321	318 Peak	2	5439.92	55.18	-18.82	74.00	45.25	34.86	0.43	33.36	321	318 Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>96.97</td> <td>28.67</td> <td>68.30</td> <td>87.15</td> <td>34.94</td> <td>0.27</td> <td>33.39</td> <td>321</td> <td>318 Peak</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>98.86</td> <td>.....</td> <td>.....</td> <td>89.24</td> <td>34.94</td> <td>0.27</td> <td>33.39</td> <td>321</td> <td>318 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5578.00	96.97	28.67	68.30	87.15	34.94	0.27	33.39	321	318 Peak	2	5578.00	98.86	89.24	34.94	0.27	33.39	321	318 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																							
1	5437.68	62.00	-12.80	74.00	52.84	34.85	0.43	33.32	321	318 Peak																																																																																				
2	5439.92	55.18	-18.82	74.00	45.25	34.86	0.43	33.36	321	318 Peak																																																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																							
1	5578.00	96.97	28.67	68.30	87.15	34.94	0.27	33.39	321	318 Peak																																																																																				
2	5578.00	98.86	89.24	34.94	0.27	33.39	321	318 Average																																																																																				
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.52</td> <td>46.39</td> <td>-7.61</td> <td>54.00</td> <td>36.46</td> <td>34.86</td> <td>0.43</td> <td>33.36</td> <td>321</td> <td>318 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5437.52	46.39	-7.61	54.00	36.46	34.86	0.43	33.36	321	318 Average	Blank																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																							
1	5437.52	46.39	-7.61	54.00	36.46	34.86	0.43	33.36	321	318 Average																																																																																				




ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
	<p style="text-align: center;">BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48</p> <p style="text-align: center;">Co-location</p>																																		
9+15	Horizontal	Fundamental																																	
Peak	 <table border="1" data-bbox="446 801 778 862"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>(MHz)</th> <th>(dBm/100Hz)</th> <th>(dB)</th> <th>(dBm/100Hz)</th> <th>(dB)</th> <th>(dB)</th> <th>(dB)</th> <th>(ca)</th> <th>(deg)</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.28</td> <td>62.28</td> <td>-6.18</td> <td>68.38</td> <td>51.87</td> <td>35.83</td> <td>8.45</td> <td>35.35</td> <td>321</td> <td>518 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		(MHz)	(dBm/100Hz)	(dB)	(dBm/100Hz)	(dB)	(dB)	(dB)	(ca)	(deg)		1	5727.28	62.28	-6.18	68.38	51.87	35.83	8.45	35.35	321	518 Peak	Blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
	(MHz)	(dBm/100Hz)	(dB)	(dBm/100Hz)	(dB)	(dB)	(dB)	(ca)	(deg)																										
1	5727.28	62.28	-6.18	68.38	51.87	35.83	8.45	35.35	321	518 Peak																									
Avg.	Blank	Blank																																	







ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																	
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																																																		
9+15	Vertical	Fundamental																																																																																																
Peak	<p style="text-align: right;">Date: 5 Date: 2023.09.19</p>  <table border="1" data-bbox="446 761 798 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.00</td> <td>62.63</td> <td>-11.27</td> <td>76.00</td> <td>52.07</td> <td>34.95</td> <td>8.43</td> <td>33.32</td> <td>279</td> <td>24</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5449.76</td> <td>68.43</td> <td>-7.87</td> <td>68.30</td> <td>50.54</td> <td>34.87</td> <td>8.38</td> <td>33.36</td> <td>279</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Loss	dB	dB		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5448.00	62.63	-11.27	76.00	52.07	34.95	8.43	33.32	279	24	Peak	2	5449.76	68.43	-7.87	68.30	50.54	34.87	8.38	33.36	279	24	Peak	<p style="text-align: right;">Date: 7 Date: 2023.09.19</p>  <table border="1" data-bbox="917 761 1268 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5576.00</td> <td>80.24</td> <td>34.24</td> <td>68.20</td> <td>52.72</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>279</td> <td>24</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5576.00</td> <td>88.45</td> <td>.....</td> <td>88.63</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>279</td> <td>24</td> <td>24</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Loss	dB	dB		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5576.00	80.24	34.24	68.20	52.72	34.94	8.27	33.39	279	24	Peak	2	5576.00	88.45	88.63	34.94	8.27	33.39	279	24	24	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Level	Level	Loss	dB	dB																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																											
1	5448.00	62.63	-11.27	76.00	52.07	34.95	8.43	33.32	279	24	Peak																																																																																							
2	5449.76	68.43	-7.87	68.30	50.54	34.87	8.38	33.36	279	24	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Level	Level	Loss	dB	dB																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																											
1	5576.00	80.24	34.24	68.20	52.72	34.94	8.27	33.39	279	24	Peak																																																																																							
2	5576.00	88.45	88.63	34.94	8.27	33.39	279	24	24	Average																																																																																							
Avg.	<p style="text-align: right;">Date: 6 Date: 2023.09.19</p>  <table border="1" data-bbox="446 1433 798 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5447.68</td> <td>47.82</td> <td>-6.18</td> <td>54.00</td> <td>37.85</td> <td>34.86</td> <td>8.43</td> <td>33.32</td> <td>279</td> <td>24</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Loss	dB	dB		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	5447.68	47.82	-6.18	54.00	37.85	34.86	8.43	33.32	279	24	Average	Blank																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Level	Level	Loss	dB	dB																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																											
1	5447.68	47.82	-6.18	54.00	37.85	34.86	8.43	33.32	279	24	Average																																																																																							







ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																				
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48																																				
	Co-location																																				
9+15	Vertical	Fundamental																																			
Peak	 <table border="1" data-bbox="448 840 794 891"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>ca</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.57</td> <td>68.36</td> <td>-7.34</td> <td>68.38</td> <td>58.83</td> <td>35.83</td> <td>8.45</td> <td>35.35</td> <td>279</td> <td>24</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBm	dB	dBm	Line	Level	Factor	Loss	Factor	ca	deg	1	5726.57	68.36	-7.34	68.38	58.83	35.83	8.45	35.35	279	24	Peak	Blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																											
	MHz	dBm	dB	dBm	Line	Level	Factor	Loss	Factor	ca	deg																										
1	5726.57	68.36	-7.34	68.38	58.83	35.83	8.45	35.35	279	24	Peak																										
Avg.	Blank	Blank																																			



BLE_CH38 2M (Band Edge @ 3m)





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																											
7	Horizontal	Fundamental																																																																										
Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2486.28</td> <td>56.28</td> <td>-17.72</td> <td>74.00</td> <td>54.15</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2486.28	56.28	-17.72	74.00	54.15	30.83	4.92	33.62	100	123	Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>99.69</td> <td>25.69</td> <td>74.00</td> <td>97.56</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>100</td> <td>123</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2478.00	99.69	25.69	74.00	97.56	30.83	4.92	33.62	100	123	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2486.28	56.28	-17.72	74.00	54.15	30.83	4.92	33.62	100	123	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	99.69	25.69	74.00	97.56	30.83	4.92	33.62	100	123	Peak																																																																	
Avg.	 <p>Date: 4 Level (dBuV/m)</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.52</td> <td>48.48</td> <td>-5.52</td> <td>54.00</td> <td>46.75</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2484.52	48.48	-5.52	54.00	46.75	30.83	4.92	33.62	100	123	Average	 <p>Date: 2 Level (dBuV/m)</p> <p>140 122.5 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>93.48</td> <td>44.48</td> <td>54.00</td> <td>96.35</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>100</td> <td>123</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2478.00	93.48	44.48	54.00	96.35	30.83	4.92	33.62	100	123	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.52	48.48	-5.52	54.00	46.75	30.83	4.92	33.62	100	123	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	93.48	44.48	54.00	96.35	30.83	4.92	33.62	100	123	Average																																																																	





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																												
9+15	Vertical	Fundamental																																																																										
Peak	 <table border="1" data-bbox="446 757 794 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.76</td> <td>52.17</td> <td>-21.83</td> <td>74.00</td> <td>58.84</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>329</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.76	52.17	-21.83	74.00	58.84	38.83	4.92	33.62	329	321	Peak	 <table border="1" data-bbox="919 757 1267 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.80</td> <td>181.63</td> <td>27.63</td> <td>74.00</td> <td>99.98</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>329</td> <td>321</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2478.80	181.63	27.63	74.00	99.98	38.83	4.92	33.62	329	321	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2483.76	52.17	-21.83	74.00	58.84	38.83	4.92	33.62	329	321	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2478.80	181.63	27.63	74.00	99.98	38.83	4.92	33.62	329	321	Peak																																																																	
Avg.	 <table border="1" data-bbox="446 1429 794 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.68</td> <td>43.76</td> <td>-18.24</td> <td>54.00</td> <td>41.63</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>329</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2484.68	43.76	-18.24	54.00	41.63	38.83	4.92	33.62	329	321	Average	 <table border="1" data-bbox="919 1429 1267 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.80</td> <td>188.48</td> <td>46.48</td> <td>54.00</td> <td>98.27</td> <td>38.83</td> <td>4.92</td> <td>33.62</td> <td>329</td> <td>321</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2478.80	188.48	46.48	54.00	98.27	38.83	4.92	33.62	329	321	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.68	43.76	-18.24	54.00	41.63	38.83	4.92	33.62	329	321	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 *	2478.80	188.48	46.48	54.00	98.27	38.83	4.92	33.62	329	321	Average																																																																	







BLE_CH38+11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48
 11be EHT40_Ch06 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																		
7	Horizontal	Fundamental																																																																
Peak	 <table border="1" data-bbox="446 869 794 929"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.24</td> <td>59.24</td> <td>-14.76</td> <td>74.00</td> <td>57.49</td> <td>30.00</td> <td>4.83 33.66 349 317 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.24	59.24	-14.76	74.00	57.49	30.00	4.83 33.66 349 317 Peak	 <table border="1" data-bbox="925 869 1273 929"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>98.37</td> <td>24.37</td> <td>74.00</td> <td>96.46</td> <td>30.70</td> <td>4.86 33.65 349 317 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2437.00	98.37	24.37	74.00	96.46	30.70	4.86 33.65 349 317 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2389.24	59.24	-14.76	74.00	57.49	30.00	4.83 33.66 349 317 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2437.00	98.37	24.37	74.00	96.46	30.70	4.86 33.65 349 317 Peak																																																											
Avg.	 <table border="1" data-bbox="446 1547 794 1608"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>47.71</td> <td>-6.29</td> <td>54.00</td> <td>45.96</td> <td>30.00</td> <td>4.83 33.66 349 317 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.94	47.71	-6.29	54.00	45.96	30.00	4.83 33.66 349 317 Average	 <table border="1" data-bbox="925 1547 1273 1608"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.00</td> <td>89.43</td> <td>35.43</td> <td>54.00</td> <td>87.52</td> <td>30.70</td> <td>4.86 33.65 349 317 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2437.00	89.43	35.43	54.00	87.52	30.70	4.86 33.65 349 317 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2389.94	47.71	-6.29	54.00	45.96	30.00	4.83 33.66 349 317 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2437.00	89.43	35.43	54.00	87.52	30.70	4.86 33.65 349 317 Average																																																											





ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																						
	<p style="text-align: center;">BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48</p> <p style="text-align: center;">Co-location</p>																																						
7	Horizontal	Fundamental																																					
Peak	 <table border="1" data-bbox="446 851 798 907"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>68.36</td> <td>-13.64</td> <td>74.00</td> <td>58.23</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>349</td> <td>317</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.97	68.36	-13.64	74.00	58.23	30.83	4.92	35.62	349	317	Peak	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																															
1	2483.97	68.36	-13.64	74.00	58.23	30.83	4.92	35.62	349	317	Peak																												
Avg.	 <table border="1" data-bbox="446 1523 798 1579"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>46.87</td> <td>-7.13</td> <td>54.00</td> <td>44.74</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>349</td> <td>317</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.58	46.87	-7.13	54.00	44.74	30.83	4.92	35.62	349	317	Average	Blank
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																															
1	2483.58	46.87	-7.13	54.00	44.74	30.83	4.92	35.62	349	317	Average																												




ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																	
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																		
7	Vertical	Fundamental																																																																
Peak	 <table border="1" data-bbox="446 806 790 862"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.08</td> <td>57.32</td> <td>-16.68</td> <td>74.00</td> <td>55.57</td> <td>30.00</td> <td>4.81 35.66 101 259 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.08	57.32	-16.68	74.00	55.57	30.00	4.81 35.66 101 259 Peak	 <table border="1" data-bbox="917 806 1260 862"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2437.00</td> <td>100.92</td> <td>20.92</td> <td>74.00</td> <td>99.01</td> <td>30.70</td> <td>4.86 33.65 101 259 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1 *	2437.00	100.92	20.92	74.00	99.01	30.70	4.86 33.65 101 259 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2389.08	57.32	-16.68	74.00	55.57	30.00	4.81 35.66 101 259 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1 *	2437.00	100.92	20.92	74.00	99.01	30.70	4.86 33.65 101 259 Peak																																																											
Avg.	 <table border="1" data-bbox="446 1489 790 1545"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>47.14</td> <td>-6.88</td> <td>54.00</td> <td>45.39</td> <td>30.00</td> <td>4.81 35.66 101 259 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1	2389.94	47.14	-6.88	54.00	45.39	30.00	4.81 35.66 101 259 Average	 <table border="1" data-bbox="917 1489 1260 1545"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2437.00</td> <td>90.20</td> <td>36.20</td> <td>54.00</td> <td>88.29</td> <td>30.70</td> <td>4.86 33.65 101 259 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg	1 *	2437.00	90.20	36.20	54.00	88.29	30.70	4.86 33.65 101 259 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1	2389.94	47.14	-6.88	54.00	45.39	30.00	4.81 35.66 101 259 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Factor	Loss	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm deg																																																											
1 *	2437.00	90.20	36.20	54.00	88.29	30.70	4.86 33.65 101 259 Peak																																																											




ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																			
7	Vertical	Fundamental																																	
Peak	 <table border="1" data-bbox="448 808 794 862"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>105.4</td> <td>-15.24</td> <td>74.00</td> <td>56.63</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>181</td> <td>259 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2483.58	105.4	-15.24	74.00	56.63	30.83	4.92	35.62	181	259 Peak	Blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																										
1	2483.58	105.4	-15.24	74.00	56.63	30.83	4.92	35.62	181	259 Peak																									
Avg.	 <table border="1" data-bbox="448 1487 794 1541"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.58</td> <td>105.4</td> <td>-7.57</td> <td>54.00</td> <td>44.38</td> <td>30.83</td> <td>4.92</td> <td>35.62</td> <td>181</td> <td>259 Average</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2483.58	105.4	-7.57	54.00	44.38	30.83	4.92	35.62	181	259 Average	Blank
Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																									
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																										
1	2483.58	105.4	-7.57	54.00	44.38	30.83	4.92	35.62	181	259 Average																									






11be EHT160_Ch114 (Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																	
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																																																		
9+15	Horizontal	Fundamental																																																																																																
Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5437.36</td> <td>58.03</td> <td>-15.97</td> <td>74.00</td> <td>48.07</td> <td>34.85</td> <td>0.43</td> <td>33.32</td> <td>304</td> <td>311</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5461.09</td> <td>53.94</td> <td>-14.36</td> <td>68.30</td> <td>44.01</td> <td>34.86</td> <td>0.43</td> <td>33.36</td> <td>304</td> <td>311</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5437.36	58.03	-15.97	74.00	48.07	34.85	0.43	33.32	304	311	Peak	2	5461.09	53.94	-14.36	68.30	44.01	34.86	0.43	33.36	304	311	Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5578.00</td> <td>95.53</td> <td>27.23</td> <td>68.30</td> <td>85.71</td> <td>34.94</td> <td>0.27</td> <td>33.39</td> <td>304</td> <td>311</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5578.00</td> <td>88.35</td> <td>-----</td> <td>-----</td> <td>78.53</td> <td>34.94</td> <td>0.27</td> <td>33.39</td> <td>304</td> <td>311</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5578.00	95.53	27.23	68.30	85.71	34.94	0.27	33.39	304	311	Peak	2	5578.00	88.35	-----	-----	78.53	34.94	0.27	33.39	304	311	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																											
1	5437.36	58.03	-15.97	74.00	48.07	34.85	0.43	33.32	304	311	Peak																																																																																							
2	5461.09	53.94	-14.36	68.30	44.01	34.86	0.43	33.36	304	311	Peak																																																																																							
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																											
1	5578.00	95.53	27.23	68.30	85.71	34.94	0.27	33.39	304	311	Peak																																																																																							
2	5578.00	88.35	-----	-----	78.53	34.94	0.27	33.39	304	311	Average																																																																																							
Avg.	 <p>Date: 2 Level (dBuV/m)</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.06</td> <td>43.95</td> <td>-10.03</td> <td>54.00</td> <td>34.02</td> <td>34.86</td> <td>0.43</td> <td>33.36</td> <td>304</td> <td>311</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	5456.06	43.95	-10.03	54.00	34.02	34.86	0.43	33.36	304	311	Average	Blank																																																												
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																											
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																											
1	5456.06	43.95	-10.03	54.00	34.02	34.86	0.43	33.36	304	311	Average																																																																																							



ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																								
	<p style="text-align: center;">BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48</p> <p style="text-align: center;">Co-location</p>																																								
9+15	Horizontal	Fundamental																																							
Peak	 <table border="1" data-bbox="446 750 782 817"> <thead> <tr> <th>Over</th> <th>Level</th> <th>Read</th> <th>Antenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Loss</th> <th>Factor</th> <th>Loss</th> <th>dB</th> <th>dB</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5762.57</td> <td>61.02</td> <td>-7.28</td> <td>68.30</td> <td>58.69</td> <td>35.03</td> <td>0.65</td> <td>33.35</td> <td>304</td> <td>311</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Loss	Factor	Loss	dB	dB		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB		1	5762.57	61.02	-7.28	68.30	58.69	35.03	0.65	33.35	304	311	Peak	Blank
Over	Level	Read	Antenna	Cable	Preamp	A/Pos	T/Pos	Remark																																	
Freq	Level	Line	Loss	Factor	Loss	dB	dB																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB																																		
1	5762.57	61.02	-7.28	68.30	58.69	35.03	0.65	33.35	304	311	Peak																														
Avg.	Blank	Blank																																							







ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																													
<p>BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48</p> <p>Co-location</p>																																																																																														
9+15	Vertical	Fundamental																																																																																												
Peak	 <p>Date: 5 Date: 2023.09.19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.64</td> <td>68.01</td> <td>-13.19</td> <td>76.08</td> <td>58.88</td> <td>34.90</td> <td>8.43</td> <td>33.36</td> <td>233</td> <td>23 Peak</td> </tr> <tr> <td>2</td> <td>5461.28</td> <td>61.32</td> <td>-4.98</td> <td>68.38</td> <td>51.38</td> <td>34.87</td> <td>8.43</td> <td>33.36</td> <td>233</td> <td>23 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5454.64	68.01	-13.19	76.08	58.88	34.90	8.43	33.36	233	23 Peak	2	5461.28	61.32	-4.98	68.38	51.38	34.87	8.43	33.36	233	23 Peak	 <p>Date: 7 Date: 2023.09.19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5576.98</td> <td>88.42</td> <td>32.12</td> <td>68.29</td> <td>56.09</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>233</td> <td>23 Peak</td> </tr> <tr> <td>2</td> <td>5576.98</td> <td>91.45</td> <td>.....</td> <td>83.63</td> <td>34.94</td> <td>8.27</td> <td>33.39</td> <td>233</td> <td>23</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5576.98	88.42	32.12	68.29	56.09	34.94	8.27	33.39	233	23 Peak	2	5576.98	91.45	83.63	34.94	8.27	33.39	233	23	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																							
1	5454.64	68.01	-13.19	76.08	58.88	34.90	8.43	33.36	233	23 Peak																																																																																				
2	5461.28	61.32	-4.98	68.38	51.38	34.87	8.43	33.36	233	23 Peak																																																																																				
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																							
1	5576.98	88.42	32.12	68.29	56.09	34.94	8.27	33.39	233	23 Peak																																																																																				
2	5576.98	91.45	83.63	34.94	8.27	33.39	233	23	Average																																																																																				
Avg.	 <p>Date: 6 Date: 2023.09.19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5448.88</td> <td>46.64</td> <td>-7.38</td> <td>54.08</td> <td>36.67</td> <td>34.86</td> <td>8.43</td> <td>33.32</td> <td>233</td> <td>23 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB	1	5448.88	46.64	-7.38	54.08	36.67	34.86	8.43	33.32	233	23 Average	Blank																																																									
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	dB																																																																																							
1	5448.88	46.64	-7.38	54.08	36.67	34.86	8.43	33.32	233	23 Average																																																																																				







		5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																											
		BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48																											
		Co-location																											
	Vertical	Fundamental																											
Peak	<table border="1"> <thead> <tr> <th>Over Level</th> <th>List</th> <th>ReadAntenna</th> <th>Cable</th> <th>Precomp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Loss1</th> <th>Loss2</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>5736.67</td> <td>68.51</td> <td>-7.79</td> <td>68.38</td> <td>58.18</td> <td>35.83</td> <td>0.65</td> <td>33.35</td> <td>233</td> <td>23 Peak</td> </tr> </tbody> </table>	Over Level	List	ReadAntenna	Cable	Precomp	A/Pos	T/Pos	Remark	Freq	Level	Line	Loss1	Loss2	dB	dB	dB	5736.67	68.51	-7.79	68.38	58.18	35.83	0.65	33.35	233	23 Peak	Blank	
Over Level	List	ReadAntenna	Cable	Precomp	A/Pos	T/Pos	Remark																						
Freq	Level	Line	Loss1	Loss2	dB	dB	dB																						
5736.67	68.51	-7.79	68.38	58.18	35.83	0.65	33.35	233	23 Peak																				
Avg.	Blank	Blank																											



BLE_CH38 2M(Band Edge @ 3m)

ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																											
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																											
12	Horizontal	Fundamental																																																																										
Peak	 <p>Date: 3 Level (dBuV/m)</p> <p>120.0 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.44</td> <td>51.17</td> <td>-22.83</td> <td>74.00</td> <td>49.84</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>322</td> <td>297</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2485.44	51.17	-22.83	74.00	49.84	30.83	4.92	33.62	322	297	Peak	 <p>Date: 1 Level (dBuV/m)</p> <p>120.0 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>102.47</td> <td>28.47</td> <td>74.00</td> <td>100.34</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>322</td> <td>297</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2478.00	102.47	28.47	74.00	100.34	30.83	4.92	33.62	322	297	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2485.44	51.17	-22.83	74.00	49.84	30.83	4.92	33.62	322	297	Peak																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	102.47	28.47	74.00	100.34	30.83	4.92	33.62	322	297	Peak																																																																	
Avg.	 <p>Date: 4 Level (dBuV/m)</p> <p>120.0 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.76</td> <td>43.10</td> <td>-10.81</td> <td>54.00</td> <td>41.06</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>322</td> <td>297</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2485.76	43.10	-10.81	54.00	41.06	30.83	4.92	33.62	322	297	Average	 <p>Date: 2 Level (dBuV/m)</p> <p>120.0 105.0 87.5 70.0 52.5 35.0 17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>101.68</td> <td>47.68</td> <td>54.00</td> <td>99.35</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>322</td> <td>297</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2478.00	101.68	47.68	54.00	99.35	30.83	4.92	33.62	322	297	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2485.76	43.10	-10.81	54.00	41.06	30.83	4.92	33.62	322	297	Average																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2478.00	101.68	47.68	54.00	99.35	30.83	4.92	33.62	322	297	Average																																																																	



ANT	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																									
BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																										
12	Vertical	Fundamental																																																																								
Peak	 <table border="1" data-bbox="446 757 794 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.56</td> <td>54.31</td> <td>-19.69</td> <td>74.00</td> <td>52.18</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>318</td> <td>294</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	2483.56	54.31	-19.69	74.00	52.18	30.83	4.92	33.62	318	294	Peak	 <table border="1" data-bbox="919 757 1267 817"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.00</td> <td>91.51</td> <td>17.51</td> <td>74.00</td> <td>89.30</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>318</td> <td>294</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1 *	2478.00	91.51	17.51	74.00	89.30	30.83	4.92	33.62	318	294	Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Level	Level	dB	cm	deg																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1	2483.56	54.31	-19.69	74.00	52.18	30.83	4.92	33.62	318	294	Peak																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Level	Level	dB	cm	deg																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1 *	2478.00	91.51	17.51	74.00	89.30	30.83	4.92	33.62	318	294	Peak																																																															
Avg.	 <table border="1" data-bbox="446 1429 794 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.08</td> <td>46.85</td> <td>-7.97</td> <td>54.00</td> <td>43.90</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>318</td> <td>294</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1	2483.08	46.85	-7.97	54.00	43.90	30.83	4.92	33.62	318	294	Average	 <table border="1" data-bbox="919 1429 1267 1489"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2478.00</td> <td>90.22</td> <td>36.22</td> <td>54.00</td> <td>88.09</td> <td>30.83</td> <td>4.92</td> <td>33.62</td> <td>318</td> <td>294</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Level	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB		1 *	2478.00	90.22	36.22	54.00	88.09	30.83	4.92	33.62	318	294	Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Level	Level	dB	cm	deg																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1	2483.08	46.85	-7.97	54.00	43.90	30.83	4.92	33.62	318	294	Average																																																															
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Level	Level	Level	dB	cm	deg																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																				
1 *	2478.00	90.22	36.22	54.00	88.09	30.83	4.92	33.62	318	294	Average																																																															



Harmonic (Harmonic @ 3m)

Mode 86 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																					
	11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48 Co-location																																																																																																					
	Horizontal	Vertical																																																																																																				
Peak Avg.	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>41.30</td> <td>-22.70</td> <td>74.00</td> <td>56.73</td> <td>34.33</td> <td>7.76</td> <td>57.52</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>43.96</td> <td>-20.04</td> <td>74.00</td> <td>58.69</td> <td>35.44</td> <td>8.95</td> <td>58.92</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>11540.00</td> <td>46.09</td> <td>-21.91</td> <td>74.00</td> <td>55.31</td> <td>37.65</td> <td>11.28</td> <td>58.15</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>16719.00</td> <td>46.31</td> <td>-21.99</td> <td>68.30</td> <td>52.26</td> <td>39.67</td> <td>13.00</td> <td>58.62</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	1	4874.00	41.30	-22.70	74.00	56.73	34.33	7.76	57.52	--- Peak	2	7311.00	43.96	-20.04	74.00	58.69	35.44	8.95	58.92	--- Peak	3	11540.00	46.09	-21.91	74.00	55.31	37.65	11.28	58.15	--- Peak	4	16719.00	46.31	-21.99	68.30	52.26	39.67	13.00	58.62	--- Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>39.99</td> <td>-24.01</td> <td>74.00</td> <td>55.42</td> <td>34.33</td> <td>7.76</td> <td>57.52</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>43.47</td> <td>-20.53</td> <td>74.00</td> <td>58.00</td> <td>35.44</td> <td>8.95</td> <td>58.92</td> <td>--- Peak</td> </tr> <tr> <td>3</td> <td>11540.00</td> <td>46.97</td> <td>-21.03</td> <td>74.00</td> <td>56.19</td> <td>37.65</td> <td>11.28</td> <td>58.15</td> <td>--- Peak</td> </tr> <tr> <td>4</td> <td>16719.00</td> <td>47.93</td> <td>-20.37</td> <td>68.30</td> <td>53.88</td> <td>39.67</td> <td>13.00</td> <td>58.62</td> <td>--- Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	1	4874.00	39.99	-24.01	74.00	55.42	34.33	7.76	57.52	--- Peak	2	7311.00	43.47	-20.53	74.00	58.00	35.44	8.95	58.92	--- Peak	3	11540.00	46.97	-21.03	74.00	56.19	37.65	11.28	58.15	--- Peak	4	16719.00	47.93	-20.37	68.30	53.88	39.67	13.00	58.62	--- Peak
Peak	Freq	Level	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																													
1	4874.00	41.30	-22.70	74.00	56.73	34.33	7.76	57.52	--- Peak																																																																																													
2	7311.00	43.96	-20.04	74.00	58.69	35.44	8.95	58.92	--- Peak																																																																																													
3	11540.00	46.09	-21.91	74.00	55.31	37.65	11.28	58.15	--- Peak																																																																																													
4	16719.00	46.31	-21.99	68.30	52.26	39.67	13.00	58.62	--- Peak																																																																																													
Peak	Freq	Level	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																													
1	4874.00	39.99	-24.01	74.00	55.42	34.33	7.76	57.52	--- Peak																																																																																													
2	7311.00	43.47	-20.53	74.00	58.00	35.44	8.95	58.92	--- Peak																																																																																													
3	11540.00	46.97	-21.03	74.00	56.19	37.65	11.28	58.15	--- Peak																																																																																													
4	16719.00	47.93	-20.37	68.30	53.88	39.67	13.00	58.62	--- Peak																																																																																													



Mode 87 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48

	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																											
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48																																																																																																																																																											
	Co-location																																																																																																																																																											
	Horizontal	Vertical																																																																																																																																																										
Peak Avg.	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4874.00</th> <th>41.83</th> <th>-32.17</th> <th>74.00</th> <th>57.26</th> <th>34.33</th> <th>7.76</th> <th>57.52</th> <th>---</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>4956.00</td> <td>43.11</td> <td>-30.89</td> <td>74.00</td> <td>58.64</td> <td>34.45</td> <td>7.80</td> <td>57.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>7311.00</td> <td>45.00</td> <td>-30.00</td> <td>74.00</td> <td>57.50</td> <td>35.44</td> <td>8.05</td> <td>58.02</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>7434.00</td> <td>43.45</td> <td>-30.55</td> <td>74.00</td> <td>57.82</td> <td>35.41</td> <td>8.19</td> <td>58.97</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>11490.00</td> <td>48.09</td> <td>-25.91</td> <td>74.00</td> <td>57.31</td> <td>37.65</td> <td>11.28</td> <td>58.15</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>16718.00</td> <td>47.56</td> <td>-29.74</td> <td>68.30</td> <td>53.51</td> <td>39.67</td> <td>13.00</td> <td>58.62</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	1	4874.00	41.83	-32.17	74.00	57.26	34.33	7.76	57.52	---	Peak	2	4956.00	43.11	-30.89	74.00	58.64	34.45	7.80	57.58	---	Peak	3	7311.00	45.00	-30.00	74.00	57.50	35.44	8.05	58.02	---	Peak	4	7434.00	43.45	-30.55	74.00	57.82	35.41	8.19	58.97	---	Peak	5	11490.00	48.09	-25.91	74.00	57.31	37.65	11.28	58.15	---	Peak	6	16718.00	47.56	-29.74	68.30	53.51	39.67	13.00	58.62	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>1</th> <th>4874.00</th> <th>41.43</th> <th>-32.57</th> <th>74.00</th> <th>56.86</th> <th>34.33</th> <th>7.76</th> <th>57.52</th> <th>---</th> <th>Peak</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>4956.00</td> <td>42.10</td> <th>-31.82</th> <th>74.00</th> <th>57.51</th> <th>34.45</th> <th>7.80</th> <th>57.58</th> <th>---</th> <th>Peak</th> </tr> <tr> <td>3</td> <td>7311.00</td> <td>42.67</td> <th>-31.33</th> <th>74.00</th> <th>57.20</th> <th>35.44</th> <th>8.05</th> <th>58.02</th> <th>---</th> <th>Peak</th> </tr> <tr> <td>4</td> <td>7434.00</td> <td>43.29</td> <th>-30.71</th> <th>74.00</th> <th>57.66</th> <th>35.41</th> <th>8.19</th> <th>58.97</th> <th>---</th> <th>Peak</th> </tr> <tr> <td>5</td> <td>11490.00</td> <td>48.29</td> <th>-25.77</th> <th>74.00</th> <th>57.45</th> <th>37.65</th> <th>11.28</th> <th>58.15</th> <th>---</th> <th>Peak</th> </tr> <tr> <td>6</td> <td>16718.00</td> <td>46.21</td> <th>-22.09</th> <th>68.30</th> <th>52.16</th> <th>39.67</th> <th>13.00</th> <th>58.62</th> <th>---</th> <th>Peak</th> </tr> </tbody> </table>	Peak	Freq	Level	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	1	4874.00	41.43	-32.57	74.00	56.86	34.33	7.76	57.52	---	Peak	2	4956.00	42.10	-31.82	74.00	57.51	34.45	7.80	57.58	---	Peak	3	7311.00	42.67	-31.33	74.00	57.20	35.44	8.05	58.02	---	Peak	4	7434.00	43.29	-30.71	74.00	57.66	35.41	8.19	58.97	---	Peak	5	11490.00	48.29	-25.77	74.00	57.45	37.65	11.28	58.15	---	Peak	6	16718.00	46.21	-22.09	68.30	52.16	39.67	13.00	58.62	---	Peak
Peak	Freq	Level	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																		
1	4874.00	41.83	-32.17	74.00	57.26	34.33	7.76	57.52	---	Peak																																																																																																																																																		
2	4956.00	43.11	-30.89	74.00	58.64	34.45	7.80	57.58	---	Peak																																																																																																																																																		
3	7311.00	45.00	-30.00	74.00	57.50	35.44	8.05	58.02	---	Peak																																																																																																																																																		
4	7434.00	43.45	-30.55	74.00	57.82	35.41	8.19	58.97	---	Peak																																																																																																																																																		
5	11490.00	48.09	-25.91	74.00	57.31	37.65	11.28	58.15	---	Peak																																																																																																																																																		
6	16718.00	47.56	-29.74	68.30	53.51	39.67	13.00	58.62	---	Peak																																																																																																																																																		
Peak	Freq	Level	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																		
1	4874.00	41.43	-32.57	74.00	56.86	34.33	7.76	57.52	---	Peak																																																																																																																																																		
2	4956.00	42.10	-31.82	74.00	57.51	34.45	7.80	57.58	---	Peak																																																																																																																																																		
3	7311.00	42.67	-31.33	74.00	57.20	35.44	8.05	58.02	---	Peak																																																																																																																																																		
4	7434.00	43.29	-30.71	74.00	57.66	35.41	8.19	58.97	---	Peak																																																																																																																																																		
5	11490.00	48.29	-25.77	74.00	57.45	37.65	11.28	58.15	---	Peak																																																																																																																																																		
6	16718.00	46.21	-22.09	68.30	52.16	39.67	13.00	58.62	---	Peak																																																																																																																																																		




Mode 88 BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48


	5GHz 5250~5350MHz&2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																						
	BLE_CH38+ 11be EHT40_Ch06+11be EHT160_Ch114+LTE_B48																																																																																																																																																																																						
	Co-location																																																																																																																																																																																						
	Horizontal	Vertical																																																																																																																																																																																					
Peak Avg.	<p>Date: 7 Date: 2023-09-19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>42.75</td><td>-21.25</td><td>74.00</td><td>58.18</td><td>34.33</td><td>7.76</td><td>57.52</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4956.00</td><td>44.08</td><td>-20.12</td><td>74.00</td><td>60.21</td><td>34.45</td><td>7.80</td><td>57.58</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>7311.00</td><td>43.74</td><td>-20.26</td><td>74.00</td><td>58.27</td><td>35.44</td><td>8.95</td><td>58.92</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>7434.00</td><td>43.58</td><td>-22.42</td><td>74.00</td><td>55.95</td><td>35.41</td><td>9.19</td><td>58.97</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>11340.00</td><td>47.72</td><td>-20.28</td><td>74.00</td><td>56.84</td><td>37.65</td><td>11.28</td><td>58.15</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>16710.00</td><td>45.61</td><td>-22.69</td><td>68.30</td><td>51.56</td><td>39.67</td><td>13.00</td><td>58.62</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg	1	4874.00	42.75	-21.25	74.00	58.18	34.33	7.76	57.52	---	Peak	2	4956.00	44.08	-20.12	74.00	60.21	34.45	7.80	57.58	---	Peak	3	7311.00	43.74	-20.26	74.00	58.27	35.44	8.95	58.92	---	Peak	4	7434.00	43.58	-22.42	74.00	55.95	35.41	9.19	58.97	---	Peak	5	11340.00	47.72	-20.28	74.00	56.84	37.65	11.28	58.15	---	Peak	6	16710.00	45.61	-22.69	68.30	51.56	39.67	13.00	58.62	---	Peak	<p>Date: 8 Date: 2023-09-19</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>Bandwidth</th> <th>Gain</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>Freq</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr><td>1</td><td>4874.00</td><td>40.96</td><td>-33.04</td><td>74.00</td><td>56.39</td><td>34.33</td><td>7.76</td><td>57.52</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>4956.00</td><td>44.47</td><td>-20.53</td><td>74.00</td><td>59.80</td><td>34.45</td><td>7.80</td><td>57.58</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>7311.00</td><td>42.74</td><td>-31.26</td><td>74.00</td><td>57.27</td><td>35.44</td><td>8.95</td><td>58.92</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>7434.00</td><td>42.53</td><td>-31.67</td><td>74.00</td><td>56.70</td><td>35.41</td><td>9.19</td><td>58.97</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>11340.00</td><td>47.50</td><td>-20.42</td><td>74.00</td><td>56.81</td><td>37.65</td><td>11.28</td><td>58.15</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>16710.00</td><td>45.69</td><td>-22.61</td><td>68.30</td><td>51.64</td><td>39.67</td><td>13.00</td><td>58.62</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4874.00	40.96	-33.04	74.00	56.39	34.33	7.76	57.52	---	Peak	2	4956.00	44.47	-20.53	74.00	59.80	34.45	7.80	57.58	---	Peak	3	7311.00	42.74	-31.26	74.00	57.27	35.44	8.95	58.92	---	Peak	4	7434.00	42.53	-31.67	74.00	56.70	35.41	9.19	58.97	---	Peak	5	11340.00	47.50	-20.42	74.00	56.81	37.65	11.28	58.15	---	Peak	6	16710.00	45.69	-22.61	68.30	51.64	39.67	13.00	58.62	---	Peak
Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																																																																																																	
Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	deg																																																																																																																																																																																
1	4874.00	42.75	-21.25	74.00	58.18	34.33	7.76	57.52	---	Peak																																																																																																																																																																													
2	4956.00	44.08	-20.12	74.00	60.21	34.45	7.80	57.58	---	Peak																																																																																																																																																																													
3	7311.00	43.74	-20.26	74.00	58.27	35.44	8.95	58.92	---	Peak																																																																																																																																																																													
4	7434.00	43.58	-22.42	74.00	55.95	35.41	9.19	58.97	---	Peak																																																																																																																																																																													
5	11340.00	47.72	-20.28	74.00	56.84	37.65	11.28	58.15	---	Peak																																																																																																																																																																													
6	16710.00	45.61	-22.69	68.30	51.56	39.67	13.00	58.62	---	Peak																																																																																																																																																																													
Over	Limit	Bandwidth	Gain	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																																																																																																																	
Freq	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																															
1	4874.00	40.96	-33.04	74.00	56.39	34.33	7.76	57.52	---	Peak																																																																																																																																																																													
2	4956.00	44.47	-20.53	74.00	59.80	34.45	7.80	57.58	---	Peak																																																																																																																																																																													
3	7311.00	42.74	-31.26	74.00	57.27	35.44	8.95	58.92	---	Peak																																																																																																																																																																													
4	7434.00	42.53	-31.67	74.00	56.70	35.41	9.19	58.97	---	Peak																																																																																																																																																																													
5	11340.00	47.50	-20.42	74.00	56.81	37.65	11.28	58.15	---	Peak																																																																																																																																																																													
6	16710.00	45.69	-22.61	68.30	51.64	39.67	13.00	58.62	---	Peak																																																																																																																																																																													



802.11be EHT20




802.11be EHT40





802.11be EHT80



802.11be EHT160

