




LTE Band 66C / 15MHz+15MHz


64QAM

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB74 and 1RB0




Date: 17.FEB.2020 01:58:07



Date: 17.FEB.2020 01:50:02

Highest Channel / FullIRB

N/A



Date: 17.FEB.2020 02:00:46




LTE Band 66C / 15MHz+20MHz


64QAM

Lowest Channel / 1RB0 and 1RB9

Lowest Channel / 1RB74 and 1RB0




Date: 14.FEB.2020 11:19:01



Date: 14.FEB.2020 11:25:30

Lowest Channel / FullIRB

N/A



Date: 14.FEB.2020 11:17:07




LTE Band 66C / 15MHz+20MHz


64QAM

Middle Channel / 1RB0 and 1RB9

Middle Channel / 1RB74 and 1RB0




Date: 14.FEB.2020 10:50:04



Date: 14.FEB.2020 10:54:54

Middle Channel / FullIRB

N/A



Date: 14.FEB.2020 10:48:52




LTE Band 66C / 15MHz+20MHz


64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB74 and 1RB0




Date: 14.FEB.2020 11:55:52



Date: 14.FEB.2020 11:50:03

Highest Channel / FullIRB

N/A



Date: 14.FEB.2020 11:57:31




LTE Band 66C / 20MHz+5MHz


64QAM

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 15:23:50



Date: 14.FEB.2020 16:07:04

Lowest Channel / FullRB

N/A



Date: 14.FEB.2020 15:21:24




LTE Band 66C / 20MHz+5MHz


64QAM

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 15:55:34



Date: 14.FEB.2020 15:56:58

Middle Channel / FullIRB

N/A



Date: 14.FEB.2020 16:04:13




LTE Band 66C / 20MHz+5MHz


64QAM

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 16:23:33



Date: 14.FEB.2020 16:32:54

Highest Channel / FullIRB

N/A



Date: 14.FEB.2020 16:21:08




LTE Band 66C / 20MHz+10MHz


64QAM

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 06:57:39



Date: 14.FEB.2020 07:16:47

Lowest Channel / FullIRB

N/A



Date: 14.FEB.2020 06:55:32





LTE Band 66C / 20MHz+10MHz

64QAM

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 07:32:28

Date: 14.FEB.2020 07:24:40

Middle Channel / FullIRB

N/A



Date: 14.FEB.2020 07:36:40




LTE Band 66C / 20MHz+10MHz


64QAM

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 08:17:01



Date: 14.FEB.2020 08:33:27

Highest Channel / FullIRB

N/A



Date: 14.FEB.2020 08:14:55




LTE Band 66C / 20MHz+15MHz


64QAM

Lowest Channel / 1RB0 and 1RB74

Lowest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 12:12:24



Date: 14.FEB.2020 12:24:56

Lowest Channel / FullIRB

N/A



Date: 14.FEB.2020 12:10:55





LTE Band 66C / 20MHz+15MHz

64QAM

Middle Channel / 1RB0 and 1RB74

Middle Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 12:32:06

Date: 14.FEB.2020 12:26:24

Middle Channel / FullIRB

N/A



Date: 14.FEB.2020 12:33:25




LTE Band 66C / 20MHz+15MHz


64QAM

Highest Channel / 1RB0 and 1RB74

Highest Channel / 1RB99 and 1RB0




Date: 14.FEB.2020 13:08:26



Date: 14.FEB.2020 13:16:26

Highest Channel / FullIRB

N/A



Date: 14.FEB.2020 13:07:17




LTE Band 66C / 20MHz+20MHz


64QAM

Lowest Channel / 1RB0 and 1RB99

Lowest Channel / 1RB99 and 1RB0




Date: 16.FEB.2020 20:50:28



Date: 16.FEB.2020 21:21:18

Lowest Channel / FullIRB

N/A



Date: 16.FEB.2020 20:45:22





LTE Band 66C / 20MHz+20MHz

64QAM

MiddleChannel / 1RB0 and 1RB99

Middle Channel / 1RB99 and 1RB0




Date: 16.FEB.2020 21:33:03

Date: 16.FEB.2020 21:23:40

Middle Channel / FullIRB

N/A



Date: 16.FEB.2020 21:39:22





LTE Band 66C / 20MHz+20MHz

64QAM

Highest Channel / 1RB0 and 1RB99

Highest Channel / 1RB99 and 1RB0




Date: 16.FEB.2020 21:52:08

Date: 16.FEB.2020 22:03:54

Highest Channel / FullIRB

N/A



Date: 16.FEB.2020 21:47:28



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Top Antenna

LTE Band 2 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.32	-57.51	-13	-44.51	-80.11	-64.27	5.82	12.58	H
	5550.48	-57.74	-13	-44.74	-81.65	-63.46	7.28	13.00	H
	7400.64	-55.17	-13	-42.17	-81.51	-58.33	8.32	11.48	H
	3700.32	-55.46	-13	-42.46	-79.75	-62.22	5.82	12.58	V
	5550.48	-57.39	-13	-44.39	-81.73	-63.11	7.28	13.00	V
	7400.64	-55.13	-13	-42.13	-81.44	-58.29	8.32	11.48	V
Middle	3758.92	-58.45	-13	-45.45	-80.39	-65.20	5.85	12.60	H
	5638.38	-58.13	-13	-45.13	-81.75	-63.93	7.3	13.10	H
	7517.84	-55.37	-13	-42.37	-81.30	-58.52	8.35	11.50	H
	3758.92	-55.82	-13	-42.82	-80.92	-62.57	5.85	12.60	V
	5638.38	-57.68	-13	-44.68	-81.45	-63.48	7.3	13.10	V
	7517.84	-55.24	-13	-42.24	-81.16	-58.39	8.35	11.50	V
Highest	3817.52	-58.03	-13	-45.03	-80.41	-64.77	5.88	12.62	H
	5726.28	-56.64	-13	-43.64	-80.76	-62.45	7.32	13.13	H
	7635.04	-56.14	-13	-43.14	-81.66	-59.30	8.38	11.54	H
	3817.52	-56.33	-13	-43.33	-80.31	-63.07	5.88	12.62	V
	5726.28	-56.67	-13	-43.67	-81.27	-62.48	7.32	13.13	V
	7635.04	-54.96	-13	-41.96	-81.16	-58.12	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.48	-57.28	-13	-44.28	-79.88	-64.04	5.82	12.58	H
	5550.72	-57.20	-13	-44.20	-81.11	-62.92	7.28	13.00	H
	7400.96	-55.17	-13	-42.17	-81.51	-58.33	8.32	11.48	H
	3700.48	-55.60	-13	-42.60	-79.89	-62.36	5.82	12.58	V
	5550.72	-57.06	-13	-44.06	-81.4	-62.78	7.28	13.00	V
	7400.96	-55.04	-13	-42.04	-81.35	-58.20	8.32	11.48	V
Middle	3757.48	-58.13	-13	-45.13	-80.07	-64.88	5.85	12.60	H
	5636.22	-57.59	-13	-44.59	-81.21	-63.39	7.3	13.10	H
	7514.96	-55.93	-13	-42.93	-81.87	-59.08	8.35	11.50	H
	3757.48	-55.26	-13	-42.26	-80.36	-62.01	5.85	12.60	V
	5636.22	-57.38	-13	-44.38	-81.15	-63.18	7.3	13.10	V
	7514.96	-55.67	-13	-42.67	-81.6	-58.82	8.35	11.50	V
Highest	3814.48	-57.87	-13	-44.87	-80.25	-64.61	5.88	12.62	H
	5721.72	-57.47	-13	-44.47	-81.59	-63.28	7.32	13.13	H
	7628.96	-55.90	-13	-42.90	-81.42	-59.06	8.38	11.54	H
	3814.48	-56.44	-13	-43.44	-80.42	-63.18	5.88	12.62	V
	5721.72	-56.84	-13	-43.84	-81.44	-62.65	7.32	13.13	V
	7628.96	-55.26	-13	-42.26	-81.46	-58.42	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.68	-57.49	-13	-44.49	-80.09	-64.25	5.82	12.58	H
	5551.02	-57.88	-13	-44.88	-81.79	-63.60	7.28	13.00	H
	7401.36	-55.06	-13	-42.06	-81.40	-58.22	8.32	11.48	H
	3700.68	-55.30	-13	-42.30	-79.59	-62.06	5.82	12.58	V
	5551.02	-57.41	-13	-44.41	-81.75	-63.13	7.28	13.00	V
	7401.36	-55.11	-13	-42.11	-81.42	-58.27	8.32	11.48	V
Middle	3755.68	-58.21	-13	-45.21	-80.15	-64.96	5.85	12.60	H
	5633.52	-57.85	-13	-44.85	-81.47	-63.65	7.3	13.10	H
	7511.36	-55.30	-13	-42.30	-81.24	-58.45	8.35	11.50	H
	3755.68	-55.76	-13	-42.76	-80.86	-62.51	5.85	12.60	V
	5633.52	-57.37	-13	-44.37	-81.14	-63.17	7.3	13.10	V
	7511.36	-55.61	-13	-42.61	-81.54	-58.76	8.35	11.50	V
Highest	3810.68	-58.09	-13	-45.09	-80.37	-64.83	5.88	12.62	H
	5716.02	-57.41	-13	-44.41	-81.43	-63.22	7.32	13.13	H
	7621.36	-55.98	-13	-42.98	-81.54	-59.14	8.38	11.54	H
	3810.68	-56.74	-13	-43.74	-80.66	-63.48	5.88	12.62	V
	5716.02	-56.78	-13	-43.78	-81.22	-62.59	7.32	13.13	V
	7621.36	-55.24	-13	-42.24	-81.14	-58.40	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.18	-57.52	-13	-44.52	-80.12	-64.28	5.82	12.58	H
	5551.77	-58.24	-13	-45.24	-82.15	-63.96	7.28	13.00	H
	7402.36	-55.69	-13	-42.69	-82.03	-58.85	8.32	11.48	H
	3701.18	-55.51	-13	-42.51	-79.8	-62.27	5.82	12.58	V
	5551.77	-57.19	-13	-44.19	-81.53	-62.91	7.28	13.00	V
	7402.36	-55.86	-13	-42.86	-82.17	-59.02	8.32	11.48	V
Middle	3751.18	-58.43	-13	-45.43	-80.37	-65.18	5.85	12.60	H
	5626.77	-58.08	-13	-45.08	-81.78	-63.88	7.3	13.10	H
	7502	-55.78	-13	-42.78	-81.78	-58.93	8.35	11.50	H
	3751.18	-55.62	-13	-42.62	-80.72	-62.37	5.85	12.60	V
	5626.77	-57.76	-13	-44.76	-81.96	-63.56	7.3	13.10	V
	7502	-56.12	-13	-43.12	-82.11	-59.27	8.35	11.50	V
Highest	3801.18	-58.22	-13	-45.22	-80.50	-64.96	5.88	12.62	H
	5701.77	-57.69	-13	-44.69	-81.71	-63.50	7.32	13.13	H
	7602.36	-56.32	-13	-43.32	-81.93	-59.48	8.38	11.54	H
	3801.18	-56.63	-13	-43.63	-80.55	-63.37	5.88	12.62	V
	5701.77	-57.46	-13	-44.46	-81.9	-63.27	7.32	13.13	V
	7602.36	-56.14	-13	-43.14	-81.75	-59.30	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.68	-57.58	-13	-44.58	-80.18	-64.34	5.82	12.58	H
	5552.52	-57.95	-13	-44.95	-81.86	-63.67	7.28	13.00	H
	7403.36	-55.33	-13	-42.33	-81.67	-58.49	8.32	11.48	H
	3701.68	-55.31	-13	-42.31	-79.6	-62.07	5.82	12.58	V
	5552.52	-57.34	-13	-44.34	-81.68	-63.06	7.28	13.00	V
	7403.36	-55.47	-13	-42.47	-81.78	-58.63	8.32	11.48	V
Middle	3746.68	-58.30	-13	-45.30	-80.24	-65.05	5.85	12.60	H
	5620.02	-57.51	-13	-44.51	-81.21	-63.31	7.3	13.10	H
	7493.36	-55.52	-13	-42.52	-81.52	-58.67	8.35	11.50	H
	3746.68	-55.44	-13	-42.44	-80.54	-62.19	5.85	12.60	V
	5620.02	-56.79	-13	-43.79	-80.99	-62.59	7.3	13.10	V
	7493.36	-55.66	-13	-42.66	-81.65	-58.81	8.35	11.50	V
Highest	3791.68	-57.64	-13	-44.64	-80.47	-64.38	5.88	12.62	H
	5687.52	-57.78	-13	-44.78	-81.70	-63.59	7.32	13.13	H
	7583.36	-56.22	-13	-43.22	-81.90	-59.38	8.38	11.54	H
	3791.68	-56.30	-13	-43.30	-80.62	-63.04	5.88	12.62	V
	5687.52	-57.23	-13	-44.23	-81.5	-63.04	7.32	13.13	V
	7583.36	-56.09	-13	-43.09	-81.77	-59.25	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702.18	-57.59	-13	-44.59	-80.19	-64.35	5.82	12.58	H
	5553.27	-57.51	-13	-44.51	-81.42	-63.23	7.28	13.00	H
	7404.36	-54.92	-13	-41.92	-81.26	-58.08	8.32	11.48	H
	3702.18	-55.45	-13	-42.45	-79.74	-62.21	5.82	12.58	V
	5553.27	-56.87	-13	-43.87	-81.21	-62.59	7.28	13.00	V
	7404.36	-54.99	-13	-41.99	-81.3	-58.15	8.32	11.48	V
Middle	3742.18	-57.73	-13	-44.73	-80.22	-64.48	5.85	12.60	H
	5613.27	-57.58	-13	-44.58	-81.36	-63.38	7.3	13.10	H
	7484.36	-55.80	-13	-42.80	-81.87	-58.95	8.35	11.50	H
	3742.18	-55.73	-13	-42.73	-80.23	-62.48	5.85	12.60	V
	5613.27	-56.71	-13	-43.71	-81.34	-62.51	7.3	13.10	V
	7484.36	-56.05	-13	-43.05	-82.1	-59.20	8.35	11.50	V
Highest	3782.18	-57.83	-13	-44.83	-80.66	-64.57	5.88	12.62	H
	5673.27	-57.37	-13	-44.37	-81.19	-63.18	7.32	13.13	H
	7564.36	-55.66	-13	-42.66	-81.41	-58.82	8.38	11.54	H
	3782.18	-56.24	-13	-43.24	-80.56	-62.98	5.88	12.62	V
	5673.27	-57.17	-13	-44.17	-81.28	-62.98	7.32	13.13	V
	7564.36	-55.85	-13	-42.85	-81.59	-59.01	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.32	-58.82	-13	-45.82	-78.97	-65.70	5.6	12.48	H
	5130.48	-58.83	-13	-45.83	-81.95	-64.51	7.1	12.78	H
	6840.64	-56.69	-13	-43.69	-81.69	-60.08	8.38	11.77	H
	3420.32	-58.06	-13	-45.06	-79.41	-64.94	5.6	12.48	V
	5130.48	-57.93	-13	-44.93	-81.79	-63.61	7.1	12.78	V
	6840.64	-55.11	-13	-42.11	-81.94	-58.50	8.38	11.77	V
Middle	3463.74	-57.24	-13	-44.24	-78.78	-64.09	5.65	12.50	H
	5195.61	-58.26	-13	-45.26	-81.86	-63.93	7.13	12.80	H
	6927.48	-57.01	-13	-44.01	-82.16	-60.41	8.4	11.80	H
	3463.74	-57.70	-13	-44.70	-79.04	-64.55	5.65	12.50	V
	5195.61	-58.19	-13	-45.19	-82.06	-63.86	7.13	12.80	V
	6927.48	-56.06	-13	-43.06	-82.13	-59.46	8.4	11.80	V
Highest	3507.52	-56.94	-13	-43.94	-78.87	-63.78	5.68	12.52	H
	5261.28	-58.01	-13	-45.01	-81.85	-63.68	7.15	12.82	H
	7015.04	-56.68	-13	-43.68	-82.01	-60.11	8.42	11.85	H
	3507.52	-56.10	-13	-43.10	-78.43	-62.94	5.68	12.52	V
	5261.28	-58.20	-13	-45.20	-81.92	-63.87	7.15	12.82	V
	7015.04	-56.57	-13	-43.57	-82.25	-60.00	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.48	-59.02	-13	-46.02	-79.17	-65.90	5.6	12.48	H
	5130.72	-58.51	-13	-45.51	-81.63	-64.19	7.1	12.78	H
	6840.96	-56.66	-13	-43.66	-81.66	-60.05	8.38	11.77	H
	3420.48	-57.98	-13	-44.98	-79.33	-64.86	5.6	12.48	V
	5130.72	-57.84	-13	-44.84	-81.7	-63.52	7.1	12.78	V
	6840.96	-54.96	-13	-41.96	-81.79	-58.35	8.38	11.77	V
Middle	3462.48	-58.08	-13	-45.08	-79.62	-64.93	5.65	12.50	H
	5193.72	-58.46	-13	-45.46	-82.06	-64.13	7.13	12.80	H
	6924.96	-57.03	-13	-44.03	-82.18	-60.43	8.4	11.80	H
	3462.48	-57.87	-13	-44.87	-79.21	-64.72	5.65	12.50	V
	5193.72	-57.91	-13	-44.91	-81.78	-63.58	7.13	12.80	V
	6924.96	-55.73	-13	-42.73	-81.8	-59.13	8.4	11.80	V
Highest	3504.48	-57.98	-13	-44.98	-79.11	-64.82	5.68	12.52	H
	5256.72	-58.31	-13	-45.31	-82.09	-63.98	7.15	12.82	H
	7008.96	-57.24	-13	-44.24	-82.50	-60.67	8.42	11.85	H
	3504.48	-57.33	-13	-44.33	-80	-64.17	5.68	12.52	V
	5256.72	-58.24	-13	-45.24	-81.99	-63.91	7.15	12.82	V
	7008.96	-56.81	-13	-43.81	-82.25	-60.24	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.68	-59.16	-13	-46.16	-79.31	-66.04	5.6	12.48	H
	5131.02	-58.60	-13	-45.60	-81.72	-64.28	7.1	12.78	H
	6841.36	-57.03	-13	-44.03	-82.03	-60.42	8.38	11.77	H
	3420.68	-57.89	-13	-44.89	-79.24	-64.77	5.6	12.48	V
	5131.02	-57.76	-13	-44.76	-81.62	-63.44	7.1	12.78	V
	6841.36	-55.20	-13	-42.20	-82.03	-58.59	8.38	11.77	V
Middle	3460.68	-58.00	-13	-45.00	-79.54	-64.85	5.65	12.50	H
	5191.02	-58.44	-13	-45.44	-82.04	-64.11	7.13	12.80	H
	6921.36	-56.92	-13	-43.92	-82.03	-60.32	8.4	11.80	H
	3460.68	-57.95	-13	-44.95	-79.29	-64.80	5.65	12.50	V
	5191.02	-58.03	-13	-45.03	-81.9	-63.70	7.13	12.80	V
	6921.36	-55.73	-13	-42.73	-81.94	-59.13	8.4	11.80	V
Highest	3500.68	-58.07	-13	-45.07	-79.20	-64.91	5.68	12.52	H
	5251.02	-57.50	-13	-44.50	-81.28	-63.17	7.15	12.82	H
	7001.36	-57.23	-13	-44.23	-82.50	-60.66	8.42	11.85	H
	3500.68	-57.15	-13	-44.15	-79.82	-63.99	5.68	12.52	V
	5251.02	-57.98	-13	-44.98	-81.73	-63.65	7.15	12.82	V
	7001.36	-56.92	-13	-43.92	-82.37	-60.35	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.18	-58.76	-13	-45.76	-78.91	-65.64	5.6	12.48	H
	5131.77	-58.35	-13	-45.35	-81.47	-64.03	7.1	12.78	H
	6842.36	-56.92	-13	-43.92	-81.92	-60.31	8.38	11.77	H
	3421.18	-57.69	-13	-44.69	-79.04	-64.57	5.6	12.48	V
	5131.77	-57.56	-13	-44.56	-81.42	-63.24	7.1	12.78	V
	6842.36	-55.12	-13	-42.12	-81.95	-58.51	8.38	11.77	V
Middle	3456.18	-58.21	-13	-45.21	-78.95	-65.06	5.65	12.50	H
	5184.27	-58.33	-13	-45.33	-81.81	-64.00	7.13	12.80	H
	6912.36	-56.90	-13	-43.90	-82.01	-60.30	8.4	11.80	H
	3456.18	-57.67	-13	-44.67	-79.35	-64.52	5.65	12.50	V
	5184.27	-57.59	-13	-44.59	-81.46	-63.26	7.13	12.80	V
	6912.36	-55.71	-13	-42.71	-81.92	-59.11	8.4	11.80	V
Highest	3491.18	-58.31	-13	-45.31	-79.44	-65.15	5.68	12.52	H
	5236.77	-58.10	-13	-45.10	-81.82	-63.77	7.15	12.82	H
	6982.36	-56.64	-13	-43.64	-81.87	-60.07	8.42	11.85	H
	3491.18	-57.39	-13	-44.39	-80.06	-64.23	5.68	12.52	V
	5236.77	-58.15	-13	-45.15	-81.94	-63.82	7.15	12.82	V
	6982.36	-56.80	-13	-43.80	-82.4	-60.23	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.68	-59.12	-13	-46.12	-79.27	-66.00	5.6	12.48	H
	5132.52	-58.60	-13	-45.60	-81.72	-64.28	7.1	12.78	H
	6843.36	-56.94	-13	-43.94	-81.94	-60.33	8.38	11.77	H
	3421.68	-58.02	-13	-45.02	-79.37	-64.90	5.6	12.48	V
	5132.52	-58.17	-13	-45.17	-82.03	-63.85	7.1	12.78	V
	6843.36	-54.64	-13	-41.64	-81.47	-58.03	8.38	11.77	V
Middle	3451.68	-58.36	-13	-45.36	-79.10	-65.21	5.65	12.50	H
	5177.52	-58.61	-13	-45.61	-82.09	-64.28	7.13	12.80	H
	6903.36	-57.16	-13	-44.16	-82.24	-60.56	8.4	11.80	H
	3451.68	-58.36	-13	-45.36	-80.04	-65.21	5.65	12.50	V
	5177.52	-58.24	-13	-45.24	-82.11	-63.91	7.13	12.80	V
	6903.36	-56.10	-13	-43.10	-82.46	-59.50	8.4	11.80	V
Highest	3481.68	-58.46	-13	-45.46	-79.79	-65.30	5.68	12.52	H
	5222.52	-57.55	-13	-44.55	-81.21	-63.22	7.15	12.82	H
	6963.36	-57.17	-13	-44.17	-82.37	-60.60	8.42	11.85	H
	3481.68	-57.55	-13	-44.55	-79.55	-64.39	5.68	12.52	V
	5222.52	-58.23	-13	-45.23	-82.06	-63.90	7.15	12.82	V
	6963.36	-56.54	-13	-43.54	-82.29	-59.97	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422.18	-59.09	-13	-46.09	-79.24	-65.97	5.6	12.48	H
	5133.27	-58.47	-13	-45.47	-81.59	-64.15	7.1	12.78	H
	6844.36	-56.56	-13	-43.56	-81.56	-59.95	8.38	11.77	H
	3422.18	-57.83	-13	-44.83	-79.18	-64.71	5.6	12.48	V
	5133.27	-57.73	-13	-44.73	-81.59	-63.41	7.1	12.78	V
	6844.36	-55.05	-13	-42.05	-81.88	-58.44	8.38	11.77	V
Middle	3447.18	-58.97	-13	-45.97	-79.71	-65.82	5.65	12.50	H
	5170.77	-58.59	-13	-45.59	-81.95	-64.26	7.13	12.80	H
	6894.36	-57.13	-13	-44.13	-82.22	-60.53	8.4	11.80	H
	3447.18	-58.02	-13	-45.02	-79.7	-64.87	5.65	12.50	V
	5170.77	-58.02	-13	-45.02	-81.88	-63.69	7.13	12.80	V
	6894.36	-55.59	-13	-42.59	-81.96	-58.99	8.4	11.80	V
Highest	3472.18	-58.36	-13	-45.36	-79.90	-65.20	5.68	12.52	H
	5208.27	-58.43	-13	-45.43	-82.09	-64.10	7.15	12.82	H
	6944.36	-57.21	-13	-44.21	-82.39	-60.64	8.42	11.85	H
	3472.18	-57.47	-13	-44.47	-78.81	-64.31	5.68	12.52	V
	5208.27	-58.03	-13	-45.03	-81.86	-63.70	7.15	12.82	V
	6944.36	-56.41	-13	-43.41	-82.32	-59.84	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.92	-66.16	-13	-53.16	-76.91	-69.39	3.98	9.36	H
	2474.88	-60.46	-13	-47.46	-78.80	-64.01	4.85	10.55	H
	3299.84	-59.41	-13	-46.41	-79.72	-64.34	5.50	12.58	H
	1649.92	-65.07	-13	-52.07	-76.46	-68.30	3.98	9.36	V
	2474.88	-60.17	-13	-47.17	-78.83	-63.72	4.85	10.55	V
	3299.84	-58.74	-13	-45.74	-79.94	-63.67	5.50	12.58	V
Middle	1671.92	-66.25	-13	-53.25	-77.19	-69.50	4.00	9.40	H
	2507.88	-60.02	-13	-47.02	-78.62	-63.59	4.88	10.60	H
	3343.84	-59.45	-13	-46.45	-80.06	-64.38	5.52	12.60	H
	1671.92	-65.66	-13	-52.66	-77.31	-68.91	4.00	9.40	V
	2507.88	-59.91	-13	-46.91	-78.72	-63.48	4.88	10.60	V
	3343.84	-58.84	-13	-45.84	-79.75	-63.77	5.52	12.60	V
Highest	1695.52	-62.52	-13	-49.52	-73.78	-65.69	4.10	9.42	H
	2543.28	-56.74	-13	-43.74	-75.47	-60.32	4.90	10.63	H
	3391.04	-60.33	-13	-47.33	-79.68	-65.25	5.55	12.62	H
	1695.52	-64.34	-13	-51.34	-76.27	-67.51	4.10	9.42	V
	2543.28	-56.02	-13	-43.02	-74.97	-59.60	4.90	10.63	V
	3391.04	-59.37	-13	-46.37	-80.05	-64.29	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.48	-62.05	-13	-49.05	-72.80	-65.28	3.98	9.36	H
	2472.72	-56.90	-13	-43.90	-75.24	-60.45	4.85	10.55	H
	3296.96	-59.59	-13	-46.59	-79.90	-64.52	5.50	12.58	H
	1648.48	-63.81	-13	-50.81	-75.20	-67.04	3.98	9.36	V
	2472.72	-58.73	-13	-45.73	-77.39	-62.28	4.85	10.55	V
	3296.96	-58.82	-13	-45.82	-80.02	-63.75	5.50	12.58	V
Middle	1670.48	-62.69	-13	-49.69	-73.57	-65.94	4.00	9.40	H
	2505.72	-56.60	-13	-43.60	-75.20	-60.17	4.88	10.60	H
	3340.96	-59.52	-13	-46.52	-80.13	-64.45	5.52	12.60	H
	1670.48	-64.91	-13	-51.91	-76.46	-68.16	4.00	9.40	V
	2505.72	-57.82	-13	-44.82	-76.63	-61.39	4.88	10.60	V
	3340.96	-59.02	-13	-46.02	-79.93	-63.95	5.52	12.60	V
Highest	1692.48	-63.93	-13	-50.93	-75.19	-67.10	4.10	9.42	H
	2538.72	-58.48	-13	-45.48	-77.21	-62.06	4.90	10.63	H
	3384.96	-60.44	-13	-47.44	-80.21	-65.36	5.55	12.62	H
	1692.48	-65.03	-13	-52.03	-76.96	-68.20	4.10	9.42	V
	2538.72	-58.80	-13	-45.80	-77.75	-62.38	4.90	10.63	V
	3384.96	-59.36	-13	-46.36	-80.12	-64.28	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.68	-63.59	-13	-50.59	-74.34	-66.82	3.98	9.36	H
	2473.02	-57.33	-13	-44.33	-75.67	-60.88	4.85	10.55	H
	3297.36	-59.35	-13	-46.35	-79.66	-64.28	5.50	12.58	H
	1648.68	-64.53	-13	-51.53	-75.92	-67.76	3.98	9.36	V
	2473.02	-59.38	-13	-46.38	-78.04	-62.93	4.85	10.55	V
	3297.36	-58.80	-13	-45.80	-80.00	-63.73	5.50	12.58	V
Middle	1668.68	-64.48	-13	-51.48	-75.36	-67.73	4.00	9.40	H
	2503.02	-57.66	-13	-44.66	-76.13	-61.23	4.88	10.60	H
	3337.36	-59.69	-13	-46.69	-80.20	-64.62	5.52	12.60	H
	1668.68	-65.41	-13	-52.41	-76.96	-68.66	4.00	9.40	V
	2503.02	-59.28	-13	-46.28	-78.01	-62.85	4.88	10.60	V
	3337.36	-59.10	-13	-46.10	-80.11	-64.03	5.52	12.60	V
Highest	1688.68	-64.88	-13	-51.88	-76.14	-68.05	4.10	9.42	H
	2533.02	-59.53	-13	-46.53	-78.20	-63.11	4.90	10.63	H
	3377.36	-59.93	-13	-46.93	-79.70	-64.85	5.55	12.62	H
	1688.68	-64.92	-13	-51.92	-76.85	-68.09	4.10	9.42	V
	2533.02	-59.62	-13	-46.62	-78.50	-63.20	4.90	10.63	V
	3377.36	-59.39	-13	-46.39	-80.15	-64.31	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.18	-59.04	-13	-46.04	-69.79	-62.27	3.98	9.36	H
	2473.77	-51.90	-13	-38.90	-70.24	-55.45	4.85	10.55	H
	3298.36	-59.63	-13	-46.63	-79.94	-64.56	5.50	12.58	H
	1649.18	-62.12	-13	-49.12	-73.51	-65.35	3.98	9.36	V
	2473.77	-51.00	-13	-38.00	-69.66	-54.55	4.85	10.55	V
	3298.36	-58.75	-13	-45.75	-79.95	-63.68	5.50	12.58	V
Middle	1664.18	-57.82	-13	-44.82	-68.70	-61.07	4.00	9.40	H
	2496.27	-52.97	-13	-39.97	-71.44	-56.54	4.88	10.60	H
	3328.36	-59.75	-13	-46.75	-80.26	-64.68	5.52	12.60	H
	1664.18	-61.76	-13	-48.76	-73.31	-65.01	4.00	9.40	V
	2496.27	-50.52	-13	-37.52	-69.25	-54.09	4.88	10.60	V
	3328.36	-58.69	-13	-45.69	-79.70	-63.62	5.52	12.60	V
Highest	1679.18	-58.31	-13	-45.31	-69.31	-61.48	4.10	9.42	H
	2518.77	-54.29	-13	-41.29	-72.89	-57.87	4.90	10.63	H
	3358.36	-59.90	-13	-46.90	-80.09	-64.82	5.55	12.62	H
	1679.18	-61.93	-13	-48.93	-73.64	-65.10	4.10	9.42	V
	2518.77	-54.01	-13	-41.01	-72.82	-57.59	4.90	10.63	V
	3358.36	-59.41	-13	-46.41	-80.25	-64.33	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.14	-57.59	-13	-44.59	-80.19	-64.35	5.82	12.58	H
	5550.21	-57.98	-13	-44.98	-81.89	-63.70	7.28	13.00	H
	7400.28	-55.68	-13	-42.68	-82.07	-58.84	8.32	11.48	H
	3700.14	-55.87	-13	-42.87	-80.16	-62.63	5.82	12.58	V
	5550.21	-57.43	-13	-44.43	-81.77	-63.15	7.28	13.00	V
	7400.28	-55.88	-13	-42.88	-82.24	-59.04	8.32	11.48	V
Middle	3763.74	-58.27	-13	-45.27	-80.66	-65.02	5.85	12.60	H
	5645.61	-57.80	-13	-44.80	-81.42	-63.60	7.3	13.10	H
	7527.48	-56.26	-13	-43.26	-82.14	-59.41	8.35	11.50	H
	3763.74	-56.08	-13	-43.08	-80.79	-62.83	5.85	12.60	V
	5645.61	-57.73	-13	-44.73	-81.5	-63.53	7.3	13.10	V
	7527.48	-55.87	-13	-42.87	-81.73	-59.02	8.35	11.50	V
Highest	3827.34	-58.31	-13	-45.31	-80.69	-65.05	5.88	12.62	H
	5741.01	-57.62	-13	-44.62	-81.84	-63.43	7.32	13.13	H
	7654.68	-56.33	-13	-43.33	-81.80	-59.49	8.38	11.54	H
	3827.34	-56.42	-13	-43.42	-80.4	-63.16	5.88	12.62	V
	5741.01	-56.84	-13	-43.84	-81.61	-62.65	7.32	13.13	V
	7654.68	-54.98	-13	-41.98	-81.48	-58.14	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.3	-57.97	-13	-44.97	-80.57	-64.73	5.82	12.58	H
	5550.45	-57.73	-13	-44.73	-81.64	-63.45	7.28	13.00	H
	7400.6	-55.70	-13	-42.70	-82.04	-58.86	8.32	11.48	H
	3700.3	-55.82	-13	-42.82	-80.11	-62.58	5.82	12.58	V
	5550.45	-57.60	-13	-44.60	-81.94	-63.32	7.28	13.00	V
	7400.6	-55.48	-13	-42.48	-81.79	-58.64	8.32	11.48	V
Middle	3762.3	-58.24	-13	-45.24	-80.18	-64.99	5.85	12.60	H
	5643.45	-58.08	-13	-45.08	-81.70	-63.88	7.3	13.10	H
	7524.6	-56.11	-13	-43.11	-81.99	-59.26	8.35	11.50	H
	3762.3	-55.87	-13	-42.87	-80.97	-62.62	5.85	12.60	V
	5643.45	-57.83	-13	-44.83	-81.6	-63.63	7.3	13.10	V
	7524.6	-56.25	-13	-43.25	-82.11	-59.40	8.35	11.50	V
Highest	3824.3	-58.38	-13	-45.38	-80.76	-65.12	5.88	12.62	H
	5736.45	-57.52	-13	-44.52	-81.74	-63.33	7.32	13.13	H
	7648.6	-55.87	-13	-42.87	-81.34	-59.03	8.38	11.54	H
	3824.3	-56.73	-13	-43.73	-80.71	-63.47	5.88	12.62	V
	5736.45	-56.98	-13	-43.98	-81.75	-62.79	7.32	13.13	V
	7648.6	-55.09	-13	-42.09	-81.59	-58.25	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.5	-57.76	-13	-44.76	-80.36	-64.52	5.82	12.58	H
	5550.75	-58.07	-13	-45.07	-81.98	-63.79	7.28	13.00	H
	7401	-55.73	-13	-42.73	-82.07	-58.89	8.32	11.48	H
	3700.5	-55.23	-13	-42.23	-79.52	-61.99	5.82	12.58	V
	5550.75	-57.60	-13	-44.60	-81.94	-63.32	7.28	13.00	V
	7401	-55.73	-13	-42.73	-82.04	-58.89	8.32	11.48	V
Middle	3760.5	-58.48	-13	-45.48	-80.42	-65.23	5.85	12.60	H
	5640.75	-57.69	-13	-44.69	-81.31	-63.49	7.3	13.10	H
	7521	-56.05	-13	-43.05	-81.93	-59.20	8.35	11.50	H
	3760.5	-55.78	-13	-42.78	-80.88	-62.53	5.85	12.60	V
	5640.75	-57.58	-13	-44.58	-81.35	-63.38	7.3	13.10	V
	7521	-56.23	-13	-43.23	-82.09	-59.38	8.35	11.50	V
Highest	3820.5	-58.38	-13	-45.38	-80.76	-65.12	5.88	12.62	H
	5730.75	-57.27	-13	-44.27	-81.39	-63.08	7.32	13.13	H
	7641	-56.31	-13	-43.31	-81.79	-59.47	8.38	11.54	H
	3820.5	-56.70	-13	-43.70	-80.68	-63.44	5.88	12.62	V
	5730.75	-56.71	-13	-43.71	-81.31	-62.52	7.32	13.13	V
	7641	-55.10	-13	-42.10	-81.61	-58.26	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701	-57.09	-13	-44.09	-79.69	-63.85	5.82	12.58	H
	5551.5	-57.25	-13	-44.25	-81.16	-62.97	7.28	13.00	H
	7402	-54.92	-13	-41.92	-81.26	-58.08	8.32	11.48	H
	3701	-55.10	-13	-42.10	-79.39	-61.86	5.82	12.58	V
	5551.5	-56.80	-13	-43.80	-81.14	-62.52	7.28	13.00	V
	7402	-55.03	-13	-42.03	-81.34	-58.19	8.32	11.48	V
Middle	3756	-57.81	-13	-44.81	-79.75	-64.56	5.85	12.60	H
	5634	-56.09	-13	-43.09	-79.71	-61.89	7.3	13.10	H
	7512	-55.20	-13	-42.20	-81.14	-58.35	8.35	11.50	H
	3756	-54.80	-13	-41.80	-79.9	-61.55	5.85	12.60	V
	5634	-56.80	-13	-43.80	-80.57	-62.60	7.3	13.10	V
	7512	-54.99	-13	-41.99	-80.92	-58.14	8.35	11.50	V
Highest	3811	-57.50	-13	-44.50	-79.78	-64.24	5.88	12.62	H
	5716.5	-56.77	-13	-43.77	-80.79	-62.58	7.32	13.13	H
	7622	-55.75	-13	-42.75	-81.27	-58.91	8.38	11.54	H
	3811	-56.15	-13	-43.15	-80.07	-62.89	5.88	12.62	V
	5716.5	-56.78	-13	-43.78	-81.22	-62.59	7.32	13.13	V
	7622	-55.14	-13	-42.14	-81.34	-58.30	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.5	-57.52	-13	-44.52	-80.12	-64.28	5.82	12.58	H
	5552.25	-57.78	-13	-44.78	-81.69	-63.50	7.28	13.00	H
	7403	-55.48	-13	-42.48	-81.82	-58.64	8.32	11.48	H
	3701.5	-55.25	-13	-42.25	-79.54	-62.01	5.82	12.58	V
	5552.25	-57.62	-13	-44.62	-81.96	-63.34	7.28	13.00	V
	7403	-55.30	-13	-42.30	-81.61	-58.46	8.32	11.48	V
Middle	3751.5	-58.01	-13	-45.01	-79.95	-64.76	5.85	12.60	H
	5627.25	-57.48	-13	-44.48	-81.18	-63.28	7.3	13.10	H
	7503	-55.57	-13	-42.57	-81.51	-58.72	8.35	11.50	H
	3751.5	-55.45	-13	-42.45	-80.55	-62.20	5.85	12.60	V
	5627.25	-57.25	-13	-44.25	-81.45	-63.05	7.3	13.10	V
	7503	-55.80	-13	-42.80	-81.73	-58.95	8.35	11.50	V
Highest	3801.5	-58.08	-13	-45.08	-80.36	-64.82	5.88	12.62	H
	5702.25	-57.30	-13	-44.30	-81.32	-63.11	7.32	13.13	H
	7603	-55.94	-13	-42.94	-81.55	-59.10	8.38	11.54	H
	3801.5	-56.26	-13	-43.26	-80.18	-63.00	5.88	12.62	V
	5702.25	-56.90	-13	-43.90	-81.34	-62.71	7.32	13.13	V
	7603	-55.77	-13	-42.77	-81.38	-58.93	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-57.34	-13	-44.34	-79.94	-64.10	5.82	12.58	H
	5553	-57.63	-13	-44.63	-81.54	-63.35	7.28	13.00	H
	7404	-54.87	-13	-41.87	-81.21	-58.03	8.32	11.48	H
	3702	-55.76	-13	-42.76	-80.05	-62.52	5.82	12.58	V
	5553	-57.37	-13	-44.37	-81.71	-63.09	7.28	13.00	V
	7404	-55.55	-13	-42.55	-81.86	-58.71	8.32	11.48	V
Middle	3747	-58.11	-13	-45.11	-80.05	-64.86	5.85	12.60	H
	5620.5	-57.74	-13	-44.74	-81.44	-63.54	7.3	13.10	H
	7494	-56.04	-13	-43.04	-82.04	-59.19	8.35	11.50	H
	3747	-55.49	-13	-42.49	-80.59	-62.24	5.85	12.60	V
	5620.5	-57.42	-13	-44.42	-81.62	-63.22	7.3	13.10	V
	7494	-56.09	-13	-43.09	-82.08	-59.24	8.35	11.50	V
Highest	3792	-57.96	-13	-44.96	-80.79	-64.70	5.88	12.62	H
	5688	-57.20	-13	-44.20	-81.12	-63.01	7.32	13.13	H
	7584	-56.18	-13	-43.18	-81.86	-59.34	8.38	11.54	H
	3792	-56.42	-13	-43.42	-80.74	-63.16	5.88	12.62	V
	5688	-57.17	-13	-44.17	-81.44	-62.98	7.32	13.13	V
	7584	-56.24	-13	-43.24	-81.92	-59.40	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.14	-69.76	-13	-56.76	-78.83	-72.99	3.98	9.36	H
	2472.21	-66.66	-13	-53.66	-80.16	-70.21	4.85	10.55	H
	3296.28	-66.46	-13	-53.46	-82.04	-71.39	5.50	12.58	H
	1648.14	-70.47	-13	-57.47	-79.17	-73.70	3.98	9.36	V
	2472.21	-66.81	-13	-53.81	-80.24	-70.36	4.85	10.55	V
	3296.28	-66.44	-13	-53.44	-82.09	-71.37	5.50	12.58	V
Middle	1671.74	-70.51	-13	-57.51	-79.36	-73.76	4.00	9.40	H
	2507.61	-67.58	-13	-54.58	-81.06	-71.15	4.88	10.60	H
	3343.48	-66.83	-13	-53.83	-82.30	-71.76	5.52	12.60	H
	1671.74	-70.15	-13	-57.15	-78.79	-73.40	4.00	9.40	V
	2507.61	-63.38	-13	-50.38	-76.71	-66.95	4.88	10.60	V
	3343.48	-66.46	-13	-53.46	-81.93	-71.39	5.52	12.60	V
Highest	1695.34	-70.38	-13	-57.38	-79.36	-73.55	4.10	9.42	H
	2543.01	-64.60	-13	-51.60	-78.00	-68.18	4.90	10.63	H
	3390.68	-67.34	-13	-54.34	-82.37	-72.26	5.55	12.62	H
	1695.34	-70.03	-13	-57.03	-78.81	-73.20	4.10	9.42	V
	2543.01	-64.33	-13	-51.33	-77.63	-67.91	4.90	10.63	V
	3390.68	-67.44	-13	-54.44	-82.50	-72.36	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.3	-70.38	-13	-57.38	-79.45	-73.61	3.98	9.36	H
	2472.45	-66.90	-13	-53.90	-80.40	-70.45	4.85	10.55	H
	3296.6	-66.35	-13	-53.35	-81.93	-71.28	5.50	12.58	H
	1648.3	-70.48	-13	-57.48	-79.18	-73.71	3.98	9.36	V
	2472.45	-66.78	-13	-53.78	-80.21	-70.33	4.85	10.55	V
	3296.6	-66.56	-13	-53.56	-82.21	-71.49	5.50	12.58	V
Middle	1670.3	-70.21	-13	-57.21	-79.18	-73.46	4.00	9.40	H
	2505.45	-67.13	-13	-54.13	-80.61	-70.70	4.88	10.60	H
	3340.6	-66.94	-13	-53.94	-82.41	-71.87	5.52	12.60	H
	1670.3	-70.42	-13	-57.42	-79.11	-73.67	4.00	9.40	V
	2505.45	-66.55	-13	-53.55	-79.88	-70.12	4.88	10.60	V
	3340.6	-66.32	-13	-53.32	-81.79	-71.25	5.52	12.60	V
Highest	1692.3	-70.11	-13	-57.11	-79.09	-73.28	4.10	9.42	H
	2538.45	-62.74	-13	-49.74	-76.18	-66.32	4.90	10.63	H
	3384.6	-67.72	-13	-54.72	-82.89	-72.64	5.55	12.62	H
	1692.3	-70.21	-13	-57.21	-78.99	-73.38	4.10	9.42	V
	2538.45	-66.94	-13	-53.94	-80.26	-70.52	4.90	10.63	V
	3384.6	-67.00	-13	-54.00	-82.20	-71.92	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.5	-70.07	-13	-57.07	-79.14	-73.30	3.98	9.36	H
	2472.75	-66.96	-13	-53.96	-80.46	-70.51	4.85	10.55	H
	3297	-66.67	-13	-53.67	-82.25	-71.60	5.50	12.58	H
	1648.5	-70.05	-13	-57.05	-78.75	-73.28	3.98	9.36	V
	2472.75	-66.67	-13	-53.67	-80.10	-70.22	4.85	10.55	V
	3297	-66.35	-13	-53.35	-82.00	-71.28	5.50	12.58	V
Middle	1668.5	-69.69	-13	-56.69	-78.66	-72.94	4.00	9.40	H
	2502.75	-67.39	-13	-54.39	-80.89	-70.96	4.88	10.60	H
	3337	-67.09	-13	-54.09	-82.59	-72.02	5.52	12.60	H
	1668.5	-70.09	-13	-57.09	-78.78	-73.34	4.00	9.40	V
	2502.75	-67.37	-13	-54.37	-80.76	-70.94	4.88	10.60	V
	3337	-66.87	-13	-53.87	-82.40	-71.80	5.52	12.60	V
Highest	1688.5	-69.93	-13	-56.93	-78.80	-73.10	4.10	9.42	H
	2532.75	-64.68	-13	-51.68	-78.12	-68.26	4.90	10.63	H
	3377	-67.21	-13	-54.21	-82.38	-72.13	5.55	12.62	H
	1688.5	-70.38	-13	-57.38	-79.04	-73.55	4.10	9.42	V
	2532.75	-66.32	-13	-53.32	-79.64	-69.90	4.90	10.63	V
	3377	-66.94	-13	-53.94	-82.14	-71.86	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649	-70.08	-13	-57.08	-79.15	-73.31	3.98	9.36	H
	2473.5	-67.08	-13	-54.08	-80.58	-70.63	4.85	10.55	H
	3298	-66.82	-13	-53.82	-82.40	-71.75	5.50	12.58	H
	1649	-70.21	-13	-57.21	-78.91	-73.44	3.98	9.36	V
	2473.5	-66.46	-13	-53.46	-79.89	-70.01	4.85	10.55	V
	3298	-66.42	-13	-53.42	-82.07	-71.35	5.50	12.58	V
Middle	1664	-69.81	-13	-56.81	-78.78	-73.06	4.00	9.40	H
	2496	-61.51	-13	-48.51	-75.01	-65.08	4.88	10.60	H
	3328	-66.69	-13	-53.69	-82.19	-71.62	5.52	12.60	H
	1664	-70.15	-13	-57.15	-78.84	-73.40	4.00	9.40	V
	2496	-67.05	-13	-54.05	-80.44	-70.62	4.88	10.60	V
	3328	-66.73	-13	-53.73	-82.26	-71.66	5.52	12.60	V
Highest	1679	-69.33	-13	-56.33	-78.20	-72.50	4.10	9.42	H
	2518.5	-63.83	-13	-50.83	-77.32	-67.41	4.90	10.63	H
	3358	-66.93	-13	-53.93	-82.25	-71.85	5.55	12.62	H
	1679	-70.31	-13	-57.31	-78.97	-73.48	4.10	9.42	V
	2518.5	-65.88	-13	-52.88	-79.22	-69.46	4.90	10.63	V
	3358	-67.05	-13	-54.05	-82.38	-71.97	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.5	-69.87	-13	-56.87	-78.94	-73.10	3.98	9.36	H
	2474.25	-66.79	-13	-53.79	-80.29	-70.34	4.85	10.55	H
	3299	-66.09	-13	-53.09	-81.67	-71.02	5.50	12.58	H
	1649.5	-70.44	-13	-57.44	-79.14	-73.67	3.98	9.36	V
	2474.25	-67.32	-13	-54.32	-80.75	-70.87	4.85	10.55	V
	3299	-66.25	-13	-53.25	-81.90	-71.18	5.50	12.58	V
Middle	1659.5	-69.59	-13	-56.59	-78.56	-72.84	4.00	9.40	H
	2489.25	-59.42	-13	-46.42	-72.90	-62.99	4.88	10.60	H
	3319	-66.97	-13	-53.97	-82.51	-71.90	5.52	12.60	H
	1659.5	-70.25	-13	-57.25	-78.94	-73.50	4.00	9.40	V
	2489.25	-61.33	-13	-48.33	-74.70	-64.90	4.88	10.60	V
	3319	-66.77	-13	-53.77	-82.36	-71.70	5.52	12.60	V
Highest	1669.5	-70.11	-13	-57.11	-79.08	-73.28	4.10	9.42	H
	2504.25	-61.13	-13	-48.13	-74.63	-64.71	4.90	10.63	H
	3339	-66.76	-13	-53.76	-82.23	-71.68	5.55	12.62	H
	1669.5	-70.42	-13	-57.42	-79.11	-73.59	4.10	9.42	V
	2504.25	-67.00	-13	-54.00	-80.39	-70.58	4.90	10.63	V
	3339	-66.92	-13	-53.92	-82.39	-71.84	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.14	-62.18	-13	-49.18	-75.88	-70.18	4.58	12.58	H
	5130.21	-61.10	-13	-48.10	-79.03	-67.56	6.21	12.67	H
	6840.28	-59.76	-13	-46.76	-79.38	-64.55	8.16	12.95	H
	3420.14	-64.29	-13	-51.29	-75.7	-72.29	4.58	12.58	V
	5130.21	-65.23	-13	-52.23	-78.84	-71.69	6.21	12.67	V
	6840.28	-60.08	-13	-47.08	-79.2	-64.87	8.16	12.95	V
Middle	3488.74	-62.47	-13	-49.47	-76.17	-70.44	4.63	12.60	H
	5233.11	-61.48	-13	-48.48	-79.41	-67.93	6.25	12.70	H
	6977.48	-59.62	-13	-46.62	-79.24	-64.39	8.23	13.00	H
	3488.74	-64.74	-13	-51.74	-76.15	-72.71	4.63	12.60	V
	5233.11	-65.93	-13	-52.93	-79.54	-72.38	6.25	12.70	V
	6977.48	-60.28	-13	-47.28	-79.4	-65.05	8.23	13.00	V
Highest	3557.34	-63.08	-13	-50.08	-76.78	-71.18	4.66	12.76	H
	5336.01	-61.61	-13	-48.61	-79.54	-68.15	6.31	12.85	H
	7114.68	-59.95	-13	-46.95	-79.57	-64.82	8.35	13.22	H
	3557.34	-65.08	-13	-52.08	-76.49	-73.18	4.66	12.76	V
	5336.01	-65.96	-13	-52.96	-79.57	-72.50	6.31	12.85	V
	7114.68	-60.16	-13	-47.16	-79.28	-65.03	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.3	-62.05	-13	-49.05	-75.75	-70.05	4.58	12.58	H
	5130.45	-60.98	-13	-47.98	-78.91	-67.44	6.21	12.67	H
	6840.6	-59.89	-13	-46.89	-79.51	-64.68	8.16	12.95	H
	3420.3	-64.54	-13	-51.54	-75.95	-72.54	4.58	12.58	V
	5130.45	-65.47	-13	-52.47	-79.08	-71.93	6.21	12.67	V
	6840.6	-60.22	-13	-47.22	-79.34	-65.01	8.16	12.95	V
Middle	3487.3	-62.66	-13	-49.66	-76.36	-70.63	4.63	12.60	H
	5230.95	-61.46	-13	-48.46	-79.39	-67.91	6.25	12.70	H
	6974.6	-59.50	-13	-46.50	-79.12	-64.27	8.23	13.00	H
	3487.3	-64.44	-13	-51.44	-75.85	-72.41	4.63	12.60	V
	5230.95	-65.75	-13	-52.75	-79.36	-72.20	6.25	12.70	V
	6974.6	-60.13	-13	-47.13	-79.25	-64.90	8.23	13.00	V
Highest	3554.3	-63.07	-13	-50.07	-76.77	-71.17	4.66	12.76	H
	5331.45	-61.61	-13	-48.61	-79.54	-68.15	6.31	12.85	H
	7108.6	-59.59	-13	-46.59	-79.21	-64.46	8.35	13.22	H
	3554.3	-65.42	-13	-52.42	-76.83	-73.52	4.66	12.76	V
	5331.45	-66.11	-13	-53.11	-79.72	-72.65	6.31	12.85	V
	7108.6	-60.41	-13	-47.41	-79.53	-65.28	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.5	-62.13	-13	-49.13	-75.83	-70.13	4.58	12.58	H
	5130.75	-61.18	-13	-48.18	-79.11	-67.64	6.21	12.67	H
	6841	-59.90	-13	-46.90	-79.52	-64.69	8.16	12.95	H
	3420.5	-64.25	-13	-51.25	-75.66	-72.25	4.58	12.58	V
	5130.75	-65.35	-13	-52.35	-78.96	-71.81	6.21	12.67	V
	6841	-60.50	-13	-47.50	-79.62	-65.29	8.16	12.95	V
Middle	3485.5	-62.65	-13	-49.65	-76.35	-70.62	4.63	12.60	H
	5228.25	-61.25	-13	-48.25	-79.18	-67.70	6.25	12.70	H
	6971	-59.74	-13	-46.74	-79.36	-64.51	8.23	13.00	H
	3485.5	-64.84	-13	-51.84	-76.25	-72.81	4.63	12.60	V
	5228.25	-65.34	-13	-52.34	-78.95	-71.79	6.25	12.70	V
	6971	-60.09	-13	-47.09	-79.21	-64.86	8.23	13.00	V
Highest	3550.5	-63.07	-13	-50.07	-76.77	-71.17	4.66	12.76	H
	5325.75	-61.51	-13	-48.51	-79.44	-68.05	6.31	12.85	H
	7101	-59.95	-13	-46.95	-79.57	-64.82	8.35	13.22	H
	3550.5	-65.52	-13	-52.52	-76.93	-73.62	4.66	12.76	V
	5325.75	-65.88	-13	-52.88	-79.49	-72.42	6.31	12.85	V
	7101	-60.34	-13	-47.34	-79.46	-65.21	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421	-62.42	-13	-49.42	-76.12	-70.42	4.58	12.58	H
	5131.5	-61.22	-13	-48.22	-79.15	-67.68	6.21	12.67	H
	6842	-59.92	-13	-46.92	-79.54	-64.71	8.16	12.95	H
	3421	-64.48	-13	-51.48	-75.89	-72.48	4.58	12.58	V
	5131.5	-65.50	-13	-52.50	-79.11	-71.96	6.21	12.67	V
	6842	-60.18	-13	-47.18	-79.3	-64.97	8.16	12.95	V
Middle	3481	-62.67	-13	-49.67	-76.37	-70.64	4.63	12.60	H
	5221.5	-61.46	-13	-48.46	-79.39	-67.91	6.25	12.70	H
	6962	-59.79	-13	-46.79	-79.41	-64.56	8.23	13.00	H
	3481	-64.84	-13	-51.84	-76.25	-72.81	4.63	12.60	V
	5221.5	-65.61	-13	-52.61	-79.22	-72.06	6.25	12.70	V
	6962	-59.87	-13	-46.87	-78.99	-64.64	8.23	13.00	V
Highest	3541	-63.02	-13	-50.02	-76.72	-71.12	4.66	12.76	H
	5311.5	-61.36	-13	-48.36	-79.29	-67.90	6.31	12.85	H
	7082	-60.04	-13	-47.04	-79.66	-64.91	8.35	13.22	H
	3541	-65.02	-13	-52.02	-76.43	-73.12	4.66	12.76	V
	5311.5	-65.84	-13	-52.84	-79.45	-72.38	6.31	12.85	V
	7082	-60.48	-13	-47.48	-79.6	-65.35	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.5	-62.17	-13	-49.17	-75.87	-70.17	4.58	12.58	H
	5132.25	-61.12	-13	-48.12	-79.05	-67.58	6.21	12.67	H
	6843	-59.82	-13	-46.82	-79.44	-64.61	8.16	12.95	H
	3421.5	-64.30	-13	-51.30	-75.71	-72.30	4.58	12.58	V
	5132.25	-65.40	-13	-52.40	-79.01	-71.86	6.21	12.67	V
	6843	-60.23	-13	-47.23	-79.35	-65.02	8.16	12.95	V
Middle	3476.5	-62.64	-13	-49.64	-76.34	-70.61	4.63	12.60	H
	5214.75	-61.43	-13	-48.43	-79.36	-67.88	6.25	12.70	H
	6953	-59.19	-13	-46.19	-78.81	-63.96	8.23	13.00	H
	3476.5	-64.94	-13	-51.94	-76.35	-72.91	4.63	12.60	V
	5214.75	-65.95	-13	-52.95	-79.56	-72.40	6.25	12.70	V
	6953	-60.27	-13	-47.27	-79.39	-65.04	8.23	13.00	V
Highest	3531.5	-62.86	-13	-49.86	-76.56	-70.96	4.66	12.76	H
	5297.25	-61.61	-13	-48.61	-79.54	-68.15	6.31	12.85	H
	7063	-59.69	-13	-46.69	-79.31	-64.56	8.35	13.22	H
	3531.5	-65.15	-13	-52.15	-76.56	-73.25	4.66	12.76	V
	5297.25	-66.12	-13	-53.12	-79.73	-72.66	6.31	12.85	V
	7063	-60.35	-13	-47.35	-79.47	-65.22	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-62.32	-13	-49.32	-76.02	-70.32	4.58	12.58	H
	5133	-60.96	-13	-47.96	-78.89	-67.42	6.21	12.67	H
	6844	-59.81	-13	-46.81	-79.43	-64.60	8.16	12.95	H
	3422	-64.68	-13	-51.68	-76.09	-72.68	4.58	12.58	V
	5133	-65.42	-13	-52.42	-79.03	-71.88	6.21	12.67	V
	6844	-60.42	-13	-47.42	-79.54	-65.21	8.16	12.95	V
Middle	3472	-62.08	-13	-49.08	-75.78	-70.05	4.63	12.60	H
	5208	-61.41	-13	-48.41	-79.34	-67.86	6.25	12.70	H
	6944	-59.79	-13	-46.79	-79.41	-64.56	8.23	13.00	H
	3472	-64.77	-13	-51.77	-76.18	-72.74	4.63	12.60	V
	5208	-65.80	-13	-52.80	-79.41	-72.25	6.25	12.70	V
	6944	-59.66	-13	-46.66	-78.78	-64.43	8.23	13.00	V
Highest	3522	-62.70	-13	-49.70	-76.40	-70.80	4.66	12.76	H
	5283	-61.54	-13	-48.54	-79.47	-68.08	6.31	12.85	H
	7044	-59.62	-13	-46.62	-79.24	-64.49	8.35	13.22	H
	3522	-64.96	-13	-51.96	-76.37	-73.06	4.66	12.76	V
	5283	-66.05	-13	-53.05	-79.66	-72.59	6.31	12.85	V
	7044	-60.16	-13	-47.16	-79.28	-65.03	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66C_CA / 20M+20M / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-63.44	-13	-50.44	-78.28	-70.20	5.82	12.58	H
	5133	-59.58	-13	-46.58	-81.29	-65.30	7.28	13.00	H
	6844	-57.16	-13	-44.16	-81.07	-60.32	8.32	11.48	H
	3422	-63.88	-13	-50.88	-78.22	-70.64	5.82	12.58	V
	5133	-60.02	-13	-47.02	-80.95	-65.74	7.28	13.00	V
	6844	-57.86	-13	-44.86	-80.89	-61.02	8.32	11.48	V
Middle	3472	-63.07	-13	-50.07	-78.59	-69.82	5.85	12.60	H
	5208	-59.09	-13	-46.09	-80.48	-64.89	7.30	13.10	H
	6944	-57.82	-13	-44.82	-81.47	-60.97	8.35	11.50	H
	3472	-63.13	-13	-50.13	-78.16	-69.88	5.85	12.60	V
	5208	-59.81	-13	-46.81	-80.13	-65.61	7.30	13.10	V
	6944	-58.05	-13	-45.05	-81.42	-61.20	8.35	11.50	V
Highest	3522	-62.22	-13	-49.22	-78.41	-68.96	5.88	12.62	H
	5283	-60.16	-13	-47.16	-80.92	-65.97	7.32	13.13	H
	7044	-56.95	-13	-43.95	-81.09	-60.11	8.38	11.54	H
	3522	-62.72	-13	-49.72	-78.43	-69.46	5.88	12.62	V
	5283	-61.67	-13	-48.67	-81.37	-67.48	7.32	13.13	V
	7044	-56.99	-13	-43.99	-80.96	-60.15	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Bottom Antenna

LTE Band 2 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.32	-57.50	-13	-44.50	-80.10	-64.26	5.82	12.58	H
	5550.48	-57.49	-13	-44.49	-81.40	-63.21	7.28	13.00	H
	7400.64	-58.30	-13	-45.30	-84.64	-61.46	8.32	11.48	H
	3700.32	-56.12	-13	-43.12	-80.41	-62.88	5.82	12.58	V
	5550.48	-57.82	-13	-44.82	-82.16	-63.54	7.28	13.00	V
	7400.64	-58.60	-13	-45.60	-84.91	-61.76	8.32	11.48	V
Middle	3758.92	-58.31	-13	-45.31	-80.25	-65.06	5.85	12.60	H
	5638.38	-57.73	-13	-44.73	-81.35	-63.53	7.3	13.10	H
	7517.84	-58.61	-13	-45.61	-84.54	-61.76	8.35	11.50	H
	3758.92	-55.88	-13	-42.88	-80.98	-62.63	5.85	12.60	V
	5638.38	-57.82	-13	-44.82	-81.59	-63.62	7.3	13.10	V
	7517.84	-59.09	-13	-46.09	-85.01	-62.24	8.35	11.50	V
Highest	3817.52	-58.19	-13	-45.19	-80.57	-64.93	5.88	12.62	H
	5726.28	-56.84	-13	-43.84	-80.96	-62.65	7.32	13.13	H
	7635.04	-59.10	-13	-46.10	-84.62	-62.26	8.38	11.54	H
	3817.52	-56.61	-13	-43.61	-80.59	-63.35	5.88	12.62	V
	5726.28	-56.52	-13	-43.52	-81.12	-62.33	7.32	13.13	V
	7635.04	-57.49	-13	-44.49	-83.69	-60.65	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.48	-57.65	-13	-44.65	-80.25	-64.41	5.82	12.58	H
	5550.72	-57.75	-13	-44.75	-81.66	-63.47	7.28	13.00	H
	7400.96	-58.44	-13	-45.44	-84.78	-61.60	8.32	11.48	H
	3700.48	-55.36	-13	-42.36	-79.65	-62.12	5.82	12.58	V
	5550.72	-57.65	-13	-44.65	-81.99	-63.37	7.28	13.00	V
	7400.96	-58.04	-13	-45.04	-84.35	-61.20	8.32	11.48	V
Middle	3757.48	-58.52	-13	-45.52	-80.46	-65.27	5.85	12.60	H
	5636.22	-58.11	-13	-45.11	-81.73	-63.91	7.3	13.10	H
	7514.96	-59.09	-13	-46.09	-85.03	-62.24	8.35	11.50	H
	3757.48	-55.60	-13	-42.60	-80.7	-62.35	5.85	12.60	V
	5636.22	-57.82	-13	-44.82	-81.59	-63.62	7.3	13.10	V
	7514.96	-58.86	-13	-45.86	-84.79	-62.01	8.35	11.50	V
Highest	3814.48	-57.86	-13	-44.86	-80.24	-64.60	5.88	12.62	H
	5721.72	-57.30	-13	-44.30	-81.42	-63.11	7.32	13.13	H
	7628.96	-59.07	-13	-46.07	-84.59	-62.23	8.38	11.54	H
	3814.48	-56.55	-13	-43.55	-80.53	-63.29	5.88	12.62	V
	5721.72	-56.97	-13	-43.97	-81.57	-62.78	7.32	13.13	V
	7628.96	-58.12	-13	-45.12	-84.32	-61.28	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.68	-57.93	-13	-44.93	-80.53	-64.69	5.82	12.58	H
	5551.02	-58.06	-13	-45.06	-81.97	-63.78	7.28	13.00	H
	7401.36	-58.86	-13	-45.86	-85.20	-62.02	8.32	11.48	H
	3700.68	-55.75	-13	-42.75	-80.04	-62.51	5.82	12.58	V
	5551.02	-57.59	-13	-44.59	-81.93	-63.31	7.28	13.00	V
	7401.36	-58.29	-13	-45.29	-84.6	-61.45	8.32	11.48	V
Middle	3755.68	-57.86	-13	-44.86	-79.80	-64.61	5.85	12.60	H
	5633.52	-58.09	-13	-45.09	-81.71	-63.89	7.3	13.10	H
	7511.36	-58.68	-13	-45.68	-84.62	-61.83	8.35	11.50	H
	3755.68	-55.83	-13	-42.83	-80.93	-62.58	5.85	12.60	V
	5633.52	-57.95	-13	-44.95	-81.72	-63.75	7.3	13.10	V
	7511.36	-58.57	-13	-45.57	-84.5	-61.72	8.35	11.50	V
Highest	3810.68	-57.99	-13	-44.99	-80.27	-64.73	5.88	12.62	H
	5716.02	-57.73	-13	-44.73	-81.75	-63.54	7.32	13.13	H
	7621.36	-58.21	-13	-45.21	-83.77	-61.37	8.38	11.54	H
	3810.68	-56.39	-13	-43.39	-80.31	-63.13	5.88	12.62	V
	5716.02	-57.13	-13	-44.13	-81.57	-62.94	7.32	13.13	V
	7621.36	-58.16	-13	-45.16	-84.06	-61.32	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.18	-57.87	-13	-44.87	-80.47	-64.63	5.82	12.58	H
	5551.77	-58.22	-13	-45.22	-82.13	-63.94	7.28	13.00	H
	7402.36	-55.74	-13	-42.74	-82.08	-58.90	8.32	11.48	H
	3701.18	-55.73	-13	-42.73	-80.02	-62.49	5.82	12.58	V
	5551.77	-57.60	-13	-44.60	-81.94	-63.32	7.28	13.00	V
	7402.36	-55.80	-13	-42.80	-82.11	-58.96	8.32	11.48	V
Middle	3751.18	-58.15	-13	-45.15	-80.09	-64.90	5.85	12.60	H
	5626.77	-58.20	-13	-45.20	-81.90	-64.00	7.3	13.10	H
	7502	-55.92	-13	-42.92	-81.92	-59.07	8.35	11.50	H
	3751.18	-55.77	-13	-42.77	-80.87	-62.52	5.85	12.60	V
	5626.77	-57.64	-13	-44.64	-81.84	-63.44	7.3	13.10	V
	7502	-56.32	-13	-43.32	-82.31	-59.47	8.35	11.50	V
Highest	3801.18	-58.17	-13	-45.17	-80.45	-64.91	5.88	12.62	H
	5701.77	-57.44	-13	-44.44	-81.46	-63.25	7.32	13.13	H
	7602.36	-56.72	-13	-43.72	-82.33	-59.88	8.38	11.54	H
	3801.18	-56.16	-13	-43.16	-80.08	-62.90	5.88	12.62	V
	5701.77	-57.26	-13	-44.26	-81.7	-63.07	7.32	13.13	V
	7602.36	-56.31	-13	-43.31	-81.92	-59.47	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.68	-57.68	-13	-44.68	-80.28	-64.44	5.82	12.58	H
	5552.52	-58.00	-13	-45.00	-81.91	-63.72	7.28	13.00	H
	7403.36	-56.32	-13	-43.32	-82.66	-59.48	8.32	11.48	H
	3701.68	-55.31	-13	-42.31	-79.6	-62.07	5.82	12.58	V
	5552.52	-57.53	-13	-44.53	-81.87	-63.25	7.28	13.00	V
	7403.36	-56.27	-13	-43.27	-82.58	-59.43	8.32	11.48	V
Middle	3746.68	-58.40	-13	-45.40	-80.34	-65.15	5.85	12.60	H
	5620.02	-58.18	-13	-45.18	-81.88	-63.98	7.3	13.10	H
	7493.36	-56.60	-13	-43.60	-82.60	-59.75	8.35	11.50	H
	3746.68	-55.57	-13	-42.57	-80.67	-62.32	5.85	12.60	V
	5620.02	-57.47	-13	-44.47	-81.67	-63.27	7.3	13.10	V
	7493.36	-56.44	-13	-43.44	-82.43	-59.59	8.35	11.50	V
Highest	3791.68	-57.96	-13	-44.96	-80.79	-64.70	5.88	12.62	H
	5687.52	-57.67	-13	-44.67	-81.59	-63.48	7.32	13.13	H
	7583.36	-56.99	-13	-43.99	-82.67	-60.15	8.38	11.54	H
	3791.68	-56.24	-13	-43.24	-80.56	-62.98	5.88	12.62	V
	5687.52	-57.46	-13	-44.46	-81.73	-63.27	7.32	13.13	V
	7583.36	-56.78	-13	-43.78	-82.46	-59.94	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702.18	-57.72	-13	-44.72	-80.32	-64.48	5.82	12.58	H
	5553.27	-57.73	-13	-44.73	-81.64	-63.45	7.28	13.00	H
	7404.36	-56.92	-13	-43.92	-83.26	-60.08	8.32	11.48	H
	3702.18	-55.66	-13	-42.66	-79.95	-62.42	5.82	12.58	V
	5553.27	-57.48	-13	-44.48	-81.82	-63.20	7.28	13.00	V
	7404.36	-56.86	-13	-43.86	-83.17	-60.02	8.32	11.48	V
Middle	3742.18	-57.68	-13	-44.68	-80.17	-64.43	5.85	12.60	H
	5613.27	-57.94	-13	-44.94	-81.72	-63.74	7.3	13.10	H
	7484.36	-57.05	-13	-44.05	-83.12	-60.20	8.35	11.50	H
	3742.18	-55.37	-13	-42.37	-79.87	-62.12	5.85	12.60	V
	5613.27	-57.00	-13	-44.00	-81.63	-62.80	7.3	13.10	V
	7484.36	-57.32	-13	-44.32	-83.37	-60.47	8.35	11.50	V
Highest	3782.18	-57.46	-13	-44.46	-80.29	-64.20	5.88	12.62	H
	5673.27	-57.88	-13	-44.88	-81.70	-63.69	7.32	13.13	H
	7564.36	-57.31	-13	-44.31	-83.06	-60.47	8.38	11.54	H
	3782.18	-56.01	-13	-43.01	-80.33	-62.75	5.88	12.62	V
	5673.27	-57.55	-13	-44.55	-81.66	-63.36	7.32	13.13	V
	7564.36	-57.37	-13	-44.37	-83.11	-60.53	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.32	-58.71	-13	-45.71	-78.86	-65.59	5.6	12.48	H
	5130.48	-57.88	-13	-44.88	-81.00	-63.56	7.1	12.78	H
	6840.64	-56.52	-13	-43.52	-81.52	-59.91	8.38	11.77	H
	3420.32	-57.49	-13	-44.49	-78.84	-64.37	5.6	12.48	V
	5130.48	-57.30	-13	-44.30	-81.16	-62.98	7.1	12.78	V
	6840.64	-54.75	-13	-41.75	-81.58	-58.14	8.38	11.77	V
Middle	3463.74	-57.80	-13	-44.80	-79.34	-64.65	5.65	12.50	H
	5195.61	-57.88	-13	-44.88	-81.48	-63.55	7.13	12.80	H
	6927.48	-56.42	-13	-43.42	-81.57	-59.82	8.4	11.80	H
	3463.74	-57.57	-13	-44.57	-78.91	-64.42	5.65	12.50	V
	5195.61	-57.45	-13	-44.45	-81.32	-63.12	7.13	12.80	V
	6927.48	-55.66	-13	-42.66	-81.73	-59.06	8.4	11.80	V
Highest	3507.52	-56.73	-13	-43.73	-78.66	-63.57	5.68	12.52	H
	5261.28	-57.51	-13	-44.51	-81.35	-63.18	7.15	12.82	H
	7015.04	-56.62	-13	-43.62	-81.95	-60.05	8.42	11.85	H
	3507.52	-55.77	-13	-42.77	-78.1	-62.61	5.68	12.52	V
	5261.28	-57.06	-13	-44.06	-80.78	-62.73	7.15	12.82	V
	7015.04	-55.99	-13	-42.99	-81.67	-59.42	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.48	-58.36	-13	-45.36	-78.51	-65.24	5.6	12.48	H
	5130.72	-58.21	-13	-45.21	-81.33	-63.89	7.1	12.78	H
	6840.96	-56.42	-13	-43.42	-81.42	-59.81	8.38	11.77	H
	3420.48	-57.60	-13	-44.60	-78.95	-64.48	5.6	12.48	V
	5130.72	-57.02	-13	-44.02	-80.88	-62.70	7.1	12.78	V
	6840.96	-54.26	-13	-41.26	-81.09	-57.65	8.38	11.77	V
Middle	3462.48	-58.03	-13	-45.03	-79.57	-64.88	5.65	12.50	H
	5193.72	-57.93	-13	-44.93	-81.53	-63.60	7.13	12.80	H
	6924.96	-56.20	-13	-43.20	-81.35	-59.60	8.4	11.80	H
	3462.48	-57.72	-13	-44.72	-79.06	-64.57	5.65	12.50	V
	5193.72	-57.50	-13	-44.50	-81.37	-63.17	7.13	12.80	V
	6924.96	-55.49	-13	-42.49	-81.56	-58.89	8.4	11.80	V
Highest	3504.48	-57.62	-13	-44.62	-78.75	-64.46	5.68	12.52	H
	5256.72	-57.52	-13	-44.52	-81.30	-63.19	7.15	12.82	H
	7008.96	-55.95	-13	-42.95	-81.21	-59.38	8.42	11.85	H
	3504.48	-56.62	-13	-43.62	-79.29	-63.46	5.68	12.52	V
	5256.72	-57.59	-13	-44.59	-81.34	-63.26	7.15	12.82	V
	7008.96	-55.74	-13	-42.74	-81.18	-59.17	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.68	-58.95	-13	-45.95	-79.10	-65.83	5.6	12.48	H
	5131.02	-58.03	-13	-45.03	-81.15	-63.71	7.1	12.78	H
	6841.36	-56.40	-13	-43.40	-81.40	-59.79	8.38	11.77	H
	3420.68	-57.77	-13	-44.77	-79.12	-64.65	5.6	12.48	V
	5131.02	-57.31	-13	-44.31	-81.17	-62.99	7.1	12.78	V
	6841.36	-54.56	-13	-41.56	-81.39	-57.95	8.38	11.77	V
Middle	3460.68	-58.08	-13	-45.08	-79.62	-64.93	5.65	12.50	H
	5191.02	-57.93	-13	-44.93	-81.53	-63.60	7.13	12.80	H
	6921.36	-56.47	-13	-43.47	-81.58	-59.87	8.4	11.80	H
	3460.68	-57.80	-13	-44.80	-79.14	-64.65	5.65	12.50	V
	5191.02	-57.49	-13	-44.49	-81.36	-63.16	7.13	12.80	V
	6921.36	-55.39	-13	-42.39	-81.6	-58.79	8.4	11.80	V
Highest	3500.68	-58.05	-13	-45.05	-79.18	-64.89	5.68	12.52	H
	5251.02	-57.65	-13	-44.65	-81.43	-63.32	7.15	12.82	H
	7001.36	-56.81	-13	-43.81	-82.08	-60.24	8.42	11.85	H
	3500.68	-57.38	-13	-44.38	-80.05	-64.22	5.68	12.52	V
	5251.02	-57.57	-13	-44.57	-81.32	-63.24	7.15	12.82	V
	7001.36	-56.61	-13	-43.61	-82.06	-60.04	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.18	-58.28	-13	-45.28	-78.43	-65.16	5.6	12.48	H
	5131.77	-57.80	-13	-44.80	-80.92	-63.48	7.1	12.78	H
	6842.36	-56.26	-13	-43.26	-81.26	-59.65	8.38	11.77	H
	3421.18	-57.27	-13	-44.27	-78.62	-64.15	5.6	12.48	V
	5131.77	-57.28	-13	-44.28	-81.14	-62.96	7.1	12.78	V
	6842.36	-54.59	-13	-41.59	-81.42	-57.98	8.38	11.77	V
Middle	3456.18	-57.95	-13	-44.95	-78.69	-64.80	5.65	12.50	H
	5184.27	-58.28	-13	-45.28	-81.76	-63.95	7.13	12.80	H
	6912.36	-57.56	-13	-44.56	-82.67	-60.96	8.4	11.80	H
	3456.18	-57.77	-13	-44.77	-79.45	-64.62	5.65	12.50	V
	5184.27	-57.93	-13	-44.93	-81.8	-63.60	7.13	12.80	V
	6912.36	-56.33	-13	-43.33	-82.54	-59.73	8.4	11.80	V
Highest	3491.18	-57.77	-13	-44.77	-78.90	-64.61	5.68	12.52	H
	5236.77	-57.48	-13	-44.48	-81.20	-63.15	7.15	12.82	H
	6982.36	-56.43	-13	-43.43	-81.66	-59.86	8.42	11.85	H
	3491.18	-56.95	-13	-43.95	-79.62	-63.79	5.68	12.52	V
	5236.77	-57.41	-13	-44.41	-81.2	-63.08	7.15	12.82	V
	6982.36	-55.98	-13	-42.98	-81.58	-59.41	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.68	-58.78	-13	-45.78	-78.93	-65.66	5.6	12.48	H
	5132.52	-58.44	-13	-45.44	-81.56	-64.12	7.1	12.78	H
	6843.36	-56.63	-13	-43.63	-81.63	-60.02	8.38	11.77	H
	3421.68	-57.76	-13	-44.76	-79.11	-64.64	5.6	12.48	V
	5132.52	-57.70	-13	-44.70	-81.56	-63.38	7.1	12.78	V
	6843.36	-54.70	-13	-41.70	-81.53	-58.09	8.38	11.77	V
Middle	3451.68	-58.51	-13	-45.51	-79.25	-65.36	5.65	12.50	H
	5177.52	-57.91	-13	-44.91	-81.39	-63.58	7.13	12.80	H
	6903.36	-56.83	-13	-43.83	-81.91	-60.23	8.4	11.80	H
	3451.68	-57.88	-13	-44.88	-79.56	-64.73	5.65	12.50	V
	5177.52	-57.87	-13	-44.87	-81.74	-63.54	7.13	12.80	V
	6903.36	-55.53	-13	-42.53	-81.89	-58.93	8.4	11.80	V
Highest	3481.68	-58.14	-13	-45.14	-79.47	-64.98	5.68	12.52	H
	5222.52	-58.12	-13	-45.12	-81.78	-63.79	7.15	12.82	H
	6963.36	-56.65	-13	-43.65	-81.85	-60.08	8.42	11.85	H
	3481.68	-57.31	-13	-44.31	-79.31	-64.15	5.68	12.52	V
	5222.52	-57.62	-13	-44.62	-81.45	-63.29	7.15	12.82	V
	6963.36	-56.36	-13	-43.36	-82.11	-59.79	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 4 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422.18	-58.70	-13	-45.70	-78.85	-65.58	5.6	12.48	H
	5133.27	-58.55	-13	-45.55	-81.67	-64.23	7.1	12.78	H
	6844.36	-56.70	-13	-43.70	-81.70	-60.09	8.38	11.77	H
	3422.18	-57.62	-13	-44.62	-78.97	-64.50	5.6	12.48	V
	5133.27	-57.84	-13	-44.84	-81.7	-63.52	7.1	12.78	V
	6844.36	-55.02	-13	-42.02	-81.85	-58.41	8.38	11.77	V
Middle	3447.18	-58.75	-13	-45.75	-79.49	-65.60	5.65	12.50	H
	5170.77	-57.92	-13	-44.92	-81.28	-63.59	7.13	12.80	H
	6894.36	-56.86	-13	-43.86	-81.95	-60.26	8.4	11.80	H
	3447.18	-57.86	-13	-44.86	-79.54	-64.71	5.65	12.50	V
	5170.77	-57.75	-13	-44.75	-81.61	-63.42	7.13	12.80	V
	6894.36	-55.45	-13	-42.45	-81.82	-58.85	8.4	11.80	V
Highest	3472.18	-58.16	-13	-45.16	-79.70	-65.00	5.68	12.52	H
	5208.27	-58.04	-13	-45.04	-81.70	-63.71	7.15	12.82	H
	6944.36	-56.43	-13	-43.43	-81.61	-59.86	8.42	11.85	H
	3472.18	-57.22	-13	-44.22	-78.56	-64.06	5.68	12.52	V
	5208.27	-57.68	-13	-44.68	-81.51	-63.35	7.15	12.82	V
	6944.36	-55.99	-13	-42.99	-81.9	-59.42	8.42	11.85	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.92	-66.15	-13	-53.15	-76.90	-69.38	3.98	9.36	H
	2474.88	-55.71	-13	-42.71	-74.05	-59.26	4.85	10.55	H
	3299.84	-59.59	-13	-46.59	-79.90	-64.52	5.50	12.58	H
	1649.92	-65.38	-13	-52.38	-76.77	-68.61	3.98	9.36	V
	2474.88	-56.44	-13	-43.44	-75.10	-59.99	4.85	10.55	V
	3299.84	-58.60	-13	-45.60	-79.80	-63.53	5.50	12.58	V
Middle	1671.92	-66.04	-13	-53.04	-76.98	-69.29	4.00	9.40	H
	2507.88	-56.70	-13	-43.70	-75.30	-60.27	4.88	10.60	H
	3343.84	-59.47	-13	-46.47	-80.08	-64.40	5.52	12.60	H
	1671.92	-65.12	-13	-52.12	-76.77	-68.37	4.00	9.40	V
	2507.88	-57.19	-13	-44.19	-76.00	-60.76	4.88	10.60	V
	3343.84	-59.24	-13	-46.24	-80.15	-64.17	5.52	12.60	V
Highest	1695.52	-65.71	-13	-52.71	-76.97	-68.88	4.10	9.42	H
	2543.28	-58.21	-13	-45.21	-76.94	-61.79	4.90	10.63	H
	3391.04	-60.57	-13	-47.57	-79.92	-65.49	5.55	12.62	H
	1695.52	-65.17	-13	-52.17	-77.10	-68.34	4.10	9.42	V
	2543.28	-57.91	-13	-44.91	-76.86	-61.49	4.90	10.63	V
	3391.04	-59.19	-13	-46.19	-79.87	-64.11	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.48	-65.90	-13	-52.90	-76.65	-69.13	3.98	9.36	H
	2472.72	-58.44	-13	-45.44	-76.78	-61.99	4.85	10.55	H
	3296.96	-59.36	-13	-46.36	-79.67	-64.29	5.50	12.58	H
	1648.48	-65.28	-13	-52.28	-76.67	-68.51	3.98	9.36	V
	2472.72	-58.22	-13	-45.22	-76.88	-61.77	4.85	10.55	V
	3296.96	-58.50	-13	-45.50	-79.70	-63.43	5.50	12.58	V
Middle	1670.48	-65.83	-13	-52.83	-76.71	-69.08	4.00	9.40	H
	2505.72	-57.85	-13	-44.85	-76.45	-61.42	4.88	10.60	H
	3340.96	-59.54	-13	-46.54	-80.15	-64.47	5.52	12.60	H
	1670.48	-65.38	-13	-52.38	-76.93	-68.63	4.00	9.40	V
	2505.72	-58.87	-13	-45.87	-77.68	-62.44	4.88	10.60	V
	3340.96	-58.80	-13	-45.80	-79.71	-63.73	5.52	12.60	V
Highest	1692.48	-65.77	-13	-52.77	-77.03	-68.94	4.10	9.42	H
	2538.72	-58.80	-13	-45.80	-77.53	-62.38	4.90	10.63	H
	3384.96	-60.49	-13	-47.49	-80.26	-65.41	5.55	12.62	H
	1692.48	-65.16	-13	-52.16	-77.09	-68.33	4.10	9.42	V
	2538.72	-58.96	-13	-45.96	-77.91	-62.54	4.90	10.63	V
	3384.96	-59.31	-13	-46.31	-80.07	-64.23	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.68	-66.14	-13	-53.14	-76.89	-69.37	3.98	9.36	H
	2473.02	-58.71	-13	-45.71	-77.05	-62.26	4.85	10.55	H
	3297.36	-59.16	-13	-46.16	-79.47	-64.09	5.50	12.58	H
	1648.68	-65.28	-13	-52.28	-76.67	-68.51	3.98	9.36	V
	2473.02	-59.48	-13	-46.48	-78.14	-63.03	4.85	10.55	V
	3297.36	-58.58	-13	-45.58	-79.78	-63.51	5.50	12.58	V
Middle	1668.68	-65.66	-13	-52.66	-76.54	-68.91	4.00	9.40	H
	2503.02	-59.27	-13	-46.27	-77.74	-62.84	4.88	10.60	H
	3337.36	-59.56	-13	-46.56	-80.07	-64.49	5.52	12.60	H
	1668.68	-65.37	-13	-52.37	-76.92	-68.62	4.00	9.40	V
	2503.02	-59.50	-13	-46.50	-78.23	-63.07	4.88	10.60	V
	3337.36	-58.93	-13	-45.93	-79.94	-63.86	5.52	12.60	V
Highest	1688.68	-65.98	-13	-52.98	-77.24	-69.15	4.10	9.42	H
	2533.02	-60.02	-13	-47.02	-78.69	-63.60	4.90	10.63	H
	3377.36	-60.47	-13	-47.47	-80.24	-65.39	5.55	12.62	H
	1688.68	-64.92	-13	-51.92	-76.85	-68.09	4.10	9.42	V
	2533.02	-59.66	-13	-46.66	-78.54	-63.24	4.90	10.63	V
	3377.36	-59.37	-13	-46.37	-80.13	-64.29	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.18	-66.01	-13	-53.01	-76.76	-69.24	3.98	9.36	H
	2473.77	-51.24	-13	-38.24	-69.58	-54.79	4.85	10.55	H
	3298.36	-59.38	-13	-46.38	-79.69	-64.31	5.50	12.58	H
	1649.18	-65.38	-13	-52.38	-76.77	-68.61	3.98	9.36	V
	2473.77	-53.55	-13	-40.55	-72.21	-57.10	4.85	10.55	V
	3298.36	-58.28	-13	-45.28	-79.48	-63.21	5.50	12.58	V
Middle	1664.18	-66.08	-13	-53.08	-76.96	-69.33	4.00	9.40	H
	2496.27	-52.20	-13	-39.20	-70.67	-55.77	4.88	10.60	H
	3328.36	-59.65	-13	-46.65	-80.16	-64.58	5.52	12.60	H
	1664.18	-65.40	-13	-52.40	-76.95	-68.65	4.00	9.40	V
	2496.27	-53.22	-13	-40.22	-71.95	-56.79	4.88	10.60	V
	3328.36	-58.69	-13	-45.69	-79.70	-63.62	5.52	12.60	V
Highest	1679.18	-65.79	-13	-52.79	-77.45	-68.96	4.10	9.42	H
	2518.77	-54.14	-13	-41.14	-79.46	-57.72	4.90	10.63	H
	3358.36	-59.76	-13	-46.76	-80.57	-64.68	5.55	12.62	H
	1679.18	-65.08	-13	-52.08	-77.63	-68.25	4.10	9.42	V
	2518.77	-55.26	-13	-42.26	-79.60	-58.84	4.90	10.63	V
	3358.36	-59.52	-13	-46.52	-80.73	-64.44	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.14	-57.80	-13	-44.80	-80.40	-64.56	5.82	12.58	H
	5550.21	-58.18	-13	-45.18	-82.09	-63.90	7.28	13.00	H
	7400.28	-55.55	-13	-42.55	-81.94	-58.71	8.32	11.48	H
	3700.14	-55.64	-13	-42.64	-79.93	-62.40	5.82	12.58	V
	5550.21	-57.62	-13	-44.62	-81.96	-63.34	7.28	13.00	V
	7400.28	-55.34	-13	-42.34	-81.7	-58.50	8.32	11.48	V
Middle	3763.74	-57.98	-13	-44.98	-80.37	-64.73	5.85	12.60	H
	5645.61	-57.78	-13	-44.78	-81.40	-63.58	7.3	13.10	H
	7527.48	-56.21	-13	-43.21	-82.09	-59.36	8.35	11.50	H
	3763.74	-55.87	-13	-42.87	-80.58	-62.62	5.85	12.60	V
	5645.61	-57.37	-13	-44.37	-81.14	-63.17	7.3	13.10	V
	7527.48	-56.43	-13	-43.43	-82.29	-59.58	8.35	11.50	V
Highest	3827.34	-58.29	-13	-45.29	-80.67	-65.03	5.88	12.62	H
	5741.01	-57.53	-13	-44.53	-81.75	-63.34	7.32	13.13	H
	7654.68	-56.27	-13	-43.27	-81.74	-59.43	8.38	11.54	H
	3827.34	-57.05	-13	-44.05	-81.03	-63.79	5.88	12.62	V
	5741.01	-56.95	-13	-43.95	-81.72	-62.76	7.32	13.13	V
	7654.68	-54.68	-13	-41.68	-81.18	-57.84	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.3	-57.74	-13	-44.74	-80.34	-64.50	5.82	12.58	H
	5550.45	-57.77	-13	-44.77	-81.68	-63.49	7.28	13.00	H
	7400.6	-55.84	-13	-42.84	-82.18	-59.00	8.32	11.48	H
	3700.3	-55.74	-13	-42.74	-80.03	-62.50	5.82	12.58	V
	5550.45	-57.64	-13	-44.64	-81.98	-63.36	7.28	13.00	V
	7400.6	-55.97	-13	-42.97	-82.28	-59.13	8.32	11.48	V
Middle	3762.3	-58.38	-13	-45.38	-80.32	-65.13	5.85	12.60	H
	5643.45	-58.17	-13	-45.17	-81.79	-63.97	7.3	13.10	H
	7524.6	-56.31	-13	-43.31	-82.19	-59.46	8.35	11.50	H
	3762.3	-55.71	-13	-42.71	-80.81	-62.46	5.85	12.60	V
	5643.45	-57.96	-13	-44.96	-81.73	-63.76	7.3	13.10	V
	7524.6	-56.53	-13	-43.53	-82.39	-59.68	8.35	11.50	V
Highest	3824.3	-58.35	-13	-45.35	-80.73	-65.09	5.88	12.62	H
	5736.45	-57.57	-13	-44.57	-81.79	-63.38	7.32	13.13	H
	7648.6	-56.42	-13	-43.42	-81.89	-59.58	8.38	11.54	H
	3824.3	-56.71	-13	-43.71	-80.69	-63.45	5.88	12.62	V
	5736.45	-56.96	-13	-43.96	-81.73	-62.77	7.32	13.13	V
	7648.6	-54.93	-13	-41.93	-81.43	-58.09	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.5	-57.78	-13	-44.78	-80.38	-64.54	5.82	12.58	H
	5550.75	-57.91	-13	-44.91	-81.82	-63.63	7.28	13.00	H
	7401	-55.56	-13	-42.56	-81.90	-58.72	8.32	11.48	H
	3700.5	-56.01	-13	-43.01	-80.3	-62.77	5.82	12.58	V
	5550.75	-57.27	-13	-44.27	-81.61	-62.99	7.28	13.00	V
	7401	-55.50	-13	-42.50	-81.81	-58.66	8.32	11.48	V
Middle	3760.5	-58.06	-13	-45.06	-80.00	-64.81	5.85	12.60	H
	5640.75	-58.15	-13	-45.15	-81.77	-63.95	7.3	13.10	H
	7521	-56.41	-13	-43.41	-82.29	-59.56	8.35	11.50	H
	3760.5	-55.82	-13	-42.82	-80.92	-62.57	5.85	12.60	V
	5640.75	-57.90	-13	-44.90	-81.67	-63.70	7.3	13.10	V
	7521	-56.53	-13	-43.53	-82.39	-59.68	8.35	11.50	V
Highest	3820.5	-58.31	-13	-45.31	-80.69	-65.05	5.88	12.62	H
	5730.75	-57.82	-13	-44.82	-81.94	-63.63	7.32	13.13	H
	7641	-56.23	-13	-43.23	-81.71	-59.39	8.38	11.54	H
	3820.5	-56.79	-13	-43.79	-80.77	-63.53	5.88	12.62	V
	5730.75	-57.08	-13	-44.08	-81.68	-62.89	7.32	13.13	V
	7641	-55.12	-13	-42.12	-81.63	-58.28	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701	-57.62	-13	-44.62	-80.22	-64.38	5.82	12.58	H
	5551.5	-57.96	-13	-44.96	-81.87	-63.68	7.28	13.00	H
	7402	-55.80	-13	-42.80	-82.14	-58.96	8.32	11.48	H
	3701	-55.83	-13	-42.83	-80.12	-62.59	5.82	12.58	V
	5551.5	-57.37	-13	-44.37	-81.71	-63.09	7.28	13.00	V
	7402	-55.83	-13	-42.83	-82.14	-58.99	8.32	11.48	V
Middle	3756	-58.48	-13	-45.48	-80.42	-65.23	5.85	12.60	H
	5634	-57.97	-13	-44.97	-81.59	-63.77	7.3	13.10	H
	7512	-55.94	-13	-42.94	-81.88	-59.09	8.35	11.50	H
	3756	-55.80	-13	-42.80	-80.9	-62.55	5.85	12.60	V
	5634	-57.56	-13	-44.56	-81.33	-63.36	7.3	13.10	V
	7512	-56.26	-13	-43.26	-82.19	-59.41	8.35	11.50	V
Highest	3811	-58.37	-13	-45.37	-80.65	-65.11	5.88	12.62	H
	5716.5	-57.23	-13	-44.23	-81.25	-63.04	7.32	13.13	H
	7622	-56.32	-13	-43.32	-81.84	-59.48	8.38	11.54	H
	3811	-56.54	-13	-43.54	-80.46	-63.28	5.88	12.62	V
	5716.5	-57.01	-13	-44.01	-81.45	-62.82	7.32	13.13	V
	7622	-55.80	-13	-42.80	-82	-58.96	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.5	-57.27	-13	-44.27	-79.87	-64.03	5.82	12.58	H
	5552.25	-58.01	-13	-45.01	-81.92	-63.73	7.28	13.00	H
	7403	-55.66	-13	-42.66	-82.00	-58.82	8.32	11.48	H
	3701.5	-55.65	-13	-42.65	-79.94	-62.41	5.82	12.58	V
	5552.25	-57.29	-13	-44.29	-81.63	-63.01	7.28	13.00	V
	7403	-55.95	-13	-42.95	-82.26	-59.11	8.32	11.48	V
Middle	3751.5	-58.25	-13	-45.25	-80.19	-65.00	5.85	12.60	H
	5627.25	-58.15	-13	-45.15	-81.85	-63.95	7.3	13.10	H
	7503	-55.77	-13	-42.77	-81.71	-58.92	8.35	11.50	H
	3751.5	-55.67	-13	-42.67	-80.77	-62.42	5.85	12.60	V
	5627.25	-57.63	-13	-44.63	-81.83	-63.43	7.3	13.10	V
	7503	-56.04	-13	-43.04	-81.97	-59.19	8.35	11.50	V
Highest	3801.5	-58.23	-13	-45.23	-80.51	-64.97	5.88	12.62	H
	5702.25	-57.73	-13	-44.73	-81.75	-63.54	7.32	13.13	H
	7603	-56.20	-13	-43.20	-81.81	-59.36	8.38	11.54	H
	3801.5	-56.83	-13	-43.83	-80.75	-63.57	5.88	12.62	V
	5702.25	-56.92	-13	-43.92	-81.36	-62.73	7.32	13.13	V
	7603	-56.26	-13	-43.26	-81.87	-59.42	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-58.00	-13	-45.00	-80.60	-64.76	5.82	12.58	H
	5553	-58.18	-13	-45.18	-82.09	-63.90	7.28	13.00	H
	7404	-55.93	-13	-42.93	-82.27	-59.09	8.32	11.48	H
	3702	-55.56	-13	-42.56	-79.85	-62.32	5.82	12.58	V
	5553	-57.58	-13	-44.58	-81.92	-63.30	7.28	13.00	V
	7404	-55.67	-13	-42.67	-81.98	-58.83	8.32	11.48	V
Middle	3747	-58.40	-13	-45.40	-80.34	-65.15	5.85	12.60	H
	5620.5	-58.18	-13	-45.18	-81.88	-63.98	7.3	13.10	H
	7494	-56.21	-13	-43.21	-82.21	-59.36	8.35	11.50	H
	3747	-55.82	-13	-42.82	-80.92	-62.57	5.85	12.60	V
	5620.5	-57.20	-13	-44.20	-81.4	-63.00	7.3	13.10	V
	7494	-56.42	-13	-43.42	-82.41	-59.57	8.35	11.50	V
Highest	3792	-58.32	-13	-45.32	-81.15	-65.06	5.88	12.62	H
	5688	-57.91	-13	-44.91	-81.83	-63.72	7.32	13.13	H
	7584	-56.48	-13	-43.48	-82.16	-59.64	8.38	11.54	H
	3792	-56.34	-13	-43.34	-80.66	-63.08	5.88	12.62	V
	5688	-57.36	-13	-44.36	-81.63	-63.17	7.32	13.13	V
	7584	-56.67	-13	-43.67	-82.35	-59.83	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.14	-69.93	-13	-56.93	-79.00	-73.16	3.98	9.36	H
	2472.21	-67.29	-13	-54.29	-80.79	-70.84	4.85	10.55	H
	3296.28	-66.40	-13	-53.40	-81.98	-71.33	5.50	12.58	H
	1648.14	-70.46	-13	-57.46	-79.16	-73.69	3.98	9.36	V
	2472.21	-67.12	-13	-54.12	-80.55	-70.67	4.85	10.55	V
	3296.28	-66.31	-13	-53.31	-81.96	-71.24	5.50	12.58	V
Middle	1671.74	-70.30	-13	-57.30	-79.15	-73.55	4.00	9.40	H
	2507.61	-64.25	-13	-51.25	-77.73	-67.82	4.88	10.60	H
	3343.48	-66.77	-13	-53.77	-82.24	-71.70	5.52	12.60	H
	1671.74	-70.18	-13	-57.18	-78.82	-73.43	4.00	9.40	V
	2507.61	-66.55	-13	-53.55	-79.88	-70.12	4.88	10.60	V
	3343.48	-66.90	-13	-53.90	-82.37	-71.83	5.52	12.60	V
Highest	1695.34	-69.92	-13	-56.92	-78.90	-73.09	4.10	9.42	H
	2543.01	-65.68	-13	-52.68	-79.08	-69.26	4.90	10.63	H
	3390.68	-67.00	-13	-54.00	-82.03	-71.92	5.55	12.62	H
	1695.34	-70.31	-13	-57.31	-79.09	-73.48	4.10	9.42	V
	2543.01	-66.81	-13	-53.81	-80.11	-70.39	4.90	10.63	V
	3390.68	-67.46	-13	-54.46	-82.52	-72.38	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.3	-70.19	-13	-57.19	-79.26	-73.42	3.98	9.36	H
	2472.45	-67.13	-13	-54.13	-80.63	-70.68	4.85	10.55	H
	3296.6	-66.48	-13	-53.48	-82.06	-71.41	5.50	12.58	H
	1648.3	-70.59	-13	-57.59	-79.29	-75.52	5.50	12.58	V
	2472.45	-67.16	-13	-54.16	-80.59	-71.63	5.98	12.60	V
	3296.6	-66.17	-13	-53.17	-81.82	-69.60	7.10	12.68	V
Middle	1670.3	-70.25	-13	-57.25	-79.22	-73.50	4.00	9.40	H
	2505.45	-67.29	-13	-54.29	-80.77	-70.86	4.88	10.60	H
	3340.6	-66.78	-13	-53.78	-82.25	-71.71	5.52	12.60	H
	1670.3	-70.51	-13	-57.51	-79.20	-75.44	5.52	12.60	V
	2505.45	-67.55	-13	-54.55	-80.88	-72.02	6.00	12.62	V
	3340.6	-66.59	-13	-53.59	-82.06	-70.00	7.14	12.70	V
Highest	1692.3	-69.68	-13	-56.68	-78.66	-72.85	4.10	9.42	H
	2538.45	-66.76	-13	-53.76	-80.20	-70.34	4.90	10.63	H
	3384.6	-67.38	-13	-54.38	-82.55	-72.30	5.55	12.62	H
	1692.3	-70.14	-13	-57.14	-78.92	-75.06	5.55	12.62	V
	2538.45	-67.47	-13	-54.47	-80.79	-71.95	6.02	12.65	V
	3384.6	-67.06	-13	-54.06	-82.26	-70.48	7.15	12.72	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.5	-69.84	-13	-56.84	-78.91	-73.07	3.98	9.36	H
	2472.75	-65.92	-13	-52.92	-79.42	-69.47	4.85	10.55	H
	3297	-66.50	-13	-53.50	-82.08	-71.43	5.50	12.58	H
	1648.5	-70.71	-13	-57.71	-79.41	-75.64	5.50	12.58	V
	2472.75	-65.87	-13	-52.87	-79.30	-70.34	5.98	12.60	V
	3297	-66.39	-13	-53.39	-82.04	-69.82	7.10	12.68	V
Middle	1668.5	-70.23	-13	-57.23	-79.20	-73.48	4.00	9.40	H
	2502.75	-66.92	-13	-53.92	-80.42	-70.49	4.88	10.60	H
	3337	-66.47	-13	-53.47	-81.97	-71.40	5.52	12.60	H
	1668.5	-69.96	-13	-56.96	-78.65	-74.89	5.52	12.60	V
	2502.75	-67.32	-13	-54.32	-80.71	-71.79	6.00	12.62	V
	3337	-66.65	-13	-53.65	-82.18	-70.06	7.14	12.70	V
Highest	1688.5	-70.23	-13	-57.23	-79.10	-73.40	4.10	9.42	H
	2532.75	-64.90	-13	-51.90	-78.34	-68.48	4.90	10.63	H
	3377	-67.01	-13	-54.01	-82.18	-71.93	5.55	12.62	H
	1688.5	-70.15	-13	-57.15	-78.81	-75.07	5.55	12.62	V
	2532.75	-66.30	-13	-53.30	-79.62	-70.78	6.02	12.65	V
	3377	-66.81	-13	-53.81	-82.01	-70.23	7.15	12.72	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648.5	-70.00	-13	-57.00	-79.07	-73.23	3.98	9.36	H
	2472.75	-67.08	-13	-54.08	-80.58	-70.63	4.85	10.55	H
	3297	-66.55	-13	-53.55	-82.13	-71.48	5.50	12.58	H
	1648.5	-70.16	-13	-57.16	-78.86	-75.09	5.50	12.58	V
	2472.75	-66.78	-13	-53.78	-80.21	-71.25	5.98	12.60	V
	3297	-66.05	-13	-53.05	-81.70	-69.48	7.10	12.68	V
Middle	1668.5	-69.87	-13	-56.87	-78.84	-73.12	4.00	9.40	H
	2502.75	-67.19	-13	-54.19	-80.69	-70.76	4.88	10.60	H
	3337	-66.71	-13	-53.71	-82.21	-71.64	5.52	12.60	H
	1668.5	-69.93	-13	-56.93	-78.62	-74.86	5.52	12.60	V
	2502.75	-67.28	-13	-54.28	-80.67	-71.75	6.00	12.62	V
	3337	-66.75	-13	-53.75	-82.28	-70.16	7.14	12.70	V
Highest	1688.5	-69.55	-13	-56.55	-78.42	-72.72	4.10	9.42	H
	2532.75	-64.03	-13	-51.03	-77.47	-67.61	4.90	10.63	H
	3377	-67.09	-13	-54.09	-82.26	-72.01	5.55	12.62	H
	1688.5	-70.17	-13	-57.17	-78.83	-75.09	5.55	12.62	V
	2532.75	-67.01	-13	-54.01	-80.33	-71.49	6.02	12.65	V
	3377	-67.25	-13	-54.25	-82.45	-70.67	7.15	12.72	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1649.5	-69.73	-13	-56.73	-78.80	-72.96	3.98	9.36	H
	2474.25	-67.21	-13	-54.21	-80.71	-70.76	4.85	10.55	H
	3299	-66.20	-13	-53.20	-81.78	-71.13	5.50	12.58	H
	1649.5	-70.60	-13	-57.60	-79.30	-75.53	5.50	12.58	V
	2474.25	-66.88	-13	-53.88	-80.31	-71.35	5.98	12.60	V
	3299	-66.40	-13	-53.40	-82.05	-69.83	7.10	12.68	V
Middle	1659.5	-70.20	-13	-57.20	-79.17	-73.45	4.00	9.40	H
	2489.25	-67.05	-13	-54.05	-80.53	-70.62	4.88	10.60	H
	3319	-66.53	-13	-53.53	-82.07	-71.46	5.52	12.60	H
	1659.5	-70.56	-13	-57.56	-79.25	-75.49	5.52	12.60	V
	2489.25	-67.34	-13	-54.34	-80.71	-71.81	6.00	12.62	V
	3319	-66.91	-13	-53.91	-82.50	-70.32	7.14	12.70	V
Highest	1669.5	-69.84	-13	-56.84	-78.81	-73.01	4.10	9.42	H
	2504.25	-67.37	-13	-54.37	-80.87	-70.95	4.90	10.63	H
	3339	-66.56	-13	-53.56	-82.03	-71.48	5.55	12.62	H
	1669.5	-70.40	-13	-57.40	-79.09	-75.32	5.55	12.62	V
	2504.25	-66.98	-13	-53.98	-80.37	-71.46	6.02	12.65	V
	3339	-66.77	-13	-53.77	-82.24	-70.19	7.15	12.72	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 1.4MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.14	-61.21	-13	-48.21	-74.91	-69.21	4.58	12.58	H
	5130.21	-61.10	-13	-48.10	-79.03	-67.56	6.21	12.67	H
	6840.28	-60.09	-13	-47.09	-79.71	-64.88	8.16	12.95	H
	3420.14	-62.41	-13	-49.41	-73.82	-70.41	4.58	12.58	V
	5130.21	-65.72	-13	-52.72	-79.33	-72.18	6.21	12.67	V
	6840.28	-60.67	-13	-47.67	-79.79	-65.46	8.16	12.95	V
Middle	3488.74	-62.22	-13	-49.22	-75.92	-70.19	4.63	12.60	H
	5233.11	-61.42	-13	-48.42	-79.35	-67.87	6.25	12.70	H
	6977.48	-59.75	-13	-46.75	-79.37	-64.52	8.23	13.00	H
	3488.74	-63.82	-13	-50.82	-75.23	-71.79	4.63	12.60	V
	5233.11	-65.82	-13	-52.82	-79.43	-72.27	6.25	12.70	V
	6977.48	-60.39	-13	-47.39	-79.51	-65.16	8.23	13.00	V
Highest	3557.34	-62.99	-13	-49.99	-76.69	-71.09	4.66	12.76	H
	5336.01	-61.80	-13	-48.80	-79.73	-68.34	6.31	12.85	H
	7114.68	-59.94	-13	-46.94	-79.56	-64.81	8.35	13.22	H
	3557.34	-64.76	-13	-51.76	-76.17	-72.86	4.66	12.76	V
	5336.01	-65.86	-13	-52.86	-79.47	-72.40	6.31	12.85	V
	7114.68	-60.58	-13	-47.58	-79.7	-65.45	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 3MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.3	-62.07	-13	-49.07	-75.77	-70.07	4.58	12.58	H
	5130.45	-61.04	-13	-48.04	-78.97	-67.50	6.21	12.67	H
	6840.6	-60.08	-13	-47.08	-79.70	-64.87	8.16	12.95	H
	3420.3	-63.25	-13	-50.25	-74.66	-71.25	4.58	12.58	V
	5130.45	-65.58	-13	-52.58	-79.19	-72.04	6.21	12.67	V
	6840.6	-60.55	-13	-47.55	-79.67	-65.34	8.16	12.95	V
Middle	3487.3	-62.48	-13	-49.48	-76.18	-70.45	4.63	12.60	H
	5230.95	-61.24	-13	-48.24	-79.17	-67.69	6.25	12.70	H
	6974.6	-59.89	-13	-46.89	-79.51	-64.66	8.23	13.00	H
	3487.3	-63.46	-13	-50.46	-74.87	-71.43	4.63	12.60	V
	5230.95	-65.85	-13	-52.85	-79.46	-72.30	6.25	12.70	V
	6974.6	-60.54	-13	-47.54	-79.66	-65.31	8.23	13.00	V
Highest	3554.3	-61.18	-13	-48.18	-74.88	-69.28	4.66	12.76	H
	5331.45	-61.47	-13	-48.47	-79.40	-68.01	6.31	12.85	H
	7108.6	-60.24	-13	-47.24	-79.86	-65.11	8.35	13.22	H
	3554.3	-64.74	-13	-51.74	-76.15	-72.84	4.66	12.76	V
	5331.45	-65.94	-13	-52.94	-79.55	-72.48	6.31	12.85	V
	7108.6	-60.79	-13	-47.79	-79.91	-65.66	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 5MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420.5	-60.99	-13	-47.99	-74.69	-68.99	4.58	12.58	H
	5130.75	-61.36	-13	-48.36	-79.29	-67.82	6.21	12.67	H
	6841	-59.93	-13	-46.93	-79.55	-64.72	8.16	12.95	H
	3420.5	-62.64	-13	-49.64	-74.05	-70.64	4.58	12.58	V
	5130.75	-65.77	-13	-52.77	-79.38	-72.23	6.21	12.67	V
	6841	-60.31	-13	-47.31	-79.43	-65.10	8.16	12.95	V
Middle	3485.5	-59.96	-13	-46.96	-73.66	-67.93	4.63	12.60	H
	5228.25	-61.23	-13	-48.23	-79.16	-67.68	6.25	12.70	H
	6971	-59.87	-13	-46.87	-79.49	-64.64	8.23	13.00	H
	3485.5	-62.46	-13	-49.46	-73.87	-70.43	4.63	12.60	V
	5228.25	-65.77	-13	-52.77	-79.38	-72.22	6.25	12.70	V
	6971	-60.38	-13	-47.38	-79.5	-65.15	8.23	13.00	V
Highest	3550.5	-61.61	-13	-48.61	-75.31	-69.71	4.66	12.76	H
	5325.75	-61.79	-13	-48.79	-79.72	-68.33	6.31	12.85	H
	7101	-60.15	-13	-47.15	-79.77	-65.02	8.35	13.22	H
	3550.5	-63.67	-13	-50.67	-75.08	-71.77	4.66	12.76	V
	5325.75	-66.09	-13	-53.09	-79.7	-72.63	6.31	12.85	V
	7101	-60.74	-13	-47.74	-79.86	-65.61	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 10MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421	-58.35	-13	-45.35	-72.05	-66.35	4.58	12.58	H
	5131.5	-61.30	-13	-48.30	-79.23	-67.76	6.21	12.67	H
	6842	-60.01	-13	-47.01	-79.63	-64.80	8.16	12.95	H
	3421	-60.84	-13	-47.84	-72.25	-68.84	4.58	12.58	V
	5131.5	-65.51	-13	-52.51	-79.12	-71.97	6.21	12.67	V
	6842	-60.54	-13	-47.54	-79.66	-65.33	8.16	12.95	V
Middle	3481	-59.71	-13	-46.71	-73.41	-67.68	4.63	12.60	H
	5221.5	-61.22	-13	-48.22	-79.15	-67.67	6.25	12.70	H
	6962	-59.75	-13	-46.75	-79.37	-64.52	8.23	13.00	H
	3481	-62.00	-13	-49.00	-73.41	-69.97	4.63	12.60	V
	5221.5	-65.54	-13	-52.54	-79.15	-71.99	6.25	12.70	V
	6962	-60.28	-13	-47.28	-79.4	-65.05	8.23	13.00	V
Highest	3541	-60.86	-13	-47.86	-74.56	-68.96	4.66	12.76	H
	5311.5	-61.71	-13	-48.71	-79.64	-68.25	6.31	12.85	H
	7082	-60.10	-13	-47.10	-79.72	-64.97	8.35	13.22	H
	3541	-62.09	-13	-49.09	-73.5	-70.19	4.66	12.76	V
	5311.5	-66.04	-13	-53.04	-79.65	-72.58	6.31	12.85	V
	7082	-60.56	-13	-47.56	-79.68	-65.43	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3421.5	-59.27	-13	-46.27	-72.97	-67.27	4.58	12.58	H
	5132.25	-61.30	-13	-48.30	-79.23	-67.76	6.21	12.67	H
	6843	-60.19	-13	-47.19	-79.81	-64.98	8.16	12.95	H
	3421.5	-60.79	-13	-47.79	-72.2	-68.79	4.58	12.58	V
	5132.25	-65.68	-13	-52.68	-79.29	-72.14	6.21	12.67	V
	6843	-60.61	-13	-47.61	-79.73	-65.40	8.16	12.95	V
Middle	3476.5	-59.90	-13	-46.90	-73.60	-67.87	4.63	12.60	H
	5214.75	-61.50	-13	-48.50	-79.43	-67.95	6.25	12.70	H
	6953	-59.89	-13	-46.89	-79.51	-64.66	8.23	13.00	H
	3476.5	-62.19	-13	-49.19	-73.6	-70.16	4.63	12.60	V
	5214.75	-65.86	-13	-52.86	-79.47	-72.31	6.25	12.70	V
	6953	-60.45	-13	-47.45	-79.57	-65.22	8.23	13.00	V
Highest	3531.5	-60.99	-13	-47.99	-74.69	-69.09	4.66	12.76	H
	5297.25	-61.87	-13	-48.87	-79.80	-68.41	6.31	12.85	H
	7063	-60.01	-13	-47.01	-79.63	-64.88	8.35	13.22	H
	3531.5	-62.23	-13	-49.23	-73.64	-70.33	4.66	12.76	V
	5297.25	-66.06	-13	-53.06	-79.67	-72.60	6.31	12.85	V
	7063	-60.44	-13	-47.44	-79.56	-65.31	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-57.01	-13	-44.01	-70.71	-65.01	4.58	12.58	H
	5133	-61.24	-13	-48.24	-79.17	-67.70	6.21	12.67	H
	6844	-60.05	-13	-47.05	-79.67	-64.84	8.16	12.95	H
	3422	-60.83	-13	-47.83	-72.24	-68.83	4.58	12.58	V
	5133	-65.49	-13	-52.49	-79.1	-71.95	6.21	12.67	V
	6844	-60.24	-13	-47.24	-79.36	-65.03	8.16	12.95	V
Middle	3472	-61.19	-13	-48.19	-74.89	-69.16	4.63	12.60	H
	5208	-61.42	-13	-48.42	-79.35	-67.87	6.25	12.70	H
	6944	-59.82	-13	-46.82	-79.44	-64.59	8.23	13.00	H
	3472	-62.11	-13	-49.11	-73.52	-70.08	4.63	12.60	V
	5208	-65.87	-13	-52.87	-79.48	-72.32	6.25	12.70	V
	6944	-60.54	-13	-47.54	-79.66	-65.31	8.23	13.00	V
Highest	3522	-59.39	-13	-46.39	-73.09	-67.49	4.66	12.76	H
	5283	-61.75	-13	-48.75	-79.68	-68.29	6.31	12.85	H
	7044	-60.08	-13	-47.08	-79.70	-64.95	8.35	13.22	H
	3522	-62.96	-13	-49.96	-74.37	-71.06	4.66	12.76	V
	5283	-65.99	-13	-52.99	-79.6	-72.53	6.31	12.85	V
	7044	-60.28	-13	-47.28	-79.4	-65.15	8.35	13.22	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66C_CA / 20M+20M / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3422	-63.28	-13	-50.28	-78.12	-70.04	5.82	12.58	H
	5133	-59.18	-13	-46.18	-80.89	-64.90	7.28	13.00	H
	6844	-57.17	-13	-44.17	-81.08	-60.33	8.32	11.48	H
	3422	-63.62	-13	-50.62	-77.96	-70.38	5.82	12.58	V
	5133	-60.33	-13	-47.33	-81.26	-66.05	7.28	13.00	V
	6844	-57.88	-13	-44.88	-80.91	-61.04	8.32	11.48	V
Middle	3472	-62.31	-13	-49.31	-77.83	-69.06	5.85	12.60	H
	5208	-59.28	-13	-46.28	-80.67	-65.08	7.30	13.10	H
	6944	-57.39	-13	-44.39	-81.04	-60.54	8.35	11.50	H
	3472	-62.88	-13	-49.88	-77.91	-69.63	5.85	12.60	V
	5208	-60.37	-13	-47.37	-80.69	-66.17	7.30	13.10	V
	6944	-58.05	-13	-45.05	-81.42	-61.20	8.35	11.50	V
Highest	3522	-62.05	-13	-49.05	-78.24	-68.79	5.88	12.62	H
	5283	-60.22	-13	-47.22	-80.98	-66.03	7.32	13.13	H
	7044	-56.84	-13	-43.84	-80.98	-60.00	8.38	11.54	H
	3522	-62.55	-13	-49.55	-78.26	-69.29	5.88	12.62	V
	5283	-61.23	-13	-48.23	-80.93	-67.04	7.32	13.13	V
	7044	-57.14	-13	-44.14	-81.11	-60.30	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.