



EN-DC_66A_n41A													
Combination 60MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
505200	2526	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.16	11.97	22.56	0.1137	
					1	160	1	99	22.1	11.97	22.50	0.1123	
					81	40	100	0	22.01	11.98	22.42	0.1102	
				QPSK DFT-s-OFDM	1	1	1	0	22.18	12.05	22.58	0.1143	
					1	160	1	99	22.06	11.97	22.47	0.1113	
					81	40	100	0	21.95	11.99	22.37	0.1088	
518598	2592.99	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.3	12.05	22.69	0.1173	
					1	160	1	99	22.97	12.07	23.31	0.1352	
					81	40	100	0	22.64	12.07	23.01	0.1260	
				QPSK DFT-s-OFDM	1	1	1	0	22.31	12.03	22.70	0.1175	
					1	160	1	99	23.06	11.99	23.39	0.1376	
					81	40	100	0	22.69	12.04	23.05	0.1273	
531996	2659.98	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.75	11.97	23.10	0.1288	
					1	160	1	99	21.88	11.95	22.30	0.1072	
					81	40	100	0	22.57	12	22.94	0.1240	
				QPSK DFT-s-OFDM	1	1	1	0	22.9	12.03	23.24	0.1331	
					1	160	1	99	22.16	12.01	22.56	0.1138	
					81	40	100	0	22.66	11.93	23.01	0.1263	



EN-DC_66A_n41A													
Combination 20MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
501204	2506.02	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.07	11.84	22.46	0.1113	
					1	49	1	99	21.97	11.81	22.37	0.1089	
					25	12	100	0	21.99	11.87	22.39	0.1095	
				QPSK DFT-s-OFDM	1	1	1	0	22.09	11.83	22.48	0.1117	
					1	49	1	99	22.07	11.88	22.47	0.1114	
					25	12	100	0	22.01	11.77	22.40	0.1097	
518598	2592.99	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.65	11.87	23.00	0.1258	
					1	49	1	99	22.5	11.76	22.85	0.1217	
					25	12	100	0	22.61	11.77	22.95	0.1246	
				QPSK DFT-s-OFDM	1	1	1	0	22.63	11.93	22.98	0.1255	
					1	49	1	99	22.62	11.77	22.96	0.1248	
					25	12	100	0	22.5	11.91	22.86	0.1220	
535998	2679.99	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.3	11.78	22.67	0.1167	
					1	49	1	99	21.89	11.83	22.30	0.1071	
					25	12	100	0	22.34	11.84	22.71	0.1178	
				QPSK DFT-s-OFDM	1	1	1	0	22.45	11.87	22.81	0.1206	
					1	49	1	99	21.88	11.76	22.28	0.1067	
					25	12	100	0	22.11	11.84	22.50	0.1122	



EN-DC_5A_n66A													
Combination 20MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
344000	1720	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.35	12.55	22.78	0.1197	
					1	104	1	49	22.23	12.53	22.67	0.1167	
					50	25	50	0	22.22	12.59	22.67	0.1167	
				QPSK DFT-s-OFDM	1	1	1	0	22.46	12.53	22.88	0.1225	
					1	104	1	49	22.26	12.52	22.70	0.1174	
					50	25	50	0	22.35	12.55	22.78	0.1197	
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.26	12.59	22.70	0.1176	
					1	104	1	49	22.11	12.61	22.57	0.1141	
					50	25	50	0	22.14	12.44	22.58	0.1143	
				QPSK DFT-s-OFDM	1	1	1	0	22.28	12.52	22.72	0.1179	
					1	104	1	49	22.12	12.58	22.58	0.1142	
					50	25	50	0	22.16	12.54	22.61	0.1151	
354000	1770	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.55	12.49	22.96	0.1247	
					1	104	1	49	22.39	12.5	22.81	0.1206	
					50	25	50	0	22.44	12.51	22.86	0.1219	
				QPSK DFT-s-OFDM	1	1	1	0	22.73	12.58	23.13	0.1297	
					1	104	1	49	22.54	12.47	22.95	0.1244	
					50	25	50	0	22.47	12.44	22.88	0.1225	



EN-DC_5A_n66A													
Combination 10MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
343000	1715	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.65	12.13	23.02	0.1264	
					1	50	1	49	22.63	12.07	23.00	0.1258	
					25	12	50	0	22.68	12.06	23.04	0.1271	
				QPSK DFT-s-OFDM	1	1	1	0	22.66	12.08	23.02	0.1266	
					1	50	1	49	22.65	12.06	23.01	0.1263	
					25	12	50	0	22.72	12.04	23.08	0.1281	
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.38	11.98	22.76	0.1191	
					1	50	1	49	22.28	12	22.67	0.1167	
					25	12	50	0	22.45	12.04	22.83	0.1210	
				QPSK DFT-s-OFDM	1	1	1	0	22.52	12.01	22.89	0.1227	
					1	50	1	49	22.55	11.98	22.92	0.1235	
					25	12	50	0	22.46	12.05	22.84	0.1213	
355000	1775	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.21	12.02	22.61	0.1150	
					1	50	1	49	22.22	11.93	22.61	0.1150	
					25	12	50	0	22.25	11.99	22.64	0.1159	
				QPSK DFT-s-OFDM	1	1	1	0	22.45	12.01	22.83	0.1209	
					1	50	1	49	22.15	11.99	22.55	0.1135	
					25	12	50	0	22.24	11.96	22.63	0.1156	



EN-DC_5A_n66A													
Combination 5MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
342500	1712.5	20450	829	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.02	12.61	22.49	0.1120	
					1	49	1	49	22.05	12.54	22.51	0.1125	
					25	12	50	0	22.03	12.58	22.50	0.1121	
				QPSK DFT-s-OFDM	1	1	1	0	21.99	12.47	22.45	0.1109	
					1	49	1	49	22.02	12.7	22.50	0.1122	
					25	12	50	0	22	12.58	22.47	0.1114	
349000	1745	20525	836.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.91	12.61	22.39	0.1095	
					1	49	1	49	21.86	12.55	22.34	0.1082	
					25	12	50	0	21.93	12.48	22.40	0.1096	
				QPSK DFT-s-OFDM	1	1	1	0	21.9	12.7	22.39	0.1095	
					1	49	1	49	21.88	12.53	22.36	0.1086	
					25	12	50	0	21.82	12.66	22.32	0.1076	
355500	1777.5	20600	844	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.74	12.4	22.22	0.1052	
					1	49	1	49	21.69	12.38	22.17	0.1040	
					25	12	50	0	21.71	12.44	22.20	0.1046	
				QPSK DFT-s-OFDM	1	1	1	0	21.69	12.44	22.18	0.1042	
					1	49	1	49	21.67	12.47	22.16	0.1038	
					25	12	50	0	21.7	12.49	22.19	0.1045	



EN-DC_12A_n66A													
Combination 20MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
344000	1720	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.88	12.81	23.29	0.1345	
					1	104	1	49	22.69	12.8	23.11	0.1292	
					50	25	50	0	22.82	12.86	23.24	0.1330	
				QPSK DFT-s-OFDM	1	1	1	0	22.89	12.81	23.30	0.1348	
					1	104	1	49	22.91	12.81	23.31	0.1354	
					50	25	50	0	22.82	12.89	23.24	0.1331	
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.73	12.76	23.15	0.1302	
					1	104	1	49	22.49	12.79	22.93	0.1239	
					50	25	50	0	22.5	12.82	22.94	0.1243	
				QPSK DFT-s-OFDM	1	1	1	0	22.67	12.81	23.10	0.1287	
					1	104	1	49	22.53	12.78	22.97	0.1249	
					50	25	50	0	22.57	12.72	23.00	0.1258	
354000	1770	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.26	12.74	22.72	0.1180	
					1	104	1	49	22.05	12.75	22.53	0.1130	
					50	25	50	0	22.13	12.79	22.61	0.1150	
				QPSK DFT-s-OFDM	1	1	1	0	22.41	12.78	22.86	0.1219	
					1	104	1	49	22.09	12.76	22.57	0.1140	
					50	25	50	0	22.14	12.7	22.61	0.1150	



EN-DC_12A_n66A													
Combination 10MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
343000	1715	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.71	12.28	23.09	0.1284	
					1	50	1	49	22.7	12.29	23.08	0.1282	
					25	12	50	0	22.71	12.28	23.09	0.1284	
				QPSK DFT-s-OFDM	1	1	1	0	22.68	12.21	23.05	0.1274	
					1	50	1	49	22.78	12.27	23.15	0.1303	
					25	12	50	0	22.7	12.25	23.07	0.1281	
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.4	12.21	22.80	0.1201	
					1	50	1	49	22.41	12.21	22.81	0.1204	
					25	12	50	0	22.42	12.18	22.81	0.1206	
				QPSK DFT-s-OFDM	1	1	1	0	22.68	12.16	23.05	0.1273	
					1	50	1	49	22.59	12.23	22.97	0.1251	
					25	12	50	0	22.53	12.19	22.91	0.1234	
355000	1775	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.28	12.18	22.68	0.1171	
					1	50	1	49	22.21	12.18	22.62	0.1154	
					25	12	50	0	22.29	12.24	22.70	0.1175	
				QPSK DFT-s-OFDM	1	1	1	0	22.46	12.18	22.85	0.1216	
					1	50	1	49	22.26	12.25	22.67	0.1168	
					25	12	50	0	22.33	12.22	22.73	0.1184	



EN-DC_12A_n66A													
Combination 5MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
342500	1712.5	23060	704	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.1	12.64	22.57	0.1139	
					1	49	1	49	22.07	12.41	22.52	0.1126	
					25	12	50	0	22.16	12.59	22.61	0.1152	
				QPSK DFT-s-OFDM	1	1	1	0	22.12	12.6	22.58	0.1143	
					1	49	1	49	22.12	12.63	22.58	0.1144	
					25	12	50	0	22.13	12.59	22.59	0.1145	
349000	1745	23095	707.5	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.89	12.51	22.36	0.1087	
					1	49	1	49	21.98	12.68	22.46	0.1112	
					25	12	50	0	21.92	12.51	22.39	0.1094	
				QPSK DFT-s-OFDM	1	1	1	0	21.88	12.44	22.35	0.1083	
					1	49	1	49	21.98	12.44	22.44	0.1106	
					25	12	50	0	21.93	12.48	22.40	0.1096	
355500	1777.5	23130	711	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.53	12.51	22.04	0.1010	
					1	49	1	49	21.62	12.51	22.12	0.1029	
					25	12	50	0	21.65	12.59	22.16	0.1037	
				QPSK DFT-s-OFDM	1	1	1	0	21.61	12.6	22.12	0.1029	
					1	49	1	49	21.62	12.42	22.11	0.1026	
					25	12	50	0	21.65	12.49	22.15	0.1035	



EN-DC_13A_n66A													
Combination 20MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
344000	1720	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.44	12.79	22.89	0.1227	
					1	104	1	49	22.2	12.88	22.68	0.1170	
					50	25	50	0	22.25	12.82	22.72	0.1180	
				QPSK DFT-s-OFDM	1	1	1	0	22.82	12.89	23.24	0.1331	
					1	104	1	49	22.35	12.87	22.81	0.1206	
					50	25	50	0	22.38	12.7	22.82	0.1209	
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.68	12.78	23.10	0.1289	
					1	104	1	49	22.57	12.83	23.01	0.1261	
					50	25	50	0	22.62	12.8	23.05	0.1274	
				QPSK DFT-s-OFDM	1	1	1	0	22.72	12.8	23.14	0.1301	
					1	104	1	49	22.53	12.73	22.96	0.1248	
					50	25	50	0	22.59	12.92	23.03	0.1269	
354000	1770	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.48	12.83	22.93	0.1238	
					1	104	1	49	22.42	12.85	22.87	0.1223	
					50	25	50	0	22.5	12.74	22.94	0.1241	
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.72	23.18	0.1312	
					1	104	1	49	22.4	12.71	22.84	0.1214	
					50	25	50	0	22.5	12.78	22.94	0.1242	



EN-DC_13A_n66A													
Combination 10MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
344000	1720	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.69	12.81	23.11	0.1293	
					1	50	1	49	22.69	12.94	23.13	0.1296	
					25	12	50	0	22.76	12.95	23.19	0.1316	
				QPSK DFT-s-OFDM	1	1	1	0	22.86	12.85	23.27	0.1341	
					1	50	1	49	22.72	13.02	23.16	0.1307	
					25	12	50	0	22.74	12.99	23.18	0.1311	
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.51	12.86	22.96	0.1247	
					1	50	1	49	22.54	12.99	23.00	0.1258	
					25	12	50	0	22.54	12.84	22.98	0.1254	
				QPSK DFT-s-OFDM	1	1	1	0	22.61	12.86	23.05	0.1273	
					1	50	1	49	22.58	12.99	23.03	0.1268	
					25	12	50	0	22.6	12.97	23.05	0.1273	
354000	1770	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.45	12.92	22.91	0.1233	
					1	50	1	49	22.25	12.84	22.72	0.1181	
					25	12	50	0	22.45	12.98	22.91	0.1234	
				QPSK DFT-s-OFDM	1	1	1	0	22.58	12.87	23.02	0.1265	
					1	50	1	49	22.52	12.92	22.97	0.1251	
					25	12	50	0	22.43	12.98	22.90	0.1229	



EN-DC_13A_n66A													
Combination 5MHz+10MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
342500	1712.5	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.04	12.81	22.53	0.1130	
					1	23	1	49	22.05	12.79	22.54	0.1132	
					12	6	50	0	22.04	12.75	22.52	0.1128	
				QPSK DFT-s-OFDM	1	1	1	0	22.1	12.66	22.57	0.1140	
					1	23	1	49	22.1	12.74	22.58	0.1142	
					12	6	50	0	22.11	12.75	22.59	0.1145	
349000	1745	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.92	12.58	22.40	0.1096	
					1	23	1	49	21.87	12.63	22.36	0.1086	
					12	6	50	0	21.92	12.61	22.40	0.1097	
				QPSK DFT-s-OFDM	1	1	1	0	21.9	12.68	22.39	0.1094	
					1	23	1	49	21.87	12.54	22.35	0.1084	
					12	6	50	0	21.88	12.73	22.38	0.1091	
355500	1777.5	23230	782	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.72	12.61	22.22	0.1053	
					1	23	1	49	21.75	12.58	22.25	0.1058	
					12	6	50	0	21.67	12.63	22.18	0.1042	
				QPSK DFT-s-OFDM	1	1	1	0	21.67	12.63	22.18	0.1042	
					1	23	1	49	21.74	12.6	22.24	0.1057	
					12	6	50	0	21.66	12.54	22.16	0.1038	



EN-DC_2A_n71A													
Combination 20MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
134600	673	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.91	13.1	23.34	0.1362	
					1	104	1	99	22.93	13.03	23.35	0.1366	
					50	25	100	0	22.84	13.03	23.27	0.1340	
				QPSK DFT-s-OFDM	1	1	1	0	22.97	13.04	23.39	0.1377	
					1	104	1	99	23.03	12.91	23.43	0.1391	
					50	25	100	0	23.04	13.07	23.46	0.1399	
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.34	13.12	22.83	0.1211	
					1	104	1	99	22.26	13.06	22.75	0.1189	
					50	25	100	0	22.52	13.14	22.99	0.1257	
				QPSK DFT-s-OFDM	1	1	1	0	22.47	13.09	22.94	0.1243	
					1	104	1	99	22.55	13.06	23.01	0.1263	
					50	25	100	0	22.25	13.1	22.75	0.1188	
137600	688	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.45	13.23	22.94	0.1242	
					1	104	1	99	22.19	13.27	22.71	0.1179	
					50	25	100	0	22.45	13.27	22.95	0.1243	
				QPSK DFT-s-OFDM	1	1	1	0	22.52	13.32	23.01	0.1263	
					1	104	1	99	22.4	13.27	22.90	0.1230	
					50	25	100	0	22.61	13.23	23.08	0.1284	



EN-DC_2A_n71A													
Combination 10MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
133600	668	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.63	12.74	23.05	0.1275	
					1	50	1	99	22.67	12.77	23.09	0.1286	
					25	12	100	0	22.62	12.75	23.05	0.1272	
				QPSK DFT-s-OFDM	1	1	1	0	22.92	12.79	23.32	0.1356	
					1	50	1	99	22.7	12.79	23.12	0.1295	
					25	12	100	0	22.72	12.85	23.15	0.1302	
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.53	12.91	22.98	0.1253	
					1	50	1	99	22.7	12.83	23.13	0.1296	
					25	12	100	0	22.74	12.73	23.15	0.1304	
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.86	23.19	0.1316	
					1	50	1	99	22.7	12.83	23.13	0.1296	
					25	12	100	0	22.58	12.91	23.02	0.1266	
138600	693	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.77	12.97	23.20	0.1319	
					1	50	1	99	22.5	12.86	22.95	0.1244	
					25	12	100	0	22.64	12.95	23.08	0.1283	
				QPSK DFT-s-OFDM	1	1	1	0	22.77	12.87	23.19	0.1316	
					1	50	1	99	22.38	12.95	22.85	0.1216	
					25	12	100	0	22.6	12.78	23.03	0.1268	



EN-DC_2A_n71A													
Combination 5MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
133100	665.5	18700	1860	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.14	12.91	22.63	0.1156	
					1	49	1	99	22.09	12.8	22.57	0.1141	
					25	12	100	0	22.16	12.86	22.64	0.1159	
				QPSK DFT-s-OFDM	1	1	1	0	22.14	12.76	22.61	0.1152	
					1	49	1	99	22.28	12.78	22.74	0.1186	
					25	12	100	0	22.06	12.86	22.55	0.1136	
136100	680.5	18900	1880	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.29	12.88	22.76	0.1192	
					1	49	1	99	22.15	12.78	22.63	0.1155	
					25	12	100	0	22.25	13.01	22.74	0.1185	
				QPSK DFT-s-OFDM	1	1	1	0	22.16	13	22.66	0.1163	
					1	49	1	99	22.15	12.79	22.63	0.1155	
					25	12	100	0	22.11	12.96	22.61	0.1150	
139100	695.5	19100	1900	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.03	12.9	22.53	0.1130	
					1	49	1	99	22.08	12.86	22.57	0.1140	
					25	12	100	0	21.87	13	22.40	0.1096	
				QPSK DFT-s-OFDM	1	1	1	0	22.12	13.01	22.62	0.1154	
					1	49	1	99	21.93	12.89	22.44	0.1107	
					25	12	100	0	22	13.15	22.53	0.1130	



EN-DC_66A_n71A													
Combination 20MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
134600	673	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.41	12.78	22.86	0.1219	
					1	104	1	99	22.44	12.82	22.89	0.1227	
					50	25	100	0	22.25	12.81	22.72	0.1180	
				QPSK DFT-s-OFDM	1	1	1	0	22.47	12.85	22.92	0.1236	
					1	104	1	99	22.55	12.82	22.99	0.1256	
					50	25	100	0	22.51	12.9	22.96	0.1248	
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.84	12.83	23.25	0.1334	
					1	104	1	99	22.93	12.76	23.33	0.1358	
					50	25	100	0	22.96	12.82	23.36	0.1368	
				QPSK DFT-s-OFDM	1	1	1	0	22.93	12.81	23.33	0.1359	
					1	104	1	99	22.84	12.78	23.25	0.1333	
					50	25	100	0	22.85	12.84	23.26	0.1338	
137600	688	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.51	12.7	22.94	0.1242	
					1	104	1	99	22.27	12.73	22.73	0.1182	
					50	25	100	0	22.42	12.7	22.86	0.1219	
				QPSK DFT-s-OFDM	1	1	1	0	22.51	12.76	22.95	0.1244	
					1	104	1	99	22.47	12.74	22.91	0.1233	
					50	25	100	0	22.44	12.68	22.88	0.1224	



EN-DC_66A_n71A													
Combination 10MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
133600	668	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.87	12.57	23.26	0.1336	
					1	50	1	99	22.45	12.6	22.88	0.1224	
					25	12	100	0	22.62	12.59	23.03	0.1268	
				QPSK DFT-s-OFDM	1	1	1	0	22.97	12.61	23.35	0.1365	
					1	50	1	99	22.61	12.59	23.02	0.1265	
					25	12	100	0	22.71	12.66	23.12	0.1294	
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.74	12.52	23.13	0.1298	
					1	50	1	99	22.74	12.58	23.14	0.1300	
					25	12	100	0	22.63	12.55	23.04	0.1270	
				QPSK DFT-s-OFDM	1	1	1	0	22.81	12.61	23.21	0.1320	
					1	50	1	99	22.54	12.6	22.96	0.1247	
					25	12	100	0	22.8	12.53	23.19	0.1315	
138600	693	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.82	12.61	23.22	0.1323	
					1	50	1	99	22.51	12.56	22.93	0.1238	
					25	12	100	0	22.62	12.52	23.02	0.1266	
				QPSK DFT-s-OFDM	1	1	1	0	22.62	12.57	23.03	0.1267	
					1	50	1	99	22.46	12.54	22.88	0.1225	
					25	12	100	0	22.58	12.5	22.99	0.1255	





EN-DC_66A_n71A													
Combination 5MHz+20MHz(LTE)													
NR Channel	NR Freq.	LTE Channel	LTE Freq.	Modulation	NR		LTE		NR	LTE	Total Measured Power (dBm)	EIRP (W)	
					RB Size	RB offset	RB Size	RB offset	Measured Power (dBm)	Measured Power (dBm)			
133100	665.5	132072	1720	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.05	12.56	22.51	0.1125	
					1	49	1	99	22.3	12.62	22.74	0.1187	
					25	12	100	0	22.06	12.52	22.52	0.1127	
				QPSK DFT-s-OFDM	1	1	1	0	22.34	12.53	22.77	0.1194	
					1	49	1	99	22.14	12.52	22.59	0.1145	
					25	12	100	0	22.17	12.58	22.62	0.1154	
136100	680.5	132322	1745	PI/2 BPSK DFT-s-OFDM	1	1	1	0	22.24	12.49	22.68	0.1169	
					1	49	1	99	22.2	12.49	22.64	0.1159	
					25	12	100	0	22.1	12.43	22.54	0.1134	
				QPSK DFT-s-OFDM	1	1	1	0	22.15	12.5	22.60	0.1147	
					1	49	1	99	22.14	12.5	22.59	0.1145	
					25	12	100	0	22.27	12.6	22.71	0.1179	
139100	695.5	132572	1770	PI/2 BPSK DFT-s-OFDM	1	1	1	0	21.85	12.42	22.32	0.1076	
					1	49	1	99	22.01	12.33	22.45	0.1110	
					25	12	100	0	21.87	12.44	22.34	0.1081	
				QPSK DFT-s-OFDM	1	1	1	0	21.96	12.52	22.43	0.1104	
					1	49	1	99	21.98	12.42	22.44	0.1106	
					25	12	100	0	22.08	12.49	22.53	0.1131	



5G NR n2

Peak-to-Average Ratio









EN-DC_12A_n2A / LTE 10MHz + NR 20MHz / BPSK

Lowest Channel / 1RB0




Date: 1.FEB.2020 06:16:24

Lowest Channel / 100RB0




Date: 1.FEB.2020 06:14:41

Middle Channel / 1RB0




Date: 1.FEB.2020 06:11:28

Middle Channel / 100RB0




Date: 1.FEB.2020 06:09:56

Highest Channel / 1RB0



Date: 1.FEB.2020 05:16:57

Highest Channel / 100RB0




Date: 1.FEB.2020 06:22:09




EN-DC_12A_n2A / LTE 10MHz + NR 20MHz / QPSK

Lowest Channel / 1RB0




Date: 1.FEB.2020 06:15:48

Lowest Channel / 100RB0




Date: 1.FEB.2020 06:15:06

Middle Channel / 1RB0




Date: 1.FEB.2020 06:10:20

Middle Channel / 100RB0




Date: 1.FEB.2020 06:09:43

Highest Channel / 1RB0



Date: 1.FEB.2020 05:17:35

Highest Channel / 100RB0



Date: 1.FEB.2020 06:22:51




26dB Bandwidth


EN-DC_5A_n2A

Combination LTE 10MHz + NR 5MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK




Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK






EN-DC_5A_n2A


Combination LTE 10MHz + NR 10MHz

Lowest Channel / BPSK




Date: 26 JAN 2020 16:30:15

Lowest Channel / QPSK




Date: 26 JAN 2020 16:29:34

Middle Channel / BPSK




Date: 26 JAN 2020 15:45:50

Middle Channel / QPSK




Date: 26 JAN 2020 15:30:35

Highest Channel / BPSK



Date: 26 JAN 2020 17:04:57

Highest Channel / QPSK




Date: 26 JAN 2020 17:04:40



EN-DC_5A_n2A


Combination LTE 10MHz + NR 20MHz

Lowest Channel / BPSK




Date: 26 JAN 2020 13:51:01

Lowest Channel / QPSK




Date: 26 JAN 2020 13:52:14

Middle Channel / BPSK




Date: 26 JAN 2020 13:09:42

Middle Channel / QPSK




Date: 26 JAN 2020 12:34:11

Highest Channel / BPSK



Date: 26 JAN 2020 14:38:55

Highest Channel / QPSK




Date: 26 JAN 2020 14:36:39




EN-DC_12A_n2A

Combination LTE 10MHz + NR 5MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK




Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK






EN-DC_12A_n2A


Combination LTE 10MHz + NR 10MHz

Lowest Channel / BPSK




Date: 1.FEB.2020 04:59:09

Lowest Channel / QPSK




Date: 1.FEB.2020 05:00:35

Middle Channel / BPSK




Date: 1.FEB.2020 05:13:36

Middle Channel / QPSK




Date: 1.FEB.2020 05:14:27

Highest Channel / BPSK



Date: 1.FEB.2020 04:44:07

Highest Channel / QPSK




Date: 1.FEB.2020 04:45:37



EN-DC_12A_n2A


Combination LTE 10MHz + NR 20MHz

Lowest Channel / BPSK




Date: 31 JAN 2020 16:43:02

Lowest Channel / QPSK




Date: 31 JAN 2020 16:43:28

Middle Channel / BPSK




Date: 31 JAN 2020 15:16:50

Middle Channel / QPSK




Date: 31 JAN 2020 15:09:49

Highest Channel / BPSK



Date: 31 JAN 2020 17:20:38

Highest Channel / QPSK



Date: 31 JAN 2020 17:19:26




Occupied Bandwidth


EN-DC_5A_n2A

Combination LTE 10MHz + NR 5MHz


Lowest Channel / BPSK




Lowest Channel / QPSK




Middle Channel / BPSK



Middle Channel / QPSK



Highest Channel / BPSK



Highest Channel / QPSK

