



LTE Band 71 / 15MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1327.5	-66.20	-13	-53.20	-75.23	-69.43	3.98	9.36	H
	1991.25	-66.70	-13	-53.70	-77.89	-70.25	4.85	10.55	H
	2655	-64.67	-13	-51.67	-78.06	-69.60	5.50	12.58	H
	1327.5	-66.79	-13	-53.79	-75.59	-70.02	3.98	9.36	V
	1991.25	-66.48	-13	-53.48	-77.66	-70.03	4.85	10.55	V
	2655	-64.63	-13	-51.63	-78.18	-69.56	5.50	12.58	V
Middle	1347.5	-65.97	-13	-52.97	-75.11	-69.22	4.00	9.40	H
	2021.25	-66.12	-13	-53.12	-77.66	-69.69	4.88	10.60	H
	2695	-64.16	-13	-51.16	-77.66	-69.09	5.52	12.60	H
	1347.5	-66.28	-13	-53.28	-75.23	-69.53	4.00	9.40	V
	2021.25	-66.28	-13	-53.28	-77.81	-69.85	4.88	10.60	V
	2695	-64.15	-13	-51.15	-77.99	-69.08	5.52	12.60	V
Highest	1367.5	-66.45	-13	-53.45	-75.68	-69.62	4.10	9.42	H
	2051.25	-66.48	-13	-53.48	-78.50	-70.06	4.90	10.63	H
	2735	-64.73	-13	-51.73	-78.32	-69.65	5.55	12.62	H
	1367.5	-66.55	-13	-53.55	-75.66	-69.72	4.10	9.42	V
	2051.25	-66.53	-13	-53.53	-78.51	-70.11	4.90	10.63	V
	2735	-64.41	-13	-51.41	-78.46	-69.33	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 71 / 20MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-66.84	-13	-53.84	-75.87	-70.07	3.98	9.36	H
	1992	-67.35	-13	-54.35	-78.54	-70.90	4.85	10.55	H
	2656	-65.39	-13	-52.39	-78.78	-70.32	5.50	12.58	H
	1328	-66.99	-13	-53.99	-75.79	-70.22	3.98	9.36	V
	1992	-67.24	-13	-54.24	-78.42	-70.79	4.85	10.55	V
	2656	-65.25	-13	-52.25	-78.80	-70.18	5.50	12.58	V
Middle	1343	-66.47	-13	-53.47	-75.54	-69.72	4.00	9.40	H
	2014.5	-66.70	-13	-53.70	-78.24	-70.27	4.88	10.60	H
	2686	-65.20	-13	-52.20	-78.67	-70.13	5.52	12.60	H
	1343	-66.95	-13	-53.95	-75.83	-70.20	4.00	9.40	V
	2014.5	-67.03	-13	-54.03	-78.56	-70.60	4.88	10.60	V
	2686	-64.89	-13	-51.89	-78.64	-69.82	5.52	12.60	V
Highest	1358	-66.93	-13	-53.93	-76.11	-70.10	4.10	9.42	H
	2037	-66.87	-13	-53.87	-78.66	-70.45	4.90	10.63	H
	2716	-65.18	-13	-52.18	-78.72	-70.10	5.55	12.62	H
	1358	-66.59	-13	-53.59	-75.62	-69.76	4.10	9.42	V
	2037	-66.71	-13	-53.71	-78.48	-70.29	4.90	10.63	V
	2716	-64.69	-13	-51.69	-78.64	-69.61	5.55	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Bottom Antenna

LTE Band 2 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.32	-62.56	-13	-49.56	-79.48	-69.32	5.82	12.58	H
	5550.48	-58.53	-13	-45.53	-79.44	-64.25	7.28	13.00	H
	7400.64	-52.27	-13	-39.27	-79.11	-55.43	8.32	11.48	H
	3700.32	-63.12	-13	-50.12	-80.07	-69.88	5.82	12.58	V
	5550.48	-59.65	-13	-46.65	-80.76	-65.37	7.28	13.00	V
	7400.64	-54.77	-13	-41.77	-81.29	-57.93	8.32	11.48	V
Middle	3758.92	-62.50	-13	-49.50	-79.50	-69.25	5.85	12.60	H
	5638.38	-60.93	-13	-47.93	-81.60	-66.73	7.30	13.10	H
	7517.84	-54.98	-13	-41.98	-81.32	-58.13	8.35	11.50	H
	3758.92	-63.18	-13	-50.18	-80.22	-69.93	5.85	12.60	V
	5638.38	-60.67	-13	-47.67	-81.74	-66.47	7.30	13.10	V
	7517.84	-55.40	-13	-42.40	-81.52	-58.55	8.35	11.50	V
Highest	3817.52	-62.57	-13	-49.57	-79.71	-69.31	5.88	12.62	H
	5726.28	-60.62	-13	-47.62	-81.63	-66.43	7.32	13.13	H
	7635.04	-55.33	-13	-42.33	-81.34	-58.49	8.38	11.54	H
	3817.52	-62.60	-13	-49.60	-79.8	-69.34	5.88	12.62	V
	5726.28	-59.82	-13	-46.82	-81.16	-65.63	7.32	13.13	V
	7635.04	-55.74	-13	-42.74	-81.61	-58.90	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 3MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.48	-62.99	-13	-49.99	-79.91	-69.75	5.82	12.58	H
	5550.72	-59.92	-13	-46.92	-80.83	-65.64	7.28	13.00	H
	7400.96	-52.35	-13	-39.35	-79.19	-55.51	8.32	11.48	H
	3700.48	-62.88	-13	-49.88	-79.83	-69.64	5.82	12.58	V
	5550.72	-60.46	-13	-47.46	-81.57	-66.18	7.28	13.00	V
	7400.96	-54.87	-13	-41.87	-81.39	-58.03	8.32	11.48	V
Middle	3757.48	-63.10	-13	-50.10	-80.10	-69.85	5.85	12.60	H
	5636.22	-60.84	-13	-47.84	-81.51	-66.64	7.30	13.10	H
	7514.96	-54.68	-13	-41.68	-81.03	-57.83	8.35	11.50	H
	3757.48	-62.96	-13	-49.96	-80	-69.71	5.85	12.60	V
	5636.22	-60.54	-13	-47.54	-81.61	-66.34	7.30	13.10	V
	7514.96	-55.45	-13	-42.45	-81.58	-58.60	8.35	11.50	V
Highest	3814.48	-62.76	-13	-49.76	-79.90	-69.50	5.88	12.62	H
	5721.72	-60.19	-13	-47.19	-81.20	-66.00	7.32	13.13	H
	7628.96	-55.42	-13	-42.42	-81.43	-58.58	8.38	11.54	H
	3814.48	-62.27	-13	-49.27	-79.47	-69.01	5.88	12.62	V
	5721.72	-60.45	-13	-47.45	-81.79	-66.26	7.32	13.13	V
	7628.96	-55.68	-13	-42.68	-81.55	-58.84	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.68	-62.81	-13	-49.81	-79.73	-69.57	5.82	12.58	H
	5551.02	-60.02	-13	-47.02	-80.93	-65.74	7.28	13.00	H
	7401.36	-52.35	-13	-39.35	-79.19	-55.51	8.32	11.48	H
	3700.68	-62.85	-13	-49.85	-79.8	-69.61	5.82	12.58	V
	5551.02	-60.54	-13	-47.54	-81.65	-66.26	7.28	13.00	V
	7401.36	-54.93	-13	-41.93	-81.45	-58.09	8.32	11.48	V
Middle	3755.68	-63.20	-13	-50.20	-80.20	-69.95	5.85	12.60	H
	5633.52	-60.45	-13	-47.45	-81.12	-66.25	7.30	13.10	H
	7511.36	-54.97	-13	-41.97	-81.32	-58.12	8.35	11.50	H
	3755.68	-62.97	-13	-49.97	-80.01	-69.72	5.85	12.60	V
	5633.52	-60.44	-13	-47.44	-81.51	-66.24	7.30	13.10	V
	7511.36	-55.34	-13	-42.34	-81.47	-58.49	8.35	11.50	V
Highest	3810.68	-62.81	-13	-49.81	-79.89	-69.55	5.88	12.62	H
	5716.02	-60.79	-13	-47.79	-81.73	-66.60	7.32	13.13	H
	7621.36	-55.61	-13	-42.61	-81.61	-58.77	8.38	11.54	H
	3810.68	-62.72	-13	-49.72	-79.84	-69.46	5.88	12.62	V
	5716.02	-60.36	-13	-47.36	-81.65	-66.17	7.32	13.13	V
	7621.36	-55.40	-13	-42.40	-81.27	-58.56	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.18	-62.82	-13	-49.82	-79.74	-69.58	5.82	12.58	H
	5551.77	-60.36	-13	-47.36	-81.27	-66.08	7.28	13.00	H
	7402.36	-52.88	-13	-39.88	-79.72	-56.04	8.32	11.48	H
	3701.18	-62.88	-13	-49.88	-79.83	-69.64	5.82	12.58	V
	5551.77	-60.43	-13	-47.43	-81.54	-66.15	7.28	13.00	V
	7402.36	-54.60	-13	-41.60	-81.12	-57.76	8.32	11.48	V
Middle	3751.18	-62.93	-13	-49.93	-79.93	-69.68	5.85	12.60	H
	5626.77	-60.69	-13	-47.69	-81.54	-66.49	7.30	13.10	H
	7502	-54.92	-13	-41.92	-81.34	-58.07	8.35	11.50	H
	3751.18	-62.92	-13	-49.92	-79.96	-69.67	5.85	12.60	V
	5626.77	-60.39	-13	-47.39	-81.51	-66.19	7.30	13.10	V
	7502	-55.19	-13	-42.19	-81.37	-58.34	8.35	11.50	V
Highest	3801.18	-62.84	-13	-49.84	-79.92	-69.58	5.88	12.62	H
	5701.77	-60.96	-13	-47.96	-81.90	-66.77	7.32	13.13	H
	7602.36	-55.34	-13	-42.34	-81.34	-58.50	8.38	11.54	H
	3801.18	-62.67	-13	-49.67	-79.79	-69.41	5.88	12.62	V
	5701.77	-60.60	-13	-47.60	-81.89	-66.41	7.32	13.13	V
	7602.36	-55.55	-13	-42.55	-81.42	-58.71	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.68	-63.01	-13	-50.01	-79.93	-69.77	5.82	12.58	H
	5552.52	-60.20	-13	-47.20	-81.11	-65.92	7.28	13.00	H
	7403.36	-52.65	-13	-39.65	-79.49	-55.81	8.32	11.48	H
	3701.68	-62.77	-13	-49.77	-79.72	-69.53	5.82	12.58	V
	5552.52	-60.52	-13	-47.52	-81.63	-66.24	7.28	13.00	V
	7403.36	-54.78	-13	-41.78	-81.3	-57.94	8.32	11.48	V
Middle	3746.68	-63.01	-13	-50.01	-80.01	-69.76	5.85	12.60	H
	5620.02	-60.64	-13	-47.64	-81.49	-66.44	7.30	13.10	H
	7493.36	-53.97	-13	-40.97	-80.39	-57.12	8.35	11.50	H
	3746.68	-62.65	-13	-49.65	-79.69	-69.40	5.85	12.60	V
	5620.02	-60.19	-13	-47.19	-81.31	-65.99	7.30	13.10	V
	7493.36	-55.16	-13	-42.16	-81.34	-58.31	8.35	11.50	V
Highest	3791.68	-63.01	-13	-50.01	-80.07	-69.75	5.88	12.62	H
	5687.52	-60.62	-13	-47.62	-81.49	-66.43	7.32	13.13	H
	7583.36	-55.24	-13	-42.24	-81.31	-58.40	8.38	11.54	H
	3791.68	-62.92	-13	-49.92	-80.02	-69.66	5.88	12.62	V
	5687.52	-60.58	-13	-47.58	-81.81	-66.39	7.32	13.13	V
	7583.36	-55.40	-13	-42.40	-81.32	-58.56	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702.18	-63.03	-13	-50.03	-79.95	-69.79	5.82	12.58	H
	5553.27	-59.66	-13	-46.66	-80.57	-65.38	7.28	13.00	H
	7404.36	-52.93	-13	-39.93	-79.77	-56.09	8.32	11.48	H
	3702.18	-62.44	-13	-49.44	-79.39	-69.20	5.82	12.58	V
	5553.27	-60.26	-13	-47.26	-81.37	-65.98	7.28	13.00	V
	7404.36	-55.05	-13	-42.05	-81.57	-58.21	8.32	11.48	V
Middle	3742.18	-62.99	-13	-49.99	-79.95	-69.74	5.85	12.60	H
	5613.27	-60.37	-13	-47.37	-81.40	-66.17	7.30	13.10	H
	7484.36	-54.39	-13	-41.39	-80.89	-57.54	8.35	11.50	H
	3742.18	-62.87	-13	-49.87	-79.87	-69.62	5.85	12.60	V
	5613.27	-60.35	-13	-47.35	-81.53	-66.15	7.30	13.10	V
	7484.36	-55.44	-13	-42.44	-81.69	-58.59	8.35	11.50	V
Highest	3782.18	-62.80	-13	-49.80	-79.86	-69.54	5.88	12.62	H
	5673.27	-60.11	-13	-47.11	-80.91	-65.92	7.32	13.13	H
	7564.36	-55.41	-13	-42.41	-81.55	-58.57	8.38	11.54	H
	3782.18	-63.07	-13	-50.07	-80.17	-69.81	5.88	12.62	V
	5673.27	-60.37	-13	-47.37	-81.55	-66.18	7.32	13.13	V
	7564.36	-55.53	-13	-42.53	-81.51	-58.69	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 25 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.14	-62.92	-13	-49.92	-79.84	-69.68	5.82	12.58	H
	5550.21	-61.03	-13	-48.03	-81.94	-66.75	7.28	13.00	H
	7400.28	-52.38	-13	-39.38	-79.29	-55.54	8.32	11.48	H
	3700.14	-62.89	-13	-49.89	-79.84	-69.65	5.82	12.58	V
	5550.21	-61.01	-13	-48.01	-82.12	-66.73	7.28	13.00	V
	7400.28	-55.49	-13	-42.49	-82.06	-58.65	8.32	11.48	V
Middle	3763.74	-63.01	-13	-50.01	-80.04	-69.76	5.85	12.60	H
	5645.61	-61.16	-13	-48.16	-81.83	-66.96	7.30	13.10	H
	7527.48	-55.54	-13	-42.54	-81.81	-58.69	8.35	11.50	H
	3763.74	-62.69	-13	-49.69	-79.76	-69.44	5.85	12.60	V
	5645.61	-58.96	-13	-45.96	-80.03	-64.76	7.30	13.10	V
	7527.48	-55.94	-13	-42.94	-82.02	-59.09	8.35	11.50	V
Highest	3827.34	-63.00	-13	-50.00	-80.13	-69.74	5.88	12.62	H
	5741.01	-60.90	-13	-47.90	-81.97	-66.71	7.32	13.13	H
	7654.68	-55.76	-13	-42.76	-81.78	-58.92	8.38	11.54	H
	3827.34	-62.93	-13	-49.93	-80.12	-69.67	5.88	12.62	V
	5741.01	-60.71	-13	-47.71	-82.11	-66.52	7.32	13.13	V
	7654.68	-56.00	-13	-43.00	-81.87	-59.16	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 3MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.3	-63.03	-13	-50.03	-79.95	-69.79	5.82	12.58	H
	5550.45	-60.92	-13	-47.92	-81.83	-66.64	7.28	13.00	H
	7400.6	-51.39	-13	-38.39	-78.23	-54.55	8.32	11.48	H
	3700.3	-63.08	-13	-50.08	-80.03	-69.84	5.82	12.58	V
	5550.45	-60.61	-13	-47.61	-81.72	-66.33	7.28	13.00	V
	7400.6	-55.55	-13	-42.55	-82.07	-58.71	8.32	11.48	V
Middle	3762.3	-62.82	-13	-49.82	-79.82	-69.57	5.85	12.60	H
	5643.45	-48.11	-13	-35.11	-68.78	-53.91	7.30	13.10	H
	7524.6	-55.36	-13	-42.36	-81.63	-58.51	8.35	11.50	H
	3762.3	-62.51	-13	-49.51	-79.55	-69.26	5.85	12.60	V
	5643.45	-53.36	-13	-40.36	-74.43	-59.16	7.30	13.10	V
	7524.6	-55.87	-13	-42.87	-81.95	-59.02	8.35	11.50	V
Highest	3824.3	-62.88	-13	-49.88	-80.01	-69.62	5.88	12.62	H
	5736.45	-60.21	-13	-47.21	-81.28	-66.02	7.32	13.13	H
	7648.6	-55.75	-13	-42.75	-81.77	-58.91	8.38	11.54	H
	3824.3	-63.08	-13	-50.08	-80.27	-69.82	5.88	12.62	V
	5736.45	-60.62	-13	-47.62	-82.02	-66.43	7.32	13.13	V
	7648.6	-56.32	-13	-43.32	-82.19	-59.48	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 5MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700.5	-62.94	-13	-49.94	-79.86	-69.70	5.82	12.58	H
	5550.75	-60.97	-13	-47.97	-81.88	-66.69	7.28	13.00	H
	7401	-51.81	-13	-38.81	-78.65	-54.97	8.32	11.48	H
	3700.5	-62.86	-13	-49.86	-79.81	-69.62	5.82	12.58	V
	5550.75	-60.87	-13	-47.87	-81.98	-66.59	7.28	13.00	V
	7401	-55.45	-13	-42.45	-81.97	-58.61	8.32	11.48	V
Middle	3760.5	-62.71	-13	-49.71	-79.71	-69.46	5.85	12.60	H
	5640.75	-60.98	-13	-47.98	-81.65	-66.78	7.30	13.10	H
	7521	-55.00	-13	-42.00	-81.27	-58.15	8.35	11.50	H
	3760.5	-62.24	-13	-49.24	-79.28	-68.99	5.85	12.60	V
	5640.75	-60.53	-13	-47.53	-81.6	-66.33	7.30	13.10	V
	7521	-55.75	-13	-42.75	-81.83	-58.90	8.35	11.50	V
Highest	3820.5	-62.86	-13	-49.86	-79.99	-69.60	5.88	12.62	H
	5730.75	-60.91	-13	-47.91	-81.92	-66.72	7.32	13.13	H
	7641	-55.53	-13	-42.53	-81.55	-58.69	8.38	11.54	H
	3820.5	-62.78	-13	-49.78	-79.97	-69.52	5.88	12.62	V
	5730.75	-60.57	-13	-47.57	-81.91	-66.38	7.32	13.13	V
	7641	-56.24	-13	-43.24	-82.11	-59.40	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 10MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701	-63.01	-13	-50.01	-79.93	-69.77	5.82	12.58	H
	5551.5	-61.22	-13	-48.22	-82.13	-66.94	7.28	13.00	H
	7402	-53.26	-13	-40.26	-80.10	-56.42	8.32	11.48	H
	3701	-63.32	-13	-50.32	-80.27	-70.08	5.82	12.58	V
	5551.5	-61.02	-13	-48.02	-82.13	-66.74	7.28	13.00	V
	7402	-55.76	-13	-42.76	-82.28	-58.92	8.32	11.48	V
Middle	3756	-62.94	-13	-49.94	-79.94	-69.69	5.85	12.60	H
	5634	-61.33	-13	-48.33	-82.00	-67.13	7.30	13.10	H
	7512	-55.49	-13	-42.49	-81.84	-58.64	8.35	11.50	H
	3756	-62.79	-13	-49.79	-79.83	-69.54	5.85	12.60	V
	5634	-61.04	-13	-48.04	-82.11	-66.84	7.30	13.10	V
	7512	-55.96	-13	-42.96	-82.09	-59.11	8.35	11.50	V
Highest	3811	-63.16	-13	-50.16	-80.24	-69.90	5.88	12.62	H
	5716.5	-60.93	-13	-47.93	-81.87	-66.74	7.32	13.13	H
	7622	-55.99	-13	-42.99	-82.00	-59.15	8.38	11.54	H
	3811	-62.55	-13	-49.55	-79.67	-69.29	5.88	12.62	V
	5716.5	-60.82	-13	-47.82	-82.11	-66.63	7.32	13.13	V
	7622	-56.11	-13	-43.11	-81.98	-59.27	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 15MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3701.5	-63.36	-13	-50.36	-80.28	-70.12	5.82	12.58	H
	5552.25	-59.49	-13	-46.49	-80.40	-65.21	7.28	13.00	H
	7403	-53.01	-13	-40.01	-79.85	-56.17	8.32	11.48	H
	3701.5	-63.22	-13	-50.22	-80.17	-69.98	5.82	12.58	V
	5552.25	-60.96	-13	-47.96	-82.07	-66.68	7.28	13.00	V
	7403	-55.66	-13	-42.66	-82.18	-58.82	8.32	11.48	V
Middle	3751.5	-63.07	-13	-50.07	-80.07	-69.82	5.85	12.60	H
	5627.25	-61.42	-13	-48.42	-82.27	-67.22	7.30	13.10	H
	7503	-54.69	-13	-41.69	-81.04	-57.84	8.35	11.50	H
	3751.5	-63.04	-13	-50.04	-80.08	-69.79	5.85	12.60	V
	5627.25	-60.75	-13	-47.75	-81.87	-66.55	7.30	13.10	V
	7503	-55.99	-13	-42.99	-82.12	-59.14	8.35	11.50	V
Highest	3801.5	-63.05	-13	-50.05	-80.13	-69.79	5.88	12.62	H
	5702.25	-61.13	-13	-48.13	-82.07	-66.94	7.32	13.13	H
	7603	-55.80	-13	-42.80	-81.80	-58.96	8.38	11.54	H
	3801.5	-63.09	-13	-50.09	-80.21	-69.83	5.88	12.62	V
	5702.25	-61.11	-13	-48.11	-82.4	-66.92	7.32	13.13	V
	7603	-55.91	-13	-42.91	-81.78	-59.07	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 25 / 20MHz / QPSK									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-62.00	-13	-49.00	-78.92	-68.76	5.82	12.58	H
	5553	-53.56	-13	-40.56	-74.47	-59.28	7.28	13.00	H
	7404	-52.54	-13	-39.54	-79.38	-55.70	8.32	11.48	H
	3702	-62.51	-13	-49.51	-79.46	-69.27	5.82	12.58	V
	5553	-60.62	-13	-47.62	-81.73	-66.34	7.28	13.00	V
	7404	-55.23	-13	-42.23	-81.75	-58.39	8.32	11.48	V
Middle	3747	-62.22	-13	-49.22	-79.22	-68.97	5.85	12.60	H
	5620.5	-60.50	-13	-47.50	-81.35	-66.30	7.30	13.10	H
	7494	-54.94	-13	-41.94	-81.36	-58.09	8.35	11.50	H
	3747	-62.31	-13	-49.31	-79.35	-69.06	5.85	12.60	V
	5620.5	-59.92	-13	-46.92	-81.04	-65.72	7.30	13.10	V
	7494	-55.07	-13	-42.07	-81.25	-58.22	8.35	11.50	V
Highest	3792	-62.44	-13	-49.44	-79.50	-69.18	5.88	12.62	H
	5688	-60.61	-13	-47.61	-81.48	-66.42	7.32	13.13	H
	7584	-55.53	-13	-42.53	-81.60	-58.69	8.38	11.54	H
	3792	-62.64	-13	-49.64	-79.74	-69.38	5.88	12.62	V
	5688	-60.47	-13	-47.47	-81.7	-66.28	7.32	13.13	V
	7584	-55.44	-13	-42.44	-81.36	-58.60	8.38	11.54	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.