





LTE Band 26 / 15MHz QPSK

Lowest Band Edge / 1 RB



Date: 28.FEB.2019 11:58:44


Lowest Band Edge / Full RB



Date: 28.FEB.2019 12:01:01


LTE Band 26 / 15MHz 16QAM

Lowest Band Edge / 1 RB



Date: 28.FEB.2019 11:59:52

Lowest Band Edge / Full RB




Date: 28.FEB.2019 12:02:09




LTE Band 26/ 1.4MHz / 64QAM

Lowest Band Edge / 1RB




Date: 7.MAR.2019 09:39:02

Highest Band Edge / 1RB




Date: 7.MAR.2019 09:45:01

Lowest Band Edge / Full RB



Date: 7.MAR.2019 09:40:11

Highest Band Edge / Full RB





Date: 7.MAR.2019 09:43:51



LTE Band 26/ 3MHz / 64QAM

Lowest Band Edge / 1RB

Highest Band Edge / 1RB





Date: 8.MAR.2019 00:36:11

Date: 8.MAR.2019 00:41:53

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 7.MAR.2019 09:48:37


Date: 7.MAR.2019 09:53:31




LTE Band 26/ 5MHz / 64QAM

Lowest Band Edge / 1RB

Highest Band Edge / 1RB




Date: 7.MAR.2019 09:55:57




Date: 7.MAR.2019 10:00:50

Lowest Band Edge / Full RB

Highest Band Edge / Full RB



Date: 7.MAR.2019 09:57:06




Date: 7.MAR.2019 10:02:00




LTE Band 26/ 10MHz / 64QAM

Band Edge / 1RB0

Band Edge / 1RBmax




Date: 7.MAR.2019 10:05:22



Date: 7.MAR.2019 10:06:31

Band Edge / Full RB




Date: 7.MAR.2019 10:07:40




LTE Band 26/ 15MHz / 64QAM

Band Edge / 1RB0



Date: 7.MAR.2019 15:53:00


Band Edge / Full RB



Date: 7.MAR.2019 10:19:52




# Conducted Spurious Emission






LTE Band 26 / 1.4MHz

Highest Channel / QPSK



Date: 28 FEB 2019 09:52:30


Highest Channel / 16QAM



Date: 28 FEB 2019 09:53:24


LTE Band 26 / 3MHz

Lowest Channel / QPSK



Date: 28 FEB 2019 10:54:51

Lowest Channel / 16QAM



Date: 28 FEB 2019 10:55:45







LTE Band 26 / 3MHz

Middle Channel / QPSK

Middle Channel / 16QAM





Date: 28.FEB.2019 10:57:19

Date: 28.FEB.2019 10:58:13

Highest Channel / QPSK

Highest Channel / 16QAM



Date: 28.FEB.2019 11:04:21



Date: 28.FEB.2019 11:05:15



LTE Band 26 / 5MHz

Lowest Channel / QPSK

Lowest Channel / 16QAM





Date: 28.FEB.2019 13:48:49

Date: 28.FEB.2019 13:49:43

Middle Channel / QPSK

Middle Channel / 16QAM




Date: 28.FEB.2019 13:51:17

Date: 28.FEB.2019 13:52:11




LTE Band 26 / 5MHz

Highest Channel / QPSK



Date: 28 FEB 2019 13:58:18


Highest Channel / 16QAM



Date: 28 FEB 2019 13:59:12


LTE Band 26 / 10MHz

Middle Channel / QPSK




Date: 28 FEB 2019 14:01:52

Middle Channel / 16QAM



Date: 28 FEB 2019 14:02:46







LTE Band 26 / 1.4MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 7.MAR.2019 09:41:06

Date: 7.MAR.2019 09:42:21

Highest Channel / 64QAM





Date: 7.MAR.2019 09:45:56



LTE Band 26 / 3MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 7.MAR.2019 09:49:33

Date: 7.MAR.2019 09:50:49

Highest Channel / 64QAM





Date: 7.MAR.2019 09:54:27



LTE Band 26 / 5MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 7.MAR.2019 09:58:03

Date: 7.MAR.2019 09:59:19

Highest Channel / 64QAM




Date: 7.MAR.2019 10:02:56



LTE Band 26 / 10MHz


Middle Channel / 64QAM



Date: 7\_MAR\_2019 10:04:13

LTE Band 26 / 15MHz

Lowest Channel / 64QAM



Date: 7\_MAR\_2019 10:18:42





### Frequency Stability

Test Conditions		LTE Band 26 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0028	PASS
40	Normal Voltage	0.0123	
30	Normal Voltage	0.0161	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0103	
0	Normal Voltage	0.0042	
-10	Normal Voltage	0.0096	
-20	Normal Voltage	0.0032	
-30	Normal Voltage	0.0119	
20	Maximum Voltage	0.0020	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0112	

Note: Normal Voltage =3.9 V. ; Battery End Point (BEP) =3.8 V. ; Maximum Voltage =4.2 V.



## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

Top Antenna:

LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.14	-68.63	-13	-55.63	-79.33	-71.86	3.98	9.36	H
	2442.21	-65.37	-13	-52.37	-80.39	-68.92	4.85	10.55	H
	3256.28	-63.80	-13	-50.80	-80.95	-68.73	5.50	12.58	H
	4072	-59.99	-13	-46.99	-79.35	-64.46	5.98	12.60	H
	1628.14	-68.83	-13	-55.83	-79.08	-72.06	3.98	9.36	V
	2442.21	-65.36	-13	-52.36	-80.39	-68.91	4.85	10.55	V
	3256.28	-63.88	-13	-50.88	-81.16	-68.81	5.50	12.58	V
	4072	-60.08	-13	-47.08	-79.51	-64.55	5.98	12.60	V
Middle	1636.74	-68.45	-13	-55.45	-79.17	-71.70	4.00	9.40	H
	2455.11	-64.80	-13	-51.80	-79.80	-68.37	4.88	10.60	H
	3273.48	-63.51	-13	-50.51	-80.63	-68.44	5.52	12.60	H
	4096	-62.05	-13	-49.05	-81.42	-66.52	6.00	12.62	H
	1636.74	-68.62	-13	-55.62	-78.89	-71.87	4.00	9.40	V
	2455.11	-65.20	-13	-52.20	-80.17	-68.77	4.88	10.60	V
	3273.48	-63.84	-13	-50.84	-81.06	-68.77	5.52	12.60	V
	4096	-62.38	-13	-49.38	-81.80	-66.85	6.00	12.62	V
Highest	1645.34	-68.17	-13	-55.17	-78.76	-71.34	4.10	9.42	H
	2468.01	-65.39	-13	-52.39	-80.41	-68.97	4.90	10.63	H
	3290.68	-64.02	-13	-51.02	-81.10	-68.94	5.55	12.62	H
	4112	-59.80	-13	-46.80	-79.19	-64.28	6.02	12.65	H
	1645.34	-68.92	-13	-55.92	-79.14	-72.09	4.10	9.42	V
	2468.01	-65.23	-13	-52.23	-80.22	-68.81	4.90	10.63	V
	3290.68	-63.50	-13	-50.50	-80.65	-68.42	5.55	12.62	V
	4112	-59.35	-13	-46.35	-78.76	-63.83	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.3	-68.46	-13	-55.46	-79.16	-71.69	3.98	9.36	H
	2442.45	-65.27	-13	-52.27	-80.29	-68.82	4.85	10.55	H
	3256.6	-63.93	-13	-50.93	-81.08	-68.86	5.50	12.58	H
	4072	-60.54	-13	-47.54	-79.90	-65.01	5.98	12.60	H
	1628.3	-69.03	-13	-56.03	-79.28	-72.26	3.98	9.36	V
	2442.45	-64.69	-13	-51.69	-79.72	-68.24	4.85	10.55	V
	3256.6	-63.76	-13	-50.76	-81.04	-68.69	5.50	12.58	V
	4072	-60.73	-13	-47.73	-80.16	-65.20	5.98	12.60	V
Middle	1635.3	-68.54	-13	-55.54	-79.26	-71.79	4.00	9.40	H
	2452.95	-65.39	-13	-52.39	-80.41	-68.96	4.88	10.60	H
	3270.6	-64.16	-13	-51.16	-81.28	-69.09	5.52	12.60	H
	4088	-59.95	-13	-46.95	-79.32	-64.42	6.00	12.62	H
	1635.3	-68.97	-13	-55.97	-79.24	-72.22	4.00	9.40	V
	2452.95	-65.29	-13	-52.29	-80.32	-68.86	4.88	10.60	V
	3270.6	-64.08	-13	-51.08	-81.30	-69.01	5.52	12.60	V
	4088	-54.56	-13	-41.56	-73.98	-59.03	6.00	12.62	V
Highest	1642.3	-68.37	-13	-55.37	-78.96	-71.54	4.10	9.42	H
	2463.45	-65.24	-13	-52.24	-80.26	-68.82	4.90	10.63	H
	3284.6	-63.77	-13	-50.77	-80.89	-68.69	5.55	12.62	H
	4104	-60.45	-13	-47.45	-79.84	-64.93	6.02	12.65	H
	1640	-68.85	-13	-55.85	-79.07	-72.02	4.10	9.42	V
	2463.45	-65.70	-13	-52.70	-80.69	-69.28	4.90	10.63	V
	3284.6	-64.14	-13	-51.14	-81.36	-69.06	5.55	12.62	V
	4104	-61.98	-13	-48.98	-81.39	-66.46	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-67.91	-13	-54.91	-78.61	-71.14	3.98	9.36	H
	2442.75	-65.22	-13	-52.22	-80.24	-68.77	4.85	10.55	H
	3257	-63.30	-13	-50.30	-80.45	-68.23	5.50	12.58	H
	4072	-60.77	-13	-47.77	-80.13	-65.24	5.98	12.60	H
	1628.5	-68.49	-13	-55.49	-78.74	-71.72	3.98	9.36	V
	2442.75	-65.43	-13	-52.43	-80.46	-68.98	4.85	10.55	V
	3257	-63.95	-13	-50.95	-81.23	-68.88	5.50	12.58	V
	4072	-61.25	-13	-48.25	-80.68	-65.72	5.98	12.60	V
Middle	1633.5	-68.55	-13	-55.55	-79.27	-71.80	4.00	9.40	H
	2450.25	-65.27	-13	-52.27	-80.29	-68.84	4.88	10.60	H
	3267	-63.82	-13	-50.82	-80.97	-68.75	5.52	12.60	H
	4080	-59.74	-13	-46.74	-79.08	-64.21	6.00	12.62	H
	1633.5	-68.82	-13	-55.82	-79.09	-72.07	4.00	9.40	V
	2450.25	-65.00	-13	-52.00	-80.03	-68.57	4.88	10.60	V
	3267	-63.98	-13	-50.98	-81.26	-68.91	5.52	12.60	V
	4080	-58.64	-13	-45.64	-78.05	-63.11	6.00	12.62	V
Highest	1638.5	-68.43	-13	-55.43	-79.02	-71.60	4.10	9.42	H
	2457.75	-65.39	-13	-52.39	-80.39	-68.97	4.90	10.63	H
	3277	-64.24	-13	-51.24	-81.36	-69.16	5.55	12.62	H
	4096	-60.71	-13	-47.71	-80.08	-65.19	6.02	12.65	H
	1638.5	-69.04	-13	-56.04	-79.26	-72.21	4.10	9.42	V
	2457.75	-65.30	-13	-52.30	-80.27	-68.88	4.90	10.63	V
	3277	-63.77	-13	-50.77	-80.99	-68.69	5.55	12.62	V
	4096	-60.80	-13	-47.80	-80.22	-65.28	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-68.12	-13	-55.12	-78.82	-71.37	4.00	9.40	H
	2443.5	-65.23	-13	-52.23	-80.25	-68.80	4.88	10.60	H
	3258	-63.68	-13	-50.68	-80.83	-68.61	5.52	12.60	H
	4072	-62.58	-13	-49.58	-81.94	-67.05	6.00	12.62	H
	1629	-68.75	-13	-55.75	-79.00	-72.00	4.00	9.40	V
	2443.5	-64.98	-13	-51.98	-80.01	-68.55	4.88	10.60	V
	3258	-63.96	-13	-50.96	-81.24	-68.89	5.52	12.60	V
	4072	-60.39	-13	-47.39	-79.82	-64.86	6.00	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



Bottom Antenna:

LTE Band 26 / 1.4MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.14	-65.37	-13	-52.37	-76.07	-68.60	3.98	9.36	H
	2442.21	-57.75	-13	-44.75	-72.77	-61.30	4.85	10.55	H
	3256.28	-64.09	-13	-51.09	-81.24	-69.02	5.50	12.58	H
	4072	-59.29	-13	-46.29	-78.65	-63.76	5.98	12.60	H
	1628.14	-68.26	-13	-55.26	-78.51	-71.49	3.98	9.36	V
	2442.21	-52.63	-13	-39.63	-67.66	-56.18	4.85	10.55	V
	3256.28	-64.06	-13	-51.06	-81.34	-68.99	5.50	12.58	V
	4072	-62.26	-13	-49.26	-81.69	-66.73	5.98	12.60	V
Middle	1636.74	-65.36	-13	-52.36	-76.08	-68.61	4.00	9.40	H
	2455.11	-54.97	-13	-41.97	-69.97	-58.54	4.88	10.60	H
	3273.48	-64.00	-13	-51.00	-81.12	-68.93	5.52	12.60	H
	4096	-61.39	-13	-48.39	-80.76	-65.86	6.00	12.62	H
	1636.74	-62.44	-13	-49.44	-72.71	-65.69	4.00	9.40	V
	2455.11	-48.40	-13	-35.40	-63.37	-51.97	4.88	10.60	V
	3273.48	-63.23	-13	-50.23	-80.45	-68.16	5.52	12.60	V
	4096	-61.73	-13	-48.73	-81.15	-66.20	6.00	12.62	V
Highest	1645.34	-66.40	-13	-53.40	-76.99	-69.57	4.10	9.42	H
	2468.01	-53.13	-13	-40.13	-68.15	-56.71	4.90	10.63	H
	3290.68	-64.07	-13	-51.07	-81.15	-68.99	5.55	12.62	H
	4112	-62.90	-13	-49.90	-82.29	-67.38	6.02	12.65	H
	1645.34	-65.91	-13	-52.91	-76.13	-69.08	4.10	9.42	V
	2468.01	-47.03	-13	-34.03	-62.02	-50.61	4.90	10.63	V
	3290.68	-64.19	-13	-51.19	-81.34	-69.11	5.55	12.62	V
	4112	-63.83	-13	-50.83	-83.24	-68.31	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 3MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.3	-59.98	-13	-46.98	-70.68	-63.21	3.98	9.36	H
	2442.45	-58.82	-13	-45.82	-73.84	-62.37	4.85	10.55	H
	3256.6	-63.55	-13	-50.55	-80.70	-68.48	5.50	12.58	H
	4072	-59.16	-13	-46.16	-78.52	-63.63	5.98	12.60	H
	1628.3	-63.09	-13	-50.09	-73.34	-66.32	3.98	9.36	V
	2442.45	-59.63	-13	-46.63	-74.66	-63.18	4.85	10.55	V
	3256.6	-63.12	-13	-50.12	-80.40	-68.05	5.50	12.58	V
	4072	-61.48	-13	-48.48	-80.91	-65.95	5.98	12.60	V
Middle	1635.3	-58.19	-13	-45.19	-68.91	-61.44	4.00	9.40	H
	2452.95	-58.66	-13	-45.66	-73.68	-62.23	4.88	10.60	H
	3270.6	-63.82	-13	-50.82	-80.94	-68.75	5.52	12.60	H
	4088	-62.89	-13	-49.89	-82.26	-67.36	6.00	12.62	H
	1635.3	-58.60	-13	-45.60	-68.87	-61.85	4.00	9.40	V
	2452.95	-52.94	-13	-39.94	-67.97	-56.51	4.88	10.60	V
	3270.6	-63.88	-13	-50.88	-81.10	-68.81	5.52	12.60	V
	4088	-63.49	-13	-50.49	-82.91	-67.96	6.00	12.62	V
Highest	1642.3	-61.33	-13	-48.33	-71.92	-64.50	4.10	9.42	H
	2463.45	-51.56	-13	-38.56	-66.58	-55.14	4.90	10.63	H
	3284.6	-63.98	-13	-50.98	-81.10	-68.90	5.55	12.62	H
	4104	-60.62	-13	-47.62	-80.01	-65.10	6.02	12.65	H
	1642.3	-64.61	-13	-51.61	-74.83	-67.78	4.10	9.42	V
	2463.45	-48.10	-13	-35.10	-63.09	-51.68	4.90	10.63	V
	3284.6	-64.00	-13	-51.00	-81.22	-68.92	5.55	12.62	V
	4104	-62.37	-13	-49.37	-81.78	-66.85	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 26 / 5MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1628.5	-51.63	-13	-38.63	-62.33	-54.86	3.98	9.36	H
	2442.75	-58.63	-13	-45.63	-73.65	-62.18	4.85	10.55	H
	3257	-63.35	-13	-50.35	-80.50	-68.28	5.50	12.58	H
	4072	-59.93	-13	-46.93	-79.29	-64.40	5.98	12.60	H
	1628.5	-52.65	-13	-39.65	-62.90	-55.88	3.98	9.36	V
	2442.75	-53.87	-13	-40.87	-68.90	-57.42	4.85	10.55	V
	3257	-63.22	-13	-50.22	-80.50	-68.15	5.50	12.58	V
	4072	-61.81	-13	-48.81	-81.24	-66.28	5.98	12.60	V
Middle	1633.5	-46.45	-13	-33.45	-57.17	-49.70	4.00	9.40	H
	2450.25	-45.60	-13	-32.60	-60.62	-49.17	4.88	10.60	H
	3267	-63.38	-13	-50.38	-80.53	-68.31	5.52	12.60	H
	4080	-62.69	-13	-49.69	-82.03	-67.16	6.00	12.62	H
	1633.5	-45.42	-13	-32.42	-55.69	-48.67	4.00	9.40	V
	2450.25	-44.45	-13	-31.45	-59.48	-48.02	4.88	10.60	V
	3267	-63.06	-13	-50.06	-80.34	-67.99	5.52	12.60	V
	4080	-62.84	-13	-49.84	-82.25	-67.31	6.00	12.62	V
Highest	1638.5	-47.20	-13	-34.20	-57.79	-50.37	4.10	9.42	H
	2457.75	-49.82	-13	-36.82	-64.82	-53.40	4.90	10.63	H
	3277	-63.37	-13	-50.37	-80.49	-68.29	5.55	12.62	H
	4096.25	-58.24	-13	-45.24	-77.61	-62.72	6.02	12.65	H
	1638.5	-47.75	-13	-34.75	-57.97	-50.92	4.10	9.42	V
	2457.75	-46.79	-13	-33.79	-61.76	-50.37	4.90	10.63	V
	3277	-63.23	-13	-50.23	-80.45	-68.15	5.55	12.62	V
	4096.25	-59.99	-13	-46.99	-79.41	-64.47	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 26 / 10MHz / QPSK									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1629	-60.00	-13	-47.00	-70.70	-63.25	4.00	9.40	H
	2443.5	-57.55	-13	-44.55	-72.57	-61.12	4.88	10.60	H
	3258	-63.42	-13	-50.42	-80.57	-68.35	5.52	12.60	H
	4072	-59.90	-13	-46.90	-79.26	-64.37	6.00	12.62	H
	1629	-60.06	-13	-47.06	-70.31	-63.31	4.00	9.40	V
	2443.5	-55.76	-13	-42.76	-70.79	-59.33	4.88	10.60	V
	3258	-63.17	-13	-50.17	-80.45	-68.10	5.52	12.60	V
	4072	-61.58	-13	-48.58	-81.01	-66.05	6.00	12.62	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.