



		90																																																																																				
Mode		Band Edge																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																				
ANT		CDD 14+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7138.43</td> <td>50.59</td> <td>88.20</td> <td>-37.61</td> <td>39.90</td> <td>35.47</td> <td>8.66</td> <td>33.44</td> <td>180</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7313.60</td> <td>50.24</td> <td>74.00</td> <td>-23.76</td> <td>39.47</td> <td>35.44</td> <td>8.94</td> <td>33.61</td> <td>180</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7138.43	50.59	88.20	-37.61	39.90	35.47	8.66	33.44	180	360	PEAK	2	7313.60	50.24	74.00	-23.76	39.47	35.44	8.94	33.61	180	360	PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>91.90</td> <td>-----</td> <td>-----</td> <td>80.95</td> <td>35.49</td> <td>8.80</td> <td>33.34</td> <td>180</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	91.90	-----	-----	80.95	35.49	8.80	33.34	180	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7138.43	50.59	88.20	-37.61	39.90	35.47	8.66	33.44	180	360	PEAK																																																																											
2	7313.60	50.24	74.00	-23.76	39.47	35.44	8.94	33.61	180	360	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	91.90	-----	-----	80.95	35.49	8.80	33.34	180	360	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7172.23</td> <td>40.85</td> <td>68.20</td> <td>-27.35</td> <td>30.24</td> <td>35.47</td> <td>8.62</td> <td>33.48</td> <td>180</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7262.58</td> <td>40.84</td> <td>54.00</td> <td>-13.16</td> <td>30.17</td> <td>35.45</td> <td>8.78</td> <td>33.56</td> <td>180</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7172.23	40.85	68.20	-27.35	30.24	35.47	8.62	33.48	180	360	AVERAGE	2	7262.58	40.84	54.00	-13.16	30.17	35.45	8.78	33.56	180	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>82.94</td> <td>-----</td> <td>-----</td> <td>71.90</td> <td>35.50</td> <td>8.84</td> <td>33.30</td> <td>180</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	82.94	-----	-----	71.90	35.50	8.84	33.30	180	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7172.23	40.85	68.20	-27.35	30.24	35.47	8.62	33.48	180	360	AVERAGE																																																																											
2	7262.58	40.84	54.00	-13.16	30.17	35.45	8.78	33.56	180	360	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	82.94	-----	-----	71.90	35.50	8.84	33.30	180	360	AVERAGE																																																																											



Mode	90																																																																									
	Harmonic																																																																									
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>58.04</td> <td>38.51</td> <td>12.73</td> <td>63.44</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	45.84	88.20	-42.36	58.04	38.51	12.73	63.44	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>46.09</td> <td>88.20</td> <td>-42.11</td> <td>58.29</td> <td>38.51</td> <td>12.73</td> <td>63.44</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	46.09	88.20	-42.11	58.29	38.51	12.73	63.44	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 14050.00	45.84	88.20	-42.36	58.04	38.51	12.73	63.44	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 14050.00	46.09	88.20	-42.11	58.29	38.51	12.73	63.44	--	-- Peak																																																																	



		91																																																																							
Mode	Band Edge																																																																								
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																								
ANT	CDD 14+15																																																																								
Pol.	Horizontal	Fundamental																																																																							
Peak	<p style="text-align: right;">Date: 2024-08-18</p>	<p style="text-align: right;">Date: 2024-08-18</p>																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5880.44</td> <td>52.19</td> <td>88.20</td> <td>-36.01</td> <td>40.72</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5880.44	52.19	88.20	-36.01	40.72	35.13	8.84	32.50	200	47	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.15</td> <td>-----</td> <td>-----</td> <td>73.66</td> <td>35.20</td> <td>8.83</td> <td>32.54</td> <td>200</td> <td>47</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6025.00	85.15	-----	-----	73.66	35.20	8.83	32.54	200	47
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5880.44	52.19	88.20	-36.01	40.72	35.13	8.84	32.50	200	47	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	6025.00	85.15	-----	-----	73.66	35.20	8.83	32.54	200	47	PEAK																																																														
Avg	<p style="text-align: right;">Date: 2024-08-18</p>	<p style="text-align: right;">Date: 2024-08-18</p>																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.04</td> <td>41.78</td> <td>68.20</td> <td>-26.42</td> <td>30.31</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>200</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5879.04	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	200	47	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>76.78</td> <td>-----</td> <td>-----</td> <td>65.35</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>200</td> <td>47</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6025.00	76.78	-----	-----	65.35	35.18	8.75	32.50	200	47
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5879.04	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	200	47	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	6025.00	76.78	-----	-----	65.35	35.18	8.75	32.50	200	47	AVERAGE																																																														





	91																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5844.88</td> <td>51.48</td> <td>88.20</td> <td>-36.72</td> <td>39.99</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>200</td> <td>2</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5844.88	51.48	88.20	-36.72	39.99	35.11	8.88	32.50	200	2	PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>89.42</td> <td>-----</td> <td>-----</td> <td>77.99</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>200</td> <td>2</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	89.42	-----	-----	77.99	35.18	8.75	32.50	200	2	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5844.88	51.48	88.20	-36.72	39.99	35.11	8.88	32.50	200	2	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	89.42	-----	-----	77.99	35.18	8.75	32.50	200	2	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5840.96</td> <td>41.90</td> <td>68.20</td> <td>-26.30</td> <td>30.41</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>200</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.96	41.90	68.20	-26.30	30.41	35.10	8.89	32.50	200	2	AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>79.25</td> <td>-----</td> <td>-----</td> <td>67.82</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>200</td> <td>2</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	79.25	-----	-----	67.82	35.18	8.75	32.50	200	2	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5840.96	41.90	68.20	-26.30	30.41	35.10	8.89	32.50	200	2	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	79.25	-----	-----	67.82	35.18	8.75	32.50	200	2	AVERAGE																																																																	



	91																																																																			
Mode	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>47.69</td> <td>74.00</td> <td>-26.31</td> <td>60.94</td> <td>38.23</td> <td>11.71</td> <td>63.19</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	47.69	74.00	-26.31	60.94	38.23	11.71	63.19	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>47.77</td> <td>74.00</td> <td>-26.23</td> <td>61.02</td> <td>38.23</td> <td>11.71</td> <td>63.19</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12050.00	47.69	74.00	-26.31	60.94	38.23	11.71	63.19	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12050.00	47.77	74.00	-26.23	61.02	38.23	11.71	63.19	-- -- Peak																																																												



	92																																																																			
Mode	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2024-08-22. Shows Peak and Avg traces.</p>	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2024-08-22. Shows Peak and Avg traces.</p>																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>58.02</td> <td>38.43</td> <td>11.78</td> <td>63.12</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	45.11	74.00	-28.89	58.02	38.43	11.78	63.12	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12370.00</td> <td>45.01</td> <td>74.00</td> <td>-28.99</td> <td>57.92</td> <td>38.43</td> <td>11.78</td> <td>63.12</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12370.00	45.01	74.00	-28.99	57.92	38.43	11.78	63.12	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	45.11	74.00	-28.89	58.02	38.43	11.78	63.12	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12370.00	45.01	74.00	-28.99	57.92	38.43	11.78	63.12	-- -- Peak																																																												



	93																																																																																																																																																	
Mode	Harmonic																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																																																																																	
ANT	CDD 14+15																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2"></th> </tr> <tr> <th colspan="2"></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th colspan="2">Remark</th> </tr> <tr> <th colspan="2"></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>46.57</td> <td>74.00</td> <td>-27.43</td> <td>59.52</td> <td>38.54</td> <td>11.84</td> <td>63.33</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td colspan="4">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos						Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor					Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	12690.00	46.57	74.00	-27.43	59.52	38.54	11.84	63.33	--	--	--	--	--	Peak				<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th colspan="2"></th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th colspan="2">Ant</th> <th colspan="2">Cable</th> <th colspan="2">Preamp</th> <th colspan="2">APos</th> <th colspan="2">TPos</th> <th colspan="2"></th> </tr> <tr> <th colspan="2"></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> <th></th> <th colspan="2">Remark</th> </tr> <tr> <th colspan="2"></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>46.61</td> <td>74.00</td> <td>-27.39</td> <td>59.56</td> <td>38.54</td> <td>11.84</td> <td>63.33</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td>--</td> <td colspan="4">Peak</td> </tr> </tbody> </table>			Limit		Read		Ant		Cable		Preamp		APos		TPos						Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor					Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	12690.00	46.61	74.00	-27.39	59.56	38.54	11.84	63.33	--	--	--	--	--	Peak			
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																				
		Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor					Remark																																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	12690.00	46.57	74.00	-27.43	59.52	38.54	11.84	63.33	--	--	--	--	--	Peak																																																																																																																																				
		Limit		Read		Ant		Cable		Preamp		APos		TPos																																																																																																																																				
		Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor					Remark																																																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																					
1	12690.00	46.61	74.00	-27.39	59.56	38.54	11.84	63.33	--	--	--	--	--	Peak																																																																																																																																				



	94																																																																			
Mode	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak																																																																				
Avg																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>46.89</td> <td>74.00</td> <td>-27.11</td> <td>59.74</td> <td>38.60</td> <td>12.18</td> <td>63.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	46.89	74.00	-27.11	59.74	38.60	12.18	63.63	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13330.00</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>57.74</td> <td>38.60</td> <td>12.18</td> <td>63.63</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13330.00	44.89	74.00	-29.11	57.74	38.60	12.18	63.63	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13330.00	46.89	74.00	-27.11	59.74	38.60	12.18	63.63	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13330.00	44.89	74.00	-29.11	57.74	38.60	12.18	63.63	-- -- Peak																																																												





	95																																																																															
Mode	Band Edge																																																																															
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																															
ANT	CDD 14+15																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7172.50</td> <td>52.65</td> <td>88.20</td> <td>-35.55</td> <td>42.04</td> <td>35.47</td> <td>8.62</td> <td>33.48</td> <td>100</td> <td>354 PEAK</td> </tr> <tr> <td>2 7340.63</td> <td>50.45</td> <td>74.00</td> <td>-23.55</td> <td>39.64</td> <td>35.43</td> <td>9.02</td> <td>33.64</td> <td>100</td> <td>354 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7172.50	52.65	88.20	-35.55	42.04	35.47	8.62	33.48	100	354 PEAK	2 7340.63	50.45	74.00	-23.55	39.64	35.43	9.02	33.64	100	354 PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6985.00</td> <td>86.78</td> <td>-----</td> <td>-----</td> <td>75.77</td> <td>35.47</td> <td>8.84</td> <td>33.30</td> <td>100</td> <td>354 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6985.00	86.78	-----	-----	75.77	35.47	8.84	33.30	100	354 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 7172.50	52.65	88.20	-35.55	42.04	35.47	8.62	33.48	100	354 PEAK																																																																							
2 7340.63	50.45	74.00	-23.55	39.64	35.43	9.02	33.64	100	354 PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 6985.00	86.78	-----	-----	75.77	35.47	8.84	33.30	100	354 PEAK																																																																							
Avg	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7172.50</td> <td>42.41</td> <td>68.20</td> <td>-25.79</td> <td>31.80</td> <td>35.47</td> <td>8.62</td> <td>33.48</td> <td>100</td> <td>354 AVERAGE</td> </tr> <tr> <td>2 7268.75</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>30.53</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>100</td> <td>354 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 7172.50	42.41	68.20	-25.79	31.80	35.47	8.62	33.48	100	354 AVERAGE	2 7268.75	41.21	54.00	-12.79	30.53	35.45	8.80	33.57	100	354 AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6985.00</td> <td>78.07</td> <td>-----</td> <td>-----</td> <td>67.03</td> <td>35.50</td> <td>8.84</td> <td>33.30</td> <td>100</td> <td>354 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6985.00	78.07	-----	-----	67.03	35.50	8.84	33.30	100	354 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 7172.50	42.41	68.20	-25.79	31.80	35.47	8.62	33.48	100	354 AVERAGE																																																																							
2 7268.75	41.21	54.00	-12.79	30.53	35.45	8.80	33.57	100	354 AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																									
1 6985.00	78.07	-----	-----	67.03	35.50	8.84	33.30	100	354 AVERAGE																																																																							







		95																																																																																					
Mode		Band Edge																																																																																					
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																					
ANT		CDD 14+15																																																																																					
Pol.		Vertical	Fundamental																																																																																				
Peak		<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7140.63</td> <td>54.71</td> <td>88.20</td> <td>-33.49</td> <td>44.03</td> <td>35.47</td> <td>8.66</td> <td>33.45</td> <td>127</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7262.50</td> <td>50.18</td> <td>74.00</td> <td>-23.82</td> <td>39.51</td> <td>35.45</td> <td>8.78</td> <td>33.56</td> <td>127</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7140.63	54.71	88.20	-33.49	44.03	35.47	8.66	33.45	127	0	PEAK	2	7262.50	50.18	74.00	-23.82	39.51	35.45	8.78	33.56	127	0	PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>91.38</td> <td>-----</td> <td>-----</td> <td>80.36</td> <td>35.48</td> <td>8.84</td> <td>33.30</td> <td>127</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	91.38	-----	-----	80.36	35.48	8.84	33.30	127	0	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	7140.63	54.71	88.20	-33.49	44.03	35.47	8.66	33.45	127	0	PEAK																																																																												
2	7262.50	50.18	74.00	-23.82	39.51	35.45	8.78	33.56	127	0	PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	6985.00	91.38	-----	-----	80.36	35.48	8.84	33.30	127	0	PEAK																																																																												
Avg		<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7140.63</td> <td>43.10</td> <td>68.20</td> <td>-25.10</td> <td>32.42</td> <td>35.47</td> <td>8.66</td> <td>33.45</td> <td>127</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.13</td> <td>41.11</td> <td>54.00</td> <td>-12.89</td> <td>30.42</td> <td>35.44</td> <td>8.83</td> <td>33.58</td> <td>127</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7140.63	43.10	68.20	-25.10	32.42	35.47	8.66	33.45	127	0	AVERAGE	2	7278.13	41.11	54.00	-12.89	30.42	35.44	8.83	33.58	127	0	AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>82.43</td> <td>-----</td> <td>-----</td> <td>71.41</td> <td>35.48</td> <td>8.84</td> <td>33.30</td> <td>127</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	82.43	-----	-----	71.41	35.48	8.84	33.30	127	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	7140.63	43.10	68.20	-25.10	32.42	35.47	8.66	33.45	127	0	AVERAGE																																																																												
2	7278.13	41.11	54.00	-12.89	30.42	35.44	8.83	33.58	127	0	AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	6985.00	82.43	-----	-----	71.41	35.48	8.84	33.30	127	0	AVERAGE																																																																												



	95																																																																							
Mode	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2024-08-22. Shows a peak at 13970.00 MHz.</p>	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2024-08-22. Shows a peak at 13970.00 MHz.</p>																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>59.45</td> <td>38.51</td> <td>12.72</td> <td>63.41</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13970.00	47.27	88.20	-40.93	59.45	38.51	12.72	63.41	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13970.00</td> <td>47.38</td> <td>88.20</td> <td>-40.82</td> <td>59.56</td> <td>38.51</td> <td>12.72</td> <td>63.41</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13970.00	47.38	88.20	-40.82	59.56	38.51	12.72	63.41	--	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13970.00	47.27	88.20	-40.93	59.45	38.51	12.72	63.41	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13970.00	47.38	88.20	-40.82	59.56	38.51	12.72	63.41	--	Peak																																																															



		96																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.40</td> <td>59.67</td> <td>88.20</td> <td>-28.53</td> <td>48.22</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5924.40	59.67	88.20	-28.53	48.22	35.16	8.79	32.50	200	49	PEAK	 <p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.79</td> <td>-----</td> <td>-----</td> <td>76.08</td> <td>35.20</td> <td>9.18</td> <td>32.67</td> <td>200</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6105.00	87.79	-----	-----	76.08	35.20	9.18	32.67	200	49	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5924.40	59.67	88.20	-28.53	48.22	35.16	8.79	32.50	200	49	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6105.00	87.79	-----	-----	76.08	35.20	9.18	32.67	200	49	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.12</td> <td>47.57</td> <td>68.20</td> <td>-20.63</td> <td>36.12</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5924.12	47.57	68.20	-20.63	36.12	35.16	8.79	32.50	200	49	AVERAGE	 <p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.28</td> <td>-----</td> <td>-----</td> <td>66.57</td> <td>35.20</td> <td>9.18</td> <td>32.67</td> <td>200</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6105.00	78.28	-----	-----	66.57	35.20	9.18	32.67	200	49	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5924.12	47.57	68.20	-20.63	36.12	35.16	8.79	32.50	200	49	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6105.00	78.28	-----	-----	66.57	35.20	9.18	32.67	200	49	AVERAGE																																																																															







		96																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.84</td> <td>63.20</td> <td>88.20</td> <td>-25.00</td> <td>51.76</td> <td>35.15</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5923.84	63.20	88.20	-25.00	51.76	35.15	8.79	32.50	200	333	PEAK	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>91.23</td> <td>-----</td> <td>-----</td> <td>79.72</td> <td>35.20</td> <td>8.86</td> <td>32.55</td> <td>200</td> <td>333</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	91.23	-----	-----	79.72	35.20	8.86	32.55	200	333	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5923.84	63.20	88.20	-25.00	51.76	35.15	8.79	32.50	200	333	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	91.23	-----	-----	79.72	35.20	8.86	32.55	200	333	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5924.96</td> <td>51.50</td> <td>68.20</td> <td>-16.70</td> <td>40.05</td> <td>35.16</td> <td>8.79</td> <td>32.50</td> <td>200</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.96	51.50	68.20	-16.70	40.05	35.16	8.79	32.50	200	333	AVERAGE	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>82.11</td> <td>-----</td> <td>-----</td> <td>70.67</td> <td>35.17</td> <td>8.77</td> <td>32.50</td> <td>200</td> <td>333</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	82.11	-----	-----	70.67	35.17	8.77	32.50	200	333	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5924.96	51.50	68.20	-16.70	40.05	35.16	8.79	32.50	200	333	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	82.11	-----	-----	70.67	35.17	8.77	32.50	200	333	AVERAGE																																																																	



	96																																																																			
Mode	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																		
Avg	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																		
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>58.76</td> <td>38.33</td> <td>11.74</td> <td>63.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12210.00	45.67	74.00	-28.33	58.76	38.33	11.74	63.16	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12210.00</td> <td>45.63</td> <td>74.00</td> <td>-28.37</td> <td>58.72</td> <td>38.33</td> <td>11.74</td> <td>63.16</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12210.00	45.63	74.00	-28.37	58.72	38.33	11.74	63.16	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12210.00	45.67	74.00	-28.33	58.76	38.33	11.74	63.16	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 12210.00	45.63	74.00	-28.37	58.72	38.33	11.74	63.16	-- -- Peak																																																												



	97																																																																																			
Mode	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak	 <p style="text-align: right;">Date: 2024-08-22</p>	 <p style="text-align: right;">Date: 2024-08-22</p>																																																																																		
Avg																																																																																				
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>57.21</td> <td>38.51</td> <td>11.81</td> <td>63.14</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 12530.00	44.39	74.00	-29.61	57.21	38.51	11.81	63.14	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 12530.00</td> <td>44.51</td> <td>74.00</td> <td>-29.49</td> <td>57.33</td> <td>38.51</td> <td>11.81</td> <td>63.14</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB						cm	deg		1 12530.00	44.51	74.00	-29.49	57.33	38.51	11.81	63.14	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
					cm	deg																																																																														
1 12530.00	44.39	74.00	-29.61	57.21	38.51	11.81	63.14	-- -- Peak																																																																												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
					cm	deg																																																																														
1 12530.00	44.51	74.00	-29.49	57.33	38.51	11.81	63.14	-- -- Peak																																																																												



Mode	98																																																																		
	Harmonic																																																																		
	U-NII-7-8_6.525-6.875_802.11a_CH185_Full RU_6525MHz																																																																		
ANT	CDD 14+15																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>59.69</td> <td>38.55</td> <td>12.53</td> <td>63.50</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>46.67</td> <td>88.20</td> <td>-41.53</td> <td>59.09</td> <td>38.55</td> <td>12.53</td> <td>63.50</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13750.00	46.67	88.20	-41.53	59.09	38.55	12.53	63.50
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13750.00	47.27	88.20	-40.93	59.69	38.55	12.53	63.50	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13750.00	46.67	88.20	-41.53	59.09	38.55	12.53	63.50	-- -- Peak																																																											





	99																																																																					
Mode	Harmonic																																																																					
	U-NII-7-8_6.525-6.875_802.11be EHT20_CH185_Full RU_6525MHz																																																																					
ANT	CDD 14+15																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>47.40</td> <td>88.20</td> <td>-40.80</td> <td>59.82</td> <td>38.55</td> <td>12.53</td> <td>63.50</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	47.40	88.20	-40.80	59.82	38.55	12.53	63.50	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13750.00</td> <td>47.28</td> <td>88.20</td> <td>-40.92</td> <td>59.70</td> <td>38.55</td> <td>12.53</td> <td>63.50</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13750.00	47.28	88.20	-40.92	59.70	38.55	12.53	63.50	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13750.00	47.40	88.20	-40.80	59.82	38.55	12.53	63.50	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13750.00	47.28	88.20	-40.92	59.70	38.55	12.53	63.50	-- -- Peak																																																														



Mode	100																																																																					
	Harmonic																																																																					
	U-NII-7-8_6.525-6.875_802.11be EHT40_CH187_Full RU_6885MHz																																																																					
ANT	CDD 14+15																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.27</td> <td>88.20</td> <td>-40.93</td> <td>59.66</td> <td>38.55</td> <td>12.55</td> <td>63.49</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13770.00	47.27	88.20	-40.93	59.66	38.55	12.55	63.49	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13770.00</td> <td>47.50</td> <td>88.20</td> <td>-40.70</td> <td>59.89</td> <td>38.55</td> <td>12.55</td> <td>63.49</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13770.00	47.50	88.20	-40.70	59.89	38.55	12.55	63.49	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13770.00	47.27	88.20	-40.93	59.66	38.55	12.55	63.49	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13770.00	47.50	88.20	-40.70	59.89	38.55	12.55	63.49	-- -- Peak																																																														



	101																																																																			
Mode	Harmonic																																																																			
	U-NII-7-8_6.525-6.875_802.11be EHT80_CH183_Full RU_6865MHz																																																																			
ANT	CDD 14+15																																																																			
Pol.	Horizontal	Vertical																																																																		
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Date: 2024-08-22. Shows a peak at 13730.00 MHz.</p>	 <p>Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. Date: 2024-08-22. Shows a peak at 13730.00 MHz.</p>																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>47.16</td> <td>88.20</td> <td>-41.04</td> <td>59.61</td> <td>38.55</td> <td>12.51</td> <td>63.51</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	47.16	88.20	-41.04	59.61	38.55	12.51	63.51	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13730.00</td> <td>45.93</td> <td>88.20</td> <td>-42.27</td> <td>58.38</td> <td>38.55</td> <td>12.51</td> <td>63.51</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13730.00	45.93	88.20	-42.27	58.38	38.55	12.51	63.51	-- -- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13730.00	47.16	88.20	-41.04	59.61	38.55	12.51	63.51	-- -- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																													
1 13730.00	45.93	88.20	-42.27	58.38	38.55	12.51	63.51	-- -- Peak																																																												



Mode	102																																																																							
	Harmonic																																																																							
	U-NII-7-8_6.525-6.875_802.11be EHT160_CH175_Full RU_6825MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<p>Date: 2024-08-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>47.35</td> <td>88.20</td> <td>-40.85</td> <td>59.87</td> <td>38.57</td> <td>12.45</td> <td>63.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	Peak	<p>Date: 2024-08-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>47.22</td> <td>88.20</td> <td>-40.98</td> <td>59.74</td> <td>38.57</td> <td>12.45</td> <td>63.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	Peak																																																															
Avg	<p>Date: 2024-08-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>47.35</td> <td>88.20</td> <td>-40.85</td> <td>59.87</td> <td>38.57</td> <td>12.45</td> <td>63.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	Peak	<p>Date: 2024-08-22</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13650.00</td> <td>47.22</td> <td>88.20</td> <td>-40.98</td> <td>59.74</td> <td>38.57</td> <td>12.45</td> <td>63.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13650.00	47.35	88.20	-40.85	59.87	38.57	12.45	63.54	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13650.00	47.22	88.20	-40.98	59.74	38.57	12.45	63.54	--	Peak																																																															



Mode	103																																																																		
	Harmonic																																																																		
	U-NII-7-8_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																		
ANT	CDD 14+15																																																																		
Pol.	Horizontal	Vertical																																																																	
Peak Avg																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13490.00</td> <td>47.14</td> <td>88.20</td> <td>-41.06</td> <td>59.83</td> <td>38.60</td> <td>12.31</td> <td>63.60</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13490.00	47.14	88.20	-41.06	59.83	38.60	12.31	63.60	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13490.00</td> <td>47.16</td> <td>88.20</td> <td>-41.04</td> <td>59.85</td> <td>38.60</td> <td>12.31</td> <td>63.60</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13490.00	47.16	88.20	-41.04	59.85	38.60	12.31	63.60
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13490.00	47.14	88.20	-41.06	59.83	38.60	12.31	63.60	-- -- Peak																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1 13490.00	47.16	88.20	-41.04	59.85	38.60	12.31	63.60	-- -- Peak																																																											



		104																																																																						
Mode	Band Edge																																																																							
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<p style="text-align: right;">Date: 2024-08-19</p>	<p style="text-align: right;">Date: 2024-08-19</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5855.24</td> <td>52.00</td> <td>88.20</td> <td>-36.20</td> <td>40.52</td> <td>35.11</td> <td>8.87</td> <td>32.50</td> <td>145</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5855.24	52.00	88.20	-36.20	40.52	35.11	8.87	32.50	145	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>84.31</td> <td>-----</td> <td>-----</td> <td>73.51</td> <td>35.35</td> <td>8.75</td> <td>33.30</td> <td>145</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6905.00	84.31	-----	-----	73.51	35.35	8.75	33.30	145	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5855.24	52.00	88.20	-36.20	40.52	35.11	8.87	32.50	145	360	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 6905.00	84.31	-----	-----	73.51	35.35	8.75	33.30	145	360	PEAK																																																														
Avg	<p style="text-align: right;">Date: 2024-08-19</p>	<p style="text-align: right;">Date: 2024-08-19</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5884.40</td> <td>41.78</td> <td>68.20</td> <td>-26.42</td> <td>30.31</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>145</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5884.40	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	145	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>73.95</td> <td>-----</td> <td>-----</td> <td>63.15</td> <td>35.35</td> <td>8.75</td> <td>33.30</td> <td>145</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6905.00	73.95	-----	-----	63.15	35.35	8.75	33.30	145	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5884.40	41.78	68.20	-26.42	30.31	35.13	8.84	32.50	145	360	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 6905.00	73.95	-----	-----	63.15	35.35	8.75	33.30	145	360	AVERAGE																																																														



		104																																																																								
Mode	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5877.92</td> <td>52.27</td> <td>88.20</td> <td>-35.93</td> <td>40.80</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>315</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5877.92	52.27	88.20	-35.93	40.80	35.13	8.84	32.50	315	360	PEAK	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>87.79</td> <td>-----</td> <td>-----</td> <td>76.84</td> <td>35.41</td> <td>8.84</td> <td>33.30</td> <td>315</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6905.00	87.79	-----	-----	76.84	35.41	8.84	33.30	315	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5877.92	52.27	88.20	-35.93	40.80	35.13	8.84	32.50	315	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 6905.00	87.79	-----	-----	76.84	35.41	8.84	33.30	315	360	PEAK																																																																
Avg	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5911.40</td> <td>41.80</td> <td>68.20</td> <td>-26.40</td> <td>30.34</td> <td>35.15</td> <td>8.81</td> <td>32.50</td> <td>315</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5911.40	41.80	68.20	-26.40	30.34	35.15	8.81	32.50	315	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-19</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6905.00</td> <td>78.32</td> <td>-----</td> <td>-----</td> <td>67.53</td> <td>35.35</td> <td>8.74</td> <td>33.30</td> <td>315</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 6905.00	78.32	-----	-----	67.53	35.35	8.74	33.30	315	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5911.40	41.80	68.20	-26.40	30.34	35.15	8.81	32.50	315	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 6905.00	78.32	-----	-----	67.53	35.35	8.74	33.30	315	360	AVERAGE																																																																



Mode	104																																																																				
	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																				
ANT	CDD 14+15																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>50.75</td> <td>88.20</td> <td>-37.45</td> <td>63.11</td> <td>38.54</td> <td>12.58</td> <td>63.48</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13810.00	50.75	88.20	-37.45	63.11	38.54	12.58	63.48	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13810.00</td> <td>49.71</td> <td>88.20</td> <td>-38.49</td> <td>62.07</td> <td>38.54</td> <td>12.58</td> <td>63.48</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13810.00	49.71	88.20	-38.49	62.07	38.54	12.58	63.48
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 13810.00	50.75	88.20	-37.45	63.11	38.54	12.58	63.48	-- -- Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 13810.00	49.71	88.20	-38.49	62.07	38.54	12.58	63.48	-- -- Peak																																																													



Mode	105																																																																									
	Harmonic																																																																									
	U-NII-6-7_6.425-6.525_802.11be EHT40_CH115_Full RU_6525MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>47.02</td> <td>88.20</td> <td>-41.18</td> <td>60.17</td> <td>38.60</td> <td>11.94</td> <td>63.69</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13050.00	47.02	88.20	-41.18	60.17	38.60	11.94	63.69	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13050.00</td> <td>46.08</td> <td>88.20</td> <td>-42.12</td> <td>59.23</td> <td>38.60</td> <td>11.94</td> <td>63.69</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13050.00	46.08	88.20	-42.12	59.23	38.60	11.94	63.69	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13050.00	47.02	88.20	-41.18	60.17	38.60	11.94	63.69	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13050.00	46.08	88.20	-42.12	59.23	38.60	11.94	63.69	--	-- Peak																																																																	



	106																																																																							
Mode	Harmonic																																																																							
	U-NII-6-7_6.425-6.525_802.11be EHT80_CH119_Full RU_6545MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																						
Avg	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.68</td> <td>88.20</td> <td>-41.52</td> <td>59.81</td> <td>38.60</td> <td>11.96</td> <td>63.69</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.68	88.20	-41.52	59.81	38.60	11.96	63.69	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.51</td> <td>88.20</td> <td>-41.69</td> <td>59.64</td> <td>38.60</td> <td>11.96</td> <td>63.69</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13070.00	46.51	88.20	-41.69	59.64	38.60	11.96	63.69	--	Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	46.68	88.20	-41.52	59.81	38.60	11.96	63.69	--	Peak																																																															
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 13070.00	46.51	88.20	-41.69	59.64	38.60	11.96	63.69	--	Peak																																																															



	107																																																																					
Mode	Harmonic																																																																					
	U-NII-6-7_6.425-6.525_802.11be EHT160_CH111_Full RU_6505MHz																																																																					
ANT	CDD 14+15																																																																					
Pol.	Horizontal	Vertical																																																																				
Peak																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>47.11</td> <td>88.20</td> <td>-41.09</td> <td>60.30</td> <td>38.60</td> <td>11.91</td> <td>63.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13010.00	47.11	88.20	-41.09	60.30	38.60	11.91	63.70	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13010.00</td> <td>47.31</td> <td>88.20</td> <td>-40.89</td> <td>60.50</td> <td>38.60</td> <td>11.91</td> <td>63.70</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 13010.00	47.31	88.20	-40.89	60.50	38.60	11.91	63.70	-- -- Peak
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13010.00	47.11	88.20	-41.09	60.30	38.60	11.91	63.70	-- -- Peak																																																														
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																														
1 13010.00	47.31	88.20	-40.89	60.50	38.60	11.91	63.70	-- -- Peak																																																														



Mode	108																																																																						
	Harmonic																																																																						
	U-NII-5-6_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																						
ANT	CDD 14+15																																																																						
Pol.	Horizontal	Vertical																																																																					
Peak Avg																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>45.58</td> <td>88.20</td> <td>-42.62</td> <td>58.69</td> <td>38.58</td> <td>11.88</td> <td>63.57</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	45.58	88.20	-42.62	58.69	38.58	11.88	63.57	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>46.00</td> <td>88.20</td> <td>-42.20</td> <td>59.11</td> <td>38.58</td> <td>11.88</td> <td>63.57</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 12890.00	46.00	88.20	-42.20	59.11	38.58	11.88	63.57	--
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12890.00	45.58	88.20	-42.62	58.69	38.58	11.88	63.57	--	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																															
1 12890.00	46.00	88.20	-42.20	59.11	38.58	11.88	63.57	--	Peak																																																														



	109																																																																									
Mode	Harmonic																																																																									
	U-NII-6-7_6.425-6.525_802.11be EHT320_CH127_Full RU_6585MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																								
Avg																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13170.00</td> <td>47.70</td> <td>88.20</td> <td>-40.50</td> <td>60.73</td> <td>38.60</td> <td>12.04</td> <td>63.67</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13170.00	47.70	88.20	-40.50	60.73	38.60	12.04	63.67	--	-- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13170.00</td> <td>46.21</td> <td>88.20</td> <td>-41.99</td> <td>59.24</td> <td>38.60</td> <td>12.04</td> <td>63.67</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13170.00	46.21	88.20	-41.99	59.24	38.60	12.04	63.67	--	-- Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13170.00	47.70	88.20	-40.50	60.73	38.60	12.04	63.67	--	-- Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor			Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13170.00	46.21	88.20	-41.99	59.24	38.60	12.04	63.67	--	-- Peak																																																																	



	110																																																																									
Mode	Band Edge																																																																									
	U-NII-5 5.925-6.425 802.11be EHT20_CH1_Single RU_5955MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5898.45</td> <td>51.66</td> <td>88.20</td> <td>-36.54</td> <td>40.20</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>200</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5898.45	51.66	88.20	-36.54	40.20	35.14	8.82	32.50	200	328	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>81.39</td> <td>-----</td> <td>-----</td> <td>69.96</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>200</td> <td>328</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	81.39	-----	-----	69.96	35.17	8.76	32.50	200	328	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5898.45	51.66	88.20	-36.54	40.20	35.14	8.82	32.50	200	328	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	81.39	-----	-----	69.96	35.17	8.76	32.50	200	328	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.38</td> <td>41.95</td> <td>68.20</td> <td>-26.25</td> <td>30.50</td> <td>35.14</td> <td>8.81</td> <td>32.50</td> <td>200</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5906.38	41.95	68.20	-26.25	30.50	35.14	8.81	32.50	200	328	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>73.26</td> <td>-----</td> <td>-----</td> <td>61.83</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>200</td> <td>328</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5955.00	73.26	-----	-----	61.83	35.17	8.76	32.50	200	328	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5906.38	41.95	68.20	-26.25	30.50	35.14	8.81	32.50	200	328	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5955.00	73.26	-----	-----	61.83	35.17	8.76	32.50	200	328	AVERAGE																																																															



		110																																																																										
Mode		Band Edge																																																																										
		U-NII-5 5.925-6.425 802.11be EHT20_CH1_Single RU_5955MHz																																																																										
ANT		CDD 14+15																																																																										
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5840.21</td> <td>51.49</td> <td>88.20</td> <td>-36.71</td> <td>40.00</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>5</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5840.21	51.49	88.20	-36.71	40.00	35.10	8.89	32.50	100	5	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.82</td> <td>-----</td> <td>-----</td> <td>78.39</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>5</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	89.82	-----	-----	78.39	35.17	8.76	32.50	100	5	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5840.21	51.49	88.20	-36.71	40.00	35.10	8.89	32.50	100	5	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	89.82	-----	-----	78.39	35.17	8.76	32.50	100	5	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5844.24</td> <td>41.76</td> <td>68.20</td> <td>-26.44</td> <td>30.27</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>100</td> <td>5</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5844.24	41.76	68.20	-26.44	30.27	35.11	8.88	32.50	100	5	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>81.89</td> <td>-----</td> <td>-----</td> <td>70.46</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>5</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	81.89	-----	-----	70.46	35.17	8.76	32.50	100	5	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5844.24	41.76	68.20	-26.44	30.27	35.11	8.88	32.50	100	5	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5955.00	81.89	-----	-----	70.46	35.17	8.76	32.50	100	5	AVERAGE																																																																	



	111																																																																																							
Mode	Band Edge																																																																																							
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																							
ANT	CDD 14+15																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7215.87</td> <td>50.87</td> <td>88.20</td> <td>-37.33</td> <td>40.30</td> <td>35.46</td> <td>8.63</td> <td>33.52</td> <td>100</td> <td>141</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7274.01</td> <td>49.87</td> <td>74.00</td> <td>-24.13</td> <td>39.20</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>100</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7215.87	50.87	88.20	-37.33	40.30	35.46	8.63	33.52	100	141	PEAK	2	7274.01	49.87	74.00	-24.13	39.20	35.44	8.81	33.58	100	141	PEAK	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>76.61</td> <td>-----</td> <td>-----</td> <td>65.83</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>141</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	76.61	-----	-----	65.83	35.48	8.71	33.41	100	141	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7215.87	50.87	88.20	-37.33	40.30	35.46	8.63	33.52	100	141	PEAK																																																																													
2	7274.01	49.87	74.00	-24.13	39.20	35.44	8.81	33.58	100	141	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	76.61	-----	-----	65.83	35.48	8.71	33.41	100	141	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7224.29</td> <td>40.96</td> <td>68.20</td> <td>-27.24</td> <td>30.39</td> <td>35.45</td> <td>8.65</td> <td>33.53</td> <td>100</td> <td>141</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7260.50</td> <td>40.84</td> <td>54.00</td> <td>-13.16</td> <td>30.18</td> <td>35.45</td> <td>8.77</td> <td>33.56</td> <td>100</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7224.29	40.96	68.20	-27.24	30.39	35.45	8.65	33.53	100	141	AVERAGE	2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	100	141	AVERAGE	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>69.32</td> <td>-----</td> <td>-----</td> <td>58.54</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>100</td> <td>141</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	69.32	-----	-----	58.54	35.48	8.71	33.41	100	141	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7224.29	40.96	68.20	-27.24	30.39	35.45	8.65	33.53	100	141	AVERAGE																																																																													
2	7260.50	40.84	54.00	-13.16	30.18	35.45	8.77	33.56	100	141	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	69.32	-----	-----	58.54	35.48	8.71	33.41	100	141	AVERAGE																																																																													







		111																																																																																						
Mode		Band Edge																																																																																						
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																						
ANT		CDD 14+15																																																																																						
Pol.	Vertical	Fundamental																																																																																						
Peak	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7207.71</td> <td>51.07</td> <td>88.20</td> <td>-37.13</td> <td>40.52</td> <td>35.46</td> <td>8.60</td> <td>33.51</td> <td>300</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7313.28</td> <td>50.27</td> <td>74.00</td> <td>-23.73</td> <td>39.50</td> <td>35.44</td> <td>8.94</td> <td>33.61</td> <td>300</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7207.71	51.07	88.20	-37.13	40.52	35.46	8.60	33.51	300	65	PEAK	2	7313.28	50.27	74.00	-23.73	39.50	35.44	8.94	33.61	300	65	PEAK	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>80.77</td> <td>-----</td> <td>-----</td> <td>69.99</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>300</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	80.77	-----	-----	69.99	35.48	8.71	33.41	300	65	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7207.71	51.07	88.20	-37.13	40.52	35.46	8.60	33.51	300	65	PEAK																																																																													
2	7313.28	50.27	74.00	-23.73	39.50	35.44	8.94	33.61	300	65	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	80.77	-----	-----	69.99	35.48	8.71	33.41	300	65	PEAK																																																																													
Avg	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7183.49</td> <td>40.91</td> <td>68.20</td> <td>-27.29</td> <td>30.34</td> <td>35.46</td> <td>8.60</td> <td>33.49</td> <td>300</td> <td>65</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7264.83</td> <td>40.84</td> <td>54.00</td> <td>-13.16</td> <td>30.18</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>300</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7183.49	40.91	68.20	-27.29	30.34	35.46	8.60	33.49	300	65	AVERAGE	2	7264.83	40.84	54.00	-13.16	30.18	35.45	8.78	33.57	300	65	AVERAGE	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>71.91</td> <td>-----</td> <td>-----</td> <td>61.11</td> <td>35.48</td> <td>8.72</td> <td>33.40</td> <td>300</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	71.91	-----	-----	61.11	35.48	8.72	33.40	300	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7183.49	40.91	68.20	-27.29	30.34	35.46	8.60	33.49	300	65	AVERAGE																																																																													
2	7264.83	40.84	54.00	-13.16	30.18	35.45	8.78	33.57	300	65	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	7095.00	71.91	-----	-----	61.11	35.48	8.72	33.40	300	65	AVERAGE																																																																													



	112																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU _5955MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5879.73</td> <td>51.43</td> <td>88.20</td> <td>-36.77</td> <td>39.96</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>285</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5879.73	51.43	88.20	-36.77	39.96	35.13	8.84	32.50	285	0	PEAK	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>81.53</td> <td>-----</td> <td>-----</td> <td>70.10</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>285</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5955.00	81.53	-----	-----	70.10	35.17	8.76	32.50	285	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5879.73	51.43	88.20	-36.77	39.96	35.13	8.84	32.50	285	0	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5955.00	81.53	-----	-----	70.10	35.17	8.76	32.50	285	0	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.10</td> <td>41.90</td> <td>68.20</td> <td>-26.30</td> <td>30.44</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>285</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5886.10	41.90	68.20	-26.30	30.44	35.13	8.83	32.50	285	0	AVERAGE	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>72.50</td> <td>-----</td> <td>-----</td> <td>61.07</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>285</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5955.00	72.50	-----	-----	61.07	35.17	8.76	32.50	285	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5886.10	41.90	68.20	-26.30	30.44	35.13	8.83	32.50	285	0	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5955.00	72.50	-----	-----	61.07	35.17	8.76	32.50	285	0	AVERAGE																																																															



	112																																																																																									
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU _5955MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.95</td> <td>51.93</td> <td>88.20</td> <td>-36.27</td> <td>40.48</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>300</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5917.95	51.93	88.20	-36.27	40.48	35.15	8.80	32.50	300	118	PEAK	 <p>Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>76.71</td> <td>-----</td> <td>-----</td> <td>65.28</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>300</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	76.71	-----	-----	65.28	35.17	8.76	32.50	300	118	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5917.95	51.93	88.20	-36.27	40.48	35.15	8.80	32.50	300	118	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	76.71	-----	-----	65.28	35.17	8.76	32.50	300	118	PEAK																																																																															
Avg	 <p>Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.36</td> <td>41.75</td> <td>68.20</td> <td>-26.45</td> <td>30.29</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>300</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5886.36	41.75	68.20	-26.45	30.29	35.13	8.83	32.50	300	118	AVERAGE	 <p>Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>70.08</td> <td>-----</td> <td>-----</td> <td>58.65</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>300</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5955.00	70.08	-----	-----	58.65	35.17	8.76	32.50	300	118	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5886.36	41.75	68.20	-26.45	30.29	35.13	8.83	32.50	300	118	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5955.00	70.08	-----	-----	58.65	35.17	8.76	32.50	300	118	AVERAGE																																																																															



		113																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7168.19</td> <td>49.79</td> <td>88.20</td> <td>-38.41</td> <td>39.17</td> <td>35.47</td> <td>8.62</td> <td>33.47</td> <td>200</td> <td>189</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7255.91</td> <td>50.72</td> <td>74.00</td> <td>-23.28</td> <td>40.08</td> <td>35.45</td> <td>8.75</td> <td>33.56</td> <td>200</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7168.19	49.79	88.20	-38.41	39.17	35.47	8.62	33.47	200	189	PEAK	2	7255.91	50.72	74.00	-23.28	40.08	35.45	8.75	33.56	200	189	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>74.06</td> <td>-----</td> <td>-----</td> <td>63.28</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>189</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	74.06	-----	-----	63.28	35.48	8.71	33.41	200	189	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7168.19	49.79	88.20	-38.41	39.17	35.47	8.62	33.47	200	189	PEAK																																																																									
2	7255.91	50.72	74.00	-23.28	40.08	35.45	8.75	33.56	200	189	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	74.06	-----	-----	63.28	35.48	8.71	33.41	200	189	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7229.39</td> <td>41.00</td> <td>68.20</td> <td>-27.20</td> <td>30.41</td> <td>35.45</td> <td>8.67</td> <td>33.53</td> <td>200</td> <td>189</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7257.69</td> <td>40.81</td> <td>54.00</td> <td>-13.19</td> <td>30.16</td> <td>35.45</td> <td>8.76</td> <td>33.56</td> <td>200</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7229.39	41.00	68.20	-27.20	30.41	35.45	8.67	33.53	200	189	AVERAGE	2	7257.69	40.81	54.00	-13.19	30.16	35.45	8.76	33.56	200	189	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>66.90</td> <td>-----</td> <td>-----</td> <td>56.12</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>189</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	66.90	-----	-----	56.12	35.48	8.71	33.41	200	189	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7229.39	41.00	68.20	-27.20	30.41	35.45	8.67	33.53	200	189	AVERAGE																																																																									
2	7257.69	40.81	54.00	-13.19	30.16	35.45	8.76	33.56	200	189	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	66.90	-----	-----	56.12	35.48	8.71	33.41	200	189	AVERAGE																																																																									



		113																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7175.58</td> <td>50.56</td> <td>88.20</td> <td>-37.64</td> <td>39.97</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7261.26</td> <td>50.78</td> <td>74.00</td> <td>-23.22</td> <td>40.12</td> <td>35.45</td> <td>8.77</td> <td>33.56</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7175.58	50.56	88.20	-37.64	39.97	35.46	8.61	33.48	200	360	PEAK	2	7261.26	50.78	74.00	-23.22	40.12	35.45	8.77	33.56	200	360	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>84.32</td> <td>-----</td> <td>-----</td> <td>73.54</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	84.32	-----	-----	73.54	35.48	8.71	33.41	200	360	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7175.58	50.56	88.20	-37.64	39.97	35.46	8.61	33.48	200	360	PEAK																																																																									
2	7261.26	50.78	74.00	-23.22	40.12	35.45	8.77	33.56	200	360	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	84.32	-----	-----	73.54	35.48	8.71	33.41	200	360	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7217.40</td> <td>41.01</td> <td>68.20</td> <td>-27.19</td> <td>30.44</td> <td>35.46</td> <td>8.63</td> <td>33.52</td> <td>200</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7262.54</td> <td>40.94</td> <td>54.00</td> <td>-13.06</td> <td>30.27</td> <td>35.45</td> <td>8.78</td> <td>33.56</td> <td>200</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7217.40	41.01	68.20	-27.19	30.44	35.46	8.63	33.52	200	360	AVERAGE	2	7262.54	40.94	54.00	-13.06	30.27	35.45	8.78	33.56	200	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>77.19</td> <td>-----</td> <td>-----</td> <td>66.41</td> <td>35.48</td> <td>8.71</td> <td>33.41</td> <td>200</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7095.00	77.19	-----	-----	66.41	35.48	8.71	33.41	200	360	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7217.40	41.01	68.20	-27.19	30.44	35.46	8.63	33.52	200	360	AVERAGE																																																																									
2	7262.54	40.94	54.00	-13.06	30.27	35.45	8.78	33.56	200	360	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7095.00	77.19	-----	-----	66.41	35.48	8.71	33.41	200	360	AVERAGE																																																																									



		114																																																																										
Mode	Band Edge																																																																											
	U-NII-5 5.925-6.425 802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5901.16</td> <td>51.07</td> <td>88.20</td> <td>-37.13</td> <td>39.61</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5901.16	51.07	88.20	-37.13	39.61	35.14	8.82	32.50	100	295	PEAK	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>78.76</td> <td>-----</td> <td>-----</td> <td>67.34</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>100</td> <td>295</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	78.76	-----	-----	67.34	35.18	8.74	32.50	100	295	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5901.16	51.07	88.20	-37.13	39.61	35.14	8.82	32.50	100	295	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	78.76	-----	-----	67.34	35.18	8.74	32.50	100	295	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5871.88</td> <td>41.65</td> <td>68.20</td> <td>-26.55</td> <td>30.18</td> <td>35.12</td> <td>8.85</td> <td>32.50</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5871.88	41.65	68.20	-26.55	30.18	35.12	8.85	32.50	100	295	AVERAGE	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>70.46</td> <td>-----</td> <td>-----</td> <td>59.03</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>295</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	70.46	-----	-----	59.03	35.17	8.76	32.50	100	295	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5871.88	41.65	68.20	-26.55	30.18	35.12	8.85	32.50	100	295	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	70.46	-----	-----	59.03	35.17	8.76	32.50	100	295	AVERAGE																																																																	



		114																																																																										
Mode	Band Edge																																																																											
	U-NII-5 5.925-6.425 802.11be EHT80_CH7_Large RU 484+242 5985MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.44</td> <td>51.47</td> <td>88.20</td> <td>-36.73</td> <td>40.00</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>300</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5882.44	51.47	88.20	-36.73	40.00	35.13	8.84	32.50	300	198	PEAK	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>77.30</td> <td>-----</td> <td>-----</td> <td>65.88</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>300</td> <td>198</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	77.30	-----	-----	65.88	35.19	8.73	32.50	300	198	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5882.44	51.47	88.20	-36.73	40.00	35.13	8.84	32.50	300	198	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	77.30	-----	-----	65.88	35.19	8.73	32.50	300	198	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5906.44</td> <td>41.91</td> <td>68.20</td> <td>-26.29</td> <td>30.46</td> <td>35.14</td> <td>8.81</td> <td>32.50</td> <td>300</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5906.44	41.91	68.20	-26.29	30.46	35.14	8.81	32.50	300	198	AVERAGE	<p style="text-align: right;">Date: 2024-08-27</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>69.50</td> <td>-----</td> <td>-----</td> <td>58.08</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>300</td> <td>198</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	69.50	-----	-----	58.08	35.19	8.73	32.50	300	198	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5906.44	41.91	68.20	-26.29	30.46	35.14	8.81	32.50	300	198	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	69.50	-----	-----	58.08	35.19	8.73	32.50	300	198	AVERAGE																																																																	



	115																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7177.43</td> <td>50.57</td> <td>88.20</td> <td>-37.63</td> <td>39.98</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7342.85</td> <td>50.72</td> <td>74.00</td> <td>-23.28</td> <td>39.90</td> <td>35.43</td> <td>9.03</td> <td>33.64</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7177.43	50.57	88.20	-37.63	39.98	35.46	8.61	33.48	100	13	PEAK	2	7342.85	50.72	74.00	-23.28	39.90	35.43	9.03	33.64	100	13	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>78.03</td> <td>-----</td> <td>-----</td> <td>67.00</td> <td>35.50</td> <td>8.84</td> <td>33.31</td> <td>100</td> <td>13</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	78.03	-----	-----	67.00	35.50	8.84	33.31	100	13	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7177.43	50.57	88.20	-37.63	39.98	35.46	8.61	33.48	100	13	PEAK																																																																											
2	7342.85	50.72	74.00	-23.28	39.90	35.43	9.03	33.64	100	13	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	78.03	-----	-----	67.00	35.50	8.84	33.31	100	13	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7175.48</td> <td>40.93</td> <td>68.20</td> <td>-27.27</td> <td>30.34</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>100</td> <td>13</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7262.58</td> <td>41.06</td> <td>54.00</td> <td>-12.94</td> <td>30.39</td> <td>35.45</td> <td>8.78</td> <td>33.56</td> <td>100</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7175.48	40.93	68.20	-27.27	30.34	35.46	8.61	33.48	100	13	AVERAGE	2	7262.58	41.06	54.00	-12.94	30.39	35.45	8.78	33.56	100	13	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>69.78</td> <td>-----</td> <td>-----</td> <td>58.79</td> <td>35.50</td> <td>8.82</td> <td>33.33</td> <td>100</td> <td>13</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	69.78	-----	-----	58.79	35.50	8.82	33.33	100	13	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7175.48	40.93	68.20	-27.27	30.34	35.46	8.61	33.48	100	13	AVERAGE																																																																											
2	7262.58	41.06	54.00	-12.94	30.39	35.45	8.78	33.56	100	13	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	69.78	-----	-----	58.79	35.50	8.82	33.33	100	13	AVERAGE																																																																											



		115																																																																																		
Mode		Band Edge																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.		Vertical	Fundamental																																																																																	
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7140.38</td> <td>50.44</td> <td>88.20</td> <td>-37.76</td> <td>39.75</td> <td>35.47</td> <td>8.66</td> <td>33.44</td> <td>200</td> <td>34</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7253.80</td> <td>50.49</td> <td>74.00</td> <td>-23.51</td> <td>39.85</td> <td>35.45</td> <td>8.75</td> <td>33.56</td> <td>200</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7140.38	50.44	88.20	-37.76	39.75	35.47	8.66	33.44	200	34	PEAK	2	7253.80	50.49	74.00	-23.51	39.85	35.45	8.75	33.56	200	34	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>80.47</td> <td>-----</td> <td>-----</td> <td>69.46</td> <td>35.50</td> <td>8.83</td> <td>33.32</td> <td>200</td> <td>34</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	80.47	-----	-----	69.46	35.50	8.83	33.32	200	34	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7140.38	50.44	88.20	-37.76	39.75	35.47	8.66	33.44	200	34	PEAK																																																																									
2	7253.80	50.49	74.00	-23.51	39.85	35.45	8.75	33.56	200	34	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	80.47	-----	-----	69.46	35.50	8.83	33.32	200	34	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7225.85</td> <td>41.22</td> <td>68.20</td> <td>-26.98</td> <td>30.64</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>200</td> <td>34</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7261.60</td> <td>41.00</td> <td>54.00</td> <td>-13.00</td> <td>30.34</td> <td>35.45</td> <td>8.77</td> <td>33.56</td> <td>200</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7225.85	41.22	68.20	-26.98	30.64	35.45	8.66	33.53	200	34	AVERAGE	2	7261.60	41.00	54.00	-13.00	30.34	35.45	8.77	33.56	200	34	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>72.61</td> <td>-----</td> <td>-----</td> <td>61.60</td> <td>35.50</td> <td>8.83</td> <td>33.32</td> <td>200</td> <td>34</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	72.61	-----	-----	61.60	35.50	8.83	33.32	200	34	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7225.85	41.22	68.20	-26.98	30.64	35.45	8.66	33.53	200	34	AVERAGE																																																																									
2	7261.60	41.00	54.00	-13.00	30.34	35.45	8.77	33.56	200	34	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	72.61	-----	-----	61.60	35.50	8.83	33.32	200	34	AVERAGE																																																																									



	116																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5871.48</td> <td>52.26</td> <td>88.20</td> <td>-35.94</td> <td>40.79</td> <td>35.12</td> <td>8.85</td> <td>32.50</td> <td>375</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5871.48	52.26	88.20	-35.94	40.79	35.12	8.85	32.50	375	360	PEAK	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>79.30</td> <td>-----</td> <td>-----</td> <td>67.87</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>375</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	79.30	-----	-----	67.87	35.18	8.75	32.50	375	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5871.48	52.26	88.20	-35.94	40.79	35.12	8.85	32.50	375	360	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	79.30	-----	-----	67.87	35.18	8.75	32.50	375	360	PEAK																																																																	
Avg	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5882.12</td> <td>41.71</td> <td>68.20</td> <td>-26.49</td> <td>30.24</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>375</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5882.12	41.71	68.20	-26.49	30.24	35.13	8.84	32.50	375	360	AVERAGE	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>69.97</td> <td>-----</td> <td>-----</td> <td>58.54</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>375</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	69.97	-----	-----	58.54	35.18	8.75	32.50	375	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5882.12	41.71	68.20	-26.49	30.24	35.13	8.84	32.50	375	360	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	69.97	-----	-----	58.54	35.18	8.75	32.50	375	360	AVERAGE																																																																	



		116																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.12</td> <td>52.24</td> <td>88.20</td> <td>-35.96</td> <td>40.78</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>330</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5896.12	52.24	88.20	-35.96	40.78	35.14	8.82	32.50	330	24	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.82</td> <td>-----</td> <td>-----</td> <td>74.36</td> <td>35.20</td> <td>8.78</td> <td>32.52</td> <td>330</td> <td>24</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	85.82	-----	-----	74.36	35.20	8.78	32.52	330	24	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5896.12	52.24	88.20	-35.96	40.78	35.14	8.82	32.50	330	24	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	85.82	-----	-----	74.36	35.20	8.78	32.52	330	24	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.40</td> <td>41.96</td> <td>68.20</td> <td>-26.24</td> <td>30.50</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>330</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5896.40	41.96	68.20	-26.24	30.50	35.14	8.82	32.50	330	24	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>76.23</td> <td>-----</td> <td>-----</td> <td>64.82</td> <td>35.20</td> <td>8.71</td> <td>32.50</td> <td>330</td> <td>24</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	76.23	-----	-----	64.82	35.20	8.71	32.50	330	24	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5896.40	41.96	68.20	-26.24	30.50	35.14	8.82	32.50	330	24	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	76.23	-----	-----	64.82	35.20	8.71	32.50	330	24	AVERAGE																																																																	







	117																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7230.00</td> <td>50.61</td> <td>88.20</td> <td>-37.59</td> <td>40.02</td> <td>35.45</td> <td>8.67</td> <td>33.53</td> <td>392</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7338.13</td> <td>50.77</td> <td>74.00</td> <td>-23.23</td> <td>39.96</td> <td>35.43</td> <td>9.02</td> <td>33.64</td> <td>392</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7230.00	50.61	88.20	-37.59	40.02	35.45	8.67	33.53	392	360	PEAK	2	7338.13	50.77	74.00	-23.23	39.96	35.43	9.02	33.64	392	360	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>72.67</td> <td>-----</td> <td>-----</td> <td>61.77</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>392</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	72.67	-----	-----	61.77	35.49	8.77	33.36	392	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7230.00	50.61	88.20	-37.59	40.02	35.45	8.67	33.53	392	360	PEAK																																																																											
2	7338.13	50.77	74.00	-23.23	39.96	35.43	9.02	33.64	392	360	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	72.67	-----	-----	61.77	35.49	8.77	33.36	392	360	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7183.13</td> <td>40.99</td> <td>68.20</td> <td>-27.21</td> <td>30.42</td> <td>35.46</td> <td>8.60</td> <td>33.49</td> <td>392</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7278.13</td> <td>41.02</td> <td>54.00</td> <td>-12.98</td> <td>30.33</td> <td>35.44</td> <td>8.83</td> <td>33.58</td> <td>392</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7183.13	40.99	68.20	-27.21	30.42	35.46	8.60	33.49	392	360	AVERAGE	2	7278.13	41.02	54.00	-12.98	30.33	35.44	8.83	33.58	392	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>64.06</td> <td>-----</td> <td>-----</td> <td>53.16</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>392</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	64.06	-----	-----	53.16	35.49	8.77	33.36	392	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7183.13	40.99	68.20	-27.21	30.42	35.46	8.60	33.49	392	360	AVERAGE																																																																											
2	7278.13	41.02	54.00	-12.98	30.33	35.44	8.83	33.58	392	360	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	64.06	-----	-----	53.16	35.49	8.77	33.36	392	360	AVERAGE																																																																											



		117																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.63</td> <td>50.64</td> <td>88.20</td> <td>-37.56</td> <td>40.10</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>300</td> <td>93</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7261.25</td> <td>50.87</td> <td>74.00</td> <td>-23.13</td> <td>40.21</td> <td>35.45</td> <td>8.77</td> <td>33.56</td> <td>300</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7200.63	50.64	88.20	-37.56	40.10	35.46	8.58	33.50	300	93	PEAK	2	7261.25	50.87	74.00	-23.13	40.21	35.45	8.77	33.56	300	93	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>74.49</td> <td>-----</td> <td>-----</td> <td>63.48</td> <td>35.47</td> <td>8.84</td> <td>33.30</td> <td>300</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	74.49	-----	-----	63.48	35.47	8.84	33.30	300	93	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7200.63	50.64	88.20	-37.56	40.10	35.46	8.58	33.50	300	93	PEAK																																																																											
2	7261.25	50.87	74.00	-23.13	40.21	35.45	8.77	33.56	300	93	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	74.49	-----	-----	63.48	35.47	8.84	33.30	300	93	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7231.25</td> <td>41.02</td> <td>68.20</td> <td>-27.18</td> <td>30.42</td> <td>35.45</td> <td>8.68</td> <td>33.53</td> <td>300</td> <td>93</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7277.50</td> <td>41.04</td> <td>54.00</td> <td>-12.96</td> <td>30.36</td> <td>35.44</td> <td>8.82</td> <td>33.58</td> <td>300</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7231.25	41.02	68.20	-27.18	30.42	35.45	8.68	33.53	300	93	AVERAGE	2	7277.50	41.04	54.00	-12.96	30.36	35.44	8.82	33.58	300	93	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>65.36</td> <td>-----</td> <td>-----</td> <td>54.34</td> <td>35.48</td> <td>8.84</td> <td>33.30</td> <td>300</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	65.36	-----	-----	54.34	35.48	8.84	33.30	300	93	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7231.25	41.02	68.20	-27.18	30.42	35.45	8.68	33.53	300	93	AVERAGE																																																																											
2	7277.50	41.04	54.00	-12.96	30.36	35.44	8.82	33.58	300	93	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	65.36	-----	-----	54.34	35.48	8.84	33.30	300	93	AVERAGE																																																																											



	118																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>65.79</td> <td>88.20</td> <td>-22.41</td> <td>55.01</td> <td>34.97</td> <td>8.31</td> <td>32.50</td> <td>358</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.46	65.79	88.20	-22.41	55.01	34.97	8.31	32.50	358	0	PEAK	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>81.61</td> <td>-----</td> <td>-----</td> <td>70.16</td> <td>35.20</td> <td>8.76</td> <td>32.51</td> <td>358</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	81.61	-----	-----	70.16	35.20	8.76	32.51	358	0	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5625.46	65.79	88.20	-22.41	55.01	34.97	8.31	32.50	358	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	81.61	-----	-----	70.16	35.20	8.76	32.51	358	0	PEAK																																																																	
Avg	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5624.70</td> <td>45.45</td> <td>68.20</td> <td>-22.75</td> <td>34.68</td> <td>34.97</td> <td>8.30</td> <td>32.50</td> <td>358</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5624.70	45.45	68.20	-22.75	34.68	34.97	8.30	32.50	358	0	AVERAGE	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>74.47</td> <td>-----</td> <td>-----</td> <td>63.05</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>358</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	74.47	-----	-----	63.05	35.19	8.73	32.50	358	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5624.70	45.45	68.20	-22.75	34.68	34.97	8.30	32.50	358	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	74.47	-----	-----	63.05	35.19	8.73	32.50	358	0	AVERAGE																																																																	



	118																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5626.23</td> <td>59.75</td> <td>88.20</td> <td>-28.45</td> <td>48.97</td> <td>34.97</td> <td>8.31</td> <td>32.50</td> <td>330</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5626.23	59.75	88.20	-28.45	48.97	34.97	8.31	32.50	330	0	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>87.66</td> <td>-----</td> <td>-----</td> <td>76.18</td> <td>35.20</td> <td>8.81</td> <td>32.53</td> <td>330</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	87.66	-----	-----	76.18	35.20	8.81	32.53	330	0	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5626.23	59.75	88.20	-28.45	48.97	34.97	8.31	32.50	330	0	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	87.66	-----	-----	76.18	35.20	8.81	32.53	330	0	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5625.46</td> <td>47.18</td> <td>68.20</td> <td>-21.02</td> <td>36.40</td> <td>34.97</td> <td>8.31</td> <td>32.50</td> <td>330</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5625.46	47.18	68.20	-21.02	36.40	34.97	8.31	32.50	330	0	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>78.71</td> <td>-----</td> <td>-----</td> <td>67.22</td> <td>35.20</td> <td>8.83</td> <td>32.54</td> <td>330</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	78.71	-----	-----	67.22	35.20	8.83	32.54	330	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5625.46	47.18	68.20	-21.02	36.40	34.97	8.31	32.50	330	0	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	78.71	-----	-----	67.22	35.20	8.83	32.54	330	0	AVERAGE																																																																	



		119																																																																															
Mode		Band Edge																																																																															
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																															
ANT		CDD 14+15																																																																															
Pol.	Horizontal	Fundamental																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7200.57</td> <td>52.14</td> <td>88.20</td> <td>-36.06</td> <td>41.60</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>100</td> <td>1 PEAK</td> </tr> <tr> <td>2</td> <td>7251.39</td> <td>51.25</td> <td>74.00</td> <td>-22.75</td> <td>40.61</td> <td>35.45</td> <td>8.74</td> <td>33.55</td> <td>100</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7200.57	52.14	88.20	-36.06	41.60	35.46	8.58	33.50	100	1 PEAK	2	7251.39	51.25	74.00	-22.75	40.61	35.45	8.74	33.55	100	1 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>78.93</td> <td>-----</td> <td>-----</td> <td>68.00</td> <td>35.49</td> <td>8.79</td> <td>33.35</td> <td>100</td> <td>1 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	78.93	-----	-----	68.00	35.49	8.79	33.35	100	1 PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	7200.57	52.14	88.20	-36.06	41.60	35.46	8.58	33.50	100	1 PEAK																																																																							
2	7251.39	51.25	74.00	-22.75	40.61	35.45	8.74	33.55	100	1 PEAK																																																																							
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	6905.00	78.93	-----	-----	68.00	35.49	8.79	33.35	100	1 PEAK																																																																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7190.89</td> <td>41.56</td> <td>68.20</td> <td>-26.64</td> <td>31.00</td> <td>35.46</td> <td>8.59</td> <td>33.49</td> <td>100</td> <td>1 AVERAGE</td> </tr> <tr> <td>2</td> <td>7263.49</td> <td>41.34</td> <td>54.00</td> <td>-12.66</td> <td>30.68</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>100</td> <td>1 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7190.89	41.56	68.20	-26.64	31.00	35.46	8.59	33.49	100	1 AVERAGE	2	7263.49	41.34	54.00	-12.66	30.68	35.45	8.78	33.57	100	1 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>69.53</td> <td>-----</td> <td>-----</td> <td>58.60</td> <td>35.49</td> <td>8.79</td> <td>33.35</td> <td>100</td> <td>1 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	69.53	-----	-----	58.60	35.49	8.79	33.35	100	1 AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	7190.89	41.56	68.20	-26.64	31.00	35.46	8.59	33.49	100	1 AVERAGE																																																																							
2	7263.49	41.34	54.00	-12.66	30.68	35.45	8.78	33.57	100	1 AVERAGE																																																																							
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	6905.00	69.53	-----	-----	58.60	35.49	8.79	33.35	100	1 AVERAGE																																																																							







		119																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7225.37</td> <td>50.60</td> <td>88.20</td> <td>-37.60</td> <td>40.02</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>112</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7272.56</td> <td>50.73</td> <td>74.00</td> <td>-23.27</td> <td>40.05</td> <td>35.44</td> <td>8.81</td> <td>33.57</td> <td>112</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	7225.37	50.60	88.20	-37.60	40.02	35.45	8.66	33.53	112	360	PEAK	2	7272.56	50.73	74.00	-23.27	40.05	35.44	8.81	33.57	112	360	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>76.89</td> <td>-----</td> <td>-----</td> <td>65.88</td> <td>35.47</td> <td>8.84</td> <td>33.30</td> <td>112</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	6905.00	76.89	-----	-----	65.88	35.47	8.84	33.30	112	360	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	7225.37	50.60	88.20	-37.60	40.02	35.45	8.66	33.53	112	360	PEAK																																																																											
2	7272.56	50.73	74.00	-23.27	40.05	35.44	8.81	33.57	112	360	PEAK																																																																											
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	6905.00	76.89	-----	-----	65.88	35.47	8.84	33.30	112	360	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7130.99</td> <td>41.28</td> <td>68.20</td> <td>-26.92</td> <td>30.58</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>112</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7302.81</td> <td>41.19</td> <td>54.00</td> <td>-12.81</td> <td>30.45</td> <td>35.44</td> <td>8.90</td> <td>33.60</td> <td>112</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	7130.99	41.28	68.20	-26.92	30.58	35.47	8.67	33.44	112	360	AVERAGE	2	7302.81	41.19	54.00	-12.81	30.45	35.44	8.90	33.60	112	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>68.51</td> <td>-----</td> <td>-----</td> <td>57.55</td> <td>35.42</td> <td>8.84</td> <td>33.30</td> <td>112</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg		1	6905.00	68.51	-----	-----	57.55	35.42	8.84	33.30	112	360	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	7130.99	41.28	68.20	-26.92	30.58	35.47	8.67	33.44	112	360	AVERAGE																																																																											
2	7302.81	41.19	54.00	-12.81	30.45	35.44	8.90	33.60	112	360	AVERAGE																																																																											
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	6905.00	68.51	-----	-----	57.55	35.42	8.84	33.30	112	360	AVERAGE																																																																											



	120																																																																							
Mode	Band Edge																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																							
ANT	CDD 14+15																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5792.23</td> <td>51.75</td> <td>88.20</td> <td>-36.45</td> <td>40.26</td> <td>35.07</td> <td>8.92</td> <td>32.50</td> <td>100</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5792.23	51.75	88.20	-36.45	40.26	35.07	8.92	32.50	100	145	PEAK	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>68.87</td> <td>-----</td> <td>-----</td> <td>57.46</td> <td>35.19</td> <td>8.72</td> <td>32.50</td> <td>100</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6105.00	68.87	-----	-----	57.46	35.19	8.72	32.50	100	145	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5792.23	51.75	88.20	-36.45	40.26	35.07	8.92	32.50	100	145	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 6105.00	68.87	-----	-----	57.46	35.19	8.72	32.50	100	145	PEAK																																																														
Avg	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5840.43</td> <td>41.67</td> <td>68.20</td> <td>-26.53</td> <td>30.18</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5840.43	41.67	68.20	-26.53	30.18	35.10	8.89	32.50	100	145	AVERAGE	<p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 6105.00</td> <td>58.79</td> <td>-----</td> <td>-----</td> <td>47.37</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>100</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 6105.00	58.79	-----	-----	47.37	35.19	8.73	32.50	100	145	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5840.43	41.67	68.20	-26.53	30.18	35.10	8.89	32.50	100	145	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 6105.00	58.79	-----	-----	47.37	35.19	8.73	32.50	100	145	AVERAGE																																																														



		120																																																																																								
Mode		Band Edge																																																																																								
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																								
ANT		CDD 14+15																																																																																								
Pol.		Vertical	Fundamental																																																																																							
Peak	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.15</td> <td>51.26</td> <td>88.20</td> <td>-36.94</td> <td>39.80</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>100</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5890.15	51.26	88.20	-36.94	39.80	35.13	8.83	32.50	100	75	PEAK	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>76.45</td> <td>-----</td> <td>-----</td> <td>65.02</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>100</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6105.00	76.45	-----	-----	65.02	35.18	8.75	32.50	100	75	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5890.15	51.26	88.20	-36.94	39.80	35.13	8.83	32.50	100	75	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6105.00	76.45	-----	-----	65.02	35.18	8.75	32.50	100	75	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5918.46</td> <td>41.63</td> <td>68.20</td> <td>-26.57</td> <td>30.18</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>100</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5918.46	41.63	68.20	-26.57	30.18	35.15	8.80	32.50	100	75	AVERAGE	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>67.05</td> <td>-----</td> <td>-----</td> <td>55.62</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6105.00	67.05	-----	-----	55.62	35.17	8.76	32.50	100	75	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5918.46	41.63	68.20	-26.57	30.18	35.15	8.80	32.50	100	75	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6105.00	67.05	-----	-----	55.62	35.17	8.76	32.50	100	75	AVERAGE																																																																															







	121																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7196.94</td> <td>50.46</td> <td>88.20</td> <td>-37.74</td> <td>39.91</td> <td>35.46</td> <td>8.59</td> <td>33.50</td> <td>338</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7268.33</td> <td>50.51</td> <td>74.00</td> <td>-23.49</td> <td>39.84</td> <td>35.45</td> <td>8.79</td> <td>33.57</td> <td>338</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7196.94	50.46	88.20	-37.74	39.91	35.46	8.59	33.50	338	360	PEAK	2	7268.33	50.51	74.00	-23.49	39.84	35.45	8.79	33.57	338	360	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>70.68</td> <td>-----</td> <td>-----</td> <td>59.75</td> <td>35.39</td> <td>8.84</td> <td>33.30</td> <td>338</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	70.68	-----	-----	59.75	35.39	8.84	33.30	338	360	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7196.94	50.46	88.20	-37.74	39.91	35.46	8.59	33.50	338	360	PEAK																																																																											
2	7268.33	50.51	74.00	-23.49	39.84	35.45	8.79	33.57	338	360	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	70.68	-----	-----	59.75	35.39	8.84	33.30	338	360	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7241.10</td> <td>41.15</td> <td>68.20</td> <td>-27.05</td> <td>30.53</td> <td>35.45</td> <td>8.71</td> <td>33.54</td> <td>338</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7251.99</td> <td>40.97</td> <td>54.00</td> <td>-13.03</td> <td>30.33</td> <td>35.45</td> <td>8.74</td> <td>33.55</td> <td>338</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7241.10	41.15	68.20	-27.05	30.53	35.45	8.71	33.54	338	360	AVERAGE	2	7251.99	40.97	54.00	-13.03	30.33	35.45	8.74	33.55	338	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>63.35</td> <td>-----</td> <td>-----</td> <td>52.45</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>338</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	63.35	-----	-----	52.45	35.49	8.77	33.36	338	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7241.10	41.15	68.20	-27.05	30.53	35.45	8.71	33.54	338	360	AVERAGE																																																																											
2	7251.99	40.97	54.00	-13.03	30.33	35.45	8.74	33.55	338	360	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	63.35	-----	-----	52.45	35.49	8.77	33.36	338	360	AVERAGE																																																																											







		121																																																															
Mode		Band Edge																																																															
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																															
ANT		CDD 14+15																																																															
Pol.	Vertical	Fundamental																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>cm deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7185.44 51.04 88.20 -37.16</td> <td>40.47 35.46 8.60 33.49</td> <td>300</td> <td>94</td> <td>PEAK</td> <td></td> <td></td> </tr> <tr> <td>2 7258.04 50.10 74.00 -23.90</td> <td>39.45 35.45 8.76 33.56</td> <td>300</td> <td>94</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm deg				1 7185.44 51.04 88.20 -37.16	40.47 35.46 8.60 33.49	300	94	PEAK			2 7258.04 50.10 74.00 -23.90	39.45 35.45 8.76 33.56	300	94	PEAK			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>cm deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 72.49</td> <td>61.55 35.40 8.84 33.30</td> <td>300</td> <td>94</td> <td>PEAK</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg					1 6905.00 72.49	61.55 35.40 8.84 33.30	300	94	PEAK		
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																										
Freq Level Line Margin	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	cm deg																																																														
1 7185.44 51.04 88.20 -37.16	40.47 35.46 8.60 33.49	300	94	PEAK																																																													
2 7258.04 50.10 74.00 -23.90	39.45 35.45 8.76 33.56	300	94	PEAK																																																													
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line Margin	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg																																																															
1 6905.00 72.49	61.55 35.40 8.84 33.30	300	94	PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>cm deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 7204.80 41.05 68.20 -27.15</td> <td>30.51 35.46 8.59 33.51</td> <td>300</td> <td>94</td> <td>AVERAGE</td> <td></td> <td></td> </tr> <tr> <td>2 7304.63 40.99 54.00 -13.01</td> <td>30.25 35.44 8.91 33.61</td> <td>300</td> <td>94</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg					1 7204.80 41.05 68.20 -27.15	30.51 35.46 8.59 33.51	300	94	AVERAGE			2 7304.63 40.99 54.00 -13.01	30.25 35.44 8.91 33.61	300	94	AVERAGE			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>cm deg</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 6905.00 63.93</td> <td>52.99 35.40 8.84 33.30</td> <td>300</td> <td>94</td> <td>AVERAGE</td> <td></td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor					MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg					1 6905.00 63.93	52.99 35.40 8.84 33.30	300	94	AVERAGE		
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																										
Freq Level Line Margin	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg																																																															
1 7204.80 41.05 68.20 -27.15	30.51 35.46 8.59 33.51	300	94	AVERAGE																																																													
2 7304.63 40.99 54.00 -13.01	30.25 35.44 8.91 33.61	300	94	AVERAGE																																																													
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																											
Freq Level Line Margin	Level Factor	Loss Factor																																																															
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	cm deg																																																															
1 6905.00 63.93	52.99 35.40 8.84 33.30	300	94	AVERAGE																																																													



	122																																																																											
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5858.79</td> <td>51.87</td> <td>88.20</td> <td>-36.33</td> <td>40.38</td> <td>35.12</td> <td>8.87</td> <td>32.50</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5858.79	51.87	88.20	-36.33	40.38	35.12	8.87	32.50	300	306	PEAK	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>74.22</td> <td>-----</td> <td>-----</td> <td>62.42</td> <td>35.20</td> <td>9.45</td> <td>32.85</td> <td>300</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	74.22	-----	-----	62.42	35.20	9.45	32.85	300	306	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5858.79	51.87	88.20	-36.33	40.38	35.12	8.87	32.50	300	306	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	74.22	-----	-----	62.42	35.20	9.45	32.85	300	306	PEAK																																																																	
Avg	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.10</td> <td>41.59</td> <td>68.20</td> <td>-26.61</td> <td>30.14</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.10	41.59	68.20	-26.61	30.14	35.15	8.80	32.50	300	306	AVERAGE	 <p>Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>66.04</td> <td>-----</td> <td>-----</td> <td>54.24</td> <td>35.20</td> <td>9.45</td> <td>32.85</td> <td>300</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	66.04	-----	-----	54.24	35.20	9.45	32.85	300	306	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5913.10	41.59	68.20	-26.61	30.14	35.15	8.80	32.50	300	306	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	66.04	-----	-----	54.24	35.20	9.45	32.85	300	306	AVERAGE																																																																	



		122																																																																											
Mode	Band Edge																																																																												
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																												
ANT	CDD 14+15																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5838.90</td> <td>51.53</td> <td>88.20</td> <td>-36.67</td> <td>40.04</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5838.90	51.53	88.20	-36.67	40.04	35.10	8.89	32.50	100	65	PEAK	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>75.93</td> <td>-----</td> <td>-----</td> <td>64.50</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	75.93	-----	-----	64.50	35.17	8.76	32.50	100	65	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5838.90	51.53	88.20	-36.67	40.04	35.10	8.89	32.50	100	65	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	6105.00	75.93	-----	-----	64.50	35.17	8.76	32.50	100	65	PEAK																																																																		
Avg	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5841.19</td> <td>41.77</td> <td>68.20</td> <td>-26.43</td> <td>30.28</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5841.19	41.77	68.20	-26.43	30.28	35.10	8.89	32.50	100	65	AVERAGE	 <p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>67.64</td> <td>-----</td> <td>-----</td> <td>56.21</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	67.64	-----	-----	56.21	35.18	8.75	32.50	100	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	5841.19	41.77	68.20	-26.43	30.28	35.10	8.89	32.50	100	65	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	6105.00	67.64	-----	-----	56.21	35.18	8.75	32.50	100	65	AVERAGE																																																																		



		123																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7244.13</td> <td>50.82</td> <td>88.20</td> <td>-37.38</td> <td>40.20</td> <td>35.45</td> <td>8.72</td> <td>33.55</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7311.89</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>39.24</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7244.13	50.82	88.20	-37.38	40.20	35.45	8.72	33.55	200	0	PEAK	2	7311.89	50.00	74.00	-24.00	39.24	35.44	8.93	33.61	200	0	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>74.84</td> <td>-----</td> <td>-----</td> <td>63.97</td> <td>35.37</td> <td>8.80</td> <td>33.30</td> <td>200</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	74.84	-----	-----	63.97	35.37	8.80	33.30	200	0	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7244.13	50.82	88.20	-37.38	40.20	35.45	8.72	33.55	200	0	PEAK																																																																									
2	7311.89	50.00	74.00	-24.00	39.24	35.44	8.93	33.61	200	0	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	74.84	-----	-----	63.97	35.37	8.80	33.30	200	0	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7134.62</td> <td>41.06</td> <td>68.20</td> <td>-27.14</td> <td>30.36</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7273.77</td> <td>40.85</td> <td>54.00</td> <td>-13.15</td> <td>30.18</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7134.62	41.06	68.20	-27.14	30.36	35.47	8.67	33.44	200	0	AVERAGE	2	7273.77	40.85	54.00	-13.15	30.18	35.44	8.81	33.58	200	0	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>66.33</td> <td>-----</td> <td>-----</td> <td>55.46</td> <td>35.37</td> <td>8.80</td> <td>33.30</td> <td>200</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	66.33	-----	-----	55.46	35.37	8.80	33.30	200	0	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7134.62	41.06	68.20	-27.14	30.36	35.47	8.67	33.44	200	0	AVERAGE																																																																									
2	7273.77	40.85	54.00	-13.15	30.18	35.44	8.81	33.58	200	0	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	66.33	-----	-----	55.46	35.37	8.80	33.30	200	0	AVERAGE																																																																									



		123																																																																																				
Mode		Band Edge																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																				
ANT		CDD 14+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7144.91</td> <td>50.17</td> <td>88.20</td> <td>-38.03</td> <td>39.50</td> <td>35.47</td> <td>8.65</td> <td>33.45</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7257.44</td> <td>51.04</td> <td>74.00</td> <td>-22.96</td> <td>40.39</td> <td>35.45</td> <td>8.76</td> <td>33.56</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7144.91	50.17	88.20	-38.03	39.50	35.47	8.65	33.45	100	65	PEAK	2	7257.44	51.04	74.00	-22.96	40.39	35.45	8.76	33.56	100	65	PEAK	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>75.24</td> <td>-----</td> <td>-----</td> <td>64.31</td> <td>35.39</td> <td>8.84</td> <td>33.30</td> <td>100</td> <td>65</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	75.24	-----	-----	64.31	35.39	8.84	33.30	100	65	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7144.91	50.17	88.20	-38.03	39.50	35.47	8.65	33.45	100	65	PEAK																																																																											
2	7257.44	51.04	74.00	-22.96	40.39	35.45	8.76	33.56	100	65	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	75.24	-----	-----	64.31	35.39	8.84	33.30	100	65	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7157.01</td> <td>41.02</td> <td>68.20</td> <td>-27.18</td> <td>30.37</td> <td>35.47</td> <td>8.64</td> <td>33.46</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7268.93</td> <td>40.96</td> <td>54.00</td> <td>-13.04</td> <td>30.28</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7157.01	41.02	68.20	-27.18	30.37	35.47	8.64	33.46	100	65	AVERAGE	2	7268.93	40.96	54.00	-13.04	30.28	35.45	8.80	33.57	100	65	AVERAGE	<p style="text-align: right;">Date: 2024-08-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>64.88</td> <td>-----</td> <td>-----</td> <td>53.94</td> <td>35.40</td> <td>8.84</td> <td>33.30</td> <td>100</td> <td>65</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6905.00	64.88	-----	-----	53.94	35.40	8.84	33.30	100	65	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7157.01	41.02	68.20	-27.18	30.37	35.47	8.64	33.46	100	65	AVERAGE																																																																											
2	7268.93	40.96	54.00	-13.04	30.28	35.45	8.80	33.57	100	65	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6905.00	64.88	-----	-----	53.94	35.40	8.84	33.30	100	65	AVERAGE																																																																											







	124																																																																									
Mode	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																									
ANT	CDD 14+15																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5885.48</td> <td>51.17</td> <td>88.20</td> <td>-37.03</td> <td>39.70</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>200</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5885.48	51.17	88.20	-37.03	39.70	35.13	8.84	32.50	200	294	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>78.25</td> <td>-----</td> <td>-----</td> <td>66.83</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>200</td> <td>294</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5985.00	78.25	-----	-----	66.83	35.19	8.73	32.50	200	294	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5885.48	51.17	88.20	-37.03	39.70	35.13	8.84	32.50	200	294	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5985.00	78.25	-----	-----	66.83	35.19	8.73	32.50	200	294	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5886.76</td> <td>41.60</td> <td>68.20</td> <td>-26.60</td> <td>30.14</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>200</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5886.76	41.60	68.20	-26.60	30.14	35.13	8.83	32.50	200	294	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>68.81</td> <td>-----</td> <td>-----</td> <td>57.39</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>200</td> <td>294</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5985.00	68.81	-----	-----	57.39	35.19	8.73	32.50	200	294	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5886.76	41.60	68.20	-26.60	30.14	35.13	8.83	32.50	200	294	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5985.00	68.81	-----	-----	57.39	35.19	8.73	32.50	200	294	AVERAGE																																																															



		124																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p>Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5910.44</td> <td>51.72</td> <td>88.20</td> <td>-36.48</td> <td>40.26</td> <td>35.15</td> <td>8.81</td> <td>32.50</td> <td>300</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5910.44	51.72	88.20	-36.48	40.26	35.15	8.81	32.50	300	234	PEAK	<p>Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>79.28</td> <td>-----</td> <td>-----</td> <td>67.85</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>300</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	79.28	-----	-----	67.85	35.17	8.76	32.50	300	234	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5910.44	51.72	88.20	-36.48	40.26	35.15	8.81	32.50	300	234	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	79.28	-----	-----	67.85	35.17	8.76	32.50	300	234	PEAK																																																																	
Avg	<p>Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.00</td> <td>41.68</td> <td>68.20</td> <td>-26.52</td> <td>30.23</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>300</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5913.00	41.68	68.20	-26.52	30.23	35.15	8.80	32.50	300	234	AVERAGE	<p>Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>70.67</td> <td>-----</td> <td>-----</td> <td>59.24</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>300</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5985.00	70.67	-----	-----	59.24	35.17	8.76	32.50	300	234	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5913.00	41.68	68.20	-26.52	30.23	35.15	8.80	32.50	300	234	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5985.00	70.67	-----	-----	59.24	35.17	8.76	32.50	300	234	AVERAGE																																																																	



		125																																																																																		
Mode		Band Edge																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7165.08</td> <td>49.51</td> <td>88.20</td> <td>-38.69</td> <td>38.88</td> <td>35.47</td> <td>8.63</td> <td>33.47</td> <td>400</td> <td>26</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7299.95</td> <td>50.07</td> <td>74.00</td> <td>-23.93</td> <td>39.34</td> <td>35.44</td> <td>8.89</td> <td>33.60</td> <td>400</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7165.08	49.51	88.20	-38.69	38.88	35.47	8.63	33.47	400	26	PEAK	2	7299.95	50.07	74.00	-23.93	39.34	35.44	8.89	33.60	400	26	PEAK	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>76.43</td> <td>-----</td> <td>-----</td> <td>65.49</td> <td>35.49</td> <td>8.80</td> <td>33.35</td> <td>400</td> <td>26</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	76.43	-----	-----	65.49	35.49	8.80	33.35	400	26	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7165.08	49.51	88.20	-38.69	38.88	35.47	8.63	33.47	400	26	PEAK																																																																									
2	7299.95	50.07	74.00	-23.93	39.34	35.44	8.89	33.60	400	26	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	76.43	-----	-----	65.49	35.49	8.80	33.35	400	26	PEAK																																																																									
Avg	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7168.33</td> <td>40.77</td> <td>68.20</td> <td>-27.43</td> <td>30.15</td> <td>35.47</td> <td>8.62</td> <td>33.47</td> <td>400</td> <td>26</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7274.60</td> <td>40.69</td> <td>54.00</td> <td>-13.31</td> <td>30.02</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>400</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7168.33	40.77	68.20	-27.43	30.15	35.47	8.62	33.47	400	26	AVERAGE	2	7274.60	40.69	54.00	-13.31	30.02	35.44	8.81	33.58	400	26	AVERAGE	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>67.55</td> <td>-----</td> <td>-----</td> <td>56.61</td> <td>35.49</td> <td>8.80</td> <td>33.35</td> <td>400</td> <td>26</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7025.00	67.55	-----	-----	56.61	35.49	8.80	33.35	400	26	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7168.33	40.77	68.20	-27.43	30.15	35.47	8.62	33.47	400	26	AVERAGE																																																																									
2	7274.60	40.69	54.00	-13.31	30.02	35.44	8.81	33.58	400	26	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7025.00	67.55	-----	-----	56.61	35.49	8.80	33.35	400	26	AVERAGE																																																																									







		125																																																																																				
Mode		Band Edge																																																																																				
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																				
ANT		CDD 14+15																																																																																				
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7215.13</td> <td>50.23</td> <td>88.20</td> <td>-37.97</td> <td>39.67</td> <td>35.46</td> <td>8.62</td> <td>33.52</td> <td>263</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7295.40</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>38.91</td> <td>35.44</td> <td>8.88</td> <td>33.60</td> <td>263</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7215.13	50.23	88.20	-37.97	39.67	35.46	8.62	33.52	263	0	PEAK	2	7295.40	49.63	74.00	-24.37	38.91	35.44	8.88	33.60	263	0	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>81.85</td> <td>-----</td> <td>-----</td> <td>70.90</td> <td>35.49</td> <td>8.80</td> <td>33.34</td> <td>263</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	81.85	-----	-----	70.90	35.49	8.80	33.34	263	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7215.13	50.23	88.20	-37.97	39.67	35.46	8.62	33.52	263	0	PEAK																																																																											
2	7295.40	49.63	74.00	-24.37	38.91	35.44	8.88	33.60	263	0	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	81.85	-----	-----	70.90	35.49	8.80	33.34	263	0	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7166.70</td> <td>40.80</td> <td>68.20</td> <td>-27.40</td> <td>30.17</td> <td>35.47</td> <td>8.63</td> <td>33.47</td> <td>263</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7274.28</td> <td>40.70</td> <td>54.00</td> <td>-13.30</td> <td>30.03</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>263</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7166.70	40.80	68.20	-27.40	30.17	35.47	8.63	33.47	263	0	AVERAGE	2	7274.28	40.70	54.00	-13.30	30.03	35.44	8.81	33.58	263	0	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>73.69</td> <td>-----</td> <td>-----</td> <td>62.74</td> <td>35.49</td> <td>8.80</td> <td>33.34</td> <td>263</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7025.00	73.69	-----	-----	62.74	35.49	8.80	33.34	263	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7166.70	40.80	68.20	-27.40	30.17	35.47	8.63	33.47	263	0	AVERAGE																																																																											
2	7274.28	40.70	54.00	-13.30	30.03	35.44	8.81	33.58	263	0	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7025.00	73.69	-----	-----	62.74	35.49	8.80	33.34	263	0	AVERAGE																																																																											



		126																																																																											
Mode	Band Edge																																																																												
	U-NII-5 5.925-6.425 802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																												
ANT	CDD 14+15																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.80</td> <td>50.82</td> <td>88.20</td> <td>-37.38</td> <td>39.36</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>284</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5890.80	50.82	88.20	-37.38	39.36	35.13	8.83	32.50	284	70	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>78.41</td> <td>-----</td> <td>-----</td> <td>66.96</td> <td>35.20</td> <td>8.76</td> <td>32.51</td> <td>284</td> <td>70</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6025.00	78.41	-----	-----	66.96	35.20	8.76	32.51	284	70
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	5890.80	50.82	88.20	-37.38	39.36	35.13	8.83	32.50	284	70	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	6025.00	78.41	-----	-----	66.96	35.20	8.76	32.51	284	70	PEAK																																																																		
Avg																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5849.64</td> <td>41.85</td> <td>68.20</td> <td>-26.35</td> <td>30.36</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>284</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5849.64	41.85	68.20	-26.35	30.36	35.11	8.88	32.50	284	70	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>69.69</td> <td>-----</td> <td>-----</td> <td>58.27</td> <td>35.19</td> <td>8.73</td> <td>32.50</td> <td>284</td> <td>70</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6025.00	69.69	-----	-----	58.27	35.19	8.73	32.50	284	70
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	5849.64	41.85	68.20	-26.35	30.36	35.11	8.88	32.50	284	70	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	6025.00	69.69	-----	-----	58.27	35.19	8.73	32.50	284	70	AVERAGE																																																																		



		126																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5 5.925-6.425 802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																																									
ANT	CDD 14+15																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.52</td> <td>51.99</td> <td>88.20</td> <td>-36.21</td> <td>40.53</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>270</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5890.52	51.99	88.20	-36.21	40.53	35.13	8.83	32.50	270	340	PEAK	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>85.21</td> <td>-----</td> <td>-----</td> <td>73.78</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>270</td> <td>340</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6025.00	85.21	-----	-----	73.78	35.17	8.76	32.50	270	340	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5890.52	51.99	88.20	-36.21	40.53	35.13	8.83	32.50	270	340	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6025.00	85.21	-----	-----	73.78	35.17	8.76	32.50	270	340	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.60</td> <td>42.00</td> <td>68.20</td> <td>-26.20</td> <td>30.55</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>270</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5914.60	42.00	68.20	-26.20	30.55	35.15	8.80	32.50	270	340	AVERAGE	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>76.76</td> <td>-----</td> <td>-----</td> <td>65.33</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>270</td> <td>340</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	6025.00	76.76	-----	-----	65.33	35.17	8.76	32.50	270	340	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5914.60	42.00	68.20	-26.20	30.55	35.15	8.80	32.50	270	340	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	6025.00	76.76	-----	-----	65.33	35.17	8.76	32.50	270	340	AVERAGE																																																																															



		127																																																																																		
Mode		Band Edge																																																																																		
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7236.25</td> <td>51.06</td> <td>88.20</td> <td>-37.14</td> <td>40.46</td> <td>35.45</td> <td>8.69</td> <td>33.54</td> <td>283</td> <td>71</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7289.38</td> <td>50.82</td> <td>74.00</td> <td>-23.18</td> <td>40.11</td> <td>35.44</td> <td>8.86</td> <td>33.59</td> <td>283</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7236.25	51.06	88.20	-37.14	40.46	35.45	8.69	33.54	283	71	PEAK	2	7289.38	50.82	74.00	-23.18	40.11	35.44	8.86	33.59	283	71	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>73.76</td> <td>-----</td> <td>-----</td> <td>62.73</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>283</td> <td>71</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	73.76	-----	-----	62.73	35.49	8.84	33.30	283	71	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7236.25	51.06	88.20	-37.14	40.46	35.45	8.69	33.54	283	71	PEAK																																																																									
2	7289.38	50.82	74.00	-23.18	40.11	35.44	8.86	33.59	283	71	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6985.00	73.76	-----	-----	62.73	35.49	8.84	33.30	283	71	PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7227.50</td> <td>41.12</td> <td>68.20</td> <td>-27.08</td> <td>30.54</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>283</td> <td>71</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7306.88</td> <td>41.30</td> <td>54.00</td> <td>-12.70</td> <td>30.55</td> <td>35.44</td> <td>8.92</td> <td>33.61</td> <td>283</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7227.50	41.12	68.20	-27.08	30.54	35.45	8.66	33.53	283	71	AVERAGE	2	7306.88	41.30	54.00	-12.70	30.55	35.44	8.92	33.61	283	71	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>65.18</td> <td>-----</td> <td>-----</td> <td>54.30</td> <td>35.49</td> <td>8.76</td> <td>33.37</td> <td>283</td> <td>71</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6985.00	65.18	-----	-----	54.30	35.49	8.76	33.37	283	71	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7227.50	41.12	68.20	-27.08	30.54	35.45	8.66	33.53	283	71	AVERAGE																																																																									
2	7306.88	41.30	54.00	-12.70	30.55	35.44	8.92	33.61	283	71	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6985.00	65.18	-----	-----	54.30	35.49	8.76	33.37	283	71	AVERAGE																																																																									







	127																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7150.00</td> <td>50.71</td> <td>88.20</td> <td>-37.49</td> <td>40.04</td> <td>35.47</td> <td>8.65</td> <td>33.45</td> <td>265</td> <td>359</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7308.13</td> <td>50.52</td> <td>74.00</td> <td>-23.48</td> <td>39.77</td> <td>35.44</td> <td>8.92</td> <td>33.61</td> <td>265</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7150.00	50.71	88.20	-37.49	40.04	35.47	8.65	33.45	265	359	PEAK	2	7308.13	50.52	74.00	-23.48	39.77	35.44	8.92	33.61	265	359	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>80.35</td> <td>-----</td> <td>-----</td> <td>69.34</td> <td>35.47</td> <td>8.84</td> <td>33.30</td> <td>265</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	80.35	-----	-----	69.34	35.47	8.84	33.30	265	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7150.00	50.71	88.20	-37.49	40.04	35.47	8.65	33.45	265	359	PEAK																																																																											
2	7308.13	50.52	74.00	-23.48	39.77	35.44	8.92	33.61	265	359	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	80.35	-----	-----	69.34	35.47	8.84	33.30	265	359	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7186.25</td> <td>41.07</td> <td>68.20</td> <td>-27.13</td> <td>30.50</td> <td>35.46</td> <td>8.60</td> <td>33.49</td> <td>265</td> <td>359</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7259.38</td> <td>40.99</td> <td>54.00</td> <td>-13.01</td> <td>30.33</td> <td>35.45</td> <td>8.77</td> <td>33.56</td> <td>265</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7186.25	41.07	68.20	-27.13	30.50	35.46	8.60	33.49	265	359	AVERAGE	2	7259.38	40.99	54.00	-13.01	30.33	35.45	8.77	33.56	265	359	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>71.22</td> <td>-----</td> <td>-----</td> <td>60.28</td> <td>35.49</td> <td>8.80</td> <td>33.35</td> <td>265</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	71.22	-----	-----	60.28	35.49	8.80	33.35	265	359	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7186.25	41.07	68.20	-27.13	30.50	35.46	8.60	33.49	265	359	AVERAGE																																																																											
2	7259.38	40.99	54.00	-13.01	30.33	35.45	8.77	33.56	265	359	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	71.22	-----	-----	60.28	35.49	8.80	33.35	265	359	AVERAGE																																																																											







		128																																																																										
Mode	Band Edge																																																																											
	U-NII-5 5.925-6.425 802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-29</p>	<p style="text-align: right;">Date: 2024-08-29</p>																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5846.28</td> <td>51.56</td> <td>88.20</td> <td>-36.64</td> <td>40.07</td> <td>35.11</td> <td>8.88</td> <td>32.50</td> <td>287</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5846.28	51.56	88.20	-36.64	40.07	35.11	8.88	32.50	287	54	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>82.35</td> <td>-----</td> <td>-----</td> <td>70.93</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>287</td> <td>54</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	82.35	-----	-----	70.93	35.18	8.74	32.50	287	54
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5846.28	51.56	88.20	-36.64	40.07	35.11	8.88	32.50	287	54	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	82.35	-----	-----	70.93	35.18	8.74	32.50	287	54	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-29</p>	<p style="text-align: right;">Date: 2024-08-29</p>																																																																										
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.12</td> <td>41.77</td> <td>68.20</td> <td>-26.43</td> <td>30.32</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>287</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5917.12	41.77	68.20	-26.43	30.32	35.15	8.80	32.50	287	54	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>71.97</td> <td>-----</td> <td>-----</td> <td>60.55</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>287</td> <td>54</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6025.00	71.97	-----	-----	60.55	35.18	8.74	32.50	287	54
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5917.12	41.77	68.20	-26.43	30.32	35.15	8.80	32.50	287	54	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6025.00	71.97	-----	-----	60.55	35.18	8.74	32.50	287	54	AVERAGE																																																																	



		128																																																																																											
Mode	Band Edge																																																																																												
	U-NII-5 5.925-6.425 802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																												
ANT	CDD 14+15																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <p style="text-align: right;">Date: 2024-08-29</p>			 <p style="text-align: right;">Date: 2024-08-29</p>																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5826.12</td> <td>51.26</td> <td>88.20</td> <td>-36.94</td> <td>39.75</td> <td>35.10</td> <td>8.91</td> <td>32.50</td> <td>271</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				cm	deg				1	5826.12	51.26	88.20	-36.94	39.75	35.10	8.91	32.50	271	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>82.99</td> <td>-----</td> <td>-----</td> <td>71.56</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>271</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				cm	deg				1	6025.00	82.99	-----	-----	71.56	35.18	8.75	32.50	271	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
			cm	deg																																																																																									
1	5826.12	51.26	88.20	-36.94	39.75	35.10	8.91	32.50	271	360	PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
			cm	deg																																																																																									
1	6025.00	82.99	-----	-----	71.56	35.18	8.75	32.50	271	360	PEAK																																																																																		
Avg	 <p style="text-align: right;">Date: 2024-08-29</p>			 <p style="text-align: right;">Date: 2024-08-29</p>																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5913.48</td> <td>42.29</td> <td>68.20</td> <td>-25.91</td> <td>30.84</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>271</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				cm	deg				1	5913.48	42.29	68.20	-25.91	30.84	35.15	8.80	32.50	271	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6025.00</td> <td>74.78</td> <td>-----</td> <td>-----</td> <td>63.36</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>271</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				cm	deg				1	6025.00	74.78	-----	-----	63.36	35.18	8.74	32.50	271	360
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
			cm	deg																																																																																									
1	5913.48	42.29	68.20	-25.91	30.84	35.15	8.80	32.50	271	360	AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																						
			cm	deg																																																																																									
1	6025.00	74.78	-----	-----	63.36	35.18	8.74	32.50	271	360	AVERAGE																																																																																		



		129																																																																																	
Mode		Band Edge																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																	
ANT		CDD 14+15																																																																																	
Pol.	Horizontal	Fundamental																																																																																	
Peak	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7211.88</td> <td>51.48</td> <td>88.20</td> <td>-36.72</td> <td>40.93</td> <td>35.46</td> <td>8.61</td> <td>33.52</td> <td>286</td> <td>79 PEAK</td> </tr> <tr> <td>2</td> <td>7334.38</td> <td>50.68</td> <td>74.00</td> <td>-23.32</td> <td>39.89</td> <td>35.43</td> <td>9.00</td> <td>33.64</td> <td>286</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7211.88	51.48	88.20	-36.72	40.93	35.46	8.61	33.52	286	79 PEAK	2	7334.38	50.68	74.00	-23.32	39.89	35.43	9.00	33.64	286	79 PEAK	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>73.64</td> <td>-----</td> <td>-----</td> <td>62.61</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>286</td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	73.64	-----	-----	62.61	35.49	8.84	33.30	286	79 PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																												
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7211.88	51.48	88.20	-36.72	40.93	35.46	8.61	33.52	286	79 PEAK																																																																									
2	7334.38	50.68	74.00	-23.32	39.89	35.43	9.00	33.64	286	79 PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6985.00	73.64	-----	-----	62.61	35.49	8.84	33.30	286	79 PEAK																																																																									
Avg	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7132.50</td> <td>41.10</td> <td>68.20</td> <td>-27.10</td> <td>30.40</td> <td>35.47</td> <td>8.67</td> <td>33.44</td> <td>286</td> <td>79 AVERAGE</td> </tr> <tr> <td>2</td> <td>7263.75</td> <td>41.18</td> <td>54.00</td> <td>-12.82</td> <td>30.52</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>286</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7132.50	41.10	68.20	-27.10	30.40	35.47	8.67	33.44	286	79 AVERAGE	2	7263.75	41.18	54.00	-12.82	30.52	35.45	8.78	33.57	286	79 AVERAGE	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>65.13</td> <td>-----</td> <td>-----</td> <td>54.10</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>286</td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	65.13	-----	-----	54.10	35.49	8.84	33.30	286	79 AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																												
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	7132.50	41.10	68.20	-27.10	30.40	35.47	8.67	33.44	286	79 AVERAGE																																																																									
2	7263.75	41.18	54.00	-12.82	30.52	35.45	8.78	33.57	286	79 AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	6985.00	65.13	-----	-----	54.10	35.49	8.84	33.30	286	79 AVERAGE																																																																									



	129																																																																																					
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7176.25</td> <td>51.07</td> <td>88.20</td> <td>-37.13</td> <td>40.48</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>266</td> <td>359</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.25</td> <td>51.37</td> <td>74.00</td> <td>-22.63</td> <td>40.73</td> <td>35.45</td> <td>8.74</td> <td>33.55</td> <td>266</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7176.25	51.07	88.20	-37.13	40.48	35.46	8.61	33.48	266	359	PEAK	2	7251.25	51.37	74.00	-22.63	40.73	35.45	8.74	33.55	266	359	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>79.12</td> <td>-----</td> <td>-----</td> <td>68.22</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>266</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	79.12	-----	-----	68.22	35.49	8.77	33.36	266	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7176.25	51.07	88.20	-37.13	40.48	35.46	8.61	33.48	266	359	PEAK																																																																											
2	7251.25	51.37	74.00	-22.63	40.73	35.45	8.74	33.55	266	359	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	79.12	-----	-----	68.22	35.49	8.77	33.36	266	359	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7170.63</td> <td>41.12</td> <td>68.20</td> <td>-27.08</td> <td>30.50</td> <td>35.47</td> <td>8.62</td> <td>33.47</td> <td>266</td> <td>359</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7312.50</td> <td>41.09</td> <td>54.00</td> <td>-12.91</td> <td>30.33</td> <td>35.44</td> <td>8.93</td> <td>33.61</td> <td>266</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7170.63	41.12	68.20	-27.08	30.50	35.47	8.62	33.47	266	359	AVERAGE	2	7312.50	41.09	54.00	-12.91	30.33	35.44	8.93	33.61	266	359	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6985.00</td> <td>70.27</td> <td>-----</td> <td>-----</td> <td>59.24</td> <td>35.49</td> <td>8.84</td> <td>33.30</td> <td>266</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	70.27	-----	-----	59.24	35.49	8.84	33.30	266	359	AVERAGE
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7170.63	41.12	68.20	-27.08	30.50	35.47	8.62	33.47	266	359	AVERAGE																																																																											
2	7312.50	41.09	54.00	-12.91	30.33	35.44	8.93	33.61	266	359	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	6985.00	70.27	-----	-----	59.24	35.49	8.84	33.30	266	359	AVERAGE																																																																											



		130																																																																										
Mode	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5574.97</td> <td>51.72</td> <td>88.20</td> <td>-36.48</td> <td>41.02</td> <td>34.94</td> <td>8.26</td> <td>32.50</td> <td>290</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5574.97	51.72	88.20	-36.48	41.02	34.94	8.26	32.50	290	10	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>77.27</td> <td>-----</td> <td>-----</td> <td>65.54</td> <td>35.20</td> <td>9.21</td> <td>32.68</td> <td>290</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	77.27	-----	-----	65.54	35.20	9.21	32.68	290	10	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5574.97	51.72	88.20	-36.48	41.02	34.94	8.26	32.50	290	10	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	77.27	-----	-----	65.54	35.20	9.21	32.68	290	10	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5916.93</td> <td>41.86</td> <td>68.20</td> <td>-26.34</td> <td>30.41</td> <td>35.15</td> <td>8.80</td> <td>32.50</td> <td>290</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5916.93	41.86	68.20	-26.34	30.41	35.15	8.80	32.50	290	10	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>68.61</td> <td>-----</td> <td>-----</td> <td>57.18</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>290</td> <td>10</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	68.61	-----	-----	57.18	35.17	8.76	32.50	290	10	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5916.93	41.86	68.20	-26.34	30.41	35.15	8.80	32.50	290	10	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	68.61	-----	-----	57.18	35.17	8.76	32.50	290	10	AVERAGE																																																																	



		130																																																																										
Mode		Band Edge																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																										
ANT		CDD 14+15																																																																										
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.27</td> <td>51.33</td> <td>88.20</td> <td>-36.87</td> <td>39.87</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>259</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5896.27	51.33	88.20	-36.87	39.87	35.14	8.82	32.50	259	341	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>83.02</td> <td>-----</td> <td>-----</td> <td>71.59</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>259</td> <td>341</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	83.02	-----	-----	71.59	35.17	8.76	32.50	259	341	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5896.27	51.33	88.20	-36.87	39.87	35.14	8.82	32.50	259	341	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	83.02	-----	-----	71.59	35.17	8.76	32.50	259	341	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5880.21</td> <td>41.77</td> <td>68.20</td> <td>-26.43</td> <td>30.30</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>259</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5880.21	41.77	68.20	-26.43	30.30	35.13	8.84	32.50	259	341	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>73.29</td> <td>-----</td> <td>-----</td> <td>61.86</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>259</td> <td>341</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	73.29	-----	-----	61.86	35.17	8.76	32.50	259	341	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5880.21	41.77	68.20	-26.43	30.30	35.13	8.84	32.50	259	341	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	73.29	-----	-----	61.86	35.17	8.76	32.50	259	341	AVERAGE																																																																	



	131																																																																															
Mode	Band Edge																																																																															
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																															
ANT	CDD 14+15																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7189.07</td> <td>50.67</td> <td>88.20</td> <td>-37.53</td> <td>40.10</td> <td>35.46</td> <td>8.60</td> <td>33.49</td> <td>367</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7317.33</td> <td>50.30</td> <td>74.00</td> <td>-23.70</td> <td>39.53</td> <td>35.44</td> <td>8.95</td> <td>33.62</td> <td>367</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	7189.07	50.67	88.20	-37.53	40.10	35.46	8.60	33.49	367	360	PEAK	2	7317.33	50.30	74.00	-23.70	39.53	35.44	8.95	33.62	367	360	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>72.05</td> <td>-----</td> <td>-----</td> <td>61.15</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>367</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6905.00	72.05	-----	-----	61.15	35.49	8.77	33.36	367	360	PEAK
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																										
Freq	Level	Line	Level	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	7189.07	50.67	88.20	-37.53	40.10	35.46	8.60	33.49	367	360	PEAK																																																																					
2	7317.33	50.30	74.00	-23.70	39.53	35.44	8.95	33.62	367	360	PEAK																																																																					
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																										
Freq	Level	Line	Level	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	6905.00	72.05	-----	-----	61.15	35.49	8.77	33.36	367	360	PEAK																																																																					
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7227.19</td> <td>41.24</td> <td>68.20</td> <td>-26.96</td> <td>30.66</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>367</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7273.17</td> <td>41.20</td> <td>54.00</td> <td>-12.80</td> <td>30.53</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>367</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	7227.19	41.24	68.20	-26.96	30.66	35.45	8.66	33.53	367	360	AVERAGE	2	7273.17	41.20	54.00	-12.80	30.53	35.44	8.81	33.58	367	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>64.97</td> <td>-----</td> <td>-----</td> <td>54.07</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>367</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Apos	TPos	Remark	Freq	Level	Line	Level	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	6905.00	64.97	-----	-----	54.07	35.49	8.77	33.36	367	360	AVERAGE
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																										
Freq	Level	Line	Level	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	7227.19	41.24	68.20	-26.96	30.66	35.45	8.66	33.53	367	360	AVERAGE																																																																					
2	7273.17	41.20	54.00	-12.80	30.53	35.44	8.81	33.58	367	360	AVERAGE																																																																					
Limit	Read	Ant	Cable	Apos	TPos	Remark																																																																										
Freq	Level	Line	Level	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	6905.00	64.97	-----	-----	54.07	35.49	8.77	33.36	367	360	AVERAGE																																																																					







	131																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7219.32</td> <td>51.30</td> <td>88.20</td> <td>-36.90</td> <td>40.72</td> <td>35.46</td> <td>8.64</td> <td>33.52</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7251.99</td> <td>52.19</td> <td>74.00</td> <td>-21.81</td> <td>41.55</td> <td>35.45</td> <td>8.74</td> <td>33.55</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7219.32	51.30	88.20	-36.90	40.72	35.46	8.64	33.52	300	158	PEAK	2	7251.99	52.19	74.00	-21.81	41.55	35.45	8.74	33.55	300	158	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>70.60</td> <td>-----</td> <td>-----</td> <td>59.63</td> <td>35.43</td> <td>8.84</td> <td>33.30</td> <td>300</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	70.60	-----	-----	59.63	35.43	8.84	33.30	300	158	PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7219.32	51.30	88.20	-36.90	40.72	35.46	8.64	33.52	300	158	PEAK																																																																									
2	7251.99	52.19	74.00	-21.81	41.55	35.45	8.74	33.55	300	158	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	70.60	-----	-----	59.63	35.43	8.84	33.30	300	158	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7218.72</td> <td>41.18</td> <td>68.20</td> <td>-27.02</td> <td>30.60</td> <td>35.46</td> <td>8.64</td> <td>33.52</td> <td>300</td> <td>158</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7306.44</td> <td>41.29</td> <td>54.00</td> <td>-12.71</td> <td>30.54</td> <td>35.44</td> <td>8.92</td> <td>33.61</td> <td>300</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7218.72	41.18	68.20	-27.02	30.60	35.46	8.64	33.52	300	158	AVERAGE	2	7306.44	41.29	54.00	-12.71	30.54	35.44	8.92	33.61	300	158	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>61.29</td> <td>-----</td> <td>-----</td> <td>50.28</td> <td>35.47</td> <td>8.84</td> <td>33.30</td> <td>300</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	61.29	-----	-----	50.28	35.47	8.84	33.30	300	158	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7218.72	41.18	68.20	-27.02	30.60	35.46	8.64	33.52	300	158	AVERAGE																																																																									
2	7306.44	41.29	54.00	-12.71	30.54	35.44	8.92	33.61	300	158	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	61.29	-----	-----	50.28	35.47	8.84	33.30	300	158	AVERAGE																																																																									



		132																																																																										
Mode		Band Edge																																																																										
		U-NII-5 5.925-6.425 802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																										
ANT		CDD 14+15																																																																										
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5781.52</td> <td>51.32</td> <td>88.20</td> <td>-36.88</td> <td>39.87</td> <td>35.07</td> <td>8.88</td> <td>32.50</td> <td>296</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5781.52	51.32	88.20	-36.88	39.87	35.07	8.88	32.50	296	360	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>75.77</td> <td>-----</td> <td>-----</td> <td>63.94</td> <td>35.20</td> <td>9.38</td> <td>32.75</td> <td>296</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	75.77	-----	-----	63.94	35.20	9.38	32.75	296	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5781.52	51.32	88.20	-36.88	39.87	35.07	8.88	32.50	296	360	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	75.77	-----	-----	63.94	35.20	9.38	32.75	296	360	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5893.98</td> <td>41.73</td> <td>68.20</td> <td>-26.47</td> <td>30.26</td> <td>35.14</td> <td>8.83</td> <td>32.50</td> <td>296</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5893.98	41.73	68.20	-26.47	30.26	35.14	8.83	32.50	296	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>67.08</td> <td>-----</td> <td>-----</td> <td>55.20</td> <td>35.20</td> <td>9.46</td> <td>32.78</td> <td>296</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	67.08	-----	-----	55.20	35.20	9.46	32.78	296	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5893.98	41.73	68.20	-26.47	30.26	35.14	8.83	32.50	296	360	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	67.08	-----	-----	55.20	35.20	9.46	32.78	296	360	AVERAGE																																																																	



		132																																																																										
Mode	Band Edge																																																																											
	U-NII-5 5.925-6.425 802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																											
ANT	CDD 14+15																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5841.19</td> <td>51.58</td> <td>88.20</td> <td>-36.62</td> <td>40.09</td> <td>35.10</td> <td>8.89</td> <td>32.50</td> <td>312</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5841.19	51.58	88.20	-36.62	40.09	35.10	8.89	32.50	312	360	PEAK	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>79.75</td> <td>-----</td> <td>-----</td> <td>68.32</td> <td>35.18</td> <td>8.75</td> <td>32.50</td> <td>312</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	79.75	-----	-----	68.32	35.18	8.75	32.50	312	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5841.19	51.58	88.20	-36.62	40.09	35.10	8.89	32.50	312	360	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	79.75	-----	-----	68.32	35.18	8.75	32.50	312	360	PEAK																																																																	
Avg	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5887.86</td> <td>41.86</td> <td>68.20</td> <td>-26.34</td> <td>30.40</td> <td>35.13</td> <td>8.83</td> <td>32.50</td> <td>312</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5887.86	41.86	68.20	-26.34	30.40	35.13	8.83	32.50	312	360	AVERAGE	 <p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>71.65</td> <td>-----</td> <td>-----</td> <td>60.23</td> <td>35.18</td> <td>8.74</td> <td>32.50</td> <td>312</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6105.00	71.65	-----	-----	60.23	35.18	8.74	32.50	312	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5887.86	41.86	68.20	-26.34	30.40	35.13	8.83	32.50	312	360	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	6105.00	71.65	-----	-----	60.23	35.18	8.74	32.50	312	360	AVERAGE																																																																	



		133																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7197.54</td> <td>51.53</td> <td>88.20</td> <td>-36.67</td> <td>40.99</td> <td>35.46</td> <td>8.58</td> <td>33.50</td> <td>394</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7277.40</td> <td>51.16</td> <td>74.00</td> <td>-22.84</td> <td>40.48</td> <td>35.44</td> <td>8.82</td> <td>33.58</td> <td>394</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7197.54	51.53	88.20	-36.67	40.99	35.46	8.58	33.50	394	360	PEAK	2	7277.40	51.16	74.00	-22.84	40.48	35.44	8.82	33.58	394	360	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>73.82</td> <td>-----</td> <td>-----</td> <td>62.92</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>394</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	73.82	-----	-----	62.92	35.49	8.77	33.36	394	360	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7197.54	51.53	88.20	-36.67	40.99	35.46	8.58	33.50	394	360	PEAK																																																																									
2	7277.40	51.16	74.00	-22.84	40.48	35.44	8.82	33.58	394	360	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	73.82	-----	-----	62.92	35.49	8.77	33.36	394	360	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7179.39</td> <td>41.16</td> <td>68.20</td> <td>-27.04</td> <td>30.57</td> <td>35.46</td> <td>8.61</td> <td>33.48</td> <td>394</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7305.23</td> <td>41.05</td> <td>54.00</td> <td>-12.95</td> <td>30.31</td> <td>35.44</td> <td>8.91</td> <td>33.61</td> <td>394</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7179.39	41.16	68.20	-27.04	30.57	35.46	8.61	33.48	394	360	AVERAGE	2	7305.23	41.05	54.00	-12.95	30.31	35.44	8.91	33.61	394	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>63.92</td> <td>-----</td> <td>-----</td> <td>53.02</td> <td>35.49</td> <td>8.77</td> <td>33.36</td> <td>394</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	63.92	-----	-----	53.02	35.49	8.77	33.36	394	360	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7179.39	41.16	68.20	-27.04	30.57	35.46	8.61	33.48	394	360	AVERAGE																																																																									
2	7305.23	41.05	54.00	-12.95	30.31	35.44	8.91	33.61	394	360	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	63.92	-----	-----	53.02	35.49	8.77	33.36	394	360	AVERAGE																																																																									



	133																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.15</td> <td>51.16</td> <td>88.20</td> <td>-37.04</td> <td>40.44</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>278</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7267.12</td> <td>51.09</td> <td>74.00</td> <td>-22.91</td> <td>40.42</td> <td>35.45</td> <td>8.79</td> <td>33.57</td> <td>278</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7126.15	51.16	88.20	-37.04	40.44	35.47	8.68	33.43	278	360	PEAK	2	7267.12	51.09	74.00	-22.91	40.42	35.45	8.79	33.57	278	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>76.44</td> <td>-----</td> <td>-----</td> <td>65.49</td> <td>35.49</td> <td>8.80</td> <td>33.34</td> <td>278</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	76.44	-----	-----	65.49	35.49	8.80	33.34	278	360	PEAK
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7126.15	51.16	88.20	-37.04	40.44	35.47	8.68	33.43	278	360	PEAK																																																																									
2	7267.12	51.09	74.00	-22.91	40.42	35.45	8.79	33.57	278	360	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	76.44	-----	-----	65.49	35.49	8.80	33.34	278	360	PEAK																																																																									
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7193.31</td> <td>41.22</td> <td>68.20</td> <td>-26.98</td> <td>30.67</td> <td>35.46</td> <td>8.59</td> <td>33.50</td> <td>278</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7271.35</td> <td>41.14</td> <td>54.00</td> <td>-12.86</td> <td>30.46</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>278</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7193.31	41.22	68.20	-26.98	30.67	35.46	8.59	33.50	278	360	AVERAGE	2	7271.35	41.14	54.00	-12.86	30.46	35.45	8.80	33.57	278	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>67.31</td> <td>-----</td> <td>-----</td> <td>56.33</td> <td>35.44</td> <td>8.84</td> <td>33.30</td> <td>278</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	67.31	-----	-----	56.33	35.44	8.84	33.30	278	360	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7193.31	41.22	68.20	-26.98	30.67	35.46	8.59	33.50	278	360	AVERAGE																																																																									
2	7271.35	41.14	54.00	-12.86	30.46	35.45	8.80	33.57	278	360	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	67.31	-----	-----	56.33	35.44	8.84	33.30	278	360	AVERAGE																																																																									



		134																																																																											
Mode	Band Edge																																																																												
	U-NII-5 5.925-6.425 802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																												
ANT	CDD 14+15																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5816.71</td> <td>51.91</td> <td>88.20</td> <td>-36.29</td> <td>40.40</td> <td>35.09</td> <td>8.92</td> <td>32.50</td> <td>400</td> <td>36</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5816.71	51.91	88.20	-36.29	40.40	35.09	8.92	32.50	400	36	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>75.56</td> <td>-----</td> <td>-----</td> <td>64.13</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>400</td> <td>36</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	75.56	-----	-----	64.13	35.17	8.76	32.50	400	36
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	5816.71	51.91	88.20	-36.29	40.40	35.09	8.92	32.50	400	36	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	6105.00	75.56	-----	-----	64.13	35.17	8.76	32.50	400	36	PEAK																																																																		
Avg																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5880.21</td> <td>41.86</td> <td>68.20</td> <td>-26.34</td> <td>30.39</td> <td>35.13</td> <td>8.84</td> <td>32.50</td> <td>400</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5880.21	41.86	68.20	-26.34	30.39	35.13	8.84	32.50	400	36	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>67.24</td> <td>-----</td> <td>-----</td> <td>55.81</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>400</td> <td>36</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	6105.00	67.24	-----	-----	55.81	35.17	8.76	32.50	400	36
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	5880.21	41.86	68.20	-26.34	30.39	35.13	8.84	32.50	400	36	AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																						
1	6105.00	67.24	-----	-----	55.81	35.17	8.76	32.50	400	36	AVERAGE																																																																		



		134																																																																								
Mode		Band Edge																																																																								
		U-NII-5 5.925-6.425 802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																								
ANT		CDD 14+15																																																																								
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5817.48</td> <td>51.38</td> <td>88.20</td> <td>-36.82</td> <td>39.87</td> <td>35.09</td> <td>8.92</td> <td>32.50</td> <td>200</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5817.48	51.38	88.20	-36.82	39.87	35.09	8.92	32.50	200	336	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>80.19</td> <td>-----</td> <td>-----</td> <td>68.76</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>200</td> <td>336</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6105.00	80.19	-----	-----	68.76	35.17	8.76	32.50	200	336	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5817.48	51.38	88.20	-36.82	39.87	35.09	8.92	32.50	200	336	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	6105.00	80.19	-----	-----	68.76	35.17	8.76	32.50	200	336	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5901.63</td> <td>41.66</td> <td>68.20</td> <td>-26.54</td> <td>30.20</td> <td>35.14</td> <td>8.82</td> <td>32.50</td> <td>200</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5901.63	41.66	68.20	-26.54	30.20	35.14	8.82	32.50	200	336	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6105.00</td> <td>71.39</td> <td>-----</td> <td>-----</td> <td>59.96</td> <td>35.17</td> <td>8.76</td> <td>32.50</td> <td>200</td> <td>336</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6105.00	71.39	-----	-----	59.96	35.17	8.76	32.50	200	336	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5901.63	41.66	68.20	-26.54	30.20	35.14	8.82	32.50	200	336	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	6105.00	71.39	-----	-----	59.96	35.17	8.76	32.50	200	336	AVERAGE																																																															



		135																																																																																		
Mode		Band Edge																																																																																		
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																		
ANT		CDD 14+15																																																																																		
Pol.	Horizontal	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7207.83</td> <td>50.55</td> <td>88.20</td> <td>-37.65</td> <td>40.00</td> <td>35.46</td> <td>8.60</td> <td>33.51</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7302.81</td> <td>50.66</td> <td>74.00</td> <td>-23.34</td> <td>39.92</td> <td>35.44</td> <td>8.90</td> <td>33.60</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7207.83	50.55	88.20	-37.65	40.00	35.46	8.60	33.51	100	347	PEAK	2	7302.81	50.66	74.00	-23.34	39.92	35.44	8.90	33.60	100	347	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>77.31</td> <td>-----</td> <td>-----</td> <td>66.40</td> <td>35.38</td> <td>8.83</td> <td>33.30</td> <td>100</td> <td>347</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	77.31	-----	-----	66.40	35.38	8.83	33.30	100	347	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7207.83	50.55	88.20	-37.65	40.00	35.46	8.60	33.51	100	347	PEAK																																																																									
2	7302.81	50.66	74.00	-23.34	39.92	35.44	8.90	33.60	100	347	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	77.31	-----	-----	66.40	35.38	8.83	33.30	100	347	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7206.62</td> <td>40.92</td> <td>68.20</td> <td>-27.28</td> <td>30.37</td> <td>35.46</td> <td>8.60</td> <td>33.51</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7268.33</td> <td>40.94</td> <td>54.00</td> <td>-13.06</td> <td>30.27</td> <td>35.45</td> <td>8.79</td> <td>33.57</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7206.62	40.92	68.20	-27.28	30.37	35.46	8.60	33.51	100	347	AVERAGE	2	7268.33	40.94	54.00	-13.06	30.27	35.45	8.79	33.57	100	347	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>67.37</td> <td>-----</td> <td>-----</td> <td>56.47</td> <td>35.38</td> <td>8.82</td> <td>33.30</td> <td>100</td> <td>347</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	67.37	-----	-----	56.47	35.38	8.82	33.30	100	347	AVERAGE
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7206.62	40.92	68.20	-27.28	30.37	35.46	8.60	33.51	100	347	AVERAGE																																																																									
2	7268.33	40.94	54.00	-13.06	30.27	35.45	8.79	33.57	100	347	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	67.37	-----	-----	56.47	35.38	8.82	33.30	100	347	AVERAGE																																																																									



	135																																																																																			
Mode	Band Edge																																																																																			
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7153.38</td> <td>51.85</td> <td>88.20</td> <td>-36.35</td> <td>41.20</td> <td>35.47</td> <td>8.64</td> <td>33.46</td> <td>100</td> <td>93</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7348.19</td> <td>51.12</td> <td>74.00</td> <td>-22.88</td> <td>40.29</td> <td>35.43</td> <td>9.05</td> <td>33.65</td> <td>100</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7153.38	51.85	88.20	-36.35	41.20	35.47	8.64	33.46	100	93	PEAK	2	7348.19	51.12	74.00	-22.88	40.29	35.43	9.05	33.65	100	93	PEAK	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>70.70</td> <td>-----</td> <td>-----</td> <td>59.71</td> <td>35.45</td> <td>8.84</td> <td>33.30</td> <td>100</td> <td>93</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	70.70	-----	-----	59.71	35.45	8.84	33.30	100	93	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7153.38	51.85	88.20	-36.35	41.20	35.47	8.64	33.46	100	93	PEAK																																																																									
2	7348.19	51.12	74.00	-22.88	40.29	35.43	9.05	33.65	100	93	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	70.70	-----	-----	59.71	35.45	8.84	33.30	100	93	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7224.77</td> <td>40.81</td> <td>68.20</td> <td>-27.39</td> <td>30.23</td> <td>35.45</td> <td>8.66</td> <td>33.53</td> <td>100</td> <td>93</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7307.05</td> <td>40.90</td> <td>54.00</td> <td>-13.10</td> <td>30.15</td> <td>35.44</td> <td>8.92</td> <td>33.61</td> <td>100</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7224.77	40.81	68.20	-27.39	30.23	35.45	8.66	33.53	100	93	AVERAGE	2	7307.05	40.90	54.00	-13.10	30.15	35.44	8.92	33.61	100	93	AVERAGE	<p style="text-align: right;">Date: 2024-08-29</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>6905.00</td> <td>61.59</td> <td>-----</td> <td>-----</td> <td>50.69</td> <td>35.38</td> <td>8.82</td> <td>33.30</td> <td>100</td> <td>93</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	61.59	-----	-----	50.69	35.38	8.82	33.30	100	93	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7224.77	40.81	68.20	-27.39	30.23	35.45	8.66	33.53	100	93	AVERAGE																																																																									
2	7307.05	40.90	54.00	-13.10	30.15	35.44	8.92	33.61	100	93	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	6905.00	61.59	-----	-----	50.69	35.38	8.82	33.30	100	93	AVERAGE																																																																									



Mode	136																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_LF																																																																																																																																																																																					
ANT	CDD 14+15																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	<p>Date: 2024-09-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>54.25</td><td>20.40</td><td>40.00</td><td>-19.60</td><td>35.16</td><td>19.42</td><td>0.75</td><td>34.93</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>113.42</td><td>21.88</td><td>43.50</td><td>-21.62</td><td>39.52</td><td>16.00</td><td>1.13</td><td>34.77</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>287.05</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>41.06</td><td>18.72</td><td>1.76</td><td>34.63</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>349.13</td><td>28.91</td><td>46.00</td><td>-17.09</td><td>41.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>686.69</td><td>27.68</td><td>46.00</td><td>-18.32</td><td>32.46</td><td>26.87</td><td>2.78</td><td>34.43</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>32.41</td><td>46.00</td><td>-13.59</td><td>33.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	54.25	20.40	40.00	-19.60	35.16	19.42	0.75	34.93	--	Peak	2	113.42	21.88	43.50	-21.62	39.52	16.00	1.13	34.77	--	Peak	3	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63	--	Peak	4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	Peak	5	686.69	27.68	46.00	-18.32	32.46	26.87	2.78	34.43	--	Peak	6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30	--	Peak	<p>Date: 2024-09-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>25.84</td><td>40.00</td><td>-14.16</td><td>42.48</td><td>17.56</td><td>0.54</td><td>34.74</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>141.55</td><td>24.03</td><td>43.50</td><td>-19.47</td><td>39.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>198.78</td><td>21.84</td><td>43.50</td><td>-21.66</td><td>39.01</td><td>16.05</td><td>1.48</td><td>34.70</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>282.20</td><td>21.45</td><td>46.00</td><td>-24.55</td><td>35.78</td><td>18.57</td><td>1.74</td><td>34.64</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>489.78</td><td>25.93</td><td>46.00</td><td>-20.07</td><td>34.87</td><td>23.23</td><td>2.33</td><td>34.50</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>948.59</td><td>31.69</td><td>46.00</td><td>-14.31</td><td>32.99</td><td>29.74</td><td>3.26</td><td>34.30</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	30.00	25.84	40.00	-14.16	42.48	17.56	0.54	34.74	--	Peak	2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	Peak	3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	Peak	4	282.20	21.45	46.00	-24.55	35.78	18.57	1.74	34.64	--	Peak	5	489.78	25.93	46.00	-20.07	34.87	23.23	2.33	34.50	--	Peak	6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																															
1	54.25	20.40	40.00	-19.60	35.16	19.42	0.75	34.93	--	Peak																																																																																																																																																																												
2	113.42	21.88	43.50	-21.62	39.52	16.00	1.13	34.77	--	Peak																																																																																																																																																																												
3	287.05	26.91	46.00	-19.09	41.06	18.72	1.76	34.63	--	Peak																																																																																																																																																																												
4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	--	Peak																																																																																																																																																																												
5	686.69	27.68	46.00	-18.32	32.46	26.87	2.78	34.43	--	Peak																																																																																																																																																																												
6	948.59	32.41	46.00	-13.59	33.71	29.74	3.26	34.30	--	Peak																																																																																																																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																															
1	30.00	25.84	40.00	-14.16	42.48	17.56	0.54	34.74	--	Peak																																																																																																																																																																												
2	141.55	24.03	43.50	-19.47	39.23	18.27	1.25	34.72	--	Peak																																																																																																																																																																												
3	198.78	21.84	43.50	-21.66	39.01	16.05	1.48	34.70	--	Peak																																																																																																																																																																												
4	282.20	21.45	46.00	-24.55	35.78	18.57	1.74	34.64	--	Peak																																																																																																																																																																												
5	489.78	25.93	46.00	-20.07	34.87	23.23	2.33	34.50	--	Peak																																																																																																																																																																												
6	948.59	31.69	46.00	-14.31	32.99	29.74	3.26	34.30	--	Peak																																																																																																																																																																												



		137																																																																																				
Mode	Band Edge																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																					
ANT	CDD 14+15																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>64.54</td> <td>88.20</td> <td>-23.66</td> <td>53.82</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>200</td> <td>319</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7345.30</td> <td>50.38</td> <td>74.00</td> <td>-23.62</td> <td>39.56</td> <td>35.43</td> <td>9.04</td> <td>33.65</td> <td>200</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.11	64.54	88.20	-23.66	53.82	35.47	8.68	33.43	200	319	PEAK	2	7345.30	50.38	74.00	-23.62	39.56	35.43	9.04	33.65	200	319	PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>85.84</td> <td>-----</td> <td>-----</td> <td>75.08</td> <td>35.48</td> <td>8.70</td> <td>33.42</td> <td>200</td> <td>319</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	85.84	-----	-----	75.08	35.48	8.70	33.42	200	319	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.11	64.54	88.20	-23.66	53.82	35.47	8.68	33.43	200	319	PEAK																																																																											
2	7345.30	50.38	74.00	-23.62	39.56	35.43	9.04	33.65	200	319	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	85.84	-----	-----	75.08	35.48	8.70	33.42	200	319	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>54.00</td> <td>68.20</td> <td>-14.20</td> <td>43.28</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>200</td> <td>319</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7304.41</td> <td>40.79</td> <td>54.00</td> <td>-13.21</td> <td>30.05</td> <td>35.44</td> <td>8.91</td> <td>33.61</td> <td>200</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.11	54.00	68.20	-14.20	43.28	35.47	8.68	33.43	200	319	AVERAGE	2	7304.41	40.79	54.00	-13.21	30.05	35.44	8.91	33.61	200	319	AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>79.48</td> <td>-----</td> <td>-----</td> <td>68.73</td> <td>35.48</td> <td>8.69</td> <td>33.42</td> <td>200</td> <td>319</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	79.48	-----	-----	68.73	35.48	8.69	33.42	200	319	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.11	54.00	68.20	-14.20	43.28	35.47	8.68	33.43	200	319	AVERAGE																																																																											
2	7304.41	40.79	54.00	-13.21	30.05	35.44	8.91	33.61	200	319	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	79.48	-----	-----	68.73	35.48	8.69	33.42	200	319	AVERAGE																																																																											



		137																																																																																		
Mode	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																			
ANT	CDD 14+15																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>67.95</td> <td>88.20</td> <td>-20.25</td> <td>57.23</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7274.80</td> <td>50.65</td> <td>74.00</td> <td>-23.35</td> <td>39.98</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	67.95	88.20	-20.25	57.23	35.47	8.68	33.43	155	360	PEAK	2	7274.80	50.65	74.00	-23.35	39.98	35.44	8.81	33.58	155	360	PEAK	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>89.69</td> <td>-----</td> <td>-----</td> <td>78.94</td> <td>35.48</td> <td>8.69</td> <td>33.42</td> <td>155</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	89.69	-----	-----	78.94	35.48	8.69	33.42	155	360	PEAK
	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.11	67.95	88.20	-20.25	57.23	35.47	8.68	33.43	155	360	PEAK																																																																									
2	7274.80	50.65	74.00	-23.35	39.98	35.44	8.81	33.58	155	360	PEAK																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7115.00	89.69	-----	-----	78.94	35.48	8.69	33.42	155	360	PEAK																																																																									
Avg	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>57.92</td> <td>68.20</td> <td>-10.28</td> <td>47.20</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>155</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7263.76</td> <td>40.87</td> <td>54.00</td> <td>-13.13</td> <td>30.21</td> <td>35.45</td> <td>8.78</td> <td>33.57</td> <td>155</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7125.11	57.92	68.20	-10.28	47.20	35.47	8.68	33.43	155	360	AVERAGE	2	7263.76	40.87	54.00	-13.13	30.21	35.45	8.78	33.57	155	360	AVERAGE	<p style="text-align: right;">Date: 2024-08-18</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>81.82</td> <td>-----</td> <td>-----</td> <td>71.07</td> <td>35.48</td> <td>8.69</td> <td>33.42</td> <td>155</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7115.00	81.82	-----	-----	71.07	35.48	8.69	33.42	155	360	AVERAGE
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7125.11	57.92	68.20	-10.28	47.20	35.47	8.68	33.43	155	360	AVERAGE																																																																									
2	7263.76	40.87	54.00	-13.13	30.21	35.45	8.78	33.57	155	360	AVERAGE																																																																									
Limit	Read	Ant	Cable Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																												
1	7115.00	81.82	-----	-----	71.07	35.48	8.69	33.42	155	360	AVERAGE																																																																									



	137																																																																				
Mode	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																				
ANT	CDD 14+15																																																																				
Pol.	Horizontal	Vertical																																																																			
Peak Avg	<p style="text-align: right;">Date: 2024-08-22</p>	<p style="text-align: right;">Date: 2024-08-22</p>																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>47.72</td> <td>88.20</td> <td>-40.48</td> <td>60.02</td> <td>38.55</td> <td>12.73</td> <td>63.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14230.00	47.72	88.20	-40.48	60.02	38.55	12.73	63.58	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14230.00</td> <td>47.50</td> <td>88.20</td> <td>-40.70</td> <td>59.80</td> <td>38.55</td> <td>12.73</td> <td>63.58</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 14230.00	47.50	88.20	-40.70	59.80	38.55	12.73	63.58
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 14230.00	47.72	88.20	-40.48	60.02	38.55	12.73	63.58	-- -- Peak																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																													
1 14230.00	47.50	88.20	-40.70	59.80	38.55	12.73	63.58	-- -- Peak																																																													



		138																																																																																				
Mode		Band Edge																																																																																				
		U-NII-8_6.875-7.125_802.11ax HE 20_CH233_Full RU_7115MHz																																																																																				
ANT		CDD 14+15																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>71.65</td> <td>88.20</td> <td>-16.55</td> <td>60.93</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>100</td> <td>354</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7268.69</td> <td>50.19</td> <td>74.00</td> <td>-23.81</td> <td>39.51</td> <td>35.45</td> <td>8.80</td> <td>33.57</td> <td>100</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.11	71.65	88.20	-16.55	60.93	35.47	8.68	33.43	100	354	PEAK	2	7268.69	50.19	74.00	-23.81	39.51	35.45	8.80	33.57	100	354	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>80.25</td> <td>-----</td> <td>-----</td> <td>69.50</td> <td>35.48</td> <td>8.69</td> <td>33.42</td> <td>100</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	80.25	-----	-----	69.50	35.48	8.69	33.42	100	354	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.11	71.65	88.20	-16.55	60.93	35.47	8.68	33.43	100	354	PEAK																																																																											
2	7268.69	50.19	74.00	-23.81	39.51	35.45	8.80	33.57	100	354	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	80.25	-----	-----	69.50	35.48	8.69	33.42	100	354	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.11</td> <td>61.59</td> <td>68.20</td> <td>-6.61</td> <td>50.87</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>100</td> <td>354</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7273.16</td> <td>40.81</td> <td>54.00</td> <td>-13.19</td> <td>30.14</td> <td>35.44</td> <td>8.81</td> <td>33.58</td> <td>100</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7125.11	61.59	68.20	-6.61	50.87	35.47	8.68	33.43	100	354	AVERAGE	2	7273.16	40.81	54.00	-13.19	30.14	35.44	8.81	33.58	100	354	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>71.65</td> <td>-----</td> <td>-----</td> <td>60.93</td> <td>35.47</td> <td>8.68</td> <td>33.43</td> <td>100</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7115.00	71.65	-----	-----	60.93	35.47	8.68	33.43	100	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7125.11	61.59	68.20	-6.61	50.87	35.47	8.68	33.43	100	354	AVERAGE																																																																											
2	7273.16	40.81	54.00	-13.19	30.14	35.44	8.81	33.58	100	354	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	7115.00	71.65	-----	-----	60.93	35.47	8.68	33.43	100	354	AVERAGE																																																																											