




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5210MHz Ant2




**Band Edge**


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-31.66	-27	Pass
NVNT	ac20	5240	Ant1	-32.66	-27	Pass
NVNT	ac20	5180	Ant2	-30.34	-27	Pass
NVNT	ac20	5240	Ant2	-30.95	-27	Pass
NVNT	ac40	5190	Ant1	-31.26	-27	Pass
NVNT	ac40	5230	Ant1	-32.28	-27	Pass
NVNT	ac40	5190	Ant2	-30.73	-27	Pass
NVNT	ac40	5230	Ant2	-30.62	-27	Pass
NVNT	ac80	5210	Ant1	-33.22	-27	Pass
NVNT	ac80	5210	Ant2	-32.07	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant2




Band Edge NVNT ac20 5240MHz High Ant2




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant2




Band Edge NVNT ac40 5230MHz High Ant2




Band Edge NVNT ac80 5210MHz High Ant1





Band Edge NVNT ac80 5210MHz High Ant2




**Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-30.26	-27	Pass
NVNT	ac20	5200	Ant1	-30.13	-27	Pass
NVNT	ac20	5240	Ant1	-30.08	-27	Pass
NVNT	ac20	5180	Ant2	-30.32	-27	Pass
NVNT	ac20	5200	Ant2	-30.28	-27	Pass


NVNT	ac20	5240	Ant2	-30.26	-27	Pass
NVNT	ac40	5190	Ant1	-30.57	-27	Pass
NVNT	ac40	5230	Ant1	-30.11	-27	Pass
NVNT	ac40	5190	Ant2	-30.26	-27	Pass
NVNT	ac40	5230	Ant2	-30.76	-27	Pass
NVNT	ac80	5210	Ant1	-30.74	-27	Pass
NVNT	ac80	5210	Ant2	-30.65	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant2 Emission




Tx. Spurious NVNT ac20 5200MHz Ant2 Emission




Tx. Spurious NVNT ac20 5240MHz Ant2 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant2 Emission




Tx. Spurious NVNT ac40 5230MHz Ant2 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant2 Emission






WLAN 5.3G 8dBi Antenna


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5260	Ant1	99.78	0.01
NVNT	ac20	5280	Ant1	99.7	0.01
NVNT	ac20	5320	Ant1	99.8	0.01
NVNT	ac20	5260	Ant2	99.8	0.01
NVNT	ac20	5280	Ant2	99.73	0.01
NVNT	ac20	5320	Ant2	99.68	0.01
NVNT	ac40	5270	Ant1	99.51	0.02
NVNT	ac40	5310	Ant1	99.48	0.02
NVNT	ac40	5270	Ant2	99.47	0.02
NVNT	ac40	5310	Ant2	99.5	0.02
NVNT	ac80	5290	Ant1	98.9	0.05
NVNT	ac80	5290	Ant2	98.97	0.04


Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant2




Duty Cycle NVNT ac20 5280MHz Ant2




Duty Cycle NVNT ac20 5320MHz Ant2




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant2




Duty Cycle NVNT ac40 5310MHz Ant2



Duty Cycle NVNT ac80 5290MHz Ant1



Duty Cycle NVNT ac80 5290MHz Ant2



**Maximum Conducted Output Power**


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5260	Ant 1	3.809	0.01	3.819	22	6.433	22	Pass
NVNT	802.11ac20	5260	Ant 2	2.977	0.01	2.987	22			
NVNT	802.11ac20	5280	Ant 1	3.641	0.01	3.651	22	6.449	22	Pass
NVNT	802.11ac20	5280	Ant 2	3.206	0.01	3.216	22			
NVNT	802.11ac20	5320	Ant 1	3.412	0.01	3.422	22	6.159	22	Pass
NVNT	802.11ac20	5320	Ant 2	2.848	0.01	2.858	22			
NVNT	802.11ac40	5270	Ant 1	5.426	0.02	5.446	22	7.902	22	Pass
NVNT	802.11ac40	5270	Ant 2	4.237	0.02	4.257	22			
NVNT	802.11ac40	5310	Ant 1	5.209	0.02	5.229	22	7.792	22	Pass
NVNT	802.11ac40	5310	Ant 2	4.264	0.02	4.284	22			
NVNT	802.11ac80	5290	Ant 1	4.24	0.05	4.29	22	6.875	22	Pass
NVNT	802.11ac80	5290	Ant 2	3.353	0.04	3.393	22			

**-26dB Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5260	Ant1	23.511
NVNT	ac20	5280	Ant1	23.648
NVNT	ac20	5320	Ant1	23.718
NVNT	ac20	5260	Ant2	23.51
NVNT	ac20	5280	Ant2	23.282
NVNT	ac20	5320	Ant2	23.475


NVNT	ac40	5270	Ant1	42.451
NVNT	ac40	5310	Ant1	42.23
NVNT	ac40	5270	Ant2	41.486
NVNT	ac40	5310	Ant2	41.377
NVNT	ac80	5290	Ant1	83.865
NVNT	ac80	5290	Ant2	81.447

-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1







-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant2




-26dB Bandwidth NVNT ac20 5280MHz Ant2




-26dB Bandwidth NVNT ac20 5320MHz Ant2




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant2




-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant2




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5260	Ant1	17.898
NVNT	ac20	5280	Ant1	17.924
NVNT	ac20	5320	Ant1	17.92
NVNT	ac20	5260	Ant2	17.817
NVNT	ac20	5280	Ant2	17.834
NVNT	ac20	5320	Ant2	17.835
NVNT	ac40	5270	Ant1	36.404
NVNT	ac40	5310	Ant1	36.357
NVNT	ac40	5270	Ant2	36.29
NVNT	ac40	5310	Ant2	36.353
NVNT	ac80	5290	Ant1	75.372
NVNT	ac80	5290	Ant2	75.346


OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1



OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant2




OBW NVNT ac20 5280MHz Ant2







OBW NVNT ac20 5320MHz Ant2




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac40 5270MHz Ant2




OBW NVNT ac40 5310MHz Ant2



OBW NVNT ac80 5290MHz Ant1



OBW NVNT ac80 5290MHz Ant2




**Maximum Power Spectral Density Level**


Condition	Mode	Frequency (MHz)	Antenna	SISO Max PSD (dBm)	SISO Limit (dBm)	MIMO Max PSD (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5260	Ant 1	0.283	5.99	3.567	5.99	Pass
NVNT	802.11ac20	5260	Ant 2	0.815	5.99			
NVNT	802.11ac20	5280	Ant 1	-0.119	5.99	3.213	5.99	Pass
NVNT	802.11ac20	5280	Ant 2	0.503	5.99			

NVNT	802.11ac20	5320	Ant 1	0.034	5.99	3.44	5.99	Pass
NVNT	802.11ac20	5320	Ant 2	0.792	5.99			
NVNT	802.11ac40	5270	Ant 1	-0.876	5.99	1.954	5.99	Pass
NVNT	802.11ac40	5270	Ant 2	-1.244	5.99			
NVNT	802.11ac40	5310	Ant 1	-1.611	5.99	1.388	5.99	Pass
NVNT	802.11ac40	5310	Ant 2	-1.633	5.99			
NVNT	802.11ac80	5290	Ant 1	-5.063	5.99	-1.597	5.99	Pass
NVNT	802.11ac80	5290	Ant 2	-4.194	5.99			


PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant2




PSD NVNT ac20 5280MHz Ant2



PSD NVNT ac20 5320MHz Ant2




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1







PSD NVNT ac40 5270MHz Ant2




PSD NVNT ac40 5310MHz Ant2



PSD NVNT ac80 5290MHz Ant1



PSD NVNT ac80 5290MHz Ant2




**Band Edge**


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5260	Ant1	-42.86	-27	Pass
NVNT	ac20	5320	Ant1	-40.77	-27	Pass
NVNT	ac20	5260	Ant2	-46.08	-27	Pass
NVNT	ac20	5320	Ant2	-40.27	-27	Pass
NVNT	ac40	5270	Ant1	-43.08	-27	Pass
NVNT	ac40	5310	Ant1	-37.91	-27	Pass
NVNT	ac40	5270	Ant2	-46.88	-27	Pass
NVNT	ac40	5310	Ant2	-40.22	-27	Pass
NVNT	ac80	5290	Ant1	-44.03	-27	Pass
NVNT	ac80	5290	Ant2	-49.24	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Band Edge NVNT ac20 5260MHz Low Ant1




Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant2




Band Edge NVNT ac20 5320MHz High Ant2




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant2




Band Edge NVNT ac40 5310MHz High Ant2



Band Edge NVNT ac80 5290MHz Low Ant1



Band Edge NVNT ac80 5290MHz Low Ant2



**Conducted RF Spurious Emission**


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5260	Ant1	-40.72	-27	Pass
NVNT	ac20	5280	Ant1	-39.54	-27	Pass
NVNT	ac20	5320	Ant1	-41.56	-27	Pass
NVNT	ac20	5260	Ant2	-41.12	-27	Pass
NVNT	ac20	5280	Ant2	-41.23	-27	Pass




NVNT	ac20	5320	Ant2	-41.04	-27	Pass
NVNT	ac40	5270	Ant1	-41.4	-27	Pass
NVNT	ac40	5310	Ant1	-41.21	-27	Pass
NVNT	ac40	5270	Ant2	-44.33	-27	Pass
NVNT	ac40	5310	Ant2	-44.05	-27	Pass
NVNT	ac80	5290	Ant1	-40.95	-27	Pass
NVNT	ac80	5290	Ant2	-47.95	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant2 Emission




Tx. Spurious NVNT ac20 5280MHz Ant2 Emission




Tx. Spurious NVNT ac20 5320MHz Ant2 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant2 Emission




Tx. Spurious NVNT ac40 5310MHz Ant2 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant2 Emission




WLAN 5.3G 25dBi Antenna

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5260	Ant1	99.75	0.01
NVNT	ac20	5280	Ant1	99.76	0.01
NVNT	ac20	5320	Ant1	99.71	0.01
NVNT	ac20	5260	Ant2	99.8	0.01
NVNT	ac20	5280	Ant2	99.72	0.01
NVNT	ac20	5320	Ant2	99.72	0.01
NVNT	ac40	5270	Ant1	99.5	0.02
NVNT	ac40	5310	Ant1	99.46	0.02
NVNT	ac40	5270	Ant2	99.49	0.02
NVNT	ac40	5310	Ant2	99.5	0.02
NVNT	ac80	5290	Ant1	98.85	0.05
NVNT	ac80	5290	Ant2	98.92	0.05

Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1







Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant2




Duty Cycle NVNT ac20 5280MHz Ant2




Duty Cycle NVNT ac20 5320MHz Ant2




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant2




Duty Cycle NVNT ac40 5310MHz Ant2



Duty Cycle NVNT ac80 5290MHz Ant1



Duty Cycle NVNT ac80 5290MHz Ant2



**Maximum Conducted Output Power**


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5260	Ant 1	-15.066	0.01	-15.056	5	-12.829	5	Pass
NVNT	802.11ac20	5260	Ant 2	-16.806	0.01	-16.796	5	-12.829	5	Pass
NVNT	802.11ac20	5280	Ant 1	-14.812	0.01	-14.802	5	-12.688	5	Pass
NVNT	802.11ac20	5280	Ant 2	-16.838	0.01	-16.828	5	-12.688	5	Pass
NVNT	802.11ac20	5320	Ant 1	-14.421	0.01	-14.411	5	-12.552	5	Pass
NVNT	802.11ac20	5320	Ant 2	-17.143	0.01	-17.133	5	-12.552	5	Pass
NVNT	802.11ac40	5270	Ant 1	-15.091	0.02	-15.071	5	-13.252	5	Pass
NVNT	802.11ac40	5270	Ant 2	-17.93	0.02	-17.91	5	-13.252	5	Pass
NVNT	802.11ac40	5310	Ant 1	-14.897	0.02	-14.877	5	-12.919	5	Pass
NVNT	802.11ac40	5310	Ant 2	-17.34	0.02	-17.32	5	-12.919	5	Pass
NVNT	802.11ac80	5290	Ant 1	-15.055	0.05	-15.005	5	-13.021	5	Pass
NVNT	802.11ac80	5290	Ant 2	-17.427	0.05	-17.377	5	-13.021	5	Pass

**-26dB Bandwidth**


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5260	Ant1	23.329
NVNT	ac20	5280	Ant1	23.823
NVNT	ac20	5320	Ant1	24.583
NVNT	ac20	5260	Ant2	23.728
NVNT	ac20	5280	Ant2	25.073
NVNT	ac20	5320	Ant2	24.119

NVNT	ac40	5270	Ant1	42.551
NVNT	ac40	5310	Ant1	42.824
NVNT	ac40	5270	Ant2	42.996
NVNT	ac40	5310	Ant2	42.279
NVNT	ac80	5290	Ant1	94.259
NVNT	ac80	5290	Ant2	82.225


-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant2







-26dB Bandwidth NVNT ac20 5280MHz Ant2




-26dB Bandwidth NVNT ac20 5320MHz Ant2




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant2




-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant2




**Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5260	Ant1	17.931
NVNT	ac20	5280	Ant1	17.926
NVNT	ac20	5320	Ant1	17.924
NVNT	ac20	5260	Ant2	17.867
NVNT	ac20	5280	Ant2	17.88
NVNT	ac20	5320	Ant2	17.893
NVNT	ac40	5270	Ant1	36.475
NVNT	ac40	5310	Ant1	36.459
NVNT	ac40	5270	Ant2	36.44
NVNT	ac40	5310	Ant2	36.395
NVNT	ac80	5290	Ant1	75.52
NVNT	ac80	5290	Ant2	75.6

OBW NVNT ac20 5260MHz Ant1



OBW NVNT ac20 5280MHz Ant1



OBW NVNT ac20 5320MHz Ant1