


Band Edge NVNT ac80 5210MHz High Ant2




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-30.25	-27	Pass
NVNT	ac20	5200	Ant1	-30.91	-27	Pass
NVNT	ac20	5240	Ant1	-30.79	-27	Pass
NVNT	ac20	5180	Ant2	-30.67	-27	Pass
NVNT	ac20	5200	Ant2	-31.12	-27	Pass


NVNT	ac20	5240	Ant2	-30.92	-27	Pass
NVNT	ac40	5190	Ant1	-30.25	-27	Pass
NVNT	ac40	5230	Ant1	-30.03	-27	Pass
NVNT	ac40	5190	Ant2	-30.67	-27	Pass
NVNT	ac40	5230	Ant2	-30.75	-27	Pass
NVNT	ac80	5210	Ant1	-30.71	-27	Pass
NVNT	ac80	5210	Ant2	-30.18	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant2 Emission




Tx. Spurious NVNT ac20 5200MHz Ant2 Emission




Tx. Spurious NVNT ac20 5240MHz Ant2 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant2 Emission




Tx. Spurious NVNT ac40 5230MHz Ant2 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant2 Emission




WLAN 5.2G(Fixed point-to-point AP) 8dBi Antenna


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5180	Ant1	100	0
NVNT	ac20	5200	Ant1	100	0
NVNT	ac20	5240	Ant1	100	0
NVNT	ac20	5180	Ant2	100	0
NVNT	ac20	5200	Ant2	100	0
NVNT	ac20	5240	Ant2	100	0
NVNT	ac40	5190	Ant1	100	0
NVNT	ac40	5230	Ant1	100	0
NVNT	ac40	5190	Ant2	100	0
NVNT	ac40	5230	Ant2	100	0
NVNT	ac80	5210	Ant1	100	0
NVNT	ac80	5210	Ant2	100	0


Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant2




Duty Cycle NVNT ac20 5200MHz Ant2




Duty Cycle NVNT ac20 5240MHz Ant2




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant2




Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant2



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	11.937	0	11.937	30	14.443	30	Pass
NVNT	802.11ac20	5180	Ant 2	10.863	0	10.863	30			
NVNT	802.11ac20	5200	Ant 1	11.524	0	11.524	30	14.147	30	Pass
NVNT	802.11ac20	5200	Ant 2	10.712	0	10.712	30			
NVNT	802.11ac20	5240	Ant 1	11.916	0	11.916	30	14.274	30	Pass
NVNT	802.11ac20	5240	Ant 2	10.497	0	10.497	30			
NVNT	802.11ac40	5190	Ant 1	14.617	0	14.617	30	16.891	30	Pass
NVNT	802.11ac40	5190	Ant 2	12.994	0	12.994	30			
NVNT	802.11ac40	5230	Ant 1	14.339	0	14.339	30	16.82	30	Pass
NVNT	802.11ac40	5230	Ant 2	13.206	0	13.206	30			
NVNT	802.11ac80	5210	Ant 1	12.939	0	12.939	30	15.246	30	Pass
NVNT	802.11ac80	5210	Ant 2	11.397	0	11.397	30			

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5180	Ant1	23.816
NVNT	ac20	5200	Ant1	24.806
NVNT	ac20	5240	Ant1	24.056
NVNT	ac20	5180	Ant2	23.533
NVNT	ac20	5200	Ant2	23.1
NVNT	ac20	5240	Ant2	23.384

NVNT	ac40	5190	Ant1	42.853
NVNT	ac40	5230	Ant1	42.757
NVNT	ac40	5190	Ant2	41.701
NVNT	ac40	5230	Ant2	41.787
NVNT	ac80	5210	Ant1	84.28
NVNT	ac80	5210	Ant2	81.57


-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant2




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	17.917
NVNT	ac20	5200	Ant1	17.921
NVNT	ac20	5240	Ant1	17.916
NVNT	ac20	5180	Ant2	17.818
NVNT	ac20	5200	Ant2	17.814
NVNT	ac20	5240	Ant2	17.822
NVNT	ac40	5190	Ant1	36.375
NVNT	ac40	5230	Ant1	36.387
NVNT	ac40	5190	Ant2	36.31
NVNT	ac40	5230	Ant2	36.34
NVNT	ac80	5210	Ant1	75.347
NVNT	ac80	5210	Ant2	75.299


OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2



OBW NVNT ac80 5210MHz Ant1



OBW NVNT ac80 5210MHz Ant2




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	SISO Max PSD (dBm)	SISO Limit (dBm)	MIMO Max PSD (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	8.498	17	11.337	17	Pass
NVNT	802.11ac20	5180	Ant 2	8.148	17			
NVNT	802.11ac20	5200	Ant 1	7.808	17	11.368	17	Pass
NVNT	802.11ac20	5200	Ant 2	8.845	17			

NVNT	802.11ac20	5240	Ant 1	8.15	17	11.286	17	Pass
NVNT	802.11ac20	5240	Ant 2	8.398	17			
NVNT	802.11ac40	5190	Ant 1	7.512	17	10.248	17	Pass
NVNT	802.11ac40	5190	Ant 2	6.945	17			
NVNT	802.11ac40	5230	Ant 1	8.547	17	11.153	17	Pass
NVNT	802.11ac40	5230	Ant 2	7.697	17			
NVNT	802.11ac80	5210	Ant 1	4.404	17	7.243	17	Pass
NVNT	802.11ac80	5210	Ant 2	4.055	17			


PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2




PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5210MHz Ant2




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-31.88	-27	Pass
NVNT	ac20	5240	Ant1	-36.21	-27	Pass
NVNT	ac20	5180	Ant2	-35.13	-27	Pass
NVNT	ac20	5240	Ant2	-36.16	-27	Pass
NVNT	ac40	5190	Ant1	-31.18	-27	Pass
NVNT	ac40	5230	Ant1	-36.26	-27	Pass
NVNT	ac40	5190	Ant2	-28.88	-27	Pass
NVNT	ac40	5230	Ant2	-34.43	-27	Pass
NVNT	ac80	5210	Ant1	-32.9	-27	Pass
NVNT	ac80	5210	Ant2	-36.76	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant2




Band Edge NVNT ac20 5240MHz High Ant2




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant2




Band Edge NVNT ac40 5230MHz High Ant2



Band Edge NVNT ac80 5210MHz Low Ant1



Band Edge NVNT ac80 5210MHz High Ant2




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-34.96	-27	Pass
NVNT	ac20	5200	Ant1	-35.53	-27	Pass
NVNT	ac20	5240	Ant1	-35.9	-27	Pass
NVNT	ac20	5180	Ant2	-32.77	-27	Pass
NVNT	ac20	5200	Ant2	-32.73	-27	Pass


NVNT	ac20	5240	Ant2	-32.26	-27	Pass
NVNT	ac40	5190	Ant1	-34.82	-27	Pass
NVNT	ac40	5230	Ant1	-34.88	-27	Pass
NVNT	ac40	5190	Ant2	-35.03	-27	Pass
NVNT	ac40	5230	Ant2	-35.52	-27	Pass
NVNT	ac80	5210	Ant1	-34.6	-27	Pass
NVNT	ac80	5210	Ant2	-37.95	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant2 Emission




Tx. Spurious NVNT ac20 5200MHz Ant2 Emission




Tx. Spurious NVNT ac20 5240MHz Ant2 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant2 Emission




Tx. Spurious NVNT ac40 5230MHz Ant2 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant2 Emission




WLAN 5.2G(Fixed point-to-point AP) 25dBi Antenna


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5180	Ant1	100	0
NVNT	ac20	5200	Ant1	100	0
NVNT	ac20	5240	Ant1	100	0
NVNT	ac20	5180	Ant2	100	0
NVNT	ac20	5200	Ant2	100	0
NVNT	ac20	5240	Ant2	100	0
NVNT	ac40	5190	Ant1	100	0
NVNT	ac40	5230	Ant1	100	0
NVNT	ac40	5190	Ant2	100	0
NVNT	ac40	5230	Ant2	100	0
NVNT	ac80	5210	Ant1	100	0
NVNT	ac80	5210	Ant2	100	0


Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant2




Duty Cycle NVNT ac20 5200MHz Ant2




Duty Cycle NVNT ac20 5240MHz Ant2




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant2




Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant2



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	-2.079	0	-2.079	28	1.485	28	Pass
NVNT	802.11ac20	5180	Ant 2	-1.035	0	-1.035	28			
NVNT	802.11ac20	5200	Ant 1	-2.44	0	-2.44	28	1.136	28	Pass
NVNT	802.11ac20	5200	Ant 2	-1.374	0	-1.374	28			
NVNT	802.11ac20	5240	Ant 1	-2.104	0	-2.104	28	1.202	28	Pass
NVNT	802.11ac20	5240	Ant 2	-1.531	0	-1.531	28			
NVNT	802.11ac40	5190	Ant 1	-2.126	0	-2.126	28	1.497	28	Pass
NVNT	802.11ac40	5190	Ant 2	-0.976	0	-0.976	28			
NVNT	802.11ac40	5230	Ant 1	-1.183	0	-1.183	28	1.917	28	Pass
NVNT	802.11ac40	5230	Ant 2	-1.005	0	-1.005	28			
NVNT	802.11ac80	5210	Ant 1	-1.491	0	-1.491	28	1.661	28	Pass
NVNT	802.11ac80	5210	Ant 2	-1.213	0	-1.213	28			

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5180	Ant1	23.771
NVNT	ac20	5200	Ant1	23.859
NVNT	ac20	5240	Ant1	23.323
NVNT	ac20	5180	Ant2	24.042
NVNT	ac20	5200	Ant2	23.861
NVNT	ac20	5240	Ant2	23.552

NVNT	ac40	5190	Ant1	25.722
NVNT	ac40	5230	Ant1	42.25
NVNT	ac40	5190	Ant2	41.606
NVNT	ac40	5230	Ant2	41.282
NVNT	ac80	5210	Ant1	83.109
NVNT	ac80	5210	Ant2	82.63


-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant2




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	17.938
NVNT	ac20	5200	Ant1	17.917
NVNT	ac20	5240	Ant1	17.921
NVNT	ac20	5180	Ant2	17.835
NVNT	ac20	5200	Ant2	17.824
NVNT	ac20	5240	Ant2	17.821
NVNT	ac40	5190	Ant1	18.429
NVNT	ac40	5230	Ant1	36.355
NVNT	ac40	5190	Ant2	36.309
NVNT	ac40	5230	Ant2	36.327
NVNT	ac80	5210	Ant1	75.307
NVNT	ac80	5210	Ant2	75.3


OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2



OBW NVNT ac80 5210MHz Ant1



OBW NVNT ac80 5210MHz Ant2




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	SISO Max PSD (dBm)	SISO Limit (dBm)	MIMO Max PSD (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	-5.871	11.99	-1.565	11.99	Pass
NVNT	802.11ac20	5180	Ant 2	-3.579	11.99			
NVNT	802.11ac20	5200	Ant 1	-6.152	11.99	-1.85	11.99	Pass
NVNT	802.11ac20	5200	Ant 2	-3.866	11.99			

NVNT	802.11ac20	5240	Ant 1	-5.644	11.99	-1.958	11.99	Pass
NVNT	802.11ac20	5240	Ant 2	-4.384	11.99			
NVNT	802.11ac40	5190	Ant 1	-6.128	11.99	-3.392	11.99	Pass
NVNT	802.11ac40	5190	Ant 2	-6.695	11.99			
NVNT	802.11ac40	5230	Ant 1	-8.042	11.99	-3.749	11.99	Pass
NVNT	802.11ac40	5230	Ant 2	-5.771	11.99			
NVNT	802.11ac80	5210	Ant 1	-9.907	11.99	-6.496	11.99	Pass
NVNT	802.11ac80	5210	Ant 2	-9.139	11.99			


PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac20 5180MHz Ant2



PSD NVNT ac20 5200MHz Ant2



PSD NVNT ac20 5240MHz Ant2