


WLAN 5.2G(outdoor AP) 8dBi Antenna


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5180	Ant1	100	0
NVNT	ac20	5200	Ant1	100	0
NVNT	ac20	5240	Ant1	100	0
NVNT	ac20	5180	Ant2	100	0
NVNT	ac20	5200	Ant2	100	0
NVNT	ac20	5240	Ant2	100	0
NVNT	ac40	5190	Ant1	100	0
NVNT	ac40	5230	Ant1	100	0
NVNT	ac40	5190	Ant2	100	0
NVNT	ac40	5230	Ant2	100	0
NVNT	ac80	5210	Ant1	100	0
NVNT	ac80	5210	Ant2	100	0


Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant2




Duty Cycle NVNT ac20 5200MHz Ant2




Duty Cycle NVNT ac20 5240MHz Ant2




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant2




Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant2



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	9.521	0	9.521	28	11.675	28	Pass
NVNT	802.11ac20	5180	Ant 2	7.598	0	7.598	28			
NVNT	802.11ac20	5200	Ant 1	9.273	0	9.273	28	11.589	28	Pass
NVNT	802.11ac20	5200	Ant 2	7.753	0	7.753	28			
NVNT	802.11ac20	5240	Ant 1	9.326	0	9.326	28	11.711	28	Pass
NVNT	802.11ac20	5240	Ant 2	7.969	0	7.969	28			
NVNT	802.11ac40	5190	Ant 1	11.889	0	11.889	28	14.049	28	Pass
NVNT	802.11ac40	5190	Ant 2	9.981	0	9.981	28			
NVNT	802.11ac40	5230	Ant 1	12.53	0	12.53	28	14.396	28	Pass
NVNT	802.11ac40	5230	Ant 2	9.829	0	9.829	28			
NVNT	802.11ac80	5210	Ant 1	10.414	0	10.414	28	12.573	28	Pass
NVNT	802.11ac80	5210	Ant 2	8.503	0	8.503	28			

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5180	Ant1	23.618
NVNT	ac20	5200	Ant1	23.588
NVNT	ac20	5240	Ant1	23.814
NVNT	ac20	5180	Ant2	22.976
NVNT	ac20	5200	Ant2	22.131
NVNT	ac20	5240	Ant2	23.497

NVNT	ac40	5190	Ant1	42.379
NVNT	ac40	5230	Ant1	42.972
NVNT	ac40	5190	Ant2	40.833
NVNT	ac40	5230	Ant2	41.242
NVNT	ac80	5210	Ant1	83.583
NVNT	ac80	5210	Ant2	82.205


-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant2




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	17.938
NVNT	ac20	5200	Ant1	17.904
NVNT	ac20	5240	Ant1	17.912
NVNT	ac20	5180	Ant2	17.842
NVNT	ac20	5200	Ant2	17.827
NVNT	ac20	5240	Ant2	17.832
NVNT	ac40	5190	Ant1	36.339
NVNT	ac40	5230	Ant1	36.391
NVNT	ac40	5190	Ant2	36.326
NVNT	ac40	5230	Ant2	36.338
NVNT	ac80	5210	Ant1	75.335
NVNT	ac80	5210	Ant2	75.35


OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2



OBW NVNT ac80 5210MHz Ant1



OBW NVNT ac80 5210MHz Ant2




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	SISO Max PSD (dBm)	SISO Limit (dBm)	MIMO Max PSD (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	5.828	11.99	8.356	11.99	Pass
NVNT	802.11ac20	5180	Ant 2	4.803	11.99			
NVNT	802.11ac20	5200	Ant 1	5.266	11.99	8.673	11.99	Pass
NVNT	802.11ac20	5200	Ant 2	6.026	11.99			

NVNT	802.11ac20	5240	Ant 1	5.628	11.99	8.475	11.99	Pass
NVNT	802.11ac20	5240	Ant 2	5.295	11.99			
NVNT	802.11ac40	5190	Ant 1	6.002	11.99	8.267	11.99	Pass
NVNT	802.11ac40	5190	Ant 2	4.357	11.99			
NVNT	802.11ac40	5230	Ant 1	5.693	11.99	8.421	11.99	Pass
NVNT	802.11ac40	5230	Ant 2	5.108	11.99			
NVNT	802.11ac80	5210	Ant 1	1.868	11.99	3.946	11.99	Pass
NVNT	802.11ac80	5210	Ant 2	-0.252	11.99			


PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2




PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5210MHz Ant2




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-35.95	-27	Pass
NVNT	ac20	5240	Ant1	-39.04	-27	Pass
NVNT	ac20	5180	Ant2	-38.94	-27	Pass
NVNT	ac20	5240	Ant2	-40.37	-27	Pass
NVNT	ac40	5190	Ant1	-32.14	-27	Pass
NVNT	ac40	5230	Ant1	-37.04	-27	Pass
NVNT	ac40	5190	Ant2	-33.51	-27	Pass
NVNT	ac40	5230	Ant2	-39.23	-27	Pass
NVNT	ac80	5210	Ant1	-38.51	-27	Pass
NVNT	ac80	5210	Ant2	-40.82	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant2




Band Edge NVNT ac20 5240MHz High Ant2




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant2




Band Edge NVNT ac40 5230MHz High Ant2



Band Edge NVNT ac80 5210MHz High Ant1



Band Edge NVNT ac80 5210MHz High Ant2




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-36.89	-27	Pass
NVNT	ac20	5200	Ant1	-37.16	-27	Pass
NVNT	ac20	5240	Ant1	-36.79	-27	Pass
NVNT	ac20	5180	Ant2	-34.87	-27	Pass
NVNT	ac20	5200	Ant2	-34.79	-27	Pass


NVNT	ac20	5240	Ant2	-35.77	-27	Pass
NVNT	ac40	5190	Ant1	-37.25	-27	Pass
NVNT	ac40	5230	Ant1	-36.6	-27	Pass
NVNT	ac40	5190	Ant2	-36.79	-27	Pass
NVNT	ac40	5230	Ant2	-37.74	-27	Pass
NVNT	ac80	5210	Ant1	-37.51	-27	Pass
NVNT	ac80	5210	Ant2	-37.99	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant2 Emission




Tx. Spurious NVNT ac20 5200MHz Ant2 Emission




Tx. Spurious NVNT ac20 5240MHz Ant2 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant2 Emission




Tx. Spurious NVNT ac40 5230MHz Ant2 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant2 Emission




WLAN 5.2G(outdoor AP) 25dBi Antenna


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	ac20	5180	Ant1	100	0
NVNT	ac20	5200	Ant1	100	0
NVNT	ac20	5240	Ant1	100	0
NVNT	ac20	5180	Ant2	100	0
NVNT	ac20	5200	Ant2	100	0
NVNT	ac20	5240	Ant2	100	0
NVNT	ac40	5190	Ant1	100	0
NVNT	ac40	5230	Ant1	100	0
NVNT	ac40	5190	Ant2	100	0
NVNT	ac40	5230	Ant2	100	0
NVNT	ac80	5210	Ant1	100	0
NVNT	ac80	5210	Ant2	100	0


Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant2




Duty Cycle NVNT ac20 5200MHz Ant2




Duty Cycle NVNT ac20 5240MHz Ant2




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant2




Duty Cycle NVNT ac40 5230MHz Ant2



Duty Cycle NVNT ac80 5210MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant2



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	SISO Total Power (dBm)	SISO Limit (dBm)	MIMO Total Power (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	-7.101	0	-7.101	11	-4.558	11	Pass
NVNT	802.11ac20	5180	Ant 2	-8.093	0	-8.093	11			
NVNT	802.11ac20	5200	Ant 1	-7.351	0	-7.351	11	-4.478	11	Pass
NVNT	802.11ac20	5200	Ant 2	-7.631	0	-7.631	11			
NVNT	802.11ac20	5240	Ant 1	-7.347	0	-7.347	11	-4.556	11	Pass
NVNT	802.11ac20	5240	Ant 2	-7.798	0	-7.798	11			
NVNT	802.11ac40	5190	Ant 1	-7.248	0	-7.248	11	-4.78	11	Pass
NVNT	802.11ac40	5190	Ant 2	-8.411	0	-8.411	11			
NVNT	802.11ac40	5230	Ant 1	-7.556	0	-7.556	11	-4.842	11	Pass
NVNT	802.11ac40	5230	Ant 2	-8.17	0	-8.17	11			
NVNT	802.11ac80	5210	Ant 1	-7.502	0	-7.502	11	-4.933	11	Pass
NVNT	802.11ac80	5210	Ant 2	-8.435	0	-8.435	11			

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	ac20	5180	Ant1	24.079
NVNT	ac20	5200	Ant1	24.036
NVNT	ac20	5240	Ant1	23.892
NVNT	ac20	5180	Ant2	23.244
NVNT	ac20	5200	Ant2	23.353
NVNT	ac20	5240	Ant2	23.613

NVNT	ac40	5190	Ant1	43.113
NVNT	ac40	5230	Ant1	42.583
NVNT	ac40	5190	Ant2	41.431
NVNT	ac40	5230	Ant2	41.716
NVNT	ac80	5210	Ant1	83.958
NVNT	ac80	5210	Ant2	81.373


-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant2




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	17.923
NVNT	ac20	5200	Ant1	17.913
NVNT	ac20	5240	Ant1	17.934
NVNT	ac20	5180	Ant2	17.847
NVNT	ac20	5200	Ant2	17.842
NVNT	ac20	5240	Ant2	17.823
NVNT	ac40	5190	Ant1	36.356
NVNT	ac40	5230	Ant1	36.355
NVNT	ac40	5190	Ant2	36.35
NVNT	ac40	5230	Ant2	36.335
NVNT	ac80	5210	Ant1	75.36
NVNT	ac80	5210	Ant2	75.31


OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5190MHz Ant2




OBW NVNT ac40 5230MHz Ant2



OBW NVNT ac80 5210MHz Ant1



OBW NVNT ac80 5210MHz Ant2




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	SISO Max PSD (dBm)	SISO Limit (dBm)	MIMO Max PSD (dBm)	MIMO Limit (dBm)	Verdict
NVNT	802.11ac20	5180	Ant 1	-11.136	-5.01	-7.964	-5.01	Pass
NVNT	802.11ac20	5180	Ant 2	-10.818	-5.01			
NVNT	802.11ac20	5200	Ant 1	-11.287	-5.01	-7.879	-5.01	Pass
NVNT	802.11ac20	5200	Ant 2	-10.525	-5.01			

NVNT	802.11ac20	5240	Ant 1	-11.291	-5.01	-7.599	-5.01	Pass
NVNT	802.11ac20	5240	Ant 2	-10.02	-5.01			
NVNT	802.11ac40	5190	Ant 1	-13.775	-5.01	-11.057	-5.01	Pass
NVNT	802.11ac40	5190	Ant 2	-14.38	-5.01			
NVNT	802.11ac40	5230	Ant 1	-13.618	-5.01	-10.728	-5.01	Pass
NVNT	802.11ac40	5230	Ant 2	-13.861	-5.01			
NVNT	802.11ac80	5210	Ant 1	-16.858	-5.01	-13.815	-5.01	Pass
NVNT	802.11ac80	5210	Ant 2	-16.793	-5.01			


PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant2




PSD NVNT ac20 5200MHz Ant2




PSD NVNT ac20 5240MHz Ant2




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac40 5190MHz Ant2




PSD NVNT ac40 5230MHz Ant2



PSD NVNT ac80 5210MHz Ant1



PSD NVNT ac80 5210MHz Ant2




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-37.47	-27	Pass
NVNT	ac20	5240	Ant1	-38.32	-27	Pass
NVNT	ac20	5180	Ant2	-35.88	-27	Pass
NVNT	ac20	5240	Ant2	-35.86	-27	Pass
NVNT	ac40	5190	Ant1	-35.5	-27	Pass
NVNT	ac40	5230	Ant1	-37.49	-27	Pass
NVNT	ac40	5190	Ant2	-36.74	-27	Pass
NVNT	ac40	5230	Ant2	-34.76	-27	Pass
NVNT	ac80	5210	Ant1	-38.24	-27	Pass
NVNT	ac80	5210	Ant2	-36.89	-27	Pass

Note: The SISO margin is greater than 3db, the MIMO mode is meets the requirements. The offset contain the antenna gain.


Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant2




Band Edge NVNT ac20 5240MHz High Ant2




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant2



Band Edge NVNT ac40 5230MHz High Ant2



Band Edge NVNT ac80 5210MHz High Ant1