

4

3

2

1

REVISIONS			
REV	DESCRIPTION	DATE	BY
1	For Initial Release	FEB 26, 2021	JF

PRINT ART TO SCALE 1:1

NOTES:




1. **YELLOW MEANS TRANSPARENT WITH NO ADHESIVE**
2. **ALL PRINT ON LABEL BLACK (DARKEST POSSIBLE)**
3. LABEL MATERIAL BRIGHT WHITE - SAMPLE PROVIDED BY MIMOSA

DIMENSIONS AND LAYOUT ONLY SCALE 2:1

NOTES:

1. To be used with 615-00350, S/N LABEL, C6x, Mimosa/RIL
2. Place 615-00350 on C6x ENCLOSURE in designated pocket then apply 615-00349 on top of it with transparent window showing the sub-label

Label Sample



PROPRIETARY & CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MIMOSA NETWORKS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION OF MIMOSA NETWORKS IS PROHIBITED.	TOLERANCES: DIMENSIONS ARE IN MILLIMETERS. ANGULAR: ±1° X: ±0.1 XX: ±0.3 XXX: ±0.13 XXXX: ±0.080 HOLE TO HOLE: ±0.13 HOLE Ø: +0.08/-0.05 MODEL-DERIVED FEATURES: ±0.3	Airspan airspan networks 469 El Camino Real Santa Clara, CA 95050		
	THIRD ANGLE PROJECTION: 	MATERIAL: ① FINISH: ②	DESCRIPTION: PRODUCT LABEL, C6x ENCLOSURE, MIMOSA	
DO NOT SCALE DRAWING	TEMPLATE # 903-00001	DRAWN BY: WS WEIGHT: 0.00 KG	DWG. NO.: 615-00349 SIZE: B SCALE: AS LABELED	REV: 1 SHEET: 1 OF 1


4

3

2

1

Code 128 Barcode embedded with
XXXXXXXXXX





Font: Avenir Book

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:				FINISH: ADHESIVE: MATERIAL: 617-00018		DO NOT SCALE DRAWING	
	NAME	SIGNATURE	DATE	TITLE:			
	Jaime		2/25/2021	S/N LABEL, C6x, MIMOSA/RIL			
CHK'D							
APP'VD							
MFG							
Q.A							
				MATERIAL:	DWG NO.		615-00350
				WEIGHT:	SCALE:1:1	SHEET 1 OF 1	
						1	REVISION

NOTES: APPLY SEALANT BETWEEN RADOME AND TOP ENCLOSURE

REVISIONS			
REV	DESCRIPTION	DATE	BY
1	INITIAL RELEASE	MAY 11, 2021	WS
2	CHANGED TO 1.5MM THERMAL PAD	MAY 16, 2021	WS
3	UPDATED ASM BOM, PCBA, ENCLOSURES, AND SCREW TORQUES; ADDED THERMAL PAD 609-00217	JAN 14, 2022	JPC
4	REMOVED 609-00208, UPDATED 609-00165 QTY, ADDED SCREW TORQUE FOR 609-00119 AND 602-00114	MAR 03, 2022	JPC
5	UPDATED BOM WITH REV C1 PCBA; ADDED SPEC FOR 13X BOLT PATTERN SCREW SEQUENCE	MAY 13, 2022	JPC
6	UPDATED BOM WITH REV C2 PCBA	JUN 06, 2022	JPC
7	UPDATED BOM WITH REV C3 PCBA	JUN 13, 2022	JPC



PCBA MODEL IS FOR REFERENCE ONLY

TORQUE 10 KGF*CM FOLLOW SEQUENCE IN SHEET 2

TORQUE 3 KGF*CM

TORQUE 20 KGF*CM

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	004-00070-XX	PCBA, C6x BD	1
2	602-00090	SCREW, M4X12 SOCKET HEAD	7
3	602-00114	SCREW, PAN HEAD, M4X10, SS, WITH EXTERNAL-TOOTH WASHER	1
4	602-00122	SCREW, M3X8 SOCKET HEAD, SS 18-8, NYLON PATCH	1
5	602-00128	SCREW, M3X8 PAN HEAD, SS 18-8, NYLON PATCH	13
6	606-00045	TOP ENCLOSURE, C6x	1
7	606-00046	BOTTOM ENCLOSURE, C6x	1
8	608-00121	RADOME, C5X RADIO	1
9	609-00011	SEALANT, RTV	1 ML
10	609-00119	VENT, M6x0.75, BLK	1
11	609-00165	THERMAL PAD 8 X 8 X 1.5 MM	2
12	609-00206	2.5 MM O RING, C6x	1
13	609-00207	THERMAL PAD, 14*9*1.5 MM	2
14	609-00209	THERMAL PAD, 11*11*1.5 MM	1
15	609-00210	THERMAL PAD 5.5 X 5.5 X 1.5 MM	2
16	609-00217	THERMAL PAD, 8 X 3.5 X 1.5 MM	2
17	615-00349	PRODUCT LABEL, C6x ENCLOSURE, MIMOSA	1
18	615-00350	S/N LABEL, C6X, MIMOSA/RIL	1

Label Location

PROPRIETARY & CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MIMOSA NETWORKS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION OF MIMOSA NETWORKS IS PROHIBITED.

TOLERANCES: DIMENSIONS ARE IN MILLIMETERS. ANGULAR: ±1° X ±1 X.X ±0.3 X.XX ±0.13 X.XXX ±0.088 HOLE TO HOLE: ±0.13 HOLE Ø: +0.08/-0.03 MODEL-DERIVED FEATURES: ±0.3

THIRD ANGLE PROJECTION:

DO NOT SCALE DRAWING

MATERIAL: ①

FINISH: ②

TEMPLATE # 903-00001

Airspan airspan networks
3150 Coronado Dr, Santa Clara, CA 95054

DESCRIPTION: ASSEMBLY, C6x PASSIVE POE RADIO, MIMOSA

DRAWN BY: WS DWG. NO.: 010-00162 REV: 7

WEIGHT: 840 G SIZE: C SCALE: 2:3 SHEET: 1 OF 2

4

3

2

1

D

D

C



C

B




B


A

A



13X BOLT PATTERN SCREW SEQUENCE
 STAR PATTERN FOR BOLTS 1 THRU 11
 FOLLOWED BY ABOVE SEQUENCE FOR 12 AND 13



PROPRIETARY & CONFIDENTIAL <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MIMOSA NETWORKS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION OF MIMOSA NETWORKS IS PROHIBITED.</small>	TOLERANCES: <small>DIMENSIONS ARE IN MILLIMETERS.</small> ANGULAR: ±1° X: ±1 XX: ±0.3 XXX: ±0.13 XXXX: ±0.088 HOLE TO HOLE: ±0.13 HOLE Ø: +0.08/-0.03 MODEL-DERIVED FEATURES: ±0.3		Airspan airspan networks <small>3150 Coronado Dr, Santa Clara, CA 95054</small>		
	THIRD ANGLE PROJECTION: 		DESCRIPTION: ASSEMBLY, C6x PASSIVE POE RADIO, MIMOSA		
	MATERIAL: ①		DRAWN BY: WS	DWG. NO.: 010-00162	REV: 7
	FINISH: ②		WEIGHT: 840 G	SIZE: C	SCALE: 2:3
DO NOT SCALE DRAWING		TEMPLATE # 903-00001		SHEET: 2 OF 2	

4

3

2

1