











## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5500	Ant1	-29.28	-27	Pass
NVNT	ac20	5600	Ant1	-28.66	-27	Pass
NVNT	ac20	5700	Ant1	-27.87	-27	Pass
NVNT	ac20	5500	Ant2	-31.66	-27	Pass
NVNT	ac20	5600	Ant2	-29.78	-27	Pass
NVNT	ac20	5700	Ant2	-29.35	-27	Pass
NVNT	ac40	5510	Ant1	-28.21	-27	Pass
NVNT	ac40	5590	Ant1	-28.44	-27	Pass
NVNT	ac40	5670	Ant1	-28.66	-27	Pass
NVNT	ac40	5510	Ant2	-30.77	-27	Pass
NVNT	ac40	5590	Ant2	-33.72	-27	Pass
NVNT	ac40	5670	Ant2	-30.44	-27	Pass
NVNT	ac80	5530	Ant1	-27.96	-27	Pass
NVNT	ac80	5610	Ant1	-27.68	-27	Pass
NVNT	ac80	5530	Ant2	-30.39	-27	Pass
NVNT	ac80	5610	Ant2	-31.7	-27	Pass
NVNT	ac160	5570	Ant1	-28.13	-27	Pass
NVNT	ac160	5570	Ant2	-30.84	-27	Pass
NVNT	ax160	5570	Ant1	-28.45	-27	Pass
NVNT	ax160	5570	Ant2	-30.19	-27	Pass
NVNT	ax20	5500	Ant1	-29.03	-27	Pass
NVNT	ax20	5600	Ant1	-28.11	-27	Pass
NVNT	ax20	5700	Ant1	-29.29	-27	Pass
NVNT	ax20	5500	Ant2	-30.65	-27	Pass
NVNT	ax20	5600	Ant2	-30.4	-27	Pass
NVNT	ax20	5700	Ant2	-29.96	-27	Pass
NVNT	ax40	5510	Ant1	-28.29	-27	Pass
NVNT	ax40	5590	Ant1	-29.33	-27	Pass
NVNT	ax40	5670	Ant1	-32.72	-27	Pass
NVNT	ax40	5510	Ant2	-31.4	-27	Pass
NVNT	ax40	5590	Ant2	-31.01	-27	Pass
NVNT	ax40	5670	Ant2	-30.61	-27	Pass
NVNT	ax80	5530	Ant1	-28.22	-27	Pass
NVNT	ax80	5610	Ant1	-28.94	-27	Pass
NVNT	ax80	5530	Ant2	-30.26	-27	Pass
NVNT	ax80	5610	Ant2	-31.29	-27	Pass







































