





















































































## Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	MIMO PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5745	Ant1	-1.65	0.05	-1.6	8.69	18	Pass
NVNT	ac20	5745	Ant2	-4.32	0.04	-4.28			
NVNT	ac20	5745	Ant3	-3.55	0.05	-3.5			
NVNT	ac20	5745	Ant4	-9.92	0.05	-9.87			
NVNT	ac20	5745	Ant5	4.23	0.05	4.28			
NVNT	ac20	5745	Ant6	1.29	0.05	1.34			
NVNT	ac20	5745	Ant7	1.7	0.04	1.74			
NVNT	ac20	5745	Ant8	-6.08	0.04	-6.04			
NVNT	ac20	5785	Ant1	-1.64	0.05	-1.59	8.16	18	Pass
NVNT	ac20	5785	Ant2	-3.62	0.05	-3.57			
NVNT	ac20	5785	Ant3	-2.94	0.05	-2.89			
NVNT	ac20	5785	Ant4	-8.66	0.05	-8.61			
NVNT	ac20	5785	Ant5	2.71	0.05	2.76			
NVNT	ac20	5785	Ant6	0.15	0.05	0.2			
NVNT	ac20	5785	Ant7	1.83	0.05	1.88			
NVNT	ac20	5785	Ant8	-5.41	0.05	-5.36			
NVNT	ac20	5825	Ant1	-2.02	0.05	-1.97	8.46	18	Pass
NVNT	ac20	5825	Ant2	-4.14	0.05	-4.09			
NVNT	ac20	5825	Ant3	-3.34	0.05	-3.29			
NVNT	ac20	5825	Ant4	-7.88	0.05	-7.83			
NVNT	ac20	5825	Ant5	3.67	0.04	3.71			
NVNT	ac20	5825	Ant6	0.55	0.05	0.6			
NVNT	ac20	5825	Ant7	1.39	0.05	1.44			
NVNT	ac20	5825	Ant8	-3.43	0.05	-3.38			
NVNT	ac40	5755	Ant1	-4.91	0.1	-4.81	5.62	18	Pass
NVNT	ac40	5755	Ant2	-6.55	0.09	-6.46			
NVNT	ac40	5755	Ant3	-6.81	0.09	-6.72			
NVNT	ac40	5755	Ant4	-13.15	0.1	-13.05			
NVNT	ac40	5755	Ant5	0.4	0.1	0.5			
NVNT	ac40	5755	Ant6	-1.25	0.1	-1.15			
NVNT	ac40	5755	Ant7	-1.41	0.1	-1.31			
NVNT	ac40	5755	Ant8	-7.14	0.1	-7.04			
NVNT	ac40	5795	Ant1	-4.49	0.09	-4.4	5.56	18	Pass
NVNT	ac40	5795	Ant2	-7.15	0.1	-7.05			
NVNT	ac40	5795	Ant3	-6.24	0.09	-6.15			
NVNT	ac40	5795	Ant4	-10.85	0.1	-10.75			
NVNT	ac40	5795	Ant5	0.74	0.1	0.84			
NVNT	ac40	5795	Ant6	-2.74	0.1	-2.64			
NVNT	ac40	5795	Ant7	-1.33	0.1	-1.23			

NVNT	ac40	5795	Ant8	-6.75	0.1	-6.65	2.23	18	Pass
NVNT	ac80	5775	Ant1	-6.99	0.2	-6.79			
NVNT	ac80	5775	Ant2	-9.9	0.2	-9.7			
NVNT	ac80	5775	Ant3	-9.36	0.21	-9.15			
NVNT	ac80	5775	Ant4	-13.88	0.21	-13.67			
NVNT	ac80	5775	Ant5	-3.46	0.2	-3.26			
NVNT	ac80	5775	Ant6	-5.49	0.2	-5.29			
NVNT	ac80	5775	Ant7	-5.04	0.21	-4.83			
NVNT	ac80	5775	Ant8	-10.56	0.21	-10.35			
NVNT	ax20	5745	Ant1	-1.07	0.06	-1.01	9.52	18	Pass
NVNT	ax20	5745	Ant2	-3.44	0.06	-3.38			
NVNT	ax20	5745	Ant3	-2.63	0.06	-2.57			
NVNT	ax20	5745	Ant4	-9.66	0.06	-9.6			
NVNT	ax20	5745	Ant5	4.96	0.06	5.02			
NVNT	ax20	5745	Ant6	1.87	0.06	1.93			
NVNT	ax20	5745	Ant7	2.7	0.06	2.76			
NVNT	ax20	5745	Ant8	-3.83	0.06	-3.77			
NVNT	ax20	5785	Ant1	-1.77	0.06	-1.71			
NVNT	ax20	5785	Ant2	-3.38	0.06	-3.32			
NVNT	ax20	5785	Ant3	-2.78	0.06	-2.72			
NVNT	ax20	5785	Ant4	-8.87	0.06	-8.81			
NVNT	ax20	5785	Ant5	4.32	0.06	4.38			
NVNT	ax20	5785	Ant6	1.54	0.06	1.6			
NVNT	ax20	5785	Ant7	2.47	0.06	2.53			
NVNT	ax20	5785	Ant8	-3.29	0.06	-3.23			
NVNT	ax20	5825	Ant1	-1.04	0.06	-0.98	9.70	18	Pass
NVNT	ax20	5825	Ant2	-3.47	0.06	-3.41			
NVNT	ax20	5825	Ant3	-2.6	0.06	-2.54			
NVNT	ax20	5825	Ant4	-7.66	0.06	-7.6			
NVNT	ax20	5825	Ant5	5.3	0.06	5.36			
NVNT	ax20	5825	Ant6	1.37	0.06	1.43			
NVNT	ax20	5825	Ant7	2.62	0.06	2.68			
NVNT	ax20	5825	Ant8	-1.78	0.06	-1.72			
NVNT	ax40	5755	Ant1	-5.02	0.12	-4.9			
NVNT	ax40	5755	Ant2	-6.04	0.12	-5.92			
NVNT	ax40	5755	Ant3	-6.43	0.12	-6.31			
NVNT	ax40	5755	Ant4	-11.37	0.12	-11.25			
NVNT	ax40	5755	Ant5	1.31	0.11	1.42			
NVNT	ax40	5755	Ant6	-0.97	0.11	-0.86			
NVNT	ax40	5755	Ant7	-0.37	0.11	-0.26			
NVNT	ax40	5755	Ant8	-6.77	0.11	-6.66			
NVNT	ax40	5795	Ant1	-2.99	0.12	-2.87	7.02	18	Pass
NVNT	ax40	5795	Ant2	-6.54	0.12	-6.42			
NVNT	ax40	5795	Ant3	-5.66	0.12	-5.54			