













































































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	MIMO PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-9.44	0.05	-9.39	-1.02	-1	Pass
NVNT	ac20	5260	Ant2	-12.28	0.05	-12.23			
NVNT	ac20	5260	Ant3	-14.02	0.13	-13.89			
NVNT	ac20	5260	Ant4	-12.77	0.05	-12.72			
NVNT	ac20	5260	Ant5	-7.63	0.05	-7.58			
NVNT	ac20	5260	Ant6	-7.17	0.05	-7.12			
NVNT	ac20	5260	Ant7	-9.39	0.05	-9.34			
NVNT	ac20	5260	Ant8	-14.55	0.05	-14.5			
NVNT	ac20	5280	Ant1	-9.59	0.05	-9.54	-1.02	-1	Pass
NVNT	ac20	5280	Ant2	-11.84	0.05	-11.79			
NVNT	ac20	5280	Ant3	-13.64	0.09	-13.55			
NVNT	ac20	5280	Ant4	-12.87	0.05	-12.82			
NVNT	ac20	5280	Ant5	-7.82	0.05	-7.77			
NVNT	ac20	5280	Ant6	-7.35	0.04	-7.31			
NVNT	ac20	5280	Ant7	-9.22	0.04	-9.18			
NVNT	ac20	5280	Ant8	-14.4	0.05	-14.35			
NVNT	ac20	5320	Ant1	-8.66	0.06	-8.6	-1.19	-1	Pass
NVNT	ac20	5320	Ant2	-12.19	0.05	-12.14			
NVNT	ac20	5320	Ant3	-13.62	0.09	-13.53			
NVNT	ac20	5320	Ant4	-12.82	0.05	-12.77			
NVNT	ac20	5320	Ant5	-8.29	0.05	-8.24			
NVNT	ac20	5320	Ant6	-7.38	0.05	-7.33			
NVNT	ac20	5320	Ant7	-9.35	0.05	-9.3			
NVNT	ac20	5320	Ant8	-16.53	0.05	-16.48			
NVNT	ac40	5270	Ant1	-8.2	0.84	-7.36	-2.37	-1	Pass
NVNT	ac40	5270	Ant2	-14.84	0.63	-14.21			
NVNT	ac40	5270	Ant3	-16.07	0.1	-15.97			
NVNT	ac40	5270	Ant4	-15.69	0.1	-15.59			
NVNT	ac40	5270	Ant5	-10.01	0.1	-9.91			
NVNT	ac40	5270	Ant6	-9.83	0.1	-9.73			
NVNT	ac40	5270	Ant7	-11.55	0.1	-11.45			
NVNT	ac40	5270	Ant8	-17.51	0.1	-17.41			
NVNT	ac40	5310	Ant1	-8.8	0.1	-8.7	-3.01	-1	Pass
NVNT	ac40	5310	Ant2	-14.77	0.1	-14.67			
NVNT	ac40	5310	Ant3	-16.34	0.1	-16.24			
NVNT	ac40	5310	Ant4	-15.36	0.11	-15.25			
NVNT	ac40	5310	Ant5	-10.79	0.1	-10.69			
NVNT	ac40	5310	Ant6	-9.69	0.1	-9.59			
NVNT	ac40	5310	Ant7	-11.94	0.1	-11.84			

NVNT	ac40	5310	Ant8	-17.67	0.1	-17.57			
NVNT	ac80	5290	Ant1	-10	0.21	-9.79			
NVNT	ac80	5290	Ant2	-18.35	0.21	-18.14			
NVNT	ac80	5290	Ant3	-20.18	0.21	-19.97			
NVNT	ac80	5290	Ant4	-15.92	0.21	-15.71			
NVNT	ac80	5290	Ant5	-14.47	0.21	-14.26	-5.53	-1	Pass
NVNT	ac80	5290	Ant6	-14.11	0.2	-13.91			
NVNT	ac80	5290	Ant7	-16.1	0.21	-15.89			
NVNT	ac80	5290	Ant8	-21.73	0.25	-21.48			
NVNT	ax20	5260	Ant1	-9.43	0.07	-9.36			
NVNT	ax20	5260	Ant2	-12.42	0.07	-12.35			
NVNT	ax20	5260	Ant3	-14.28	0.22	-14.06			
NVNT	ax20	5260	Ant4	-13.38	0.06	-13.32			
NVNT	ax20	5260	Ant5	-7.66	0.06	-7.6	-1.08	-1	Pass
NVNT	ax20	5260	Ant6	-7.17	0.06	-7.11			
NVNT	ax20	5260	Ant7	-9.29	0.06	-9.23			
NVNT	ax20	5260	Ant8	-14.67	0.06	-14.61			
NVNT	ax20	5280	Ant1	-9.7	0.07	-9.63			
NVNT	ax20	5280	Ant2	-12.19	0.06	-12.13			
NVNT	ax20	5280	Ant3	-13.77	0.16	-13.61			
NVNT	ax20	5280	Ant4	-19.31	1.3	-18.01			
NVNT	ax20	5280	Ant5	-7.78	0.06	-7.72	-1.25	-1	Pass
NVNT	ax20	5280	Ant6	-7.35	0.06	-7.29			
NVNT	ax20	5280	Ant7	-9.23	0.06	-9.17			
NVNT	ax20	5280	Ant8	-14.51	0.06	-14.45			
NVNT	ax20	5320	Ant1	-7.92	0.06	-7.86			
NVNT	ax20	5320	Ant2	-12.52	0.06	-12.46			
NVNT	ax20	5320	Ant3	-13.65	0.06	-13.59			
NVNT	ax20	5320	Ant4	-21.69	0.07	-21.62			
NVNT	ax20	5320	Ant5	-8.12	0.06	-8.06	-1.37	-1	Pass
NVNT	ax20	5320	Ant6	-7.64	0.06	-7.58			
NVNT	ax20	5320	Ant7	-9.53	0.06	-9.47			
NVNT	ax20	5320	Ant8	-16.8	0.06	-16.74			
NVNT	ax40	5270	Ant1	-8.12	0.12	-8			
NVNT	ax40	5270	Ant2	-15.09	0.12	-14.97			
NVNT	ax40	5270	Ant3	-16.57	0.11	-16.46			
NVNT	ax40	5270	Ant4	-21.32	0.13	-21.19			
NVNT	ax40	5270	Ant5	-10.05	0.12	-9.93	-2.84	-1	Pass
NVNT	ax40	5270	Ant6	-9.6	0.12	-9.48			
NVNT	ax40	5270	Ant7	-11.58	0.12	-11.46			
NVNT	ax40	5270	Ant8	-17.62	0.12	-17.5			
NVNT	ax40	5310	Ant1	-8.49	0.12	-8.37			
NVNT	ax40	5310	Ant2	-15.15	0.12	-15.03	-3.19	-1	Pass
NVNT	ax40	5310	Ant3	-16.61	0.12	-16.49			