




11AC80MIMO_Ant2_5610




11AC80MIMO_Ant1_5690



11AC80MIMO_Ant2_5690



11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775


11.3. APPENDIX C: MIN EMISSION BANDWIDTH

11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	16.36	5711.88	5728.24	≥0.5	PASS
	Ant2	5720	16.36	5711.88	5728.24	≥0.5	PASS
	Ant1	5720_UNII-3	3.24	5725	5728.24	≥0.5	PASS
	Ant2	5720_UNII-3	3.24	5725	5728.24	≥0.5	PASS
	Ant1	5745	16.56	5736.76	5753.32	≥0.5	PASS
	Ant2	5745	16.36	5736.88	5753.24	≥0.5	PASS
	Ant1	5785	16.36	5776.88	5793.24	≥0.5	PASS
	Ant2	5785	16.52	5776.80	5793.32	≥0.5	PASS
11N20MIMO	Ant1	5825	16.36	5816.88	5833.24	≥0.5	PASS
	Ant2	5825	16.36	5816.88	5833.24	≥0.5	PASS
	Ant1	5720	17.76	5711.20	5728.96	≥0.5	PASS
	Ant2	5720	17.60	5711.28	5728.88	≥0.5	PASS
	Ant1	5720_UNII-3	3.96	5725	5728.96	≥0.5	PASS
	Ant2	5720_UNII-3	3.88	5725	5728.88	≥0.5	PASS
	Ant1	5745	17.60	5736.28	5753.88	≥0.5	PASS
	Ant2	5745	17.56	5736.28	5753.84	≥0.5	PASS
11N40MIMO	Ant1	5785	17.56	5776.28	5793.84	≥0.5	PASS
	Ant2	5785	17.60	5776.28	5793.88	≥0.5	PASS
	Ant1	5825	17.60	5816.28	5833.88	≥0.5	PASS
	Ant2	5825	17.60	5816.28	5833.88	≥0.5	PASS
	Ant1	5710	35.36	5692.48	5727.84	≥0.5	PASS
	Ant2	5710	35.20	5692.48	5727.68	≥0.5	PASS
	Ant1	5710_UNII-3	2.84	5725	5727.84	≥0.5	PASS
	Ant2	5710_UNII-3	2.68	5725	5727.68	≥0.5	PASS
11AC80MIMO	Ant1	5755	35.20	5737.48	5772.68	≥0.5	PASS
	Ant2	5755	35.20	5737.48	5772.68	≥0.5	PASS
	Ant1	5795	35.52	5777.16	5812.68	≥0.5	PASS
	Ant2	5795	35.52	5777.16	5812.68	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant2	5690	74.72	5652.88	5727.60	≥0.5	PASS
	Ant1	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
11A	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	≥0.5	PASS

11.3.2. Test Graphs







11A_Ant2_5720






11A_Ant1_5745










11A_Ant2_5745






11A_Ant2_5825






11N20MIMO_Ant1_5825




Date: 22 JAN 2024 08:39:17

11N20MIMO_Ant2_5825




Date: 22 JAN 2024 11:35:26

11N40MIMO_Ant1_5710






Date: 22 JAN 2024 11:38:29





11N40MIMO_Ant2_5710



Date: 22 JAN 2024 11:40:47



11N40MIMO_Ant2_5795



11AC80MIMO_Ant2_5775

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	15.11	≤23.98	---	18.83	≤22.43	PASS
	Ant2	5180	14.84	≤23.98	---	17.78	≤22.23	PASS
	Ant1	5200	14.77	≤23.98	---	18.49	≤22.22	PASS
	Ant2	5200	15.49	≤23.98	---	18.43	≤22.23	PASS
	Ant1	5240	14.84	≤23.98	---	18.56	≤22.23	PASS
	Ant2	5240	15.03	≤23.98	---	17.97	≤22.22	PASS
	Ant1	5260	15.03	≤23.78	≤23.24	18.75	≤29.24	PASS
	Ant2	5260	15.70	≤23.79	≤23.23	18.64	≤29.23	PASS
	Ant1	5280	15.84	≤23.73	≤23.25	19.56	≤23.25	PASS
	Ant2	5280	15.51	≤23.80	≤23.23	18.45	≤29.23	PASS
	Ant1	5320	14.70	≤23.78	≤23.22	18.42	≤29.22	PASS
	Ant2	5320	14.94	≤23.73	≤23.22	17.88	≤29.22	PASS
	Ant1	5500	15.07	≤23.73	≤23.24	18.79	≤29.24	PASS
	Ant2	5500	15.24	≤23.75	≤23.24	18.18	≤29.24	PASS
	Ant1	5580	15.24	≤23.73	≤23.24	18.96	≤29.24	PASS
	Ant2	5580	14.90	≤23.74	≤23.23	17.84	≤29.23	PASS
	Ant1	5700	15.14	≤23.78	≤23.24	18.86	≤29.24	PASS
	Ant2	5700	14.90	≤23.75	≤23.22	17.84	≤29.22	PASS
	Ant1	5720_UNII-2C	14.16	≤22.54	≤22.22	17.88	≤28.22	PASS
	Ant2	5720_UNII-2C	13.82	≤22.56	≤22.22	16.76	≤28.22	PASS
	Ant1	5720_UNII-3	7.17	≤30.00	≤30.00	10.89	---	PASS
	Ant2	5720_UNII-3	6.80	≤30.00	≤30.00	9.74	---	PASS
	Ant1	5745	15.22	≤30.00	≤30.00	18.94	---	PASS
	Ant2	5745	15.09	≤30.00	≤30.00	18.03	---	PASS
	Ant1	5785	15.09	≤30.00	≤30.00	18.81	---	PASS
	Ant2	5785	14.82	≤30.00	≤30.00	17.76	---	PASS
	Ant1	5825	14.51	≤30.00	≤30.00	18.23	---	PASS
	Ant2	5825	15.19	≤30.00	≤30.00	18.13	---	PASS
11N20MIMO	Ant1	5180	11.08	≤23.98	---	14.80	≤22.53	PASS
	Ant2	5180	10.62	≤23.98	---	13.56	≤22.50	PASS
	total	5180	13.87	≤23.98	---	17.59	≤22.50	PASS
	Ant1	5200	11.23	≤23.98	---	14.95	≤22.52	PASS
	Ant2	5200	10.95	≤23.98	---	13.89	≤22.51	PASS
	total	5200	14.10	≤23.98	---	17.82	≤22.51	PASS
	Ant1	5240	10.63	≤23.98	---	14.35	≤22.50	PASS
	Ant2	5240	10.48	≤23.98	---	13.42	≤22.51	PASS
	total	5240	13.57	≤23.98	---	17.29	≤22.50	PASS
	Ant1	5260	15.15	≤23.96	≤23.52	18.87	≤29.52	PASS
	Ant2	5260	14.94	≤23.96	≤23.51	17.88	≤29.51	PASS
	total	5260	18.06	≤23.98	≤23.51	21.78	≤29.51	PASS
	Ant1	5280	15.13	≤23.98	≤23.53	18.85	≤29.53	PASS
	Ant2	5280	15.41	≤23.97	≤23.51	18.35	≤29.51	PASS
	total	5280	18.28	≤23.98	≤23.51	22.00	≤29.51	PASS
	Ant1	5320	15.01	≤23.98	≤23.52	18.73	≤29.52	PASS
	Ant2	5320	14.70	≤23.98	≤23.51	17.64	≤29.51	PASS
	total	5320	17.87	≤23.98	≤23.51	21.59	≤29.51	PASS
	Ant1	5500	14.94	≤23.94	≤23.53	18.66	≤29.53	PASS
	Ant2	5500	14.93	≤23.95	≤23.51	17.87	≤29.51	PASS
	total	5500	17.95	≤23.98	≤23.51	21.67	≤29.51	PASS
	Ant1	5580	15.42	≤23.98	≤23.53	19.14	≤29.53	PASS
	Ant2	5580	14.68	≤23.98	≤23.52	17.62	≤29.52	PASS
	total	5580	18.08	≤23.98	≤23.52	21.80	≤29.52	PASS
	Ant1	5700	14.55	≤23.97	≤23.52	18.27	≤29.52	PASS
	Ant2	5700	14.84	≤23.98	≤23.51	17.78	≤29.51	PASS
	total	5700	17.71	≤23.98	≤23.51	21.43	≤29.51	PASS
	Ant1	5720_UNII-2C	12.93	≤22.70	≤22.40	16.65	≤28.40	PASS
	Ant2	5720_UNII-2C	13.65	≤22.71	≤22.41	16.59	≤28.41	PASS





	total	5720_UNII-2C	16.32	≤23.98	≤22.40	20.04	≤28.40	PASS
	Ant1	5720_UNII-3	6.56	≤30.00	≤30.00	10.28	---	PASS
	Ant2	5720_UNII-3	7.04	≤30.00	≤30.00	9.98	---	PASS
	total	5720_UNII-3	9.82	≤30.00	≤30.00	13.54	---	PASS
	Ant1	5745	14.73	≤30.00	≤30.00	18.45	---	PASS
	Ant2	5745	14.84	≤30.00	≤30.00	17.78	---	PASS
	total	5745	17.80	≤30.00	≤30.00	21.52	---	PASS
	Ant1	5785	14.67	≤30.00	≤30.00	18.39	---	PASS
	Ant2	5785	15.06	≤30.00	≤30.00	18.00	---	PASS
	total	5785	17.88	≤30.00	≤30.00	21.60	---	PASS
	Ant1	5825	15.12	≤30.00	≤30.00	18.84	---	PASS
	Ant2	5825	15.35	≤30.00	≤30.00	18.29	---	PASS
	total	5825	18.25	≤30.00	≤30.00	21.97	---	PASS
11N40MIMO	Ant1	5190	13.65	≤23.98	---	17.37	≤23.00	PASS
	Ant2	5190	13.17	≤23.98	---	16.11	≤23.00	PASS
	total	5190	16.43	≤23.98	---	20.15	≤23.00	PASS
	Ant1	5230	13.62	≤23.98	---	17.34	≤23.00	PASS
	Ant2	5230	13.21	≤23.98	---	16.15	≤23.00	PASS
	total	5230	16.43	≤23.98	---	20.15	≤23.00	PASS
	Ant1	5270	10.83	≤23.98	≤23.98	14.55	≤30.00	PASS
	Ant2	5270	11.91	≤23.98	≤23.98	14.85	≤30.00	PASS
	total	5270	14.41	≤23.98	≤23.98	18.13	≤30.00	PASS
	Ant1	5310	11.53	≤23.98	≤23.98	15.25	≤30.00	PASS
	Ant2	5310	11.33	≤23.98	≤23.98	14.27	≤30.00	PASS
	total	5310	14.44	≤23.98	≤23.98	18.16	≤30.00	PASS
	Ant1	5510	12.28	≤23.98	≤23.98	16.00	≤30.00	PASS
	Ant2	5510	12.01	≤23.98	≤23.98	14.95	≤30.00	PASS
	total	5510	15.16	≤23.98	≤23.98	18.88	≤30.00	PASS
	Ant1	5550	12.14	≤23.98	≤23.98	15.86	≤30.00	PASS
	Ant2	5550	11.97	≤23.98	≤23.98	14.91	≤30.00	PASS
	total	5550	15.07	≤23.98	≤23.98	18.79	≤30.00	PASS
	Ant1	5670	11.49	≤23.98	≤23.98	15.21	≤30.00	PASS
	Ant2	5670	10.94	≤23.98	≤23.98	13.88	≤30.00	PASS
	total	5670	14.23	≤23.98	≤23.98	17.95	≤30.00	PASS
	Ant1	5710_UNII-2C	9.44	≤23.98	≤23.98	13.16	≤30.00	PASS
	Ant2	5710_UNII-2C	11.65	≤23.98	≤23.98	14.59	≤30.00	PASS
	total	5710_UNII-2C	13.69	≤23.98	≤23.98	17.41	≤30.00	PASS
	Ant1	5710_UNII-3	-3.82	≤30.00	≤30.00	-0.10	---	PASS
	Ant2	5710_UNII-3	-2.08	≤30.00	≤30.00	0.86	---	PASS
	total	5710_UNII-3	0.15	≤30.00	≤30.00	3.87	---	PASS
	Ant1	5755	14.80	≤30.00	≤30.00	18.52	---	PASS
	Ant2	5755	14.56	≤30.00	≤30.00	17.50	---	PASS
	total	5755	17.69	≤30.00	≤30.00	21.41	---	PASS
	Ant1	5795	14.16	≤30.00	≤30.00	17.88	---	PASS
	Ant2	5795	14.56	≤30.00	≤30.00	17.50	---	PASS
total	5795	17.37	≤30.00	≤30.00	21.09	---	PASS	
11AC80MIMO	Ant1	5210	12.76	≤23.98	---	16.48	≤23.00	PASS
	Ant2	5210	13.09	≤23.98	---	16.03	≤23.00	PASS
	total	5210	15.94	≤23.98	---	19.66	≤23.00	PASS
	Ant1	5290	13.30	≤23.98	≤23.98	17.02	≤30.00	PASS
	Ant2	5290	12.72	≤23.98	≤23.98	15.66	≤30.00	PASS
	total	5290	16.03	≤23.98	≤23.98	19.75	≤30.00	PASS
	Ant1	5530	12.88	≤23.98	≤23.98	16.60	≤30.00	PASS
	Ant2	5530	13.23	≤23.98	≤23.98	16.17	≤30.00	PASS
	total	5530	16.07	≤23.98	≤23.98	19.79	≤30.00	PASS
	Ant1	5610	13.00	≤23.98	≤23.98	16.72	≤30.00	PASS
	Ant2	5610	13.27	≤23.98	≤23.98	16.21	≤30.00	PASS
	total	5610	16.15	≤23.98	≤23.98	19.87	≤30.00	PASS
	Ant1	5690_UNII-2C	11.85	≤23.98	≤23.98	15.57	≤30.00	PASS
	Ant2	5690_UNII-2C	12.98	≤23.98	≤23.98	15.92	≤30.00	PASS
	total	5690_UNII-2C	15.46	≤23.98	≤23.98	19.18	≤30.00	PASS
	Ant1	5690_UNII-3	-7.42	≤30.00	≤30.00	-3.70	---	PASS
	Ant2	5690_UNII-3	-6.19	≤30.00	≤30.00	-3.25	---	PASS
total	5690_UNII-3	-3.75	≤30.00	≤30.00	-0.03	---	PASS	


	Ant1	5775	13.56	≤30.00	≤30.00	17.28	---	PASS
	Ant2	5775	13.49	≤30.00	≤30.00	16.43	---	PASS
	total	5775	16.54	≤30.00	≤30.00	20.26	---	PASS





Note: The Duty Cycle Factor is compensated in the graph.


11.4.2. Test Graphs











11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	3.86	≤11.00	7.58	≤10.00	PASS
	Ant2	5180	3.51	≤11.00	6.45	≤10.00	PASS
	Ant1	5200	3.57	≤11.00	7.29	≤10.00	PASS
	Ant2	5200	4.15	≤11.00	7.09	≤10.00	PASS
	Ant1	5240	3.77	≤11.00	7.49	≤10.00	PASS
	Ant2	5240	3.92	≤11.00	6.86	≤10.00	PASS
	Ant1	5260	3.58	≤11.00	7.30	---	PASS
	Ant2	5260	4.41	≤11.00	7.35	---	PASS
	Ant1	5280	4.60	≤11.00	8.32	---	PASS
	Ant2	5280	4.12	≤11.00	7.06	---	PASS
	Ant1	5320	3.41	≤11.00	7.13	---	PASS
	Ant2	5320	3.65	≤11.00	6.59	---	PASS
	Ant1	5500	3.77	≤11.00	7.49	---	PASS
	Ant2	5500	3.93	≤11.00	6.87	---	PASS
	Ant1	5580	3.82	≤11.00	7.54	---	PASS
	Ant2	5580	3.44	≤11.00	6.38	---	PASS
	Ant1	5700	3.82	≤11.00	7.54	---	PASS
	Ant2	5700	3.73	≤11.00	6.67	---	PASS
	Ant1	5720_UNII-2C	3.74	≤11.00	7.46	---	PASS
	Ant2	5720_UNII-2C	3.48	≤11.00	6.42	---	PASS
	Ant1	5720_UNII-3	0.86	≤30.00	4.58	---	PASS
	Ant2	5720_UNII-3	0.55	≤30.00	3.49	---	PASS
	Ant1	5745	1.08	≤30.00	4.80	---	PASS
	Ant2	5745	0.70	≤30.00	3.64	---	PASS
	Ant1	5785	1.03	≤30.00	4.75	---	PASS
	Ant2	5785	0.71	≤30.00	3.65	---	PASS
	Ant1	5825	0.20	≤30.00	3.92	---	PASS
	Ant2	5825	1.20	≤30.00	4.14	---	PASS
11N20MIMO	Ant1	5180	-0.14	≤11.00	3.58	≤10.00	PASS
	Ant2	5180	-0.95	≤11.00	1.99	≤10.00	PASS
	total	5180	2.48	≤10.27	9.21	≤10.00	PASS
	Ant1	5200	-0.36	≤11.00	3.36	≤10.00	PASS
	Ant2	5200	-0.64	≤11.00	2.30	≤10.00	PASS
	total	5200	2.51	≤10.27	9.24	≤10.00	PASS
	Ant1	5240	-0.87	≤11.00	2.85	≤10.00	PASS
	Ant2	5240	-1.21	≤11.00	1.73	---	PASS
	total	5240	1.97	≤10.27	8.70	---	PASS
	Ant1	5260	3.70	≤11.00	7.42	---	PASS
	Ant2	5260	3.54	≤11.00	6.48	---	PASS
	total	5260	6.63	≤10.27	13.36	---	PASS
	Ant1	5280	3.54	≤11.00	7.26	---	PASS
	Ant2	5280	3.95	≤11.00	6.89	---	PASS
	total	5280	6.76	≤10.27	13.49	---	PASS
	Ant1	5320	3.18	≤11.00	6.90	---	PASS
	Ant2	5320	3.01	≤11.00	5.95	---	PASS
	total	5320	6.11	≤10.27	12.84	---	PASS
	Ant1	5500	3.51	≤11.00	7.23	---	PASS
	Ant2	5500	3.33	≤11.00	6.27	---	PASS
	total	5500	6.43	≤10.27	13.16	---	PASS
	Ant1	5580	3.85	≤11.00	7.57	---	PASS
	Ant2	5580	3.10	≤11.00	6.04	---	PASS
	total	5580	6.50	≤10.27	13.23	---	PASS
	Ant1	5700	2.84	≤11.00	6.56	---	PASS
	Ant2	5700	3.27	≤11.00	6.21	---	PASS
	total	5700	6.07	≤10.27	12.80	---	PASS
	Ant1	5720_UNII-2C	2.59	≤11.00	6.31	---	PASS
Ant2	5720_UNII-2C	3.07	≤11.00	6.01	---	PASS	
total	5720_UNII-2C	5.85	≤10.27	12.58	---	PASS	


	Ant1	5720_UNII-3	-0.35	≤30.00	3.37	---	PASS
	Ant2	5720_UNII-3	0.27	≤30.00	3.21	---	PASS
	total	5720_UNII-3	2.98	≤29.27	9.71	---	PASS
	Ant1	5745	0.39	≤30.00	4.11	---	PASS
	Ant2	5745	0.22	≤30.00	3.16	---	PASS
	total	5745	3.32	≤29.27	10.05	---	PASS
	Ant1	5785	0.12	≤30.00	3.84	---	PASS
	Ant2	5785	0.62	≤30.00	3.56	---	PASS
	total	5785	3.39	≤29.27	10.12	---	PASS
	Ant1	5825	0.64	≤30.00	4.36	---	PASS
	Ant2	5825	0.94	≤30.00	3.88	---	PASS
	total	5825	3.80	≤29.27	10.53	---	PASS
11N40MIMO	Ant1	5190	-0.45	≤11.00	3.27	≤10.00	PASS
	Ant2	5190	-0.98	≤11.00	1.96	≤10.00	PASS
	total	5190	2.30	≤10.27	9.03	≤10.00	PASS
	Ant1	5230	-0.44	≤11.00	3.28	≤10.00	PASS
	Ant2	5230	-0.76	≤11.00	2.18	≤10.00	PASS
	total	5230	2.41	≤10.27	9.14	≤10.00	PASS
	Ant1	5270	-3.44	≤11.00	0.28	---	PASS
	Ant2	5270	-2.07	≤11.00	0.87	---	PASS
	total	5270	0.31	≤10.27	7.04	---	PASS
	Ant1	5310	-2.62	≤11.00	1.10	---	PASS
	Ant2	5310	-2.83	≤11.00	0.11	---	PASS
	total	5310	0.29	≤10.27	7.02	---	PASS
	Ant1	5510	-1.88	≤11.00	1.84	---	PASS
	Ant2	5510	-2.19	≤11.00	0.75	---	PASS
	total	5510	0.98	≤10.27	7.71	---	PASS
	Ant1	5550	-1.72	≤11.00	2.00	---	PASS
	Ant2	5550	-2.30	≤11.00	0.64	---	PASS
	total	5550	1.01	≤10.27	7.74	---	PASS
	Ant1	5670	-2.61	≤11.00	1.11	---	PASS
	Ant2	5670	-3.35	≤11.00	-0.41	---	PASS
	total	5670	0.05	≤10.27	6.78	---	PASS
	Ant1	5710_UNII-2C	-4.49	≤11.00	-0.77	---	PASS
	Ant2	5710_UNII-2C	-2.33	≤11.00	0.61	---	PASS
	total	5710_UNII-2C	-0.27	≤10.27	6.46	---	PASS
	Ant1	5710_UNII-3	-8.23	≤30.00	-4.51	---	PASS
	Ant2	5710_UNII-3	-6.75	≤30.00	-3.81	---	PASS
	total	5710_UNII-3	-4.42	≤29.27	2.31	---	PASS
	Ant1	5755	-2.26	≤30.00	1.46	---	PASS
	Ant2	5755	-2.39	≤30.00	0.55	---	PASS
	total	5755	0.69	≤29.27	7.42	---	PASS
	Ant1	5795	-2.88	≤30.00	0.84	---	PASS
	Ant2	5795	-2.51	≤30.00	0.43	---	PASS
total	5795	0.32	≤29.27	7.05	---	PASS	
11AC80MIMO	Ant1	5210	-4.55	≤11.00	-0.83	≤10.00	PASS
	Ant2	5210	-3.72	≤11.00	-0.78	≤10.00	PASS
	total	5210	-1.10	≤10.27	5.63	≤10.00	PASS
	Ant1	5290	-3.57	≤11.00	0.15	---	PASS
	Ant2	5290	-4.15	≤11.00	-1.21	---	PASS
	total	5290	-0.84	≤10.27	5.89	---	PASS
	Ant1	5530	-4.20	≤11.00	-0.48	---	PASS
	Ant2	5530	-3.69	≤11.00	-0.75	---	PASS
	total	5530	-0.93	≤10.27	5.80	---	PASS
	Ant1	5610	-3.78	≤11.00	-0.06	---	PASS
	Ant2	5610	-3.76	≤11.00	-0.82	---	PASS
	total	5610	-0.76	≤10.27	5.97	---	PASS
	Ant1	5690_UNII-2C	-5.20	≤11.00	-1.48	---	PASS
	Ant2	5690_UNII-2C	-3.64	≤11.00	-0.70	---	PASS
	total	5690_UNII-2C	-1.34	≤10.27	5.39	---	PASS
	Ant1	5690_UNII-3	-11.31	≤30.00	-7.59	---	PASS
	Ant2	5690_UNII-3	-9.25	≤30.00	-6.31	---	PASS
	total	5690_UNII-3	-7.15	≤29.27	-0.42	---	PASS
Ant1	5775	-6.62	≤30.00	-2.90	---	PASS	


	Ant2	5775	-5.98	≤30.00	-3.04	---	PASS
	total	5775	-3.28	≤29.27	3.45	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs







11A_Ant2_5200






11A_Ant1_5240




11A_Ant2_5240







11A_Ant2_5280




11A_Ant1_5320






11A_Ant2_5320




11A_Ant1_5500







11A_Ant1_5700




11A_Ant2_5700





11A_Ant1_5720_UNII-2C




11A_Ant2_5720_UNII-2C









11A_Ant1_5785






11A_Ant2_5785




11A_Ant1_5825







11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200






11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240







11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320






11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500







11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700






11N20MIMO_Ant1_5720_UNII-2C



11N20MIMO_Ant2_5720_UNII-2C





11N20MIMO_Ant2_5745