



Page 269 of 327

11AC80MIMO_Ant2_5775




11.3. APPENDIX C: MIN EMISSION BANDWIDTH 11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant1	5720	16.32	5711.84	5728.16	≥0.5	PASS
	Ant2	5720	16.32	5711.84	5728.16	≥0.5	PASS
	Ant1	5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
	Ant2	5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
11A	Ant1	5745	16.36	5736.84	5753.20	≥0.5	PASS
IIA	Ant2	5745	16.36	5736.84	5753.20	≥0.5	PASS
	Ant1	5785	16.36	5776.84	5793.20	≥0.5	PASS
	Ant2	5785	16.36	5776.84	5793.20	≥0.5	PASS
	Ant1	5825	16.52	5816.76	5833.28	≥0.5	PASS
	Ant2	5825	16.36	5816.84	5833.20	≥0.5	PASS
	Ant1	5720	17.60	5711.36	5728.96	≥0.5	PASS
	Ant2	5720	17.60	5711.40	5729.00	≥0.5	PASS
	Ant1	5720_UNII-3	3.96	5725	5728.96	≥0.5	PASS
	Ant2	5720_UNII-3	4	5725	5729.00	≥0.5	PASS
11N20MIMO	Ant1	5745	17.60	5736.32	5753.92	≥0.5	PASS
I TINZUIVIIIVIO	Ant2	5745	17.60	5736.36	5753.96	≥0.5	PASS
	Ant1	5785	17.64	5776.28	5793.92	≥0.5	PASS
	Ant2	5785	17.60	5776.36	5793.96	≥0.5	PASS
	Ant1	5825	17.60	5816.32	5833.92	≥0.5	PASS
	Ant2	5825	17.56	5816.40	5833.96	≥0.5	PASS
	Ant1	5710	35.52	5692.16	5727.68	≥0.5	PASS
	Ant2	5710	35.68	5692.16	5727.84	≥0.5	PASS
	Ant1	5710_UNII-3	2.68	5725	5727.68	≥0.5	PASS
11N40MIMO	Ant2	5710_UNII-3	2.84	5725	5727.84	≥0.5	PASS
I IIN4UIVIIIVIO	Ant1	5755	35.68	5737.16	5772.84	≥0.5	PASS
	Ant2	5755	35.60	5737.16	5772.76	≥0.5	PASS
	Ant1	5795	35.52	5777.16	5812.68	≥0.5	PASS
	Ant2	5795	35.52	5777.16	5812.68	≥0.5	PASS
	Ant1	5690	75.20	5652.40	5727.60	≥0.5	PASS
	Ant2	5690	75.20	5652.40	5727.60	≥0.5	PASS
1100000000	Ant1	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
11AC80MIMO	Ant2	5690_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	72.96	5739.64	5812.60	≥0.5	PASS




11.3.2. Test Graphs




































Page 279 of 327

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

				F00	ICED			
Test Mode	Antenna	Eroguenov(MUz)	Power	FCC Limit	ISED Limit	EIRP	Limit	Verdict
rest Mode	Antenna	Frequency[MHz]	[dBm]			[dBm]	[dBm]	verdict
	A n+1	E100	15 10	[dBm]	[dBm] 	17.07	<22.22	DACC
	Ant1	5180	15.40	≤23.98		17.97	≤22.23	PASS
	Ant2	5180	15.61	≤23.98		18.18	≤22.23 ≤22.24	PASS
	Ant1	5200	14.87	≤23.98		17.44		PASS
	Ant2	5200	15.40	≤23.98		17.97	≤22.23	PASS
	Ant1	5240	14.82	≤23.98		17.39	≤22.24	PASS
	Ant2	5240	14.92	≤23.98	 ≤23.24	17.49	≤22.24	PASS
	Ant1	5260	14.90	≤23.74		17.47	≤29.24	PASS PASS
	Ant2	5260	15.26	≤23.77	≤23.24	17.83	≤29.24	
	Ant1	5280	15.03	≤23.77	≤23.24	17.60	≤29.24	PASS
	Ant2	5280	15.35	≤23.76	≤23.24	17.92	≤29.24	PASS
	Ant1	5320	14.48	≤23.79	≤23.25	17.05	≤29.25	PASS
	Ant2	5320	14.80	≤23.77	≤23.24	17.37	≤29.24	PASS
	Ant1	5500	15.48	≤23.83	≤23.27	18.05	≤29.27	PASS
11A	Ant2	5500	15.50	≤23.78	≤23.24	18.07	≤29.24	PASS
	Ant1	5580	15.69	≤23.75	≤23.25	18.26	≤29.25	PASS
	Ant2	5580	15.73	≤23.79	≤23.23	18.30	≤29.23	PASS
	Ant1	5700	15.02	≤23.76	≤23.24	17.59	≤29.24	PASS
	Ant2	5700	15.95	≤23.76	≤23.24	18.52	≤29.24	PASS
	Ant1	5720_UNII-2C	14.02	≤22.60	≤22.26	16.59	≤28.26	PASS
	Ant2	5720_UNII-2C	14.86	≤22.60	≤22.24	17.43	≤28.24	PASS
	Ant1	5720_UNII-3	6.86	≤30.00	≤30.00	9.43		PASS
	Ant2	5720_UNII-3	7.71	≤30.00	≤30.00	10.28		PASS
	Ant1	5745	15.62	≤30.00	≤30.00	18.19		PASS
	Ant2	5745	15.40	≤30.00	≤30.00	17.97		PASS
	Ant1	5785	15.22	≤30.00	≤30.00	17.79		PASS
	Ant2	5785	15.22	≤30.00	≤30.00	17.79		PASS
	Ant1	5825	15.31	≤30.00	≤30.00	17.88		PASS
	Ant2	5825	15.10	≤30.00	≤30.00	17.67		PASS
	Ant1	5180	12.18	≤23.98		14.75	≤22.52	PASS
	Ant2	5180	12.05	≤23.98		14.62	≤22.60	PASS
	total	5180	15.13	≤23.98		17.70	≤22.52	PASS
	Ant1	5200	12.32	≤23.98		14.89	≤22.53	PASS
	Ant2	5200	12.39	≤23.98		14.96	≤22.53	PASS
	total	5200	15.37	≤23.98		17.94	≤22.53	PASS
	Ant1	5240	12.65	≤23.98		15.22	≤22.52	PASS
	Ant2	5240	12.68	≤23.98		15.25	≤22.57	PASS
	total	5240	15.68	≤23.98		18.25	≤22.52	PASS
	Ant1	5260	12.27	≤23.95	≤23.54	14.84	≤29.54	PASS
	Ant2	5260	12.50	≤23.95	≤23.52	15.07	≤29.52	PASS
	total	5260	15.40	≤23.98	≤23.52	17.97	≤29.52	PASS
	Ant1	5280	12.24	≤23.98	≤23.52	14.81	≤29.52	PASS
4411061	Ant2	5280	12.15	≤23.98	≤23.53	14.72	≤29.53	PASS
11N20MIMO	total	5280	15.21	≤23.98	≤23.52	17.78	≤29.52	PASS
	Ant1	5320	12.77	≤23.98	≤23.53	15.34	≤29.53	PASS
	Ant2	5320	12.37	≤23.98	≤23.53	14.94	≤29.53	PASS
	total	5320	15.58	≤23.98	≤23.53	18.15	≤29.53	PASS
	Ant1	5500	10.06	≤23.98	≤23.56	12.63	≤29.56	PASS
	Ant2	5500	9.74	≤23.96	≤23.53	12.31	≤29.53	PASS
	total	5500	12.91	≤23.98	≤23.53	15.48	≤29.53	PASS
	Ant1	5580	10.71	≤23.98	≤23.54	13.28	≤29.54	PASS
	Ant2	5580	10.23	≤23.98	≤23.52	12.80	≤29.52	PASS
	total	5580	13.49	≤23.98	≤23.52	16.06	≤29.52	PASS
	Ant1	5700	10.84	≤23.98	≤23.56	13.41	≤29.56	PASS
	Ant2	5700	10.47	≤23.92	≤23.53	13.04	≤29.53	PASS
	total	5700	13.67	≤23.98	≤23.53	16.24	≤29.53	PASS
	Ant1	5720_UNII-2C	9.75	≤22.73	≤22.41	12.32	≤28.41	PASS
1	Ant2	5720_UNII-2C	9.16	≤22.69	≤22.37	11.73	≤28.37	PASS



	total	5720 UNII-2C	12.48	≤23.98	≤22.37	15.05	≤28.37	PASS
•	Ant1	5720 UNII-3	2.86	≤30.00	≤30.00	5.43		PASS
	Ant2	5720_UNII-3	2.61	≤30.00	≤30.00	5.18		PASS
	total	5720_UNII-3	5.75	≤30.00	≤30.00	8.32		PASS
	Ant1	5745	12.43	≤30.00	≤30.00	15.00		PASS
	Ant2	5745	12.38	≤30.00	≤30.00	14.95		PASS
	total	5745	15.42	≤30.00	≤30.00	17.99		PASS
	Ant1	5785	12.30	≤30.00	≤30.00	14.87		PASS
	Ant2	5785	11.96	≤30.00	≤30.00	14.53		PASS
	total	5785	15.14	≤30.00	≤30.00	17.71		PASS
	Ant1	5825	12.61	≤30.00	≤30.00	15.18		PASS
-	Ant2	5825	12.28	≤30.00	≤30.00	14.85		PASS
	total	5825	15.46	≤30.00	≤30.00	18.03		PASS
-	Ant1	5190	11.72	≤23.98		14.29	≤23.00	PASS
-	Ant2	5190	11.20	≤23.98		13.77	≤23.00	PASS
-	total	5190	14.48	≤23.98		17.05	≤23.00	PASS
-	Ant1	5230	11.28	≤23.98		13.85	≤23.00	PASS
-	Ant2	5230	10.65	≤23.98		13.22	≤23.00	PASS
-	total	5230	13.99	≤23.98		16.56	≤23.00	PASS
-	Ant1	5270	11.17	≤23.98	≤23.98	13.74	≤30.00	PASS
	Ant2	5270	10.60	≤23.98	≤23.98	13.17	≤30.00	PASS
-	total	5270	13.90	≤23.98	≤23.98	16.47	≤30.00	PASS
-	Ant1	5310	10.93	≤23.98	≤23.98	13.50	≤30.00	PASS
-	Ant2	5310	10.58	≤23.98	≤23.98	13.15	≤30.00	PASS PASS
-	total	5310 5510	13.77	≤23.98 ≤23.98	≤23.98 ≤23.98	16.34	≤30.00 ≤30.00	PASS
-	Ant1 Ant2	5510	12.50 12.61	≥23.96 ≤23.98	≥23.96 ≤23.98	15.07 15.18	≤30.00	PASS
-	_	5510		≤23.98				PASS
-	total Ant1	5550	15.57 12.52	≤23.98	≤23.98 ≤23.98	18.14 15.09	≤30.00 ≤30.00	PASS
11N40MIMO	Ant2	5550	12.41	≤23.98	≤23.98	14.98	≤30.00	PASS
11114-01111110	total	5550	15.48	≤23.98	≤23.98	18.05	≤30.00	PASS
-	Ant1	5670	12.70	≤23.98	≤23.98	15.27	≤30.00	PASS
-	Ant2	5670	12.75	≤23.98	≤23.98	15.32	≤30.00	PASS
-	total	5670	15.74	≤23.98	≤23.98	18.31	≤30.00	PASS
-	Ant1	5710_UNII-2C	11.38	≤23.98	≤23.98	13.95	≤30.00	PASS
-	Ant2	5710 UNII-2C	11.82	≤23.98	≤23.98	14.39	≤30.00	PASS
-	total	5710 UNII-2C	14.62	≤23.98	≤23.98	17.19		PASS
	Ant1	5710_UNII-3	-2.00	≤30.00	≤30.00	0.57		PASS
	Ant2	5710_UNII-3	-1.77	≤30.00	≤30.00	0.80		PASS
-	total	5710_UNII-3	1.13	≤30.00	≤30.00	3.70		PASS
-	Ant1	5755	12.34	≤30.00	≤30.00	14.91		PASS
	Ant2	5755	12.11	≤30.00	≤30.00	14.68		PASS
	total	5755	15.24	≤30.00	≤30.00	17.81		PASS
	Ant1	5795	12.74	≤30.00	≤30.00	15.31		PASS
	Ant2	5795	12.15	≤30.00	≤30.00	14.72		PASS
	total	5795	15.47	≤30.00	≤30.00	18.04		PASS
	Ant1	5210	13.04	≤23.98		15.61	≤23.00	PASS
	Ant2	5210	12.74	≤23.98		15.31	≤23.00	PASS
	total	5210	15.90	≤23.98		18.47	≤23.00	PASS
	Ant1	5290	13.55	≤23.98	≤23.98	16.12	≤30.00	PASS
	Ant2	5290	13.37	≤23.98	≤23.98	15.94	≤30.00	PASS
	total	5290	16.47	≤23.98	≤23.98	19.04	≤30.00	PASS
	Ant1	5530	10.75	≤23.98	≤23.98	13.32	≤30.00	PASS
	Ant2	5530	10.65	≤23.98	≤23.98	13.22	≤30.00	PASS
11AC80MIMO	total	5530	13.71	≤23.98	≤23.98	16.28	≤30.00	PASS
500	Ant1	5610	10.58	≤23.98	≤23.98	13.15	≤30.00	PASS
	Ant2	5610	10.55	≤23.98	≤23.98	13.12	≤30.00	PASS
_	total	5610	13.58	≤23.98	≤23.98	16.15	≤30.00	PASS
	Ant1	5690_UNII-2C	9.61	≤23.98	≤23.98	12.18	≤30.00	PASS
	Ant2	5690_UNII-2C	8.87	≤23.98	≤23.98	11.44	≤30.00	PASS
	total	5690_UNII-2C	12.27	≤23.98	≤23.98	14.84	≤30.00	PASS
	Ant1	5690_UNII-3	-9.32	≤30.00	≤30.00	-6.75		PASS
		6 6 COLVERTING (2)	44 (1(1)	· ~:>(1 (1(1)	· ~:>(1 (1(1)			יוואניני
'	Ant2 total	5690_UNII-3 5690_UNII-3	-11.00 -7.07	≤30.00 ≤30.00	≤30.00 ≤30.00	-8.43 -4.50		PASS PASS




Page 281 of 327

Ant1	5775	13.34	≤30.00	≤30.00	15.91	 PASS
Ant2	5775	13.31	≤30.00	≤30.00	15.88	 PASS
total	5775	16.34	≤30.00	≤30.00	18.91	 PASS


Note: The Duty Cycle Factor is compensated in the graph.




11.4.2. Test Graphs



























Page 287 of 327

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

			Power	Linnis	EIDD	Linnis	
Test Mode	Antenna	Frequency[MHz]	[dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
	Ant1	5180	4.02	≤11.00	6.59	≤10.00	PASS
	Ant2	5180	4.41	≤11.00	6.98	≤10.00	PASS
	Ant1	5200	3.37	≤11.00	5.94	≤10.00	PASS
	Ant2	5200	4.07	≤11.00	6.64	≤10.00	PASS
	Ant1	5240	3.43	≤11.00	6.00	≤10.00	PASS
	Ant2	5240	3.75	≤11.00	6.32	≤10.00	PASS
	Ant1	5260	3.66	≤11.00	6.23		PASS
	Ant2	5260	3.98	≤11.00	6.55		PASS
	Ant1	5280	3.74	≤11.00	6.31		PASS
	Ant2	5280	4.13	≤11.00	6.70		PASS
	Ant1	5320	3.16	≤11.00	5.73		PASS
	Ant2	5320	3.54	≤11.00	6.11		PASS
	Ant1	5500	4.24	≤11.00	6.81		PASS
11A	Ant2	5500	4.20	≤11.00	6.77		PASS
IIA	Ant1	5580	4.30	≤11.00	6.87		PASS
	Ant2	5580	4.37	≤11.00	6.94		PASS
	Ant1	5700	3.83	≤11.00	6.40		PASS
	Ant2	5700	4.59	≤11.00	7.16		PASS
	Ant1	5720_UNII-2C	3.52	≤11.00	6.09		PASS
	Ant2	5720_UNII-2C	4.44	≤11.00	7.01		PASS
	Ant1	5720_UNII-3	0.93	≤30.00	3.50		PASS
	Ant2	5720_UNII-3	1.60	≤30.00	4.17		PASS
	Ant1	5745	1.29	≤30.00	3.86		PASS
	Ant2	5745	1.16	≤30.00	3.73		PASS
	Ant1	5785	1.05	≤30.00	3.62		PASS
	Ant2	5785	0.79	≤30.00	3.36		PASS
	Ant1	5825	1.19	≤30.00	3.76		PASS
	Ant2	5825	0.96	≤30.00	3.53		PASS
	Ant1	5180	0.62	≤11.00	3.19	≤10.00	PASS
	Ant2	5180	0.49	≤11.00	3.06	≤10.00	PASS
	total	5180	3.57	≤11.00	9.15	≤10.00	PASS
	Ant1	5200	0.62	≤11.00	3.19	≤10.00	PASS
	Ant2	5200	0.85	≤11.00	3.42	≤10.00	PASS
	total	5200	3.75	≤11.00	9.33	≤10.00	PASS
	Ant1	5240	1.04	≤11.00	3.61	≤10.00	PASS
	Ant2	5240	1.05	≤11.00	3.62	≤10.00	PASS
	total	5240	4.06	≤11.00	9.64	≤10.00	PASS
	Ant1	5260	0.47	≤11.00	3.04		PASS
	Ant2	5260	0.70	≤11.00	3.27		PASS
	total	5260	3.60	≤11.00	9.18		PASS
	Ant1	5280	0.49	≤11.00	3.06		PASS
	Ant2	5280	0.52	≤11.00	3.09		PASS
11N20MIMO	total	5280	3.52	≤11.00	9.10		PASS
	Ant1	5320	1.08	≤11.00	3.65		PASS
	Ant2	5320	0.81	≤11.00	3.38		PASS
	total	5320	3.96	≤11.00	9.54		PASS
	Ant1	5500	-2.02	≤11.00	0.55		PASS
	Ant2	5500	-2.16	≤11.00	0.41		PASS
	total	5500	0.92	≤11.00	6.50		PASS
	Ant1	5580	-1.08	≤11.00	1.49		PASS
	Ant2	5580	-1.14	≤11.00	1.43		PASS
	total	5580	1.90	≤11.00	7.48		PASS
	Ant1	5700	-0.88	≤11.00	1.69		PASS
	Ant2	5700	-1.02	≤11.00	1.55		PASS
	total	5700	2.06	≤11.00	7.64		PASS
	Ant1	5720_UNII-2C	-0.83	≤11.00	1.74		PASS
	Ant2	5720_UNII-2C	-1.39	≤11.00	1.18		PASS
	total	5720_UNII-2C	1.91	≤11.00	7.49		PASS



	Ant1	5720_UNII-3	-3.90	≤30.00	-1.33		PASS
	Ant2	5720_UNII-3	-4.31	≤30.00	-1.74		PASS
	total	5720_UNII-3	-1.09	≤30.00	4.49		PASS
	Ant1	5745	-2.01	≤30.00	0.56		PASS
	Ant2	5745	-2.25	≤30.00	0.32		PASS
	total	5745	0.88	≤30.00	6.46		PASS
	Ant1	5785	-2.28	≤30.00	0.29		PASS
	Ant2	5785	-2.56	≤30.00	0.01		PASS
	total	5785	0.59	≤30.00	6.17		PASS
	Ant1	5825	-1.82	≤30.00	0.75		PASS
	Ant2	5825	-2.32	≤30.00	0.25		PASS
	total	5825	0.95	≤30.00	6.53		PASS
	Ant1 Ant2	5190 5190	-2.53 -3.24	≤11.00 ≤11.00	0.04 -0.67	≤10.00 ≤10.00	PASS PASS
	total	5190	0.14	≤11.00 ≤11.00	5.72	≤10.00 ≤10.00	PASS
	Ant1	5230	-2.56	≤11.00 ≤11.00	0.01	≤10.00 ≤10.00	PASS
	Ant2	5230	-3.36	≤11.00	-0.79	≤10.00	PASS
	total	5230	0.07	≤11.00	5.65	≤10.00	PASS
	Ant1	5270	-3.72	≤11.00	-1.15		PASS
	Ant2	5270	-4.32	≤11.00	-1.75		PASS
	total	5270	-1.00	≤11.00	4.58		PASS
	Ant1	5310	-3.46	≤11.00	-0.89		PASS
	Ant2	5310	-3.51	≤11.00	-0.94		PASS
	total	5310	-0.47	≤11.00	5.11		PASS
	Ant1	5510	-1.59	≤11.00	0.98		PASS
	Ant2	5510	-1.86	≤11.00	0.71		PASS
	total	5510	1.29	≤11.00	6.87		PASS
	Ant1	5550	-1.84	≤11.00	0.73		PASS
11N40MIMO	Ant2	5550	-1.79	≤11.00	0.78		PASS
	total	5550	1.20	≤11.00	6.78		PASS
	Ant1	5670	-1.52	≤11.00	1.05		PASS
	Ant2	5670	-1.68	≤11.00	0.89		PASS
	total Ant1	5670 5710_UNII-2C	1.41 -2.49	≤11.00 ≤11.00	6.99 0.08		PASS PASS
	Ant2	5710_UNII-2C	-2.49	≤11.00 ≤11.00	0.08		PASS
	total	5710_UNII-2C	0.63	≤11.00 ≤11.00	6.21		PASS
	Ant1	5710_UNII-3	-6.69	≤30.00	-4.12		PASS
	Ant2	5710_UNII-3	-6.63	≤30.00	-4.06		PASS
	total	5710_UNII-3	-3.65	≤30.00	1.93		PASS
	Ant1	5755	-4.93	≤30.00	-2.36		PASS
	Ant2	5755	-4.92	≤30.00	-2.35		PASS
	total	5755	-1.91	≤30.00	3.67		PASS
	Ant1	5795	-4.39	≤30.00	-1.82		PASS
	Ant2	5795	-5.08	≤30.00	-2.51		PASS
	total	5795	-1.71	≤30.00	3.87		PASS
	Ant1	5210	-3.81	≤11.00	-1.24	≤10.00	PASS
	Ant2	5210	-4.46	≤11.00	-1.89	≤10.00	PASS
	total	5210	-1.11	≤11.00	4.47	≤10.00	PASS
	Ant1	5290	-3.76	≤11.00	-1.19		PASS
	Ant2	5290	-3.76	≤11.00	-1.19		PASS
	total	5290 5530	-0.75 6.67	≤11.00	4.83		PASS PASS
	Ant1 Ant2	5530 5530	-6.67 -6.07	≤11.00 ≤11.00	-4.10 -3.50		PASS
	total	5530	-3.35	≤11.00 ≤11.00	2.23		PASS
11AC80MIMO	Ant1	5610	-6.29	≤11.00 ≤11.00	-3.72		PASS
	Ant2	5610	-6.43	≤11.00	-3.86		PASS
	total	5610	-3.35	≤11.00	2.23		PASS
	Ant1	5690_UNII-2C	-7.40	≤11.00	-4.83		PASS
	Ant2	5690_UNII-2C	-7.84	≤11.00	-5.27		PASS
	total	5690_UNII-2C	-4.60	≤11.00	0.98		PASS
	Ant1	5690_UNII-3	-12.04	≤30.00	-9.47		PASS
	Ant2	5690_UNII-3	-13.58	≤30.00	-11.01		PASS
	total	5690_UNII-3	-9.73	≤30.00	-4.15		PASS
	Ant1	5775	-6.46	≤30.00	-3.89		PASS



Page 289 of 327

Ant2	5775	-6.48	≤30.00	-3.91	 PASS
total	5775	-3.46	≤30.00	2.12	 PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.2. Test Graphs

