

Page 110 of 155

11.3. APPENDIX C: MAXIMUM CONDUCTED OUTPUT POWER 11.3.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
	Ant1	2412	14.41	≤30.00	PASS
	Ant2	2412	14.47	≤30.00	PASS
11B	Ant1	2437	14.44	≤30.00	PASS
IID	Ant2	2437	14.55	≤30.00	PASS
	Ant1	2462	14.71	≤30.00	PASS
	Ant2	2462	14.33	≤30.00	PASS
	Ant1	2412	14.36	≤30.00	PASS
	Ant2	2412	14.18	≤30.00	PASS
11G	Ant1	2437	14.42	≤30.00	PASS
116	Ant2	2437	14.34	≤30.00	PASS
	Ant1	2462	14.35	≤30.00	PASS
	Ant2	2462	14.32	≤30.00	PASS
	Ant1	2412	14.10	≤30.00	PASS
11N20SISO	Ant2	2412	14.07	≤30.00	PASS
	Ant1	2437	14.19	≤30.00	PASS
	Ant2	2437	14.19	≤30.00	PASS
	Ant1	2462	14.04	≤30.00	PASS
	Ant2	2462	14.14	≤30.00	PASS
	Ant1	2422	14.03	≤30.00	PASS
	Ant2	2422	14.07	≤30.00	PASS
11N40SISO	Ant1	2437	14.05	≤30.00	PASS
1111405150	Ant2	2437	14.14	≤30.00	PASS
	Ant1	2452	14.00	≤30.00	PASS
	Ant2	2452	14.14	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

^{2.} The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.

Page 111 of 155


11.4. APPENDIX D: MAXIMUM POWER SPECTRAL DENSITY 11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
	Ant1	2412	-16.26	≤8.00	PASS
	Ant2	2412	-16.43	≤8.00	PASS
11D	Ant1	2437	-16.27	≤8.00	PASS
11B	Ant2	2437	-16.49	≤8.00	PASS
	Ant1	2462	-16.22	≤8.00	PASS
	Ant2	2462	-16.57	≤8.00	PASS
	Ant1	2412	-14.95	≤8.00	PASS
	Ant2	2412	-15.60	≤8.00	PASS
11G	Ant1	2437	-15.15	≤8.00	PASS
110	Ant2	2437	-15.55	≤8.00	PASS
	Ant1	2462	-15.60	≤8.00	PASS
	Ant2	2462	-15.22	≤8.00	PASS
	Ant1	2412	-14.48	≤8.00	PASS
11N20SISO	Ant2	2412	-14.79	≤8.00	PASS
	Ant1	2437	-14.70	≤8.00	PASS
	Ant2	2437	-14.84	≤8.00	PASS
	Ant1	2462	-14.57	≤8.00	PASS
	Ant2	2462	-14.70	≤8.00	PASS
	Ant1	2422	-16.11	≤8.00	PASS
	Ant2	2422	-15.80	≤8.00	PASS
11N40SISO	Ant1	2437	-15.65	≤8.00	PASS
1111403130	Ant2	2437	-16.33	≤8.00	PASS
	Ant1	2452	-16.33	≤8.00	PASS
	Ant2	2452	-15.89	≤8.00	PASS


Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.




11.4.2. Test Graphs







































Page 120 of 155

11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
	Ant1	Low	2412	5.57	-46.15	≤-24.43	PASS
11B	Ant2	Low	2412	5.23	-42.27	≤-24.77	PASS
IID	Ant1	High	2462	6.02	-45.7	≤-23.98	PASS
	Ant2	High	2462	4.96	-46.92	≤-25.04	PASS
	Ant1	Low	2412	4.55	-37.41	≤-25.45	PASS
11G	Ant2	Low	2412	3.62	-35.59	≤-26.38	PASS
	Ant1	High	2462	1.70	-44.71	≤-28.3	PASS
	Ant2	High	2462	2.27	-45.24	≤-27.73	PASS
11N20SISO	Ant1	Low	2412	3.49	-37.36	≤-26.51	PASS
	Ant2	Low	2412	4.03	-36.84	≤-25.97	PASS
	Ant1	High	2462	3.74	-44.88	≤-26.26	PASS
	Ant2	High	2462	2.08	-45.92	≤-27.92	PASS
11N40SISO	Ant1	Low	2422	1.28	-39.12	≤-28.72	PASS
	Ant2	Low	2422	1.27	-37.47	≤-28.73	PASS
	Ant1	High	2452	1.06	-40.87	≤-28.94	PASS
	Ant2	High	2452	1.27	-41.16	≤-28.73	PASS




11.5.2. Test Graphs




























Page 127 of 155

11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
			Reference	5.68		PASS
	Ant1	2412	30~1000	-46.03	≤-24.32	PASS
	7 4161	2112	1000~26500	-40.94	≤-24.32	PASS
			Reference	5.89		PASS
	Ant2	2412	30~1000	-44.91	≤-24.11	PASS
	71112	2712	1000~26500	-40.67	≤-24.11	PASS
			Reference	5.82	= Z-T.11	PASS
	Ant1	2437	30~1000	-45.8	≤-24.18	PASS
		2107	1000~26500	-40.67	≤-24.18	PASS
11B			Reference	5.91		PASS
	Ant2	2437	30~1000	-45.95	≤-24.09	PASS
	71112	2407	1000~26500	-40.55	≤-24.09	PASS
			Reference	5.96	<u></u>	PASS
	Ant1	2462	30~1000	-45.82	≤-24.04	PASS
	Aliti	2402	1000~26500	-40.46	≤-24.04 ≤-24.04	PASS
			Reference	5.49	3-24.04	PASS
	Ant2	2462	30~1000	-45.09	 ≤-24.51	PASS
	AIILZ	2402	1000~26500	-39.92	≤-24.51 ≤-24.51	PASS
			Reference	3.73	≥-24.31	PASS
	Ant1	2412	30~1000	-45.04	 ≤-26.27	PASS
	Anti	2412		-45.04 -40.58	≤-26.27 ≤-26.27	
			1000~26500		≥-20.2 <i>1</i>	PASS PASS
	A = 40	0.440	Reference	4.36		
	Ant2	2412	30~1000	-45.8	≤-25.64	PASS PASS
			1000~26500	-40.35	≤-25.64	
	A == 4.4	0407	Reference	4.44		PASS
	Ant1	2437	30~1000	-45.94	≤-25.56	PASS
11G			1000~26500	-40.52	≤-25.56	PASS
	A = 40	0.407	Reference	4.63		PASS
	Ant2	2437	30~1000	-45.7	≤-25.37	PASS
			1000~26500	-39.99	≤-25.37	PASS
	Ant1	0.400	Reference	4.66		PASS
		2462	30~1000	-45.38	≤-25.34	PASS
			1000~26500	-40.17	≤-25.34	PASS
	Ant2	2462	Reference	4.64		PASS
			30~1000	-45.97	≤-25.36	PASS
			1000~26500	-40.78	≤-25.36	PASS
	Ant1	2412	Reference	4.68		PASS
			30~1000	-45.83	≤-25.32	PASS
			1000~26500	-40.71	≤-25.32	PASS
	Ant2	2412	Reference	4.51		PASS
			30~1000	-45.24	≤-25.49	PASS
			1000~26500	-39.75	≤-25.49	PASS
		2437	Reference	4.64		PASS
11N20SISO	Ant1		30~1000	-45.49	≤-25.36	PASS
			1000~26500	-40.36	≤-25.36	PASS
	Ant2	2437	Reference	4.01		PASS
			30~1000	-45.76	≤-25.99	PASS
			1000~26500	-40.73	≤-25.99	PASS
	Ant1	2462	Reference	4.61		PASS
			30~1000	-44.91	≤-25.39	PASS
			1000~26500	-41.03	≤-25.39	PASS
		<u> </u>	Reference	4.65		PASS
	Ant2	2462	30~1000	-45.2	≤-25.35	PASS
			1000~26500	-39.77	≤-25.35	PASS
11N40SISO	Ant1	2422	Reference	1.61		PASS



REPORT NO.: 4791456918-RF-1 Page 128 of 155

			30~1000	-45.81	≤-28.39	PASS
			1000~26500	-40.11	≤-28.39	PASS
		2422	Reference	1.39		PASS
	Ant2		30~1000	-45.48	≤-28.61	PASS
			1000~26500	-39.48	≤-28.61	PASS
	Ant1		Reference	1.35		PASS
		2437	30~1000	-45.37	≤-28.65	PASS
			1000~26500	-39.88	≤-28.65	PASS
	Ant2	2437	Reference	1.95		PASS
			30~1000	-45.48	≤-28.05	PASS
			1000~26500	-40.67	≤-28.05	PASS
	Ant1	2452	Reference	1.49		PASS
			30~1000	-45.31	≤-28.51	PASS
			1000~26500	-41.23	≤-28.51	PASS
	Ant2		Reference	1.71		PASS
		2452	30~1000	-45.63	≤-28.29	PASS
			1000~26500	-40.09	≤-28.29	PASS



11.6.2. Test Graphs

