



REPORT NO.: 4791220488-RF-3

Page 108 of 123

Appendix F: Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-50.08	≤-30	Pass
b	2462	Ant1	-52.04	≤-30	Pass
g	2412	Ant1	-42.57	≤-30	Pass
g	2462	Ant1	-50.82	≤-30	Pass
n20	2412	Ant1	-40.8	≤-30	Pass
n20	2462	Ant1	-49.38	≤-30	Pass
n40	2422	Ant1	-44.53	≤-30	Pass
n40	2452	Ant1	-44.36	≤-30	Pass






























REPORT NO.: 4791220488-RF-3

Page 115 of 123


## Appendix G: Conducted RF Spurious Emission

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-45.44	≤-30	Pass
b	2437	Ant1	-44.65	≤-30	Pass
b	2462	Ant1	-45.23	≤-30	Pass
g	2412	Ant1	-44.38	≤-30	Pass
g	2437	Ant1	-44.85	≤-30	Pass
g	2462	Ant1	-44.93	≤-30	Pass
n20	2412	Ant1	-44.62	≤-30	Pass
n20	2437	Ant1	-43.11	≤-30	Pass
n20	2462	Ant1	-43.06	≤-30	Pass
n40	2422	Ant1	-42.05	≤-30	Pass
n40	2437	Ant1	-42.14	≤-30	Pass
n40	2452	Ant1	-41.89	≤-30	Pass





































## END OF REPORT