



### UNII-2C\_TX N (HT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.201	0.00	-3.201	11.00	PASS
118	5590	-2.285	0.00	-2.285	11.00	PASS
134	5670	-0.646	0.00	-0.646	11.00	PASS


**CH102**



**CH118**




**CH134**




### UNII-2C\_TX N (HT40) Mode\_Ant 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.392	0.00	-2.392	11.00	PASS
118	5590	-1.509	0.00	-1.509	11.00	PASS
134	5670	-0.443	0.00	-0.443	11.00	PASS


**CH102**



**CH118**



**CH134**




### UNII-2C\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.233	11.00	PASS
118	5590	1.131	11.00	PASS
134	5670	2.699	11.00	PASS

### UNII-3\_TX A Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.341	0.00	-0.341	30.00	PASS
157	5785	-0.205	0.00	-0.205	30.00	PASS
165	5825	-0.063	0.00	-0.063	30.00	PASS


**CH149**



**CH157**




**CH165**




### UNII-3\_TX A Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.364	0.00	1.364	30.00	PASS
157	5785	0.682	0.00	0.682	30.00	PASS
165	5825	0.375	0.00	0.375	30.00	PASS


**CH149**



**CH157**




**CH165**




### UNII-3\_TX N (HT20) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.708	0.00	-0.708	30.00	PASS
157	5785	-0.919	0.00	-0.919	30.00	PASS
165	5825	-0.604	0.00	-0.604	30.00	PASS


CH149



CH157




CH165




### UNII-3\_TX N (HT20) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.017	0.00	-0.017	30.00	PASS
157	5785	1.010	0.00	1.010	30.00	PASS
165	5825	-1.061	0.00	-1.061	30.00	PASS


CH149



CH157



CH165




### UNII-3\_TX N (HT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.662	30.00	PASS
157	5785	3.162	30.00	PASS
165	5825	2.184	30.00	PASS


### UNII-3\_TX N (HT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.172	0.00	-3.172	30.00	PASS
159	5795	-3.646	0.00	-3.646	30.00	PASS

CH151




CH159




### UNII-3\_TX N (HT40) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.102	0.00	-2.102	30.00	PASS
159	5795	-3.116	0.00	-3.116	30.00	PASS

CH151



CH159




### UNII-3\_TX N (HT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.406	30.00	PASS
159	5795	-0.363	30.00	PASS


### UNII-1\_TX AC (VHT20) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.262	0.00	-0.262	11.00	PASS
40	5200	-0.250	0.00	-0.250	11.00	PASS
48	5240	-0.101	0.00	-0.101	11.00	PASS


**CH36**



**CH40**




**CH48**




### UNII-1\_TX AC (VHT20) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.343	0.00	-1.343	11.00	PASS
40	5200	-1.446	0.00	-1.446	11.00	PASS
48	5240	-1.109	0.00	-1.109	11.00	PASS


**CH36**



**CH40**



**CH48**



### UNII-1\_TX AC (VHT20) Mode\_Total For FCC

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.241	11.00	PASS
40	5200	2.203	11.00	PASS
48	5240	2.434	11.00	PASS


### UNII-1\_TX AC (VHT20) Mode\_Total For IC

Channel	Frequency (MHz)	EIRP Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.251	10.00	PASS
40	5200	9.213	10.00	PASS
48	5240	9.444	10.00	PASS


### UNII-2A\_TX AC (VHT20) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.673	0.00	-0.673	11.00	PASS
60	5300	-0.466	0.00	-0.466	11.00	PASS
64	5320	-0.676	0.00	-0.676	11.00	PASS


**CH52**



**CH60**




**CH64**




### UNII-2A\_TX AC (VHT20) Mode\_Ant 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.452	0.00	-1.452	11.00	PASS
60	5300	-1.772	0.00	-1.772	11.00	PASS
64	5320	-1.885	0.00	-1.885	11.00	PASS


**CH52**



**CH60**



**CH64**




### UNII-2A\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.965	11.00	PASS
60	5300	1.940	11.00	PASS
64	5320	1.772	11.00	PASS


### UNII-2C\_TX AC (VHT20) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.546	0.00	-0.546	11.00	PASS
120	5600	-0.404	0.00	-0.404	11.00	PASS
140	5700	-0.638	0.00	-0.638	11.00	PASS


**CH100**



**CH120**




**CH140**




### UNII-2C\_TX AC (VHT20) Mode\_Ant 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.107	0.00	-1.107	11.00	PASS
120	5600	-1.784	0.00	-1.784	11.00	PASS
140	5700	-1.388	0.00	-1.388	11.00	PASS


**CH100**



**CH120**



**CH140**




### UNII-2C\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.193	11.00	PASS
120	5600	1.971	11.00	PASS
140	5700	2.013	11.00	PASS


### UNII-1\_TX AC (VHT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.578	0.00	-3.578	11.00	PASS
46	5230	-3.241	0.00	-3.241	11.00	PASS

**CH38**




**CH46**




### UNII-1\_TX AC (VHT40) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-1.134	0.00	-1.134	11.00	PASS
46	5230	-1.177	0.00	-1.177	11.00	PASS

**CH38**



**CH46**



### UNII-1\_TX AC (VHT40) Mode\_Total For FCC

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.824	11.00	PASS
46	5230	0.923	11.00	PASS

### UNII-1\_TX AC (VHT40) Mode\_Total For IC


Channel	Frequency (MHz)	EIRP Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.834	10.00	PASS
46	5230	7.933	10.00	PASS




### UNII-2A\_TX AC (VHT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.948	0.00	-1.948	11.00	PASS
62	5310	-2.416	0.00	-2.416	11.00	PASS

**CH54**




**CH62**




### UNII-2A\_TX AC (VHT40) Mode\_Ant 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.712	0.00	-1.712	11.00	PASS
62	5310	-2.240	0.00	-2.240	11.00	PASS

**CH54**



**CH62**




### UNII-2A\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.182	11.00	PASS
62	5310	0.683	11.00	PASS


### UNII-2C\_TX AC (VHT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.631	0.00	-2.631	11.00	PASS
118	5590	-2.340	0.00	-2.340	11.00	PASS
134	5670	-1.424	0.00	-1.424	11.00	PASS


**CH102**



**CH118**




**CH134**




### UNII-2C\_TX AC (VHT40) Mode\_Ant 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.762	0.00	-2.762	11.00	PASS
118	5590	-2.112	0.00	-2.112	11.00	PASS
134	5670	-1.326	0.00	-1.326	11.00	PASS


**CH102**



**CH118**



**CH134**




### UNII-2C\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.314	11.00	PASS
118	5590	0.786	11.00	PASS
134	5670	1.636	11.00	PASS

### UNII-1\_TX AC (VHT80) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.320	0.00	-6.320	11.00	PASS


#### CH42



### UNII-1\_TX AC (VHT80) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.270	0.00	-7.270	11.00	PASS

#### CH42



### UNII-1\_TX AC (VHT80) Mode\_Total For FCC

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.759	11.00	PASS


### UNII-1\_TX AC (VHT80) Mode\_Total For IC

Channel	Frequency (MHz)	EIRP Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.251	10.00	PASS

### UNII-2A\_TX AC (VHT80) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.718	0.00	-6.718	11.00	PASS


#### CH58



### UNII-2A\_TX AC (VHT80) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.388	0.00	-7.388	11.00	PASS

#### CH58




### UNII-2A\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.030	11.00	PASS


### UNII-2C\_TX AC (VHT80) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-6.605	0.00	-6.605	11.00	PASS
122	5610	-6.847	0.00	-6.847	11.00	PASS

**CH106**




**CH122**




### UNII-2C\_TX AC (VHT80) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.081	0.00	-8.081	11.00	PASS
122	5610	-7.112	0.00	-7.112	11.00	PASS

**CH106**



**CH122**




### UNII-2C\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.270	11.00	PASS
122	5610	-3.967	11.00	PASS


### UNII-3\_TX AC (VHT20) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.503	0.00	-1.503	30.00	PASS
157	5785	-1.250	0.00	-1.250	30.00	PASS
165	5825	-1.848	0.00	-1.848	30.00	PASS


CH149



CH157




CH165




### UNII-3\_TX AC (VHT20) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	1.018	0.00	1.018	30.00	PASS
157	5785	0.571	0.00	0.571	30.00	PASS
165	5825	0.685	0.00	0.685	30.00	PASS


CH149



CH157



CH165




### UNII-3\_TX AC (VHT20) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.948	30.00	PASS
157	5785	2.766	30.00	PASS
165	5825	2.611	30.00	PASS


### UNII-3\_TX AC (VHT40) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-3.305	0.00	-3.305	30.00	PASS
159	5795	-3.430	0.00	-3.430	30.00	PASS

**CH151**




**CH159**




### UNII-3\_TX AC (VHT40) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.780	0.00	-1.780	30.00	PASS
159	5795	-2.779	0.00	-2.779	30.00	PASS

**CH151**



**CH159**




### UNII-3\_TX AC (VHT40) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.534	30.00	PASS
159	5795	-0.082	30.00	PASS

### UNII-3\_TX AC (VHT80) Mode\_Ant 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-7.426	0.00	-7.426	30.00	PASS


#### CH155



### UNII-3\_TX AC (VHT80) Mode\_Ant2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-8.788	0.00	-8.788	30.00	PASS

#### CH155



### UNII-3\_TX AC (VHT80) Mode\_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-5.044	30.00	PASS



## 9.FREQUENCY STABILITY MEASUREMENT

### 9.1LIMIT

FCC Part15, Subpart E (15.407)&RSS-GEN			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(g) RSS-GEN 6.11	Frequency Stability	Specified in the user's manual	5150-5250
			5725-5850

### 9.2TEST PROCEDURE AND SETTING


- The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram below.
- Spectrum Setting:

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	Entire absence of modulation emissions bandwidth
RBW	10 kHz
VBW	10kHz
Sweep Time	Auto

### 9.3MEASUREMENT INSTRUMENTS LIST

Item	Kind of Equipment	Manufacturer	Type No.	Serial No.	Calibrated until
1	Spectrum analyzer	KEYSIGHT	N9010A	MY55150427	2022/05/28
2	Attenuator	Mini-Circuits	BW-S10W2	101109	N/A
3	RF Cable	Mi-cable	C10-01-01-1	100309	N/A
4	Temperature conditioning	Guan Jian.HTH1000	-20-130°C	GJ1000-10D001	N/A
5	DC Power Supply	G.KE	IPR-10010D	010931954	N/A

### 9.4TEST SETUP



### 9.5EUT OPERATION CONDITIONS

The EUT was programmed to be in continuously transmitting mode.

## 9.6 TEST RESULTS

Temperature vs. Frequency Stability-UNII-1		
Voltage	Temperature	Measurement Frequency (MHz)
3.3V	(°C)	5180
	-20	5179.9720
	25	5179.9722
	50	5179.9722
2.2V	25	5179.9722
Max. Deviation (MHz)		-0.03
Max. Deviation (ppm)		-5.41

Temperature vs. Frequency Stability-UNII-2A		
Voltage	Temperature	Measurement Frequency (MHz)
3.3V	(°C)	5260
	-20	5259.9716
	25	5259.9716
	50	5259.9718
2.2V	25	5259.9716
Max. Deviation (MHz)		-0.03
Max. Deviation (ppm)		-5.40

Temperature vs. Frequency Stability-UNII-2C		
Voltage	Temperature	Measurement Frequency (MHz)
3.3V	(°C)	5500
	-20	5499.9704
	25	5499.9706
	50	5499.9708
2.2V	25	5499.9706
Max. Deviation (MHz)		-0.03
Max. Deviation (ppm)		-5.38

Temperature vs. Frequency Stability-UNII-3		
Voltage	Temperature	Measurement Frequency (MHz)
3.3V	(°C)	5745
	-20	5744.9700
	25	5744.9736
	50	5744.9764
2.2V	25	5744.9764
Max. Deviation (MHz)		-0.03
Max. Deviation (ppm)		-5.22

Note: 2.2V is the end point voltage, and products below 2.2V will cease working.

**END OF TEST REPORT**