





|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5290   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8925.000        | 36.68          | 9.82           | 46.50           | 74.00          | -27.50      | peak   |
| 2   | 10872.000       | 34.04          | 14.23          | 48.27           | 74.00          | -25.73      | peak   |
| 3   | 11510.000       | 32.62          | 16.79          | 49.41           | 74.00          | -24.59      | peak   |
| 4   | 13061.000       | 30.98          | 18.71          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 13996.000       | 27.29          | 21.87          | 49.16           | 74.00          | -24.84      | peak   |
| 6   | 17989.000       | 23.86          | 26.04          | 49.90           | 74.00          | -24.10      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5530   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.21          | 10.49          | 46.70           | 74.00          | -27.30      | peak   |
| 2   | 10300.000       | 35.57          | 12.40          | 47.97           | 74.00          | -26.03      | peak   |
| 3   | 11686.000       | 32.87          | 17.12          | 49.99           | 74.00          | -24.01      | peak   |
| 4   | 12698.000       | 32.19          | 18.08          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 13930.000       | 28.97          | 21.71          | 50.68           | 74.00          | -23.32      | peak   |
| 6   | 17945.000       | 24.80          | 25.75          | 50.55           | 74.00          | -23.45      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5530   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7836.000        | 38.18          | 6.58           | 44.76           | 74.00          | -29.24      | peak   |
| 2   | 8991.000        | 35.81          | 10.28          | 46.09           | 74.00          | -27.91      | peak   |
| 3   | 11664.000       | 32.76          | 17.08          | 49.84           | 74.00          | -24.16      | peak   |
| 4   | 12643.000       | 31.82          | 18.01          | 49.83           | 74.00          | -24.17      | peak   |
| 5   | 13523.000       | 28.84          | 20.70          | 49.54           | 74.00          | -24.46      | peak   |
| 6   | 17923.000       | 24.44          | 25.60          | 50.04           | 74.00          | -23.96      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5610   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7308.000        | 36.99          | 6.94           | 43.93           | 74.00          | -30.07      | peak   |
| 2   | 8936.000        | 36.52          | 9.90           | 46.42           | 74.00          | -27.58      | peak   |
| 3   | 11026.000       | 34.31          | 14.82          | 49.13           | 74.00          | -24.87      | peak   |
| 4   | 11697.000       | 32.50          | 17.13          | 49.63           | 74.00          | -24.37      | peak   |
| 5   | 13864.000       | 28.50          | 21.53          | 50.03           | 74.00          | -23.97      | peak   |
| 6   | 18000.000       | 24.33          | 26.12          | 50.45           | 74.00          | -23.55      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5610   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.30          | 10.55          | 46.85           | 74.00          | -27.15      | peak   |
| 2   | 11004.000       | 33.76          | 14.74          | 48.50           | 74.00          | -25.50      | peak   |
| 3   | 11851.000       | 32.73          | 17.43          | 50.16           | 74.00          | -23.84      | peak   |
| 4   | 12654.000       | 32.31          | 18.01          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 13919.000       | 28.85          | 21.68          | 50.53           | 74.00          | -23.47      | peak   |
| 6   | 17593.000       | 26.84          | 23.34          | 50.18           | 74.00          | -23.82      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5690   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8848.000        | 37.85          | 9.29           | 47.14           | 74.00          | -26.86      | peak   |
| 2   | 11037.000       | 34.65          | 14.87          | 49.52           | 74.00          | -24.48      | peak   |
| 3   | 11774.000       | 32.63          | 17.28          | 49.91           | 74.00          | -24.09      | peak   |
| 4   | 12698.000       | 32.18          | 18.08          | 50.26           | 74.00          | -23.74      | peak   |
| 5   | 13622.000       | 28.88          | 20.95          | 49.83           | 74.00          | -24.17      | peak   |
| 6   | 18000.000       | 23.90          | 26.12          | 50.02           | 74.00          | -23.98      | peak   |



|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5690   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.17          | 10.56          | 46.73           | 74.00          | -27.27      | peak   |
| 2   | 11059.000       | 34.20          | 14.96          | 49.16           | 74.00          | -24.84      | peak   |
| 3   | 11774.000       | 32.07          | 17.28          | 49.35           | 74.00          | -24.65      | peak   |
| 4   | 13600.000       | 29.14          | 20.89          | 50.03           | 74.00          | -23.97      | peak   |
| 5   | 13886.000       | 28.19          | 21.60          | 49.79           | 74.00          | -24.21      | peak   |
| 6   | 17912.000       | 24.50          | 25.52          | 50.02           | 74.00          | -23.98      | peak   |



**ANT-WCT5H-40**

|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 35.75          | 10.46          | 46.21           | 74.00          | -27.79      | peak   |
| 2   | 11048.000       | 34.40          | 14.91          | 49.31           | 74.00          | -24.69      | peak   |
| 3   | 11752.000       | 33.38          | 17.24          | 50.62           | 74.00          | -23.38      | peak   |
| 4   | 12654.000       | 32.73          | 18.01          | 50.74           | 74.00          | -23.26      | peak   |
| 5   | 13534.000       | 29.82          | 20.73          | 50.55           | 74.00          | -23.45      | peak   |
| 6   | 18000.000       | 25.10          | 26.12          | 51.22           | 74.00          | -22.78      | peak   |






|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7594.000        | 38.36          | 6.79           | 45.15           | 74.00          | -28.85      | peak   |
| 2   | 9068.000        | 36.62          | 10.39          | 47.01           | 74.00          | -26.99      | peak   |
| 3   | 11070.000       | 34.31          | 15.01          | 49.32           | 74.00          | -24.68      | peak   |
| 4   | 11873.000       | 33.15          | 17.46          | 50.61           | 74.00          | -23.39      | peak   |
| 5   | 12643.000       | 32.51          | 18.01          | 50.52           | 74.00          | -23.48      | peak   |
| 6   | 18000.000       | 24.12          | 26.12          | 50.24           | 74.00          | -23.76      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5280   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8056.000        | 37.90          | 6.48           | 44.38           | 74.00          | -29.62      | peak   |
| 2   | 9057.000        | 36.72          | 10.38          | 47.10           | 74.00          | -26.90      | peak   |
| 3   | 11675.000       | 33.74          | 17.10          | 50.84           | 74.00          | -23.16      | peak   |
| 4   | 12368.000       | 32.69          | 17.80          | 50.49           | 74.00          | -23.51      | peak   |
| 5   | 17703.000       | 26.15          | 24.09          | 50.24           | 74.00          | -23.76      | peak   |
| 6   | 18000.000       | 24.56          | 26.12          | 50.68           | 74.00          | -23.32      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5280   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 36.69          | 10.47          | 47.16           | 74.00          | -26.84      | peak   |
| 2   | 11048.000       | 34.43          | 14.91          | 49.34           | 74.00          | -24.66      | peak   |
| 3   | 11785.000       | 32.37          | 17.30          | 49.67           | 74.00          | -24.33      | peak   |
| 4   | 13424.000       | 29.65          | 20.30          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13864.000       | 28.09          | 21.53          | 49.62           | 74.00          | -24.38      | peak   |
| 6   | 17956.000       | 23.85          | 25.82          | 49.67           | 74.00          | -24.33      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5320   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 37.52          | 10.39          | 47.91           | 74.00          | -26.09      | peak   |
| 2   | 10872.000       | 35.29          | 14.23          | 49.52           | 74.00          | -24.48      | peak   |
| 3   | 11433.000       | 33.37          | 16.50          | 49.87           | 74.00          | -24.13      | peak   |
| 4   | 12610.000       | 32.41          | 17.97          | 50.38           | 74.00          | -23.62      | peak   |
| 5   | 13534.000       | 29.89          | 20.73          | 50.62           | 74.00          | -23.38      | peak   |
| 6   | 18000.000       | 24.38          | 26.12          | 50.50           | 74.00          | -23.50      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5320   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8331.000        | 37.26          | 6.73           | 43.99           | 74.00          | -30.01      | peak   |
| 2   | 9057.000        | 35.93          | 10.38          | 46.31           | 74.00          | -27.69      | peak   |
| 3   | 11422.000       | 33.27          | 16.46          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12742.000       | 32.42          | 18.13          | 50.55           | 74.00          | -23.45      | peak   |
| 5   | 13512.000       | 29.31          | 20.68          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17978.000       | 24.52          | 25.97          | 50.49           | 74.00          | -23.51      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5500   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.35          | 10.55          | 46.90           | 74.00          | -27.10      | peak   |
| 2   | 11059.000       | 34.73          | 14.96          | 49.69           | 74.00          | -24.31      | peak   |
| 3   | 11444.000       | 33.38          | 16.53          | 49.91           | 74.00          | -24.09      | peak   |
| 4   | 11818.000       | 32.54          | 17.36          | 49.90           | 74.00          | -24.10      | peak   |
| 5   | 13798.000       | 28.09          | 21.38          | 49.47           | 74.00          | -24.53      | peak   |
| 6   | 17923.000       | 23.54          | 25.60          | 49.14           | 74.00          | -24.86      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5500   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.60          | 6.68           | 45.28           | 74.00          | -28.72      | peak   |
| 2   | 8903.000        | 37.04          | 9.66           | 46.70           | 74.00          | -27.30      | peak   |
| 3   | 11004.000       | 33.27          | 14.74          | 48.01           | 74.00          | -25.99      | peak   |
| 4   | 11697.000       | 31.95          | 17.13          | 49.08           | 74.00          | -24.92      | peak   |
| 5   | 13919.000       | 27.98          | 21.68          | 49.66           | 74.00          | -24.34      | peak   |
| 6   | 17989.000       | 24.38          | 26.04          | 50.42           | 74.00          | -23.58      | peak   |



|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5580   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7495.000        | 38.00          | 6.87           | 44.87           | 74.00          | -29.13      | peak   |
| 2   | 9332.000        | 36.32          | 10.54          | 46.86           | 74.00          | -27.14      | peak   |
| 3   | 11147.000       | 35.03          | 15.32          | 50.35           | 74.00          | -23.65      | peak   |
| 4   | 11686.000       | 33.42          | 17.12          | 50.54           | 74.00          | -23.46      | peak   |
| 5   | 13622.000       | 29.64          | 20.95          | 50.59           | 74.00          | -23.41      | peak   |
| 6   | 17989.000       | 24.29          | 26.04          | 50.33           | 74.00          | -23.67      | peak   |






|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5580   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 35.84          | 10.49          | 46.33           | 74.00          | -27.67      | peak   |
| 2   | 10861.000       | 35.65          | 14.20          | 49.85           | 74.00          | -24.15      | peak   |
| 3   | 11708.000       | 32.77          | 17.16          | 49.93           | 74.00          | -24.07      | peak   |
| 4   | 12302.000       | 32.20          | 17.78          | 49.98           | 74.00          | -24.02      | peak   |
| 5   | 13919.000       | 28.23          | 21.68          | 49.91           | 74.00          | -24.09      | peak   |
| 6   | 17989.000       | 24.08          | 26.04          | 50.12           | 74.00          | -23.88      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5700   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 35.87          | 10.46          | 46.33           | 74.00          | -27.67      | peak   |
| 2   | 10234.000       | 35.42          | 12.26          | 47.68           | 74.00          | -26.32      | peak   |
| 3   | 11400.000       | 34.37          | 16.36          | 50.73           | 74.00          | -23.27      | peak   |
| 4   | 12621.000       | 31.82          | 17.98          | 49.80           | 74.00          | -24.20      | peak   |
| 5   | 13963.000       | 27.93          | 21.78          | 49.71           | 74.00          | -24.29      | peak   |
| 6   | 17967.000       | 24.13          | 25.89          | 50.02           | 74.00          | -23.98      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5700   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 36.46          | 10.28          | 46.74           | 74.00          | -27.26      | peak   |
| 2   | 10201.000       | 35.87          | 12.19          | 48.06           | 74.00          | -25.94      | peak   |
| 3   | 11422.000       | 33.71          | 16.46          | 50.17           | 74.00          | -23.83      | peak   |
| 4   | 12643.000       | 32.35          | 18.01          | 50.36           | 74.00          | -23.64      | peak   |
| 5   | 13523.000       | 30.13          | 20.70          | 50.83           | 74.00          | -23.17      | peak   |
| 6   | 17956.000       | 24.58          | 25.82          | 50.40           | 74.00          | -23.60      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5720   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 36.67          | 10.53          | 47.20           | 74.00          | -26.80      | peak   |
| 2   | 10707.000       | 34.37          | 13.60          | 47.97           | 74.00          | -26.03      | peak   |
| 3   | 11642.000       | 32.87          | 17.03          | 49.90           | 74.00          | -24.10      | peak   |
| 4   | 12687.000       | 31.82          | 18.05          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13545.000       | 28.80          | 20.75          | 49.55           | 74.00          | -24.45      | peak   |
| 6   | 18000.000       | 23.83          | 26.12          | 49.95           | 74.00          | -24.05      | peak   |




|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5720   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.81          | 10.21          | 47.02           | 74.00          | -26.98      | peak   |
| 2   | 11037.000       | 34.90          | 14.87          | 49.77           | 74.00          | -24.23      | peak   |
| 3   | 11389.000       | 33.53          | 16.31          | 49.84           | 74.00          | -24.16      | peak   |
| 4   | 12225.000       | 31.35          | 17.75          | 49.10           | 74.00          | -24.90      | peak   |
| 5   | 13919.000       | 27.69          | 21.68          | 49.37           | 74.00          | -24.63      | peak   |
| 6   | 18000.000       | 24.50          | 26.12          | 50.62           | 74.00          | -23.38      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5260   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 35.80          | 10.53          | 46.33           | 74.00          | -27.67      | peak   |
| 2   | 11048.000       | 34.61          | 14.91          | 49.52           | 74.00          | -24.48      | peak   |
| 3   | 11796.000       | 32.97          | 17.32          | 50.29           | 74.00          | -23.71      | peak   |
| 4   | 13578.000       | 29.63          | 20.83          | 50.46           | 74.00          | -23.54      | peak   |
| 5   | 13908.000       | 28.62          | 21.66          | 50.28           | 74.00          | -23.72      | peak   |
| 6   | 17714.000       | 26.74          | 24.16          | 50.90           | 74.00          | -23.10      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5260   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9387.000        | 36.07          | 10.58          | 46.65           | 74.00          | -27.35      | peak   |
| 2   | 10575.000       | 34.82          | 13.10          | 47.92           | 74.00          | -26.08      | peak   |
| 3   | 11279.000       | 33.30          | 15.86          | 49.16           | 74.00          | -24.84      | peak   |
| 4   | 11675.000       | 32.69          | 17.10          | 49.79           | 74.00          | -24.21      | peak   |
| 5   | 13534.000       | 29.02          | 20.73          | 49.75           | 74.00          | -24.25      | peak   |
| 6   | 17989.000       | 24.20          | 26.04          | 50.24           | 74.00          | -23.76      | peak   |



|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5280   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7759.000        | 38.23          | 6.64           | 44.87           | 74.00          | -29.13      | peak   |
| 2   | 9189.000        | 36.05          | 10.46          | 46.51           | 74.00          | -27.49      | peak   |
| 3   | 11708.000       | 33.36          | 17.16          | 50.52           | 74.00          | -23.48      | peak   |
| 4   | 12544.000       | 32.18          | 17.88          | 50.06           | 74.00          | -23.94      | peak   |
| 5   | 13622.000       | 29.17          | 20.95          | 50.12           | 74.00          | -23.88      | peak   |
| 6   | 17934.000       | 24.49          | 25.67          | 50.16           | 74.00          | -23.84      | peak   |






|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5280   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7825.000        | 37.35          | 6.58           | 43.93           | 74.00          | -30.07      | peak   |
| 2   | 9178.000        | 36.40          | 10.45          | 46.85           | 74.00          | -27.15      | peak   |
| 3   | 11257.000       | 33.77          | 15.78          | 49.55           | 74.00          | -24.45      | peak   |
| 4   | 11807.000       | 33.10          | 17.34          | 50.44           | 74.00          | -23.56      | peak   |
| 5   | 13534.000       | 29.10          | 20.73          | 49.83           | 74.00          | -24.17      | peak   |
| 6   | 17945.000       | 24.74          | 25.75          | 50.49           | 74.00          | -23.51      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5320   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 37.73          | 6.68           | 44.41           | 74.00          | -29.59      | peak   |
| 2   | 9321.000        | 36.27          | 10.53          | 46.80           | 74.00          | -27.20      | peak   |
| 3   | 11004.000       | 35.00          | 14.74          | 49.74           | 74.00          | -24.26      | peak   |
| 4   | 11675.000       | 33.65          | 17.10          | 50.75           | 74.00          | -23.25      | peak   |
| 5   | 13556.000       | 29.29          | 20.78          | 50.07           | 74.00          | -23.93      | peak   |
| 6   | 17934.000       | 24.70          | 25.67          | 50.37           | 74.00          | -23.63      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5320   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7880.000        | 39.12          | 6.54           | 45.66           | 74.00          | -28.34      | peak   |
| 2   | 9068.000        | 36.61          | 10.39          | 47.00           | 74.00          | -27.00      | peak   |
| 3   | 11763.000       | 33.27          | 17.26          | 50.53           | 74.00          | -23.47      | peak   |
| 4   | 12654.000       | 32.08          | 18.01          | 50.09           | 74.00          | -23.91      | peak   |
| 5   | 14062.000       | 28.10          | 21.62          | 49.72           | 74.00          | -24.28      | peak   |
| 6   | 17967.000       | 24.43          | 25.89          | 50.32           | 74.00          | -23.68      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5500   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 36.24          | 10.53          | 46.77           | 74.00          | -27.23      | peak   |
| 2   | 11004.000       | 34.43          | 14.74          | 49.17           | 74.00          | -24.83      | peak   |
| 3   | 11708.000       | 33.26          | 17.16          | 50.42           | 74.00          | -23.58      | peak   |
| 4   | 12709.000       | 32.45          | 18.09          | 50.54           | 74.00          | -23.46      | peak   |
| 5   | 13919.000       | 27.81          | 21.68          | 49.49           | 74.00          | -24.51      | peak   |
| 6   | 17989.000       | 24.63          | 26.04          | 50.67           | 74.00          | -23.33      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5500   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.43          | 10.46          | 46.89           | 74.00          | -27.11      | peak   |
| 2   | 10872.000       | 34.03          | 14.23          | 48.26           | 74.00          | -25.74      | peak   |
| 3   | 11587.000       | 32.71          | 16.93          | 49.64           | 74.00          | -24.36      | peak   |
| 4   | 12588.000       | 31.04          | 17.94          | 48.98           | 74.00          | -25.02      | peak   |
| 5   | 13919.000       | 27.52          | 21.68          | 49.20           | 74.00          | -24.80      | peak   |
| 6   | 17934.000       | 24.43          | 25.67          | 50.10           | 74.00          | -23.90      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5580   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7803.000        | 37.18          | 6.60           | 43.78           | 74.00          | -30.22      | peak   |
| 2   | 9354.000        | 35.74          | 10.56          | 46.30           | 74.00          | -27.70      | peak   |
| 3   | 11158.000       | 37.04          | 15.37          | 52.41           | 74.00          | -21.59      | peak   |
| 4   | 11158.000       | 28.43          | 15.37          | 43.80           | 54.00          | -10.20      | AVG    |
| 5   | 12687.000       | 31.77          | 18.05          | 49.82           | 74.00          | -24.18      | peak   |
| 6   | 13809.000       | 28.68          | 21.41          | 50.09           | 74.00          | -23.91      | peak   |
| 7   | 17879.000       | 25.15          | 25.29          | 50.44           | 74.00          | -23.56      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5580   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.09          | 10.51          | 46.60           | 74.00          | -27.40      | peak   |
| 2   | 11048.000       | 33.99          | 14.91          | 48.90           | 74.00          | -25.10      | peak   |
| 3   | 11741.000       | 33.25          | 17.22          | 50.47           | 74.00          | -23.53      | peak   |
| 4   | 12676.000       | 31.86          | 18.05          | 49.91           | 74.00          | -24.09      | peak   |
| 5   | 13919.000       | 28.05          | 21.68          | 49.73           | 74.00          | -24.27      | peak   |
| 6   | 18000.000       | 24.82          | 26.12          | 50.94           | 74.00          | -23.06      | peak   |



|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5700   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 37.94          | 6.68           | 44.62           | 74.00          | -29.38      | peak   |
| 2   | 9189.000        | 36.11          | 10.46          | 46.57           | 74.00          | -27.43      | peak   |
| 3   | 11400.000       | 35.59          | 16.36          | 51.95           | 74.00          | -22.05      | peak   |
| 4   | 11400.000       | 26.14          | 16.36          | 42.50           | 54.00          | -11.50      | AVG    |
| 5   | 12632.000       | 32.09          | 17.99          | 50.08           | 74.00          | -23.92      | peak   |
| 6   | 13875.000       | 29.14          | 21.57          | 50.71           | 74.00          | -23.29      | peak   |
| 7   | 18000.000       | 24.19          | 26.12          | 50.31           | 74.00          | -23.69      | peak   |






|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5700   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 35.62          | 10.43          | 46.05           | 74.00          | -27.95      | peak   |
| 2   | 10850.000       | 34.30          | 14.15          | 48.45           | 74.00          | -25.55      | peak   |
| 3   | 11895.000       | 32.73          | 17.51          | 50.24           | 74.00          | -23.76      | peak   |
| 4   | 13116.000       | 30.94          | 18.96          | 49.90           | 74.00          | -24.10      | peak   |
| 5   | 13919.000       | 28.30          | 21.68          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17934.000       | 24.92          | 25.67          | 50.59           | 74.00          | -23.41      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5720   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 37.61          | 6.68           | 44.29           | 74.00          | -29.71      | peak   |
| 2   | 9057.000        | 36.55          | 10.38          | 46.93           | 74.00          | -27.07      | peak   |
| 3   | 11444.000       | 33.96          | 16.53          | 50.49           | 74.00          | -23.51      | peak   |
| 4   | 12654.000       | 31.74          | 18.01          | 49.75           | 74.00          | -24.25      | peak   |
| 5   | 13468.000       | 29.91          | 20.50          | 50.41           | 74.00          | -23.59      | peak   |
| 6   | 17978.000       | 24.06          | 25.97          | 50.03           | 74.00          | -23.97      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT20 | Channel:      | 5720   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.60          | 6.68           | 45.28           | 74.00          | -28.72      | peak   |
| 2   | 9244.000        | 36.51          | 10.49          | 47.00           | 74.00          | -27.00      | peak   |
| 3   | 10993.000       | 34.52          | 14.70          | 49.22           | 74.00          | -24.78      | peak   |
| 4   | 12687.000       | 31.49          | 18.05          | 49.54           | 74.00          | -24.46      | peak   |
| 5   | 13996.000       | 27.80          | 21.87          | 49.67           | 74.00          | -24.33      | peak   |
| 6   | 17692.000       | 26.38          | 24.01          | 50.39           | 74.00          | -23.61      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5270   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 37.82          | 6.68           | 44.50           | 74.00          | -29.50      | peak   |
| 2   | 8925.000        | 36.41          | 9.82           | 46.23           | 74.00          | -27.77      | peak   |
| 3   | 10949.000       | 34.15          | 14.52          | 48.67           | 74.00          | -25.33      | peak   |
| 4   | 11884.000       | 32.64          | 17.48          | 50.12           | 74.00          | -23.88      | peak   |
| 5   | 13534.000       | 29.50          | 20.73          | 50.23           | 74.00          | -23.77      | peak   |
| 6   | 17967.000       | 24.95          | 25.89          | 50.84           | 74.00          | -23.16      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5270   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7880.000        | 37.39          | 6.54           | 43.93           | 74.00          | -30.07      | peak   |
| 2   | 9057.000        | 35.75          | 10.38          | 46.13           | 74.00          | -27.87      | peak   |
| 3   | 11334.000       | 33.29          | 16.09          | 49.38           | 74.00          | -24.62      | peak   |
| 4   | 11884.000       | 32.00          | 17.48          | 49.48           | 74.00          | -24.52      | peak   |
| 5   | 13930.000       | 27.74          | 21.71          | 49.45           | 74.00          | -24.55      | peak   |
| 6   | 18000.000       | 23.18          | 26.12          | 49.30           | 74.00          | -24.70      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5310   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7759.000        | 36.90          | 6.64           | 43.54           | 74.00          | -30.46      | peak   |
| 2   | 8980.000        | 36.29          | 10.21          | 46.50           | 74.00          | -27.50      | peak   |
| 3   | 11015.000       | 34.68          | 14.79          | 49.47           | 74.00          | -24.53      | peak   |
| 4   | 11576.000       | 33.01          | 16.91          | 49.92           | 74.00          | -24.08      | peak   |
| 5   | 13424.000       | 30.50          | 20.30          | 50.80           | 74.00          | -23.20      | peak   |
| 6   | 17989.000       | 24.19          | 26.04          | 50.23           | 74.00          | -23.77      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5310   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.23          | 6.68           | 44.91           | 74.00          | -29.09      | peak   |
| 2   | 9057.000        | 36.67          | 10.38          | 47.05           | 74.00          | -26.95      | peak   |
| 3   | 11048.000       | 34.73          | 14.91          | 49.64           | 74.00          | -24.36      | peak   |
| 4   | 11807.000       | 32.94          | 17.34          | 50.28           | 74.00          | -23.72      | peak   |
| 5   | 13534.000       | 29.60          | 20.73          | 50.33           | 74.00          | -23.67      | peak   |
| 6   | 17956.000       | 24.67          | 25.82          | 50.49           | 74.00          | -23.51      | peak   |



|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5510   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7726.000        | 37.73          | 6.68           | 44.41           | 74.00          | -29.59      | peak   |
| 2   | 9068.000        | 36.14          | 10.39          | 46.53           | 74.00          | -27.47      | peak   |
| 3   | 11422.000       | 34.13          | 16.46          | 50.59           | 74.00          | -23.41      | peak   |
| 4   | 11895.000       | 33.11          | 17.51          | 50.62           | 74.00          | -23.38      | peak   |
| 5   | 13611.000       | 28.96          | 20.92          | 49.88           | 74.00          | -24.12      | peak   |
| 6   | 17967.000       | 23.87          | 25.89          | 49.76           | 74.00          | -24.24      | peak   |






|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5510   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7605.000        | 37.58          | 6.78           | 44.36           | 74.00          | -29.64      | peak   |
| 2   | 8958.000        | 37.57          | 10.05          | 47.62           | 74.00          | -26.38      | peak   |
| 3   | 11026.000       | 35.20          | 14.82          | 50.02           | 74.00          | -23.98      | peak   |
| 4   | 11675.000       | 33.22          | 17.10          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 13534.000       | 29.67          | 20.73          | 50.40           | 74.00          | -23.60      | peak   |
| 6   | 17989.000       | 24.48          | 26.04          | 50.52           | 74.00          | -23.48      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5550   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8045.000        | 37.67          | 6.47           | 44.14           | 74.00          | -29.86      | peak   |
| 2   | 8859.000        | 36.99          | 9.36           | 46.35           | 74.00          | -27.65      | peak   |
| 3   | 10883.000       | 35.02          | 14.27          | 49.29           | 74.00          | -24.71      | peak   |
| 4   | 11774.000       | 31.73          | 17.28          | 49.01           | 74.00          | -24.99      | peak   |
| 5   | 13864.000       | 27.24          | 21.53          | 48.77           | 74.00          | -25.23      | peak   |
| 6   | 17945.000       | 23.05          | 25.75          | 48.80           | 74.00          | -25.20      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5550   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.04          | 10.41          | 46.45           | 74.00          | -27.55      | peak   |
| 2   | 10080.000       | 35.05          | 11.93          | 46.98           | 74.00          | -27.02      | peak   |
| 3   | 11697.000       | 32.78          | 17.13          | 49.91           | 74.00          | -24.09      | peak   |
| 4   | 12709.000       | 31.86          | 18.09          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 14436.000       | 30.02          | 20.05          | 50.07           | 74.00          | -23.93      | peak   |
| 6   | 17989.000       | 24.36          | 26.04          | 50.40           | 74.00          | -23.60      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5670   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 35.69          | 10.43          | 46.12           | 74.00          | -27.88      | peak   |
| 2   | 10168.000       | 35.65          | 12.13          | 47.78           | 74.00          | -26.22      | peak   |
| 3   | 11323.000       | 33.64          | 16.05          | 49.69           | 74.00          | -24.31      | peak   |
| 4   | 12698.000       | 32.19          | 18.08          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 13864.000       | 28.56          | 21.53          | 50.09           | 74.00          | -23.91      | peak   |
| 6   | 17692.000       | 26.21          | 24.01          | 50.22           | 74.00          | -23.78      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5670   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 36.53          | 10.38          | 46.91           | 74.00          | -27.09      | peak   |
| 2   | 10157.000       | 35.43          | 12.10          | 47.53           | 74.00          | -26.47      | peak   |
| 3   | 11389.000       | 33.50          | 16.31          | 49.81           | 74.00          | -24.19      | peak   |
| 4   | 12665.000       | 31.32          | 18.04          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13919.000       | 28.37          | 21.68          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 17945.000       | 24.69          | 25.75          | 50.44           | 74.00          | -23.56      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5710   |
| Polarity:  | Horizontal   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8958.000        | 35.39          | 10.05          | 45.44           | 74.00          | -28.56      | peak   |
| 2   | 10234.000       | 34.76          | 12.26          | 47.02           | 74.00          | -26.98      | peak   |
| 3   | 11411.000       | 34.38          | 16.41          | 50.79           | 74.00          | -23.21      | peak   |
| 4   | 12643.000       | 32.62          | 18.01          | 50.63           | 74.00          | -23.37      | peak   |
| 5   | 13930.000       | 28.17          | 21.71          | 49.88           | 74.00          | -24.12      | peak   |
| 6   | 17989.000       | 24.49          | 26.04          | 50.53           | 74.00          | -23.47      | peak   |




|            |              |               |        |
|------------|--------------|---------------|--------|
| Test Mode: | 802.11n HT40 | Channel:      | 5710   |
| Polarity:  | Vertical     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8870.000        | 37.27          | 9.44           | 46.71           | 74.00          | -27.29      | peak   |
| 2   | 10289.000       | 34.78          | 12.38          | 47.16           | 74.00          | -26.84      | peak   |
| 3   | 11598.000       | 33.01          | 16.96          | 49.97           | 74.00          | -24.03      | peak   |
| 4   | 12698.000       | 31.75          | 18.08          | 49.83           | 74.00          | -24.17      | peak   |
| 5   | 13930.000       | 28.45          | 21.71          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 17978.000       | 24.49          | 25.97          | 50.46           | 74.00          | -23.54      | peak   |



|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5290   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7638.000        | 37.34          | 6.75           | 44.09           | 74.00          | -29.91      | peak   |
| 2   | 9343.000        | 36.03          | 10.55          | 46.58           | 74.00          | -27.42      | peak   |
| 3   | 11389.000       | 34.11          | 16.31          | 50.42           | 74.00          | -23.58      | peak   |
| 4   | 11686.000       | 33.24          | 17.12          | 50.36           | 74.00          | -23.64      | peak   |
| 5   | 13622.000       | 29.10          | 20.95          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 17945.000       | 24.58          | 25.75          | 50.33           | 74.00          | -23.67      | peak   |






|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5290   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8012.000        | 37.40          | 6.44           | 43.84           | 74.00          | -30.16      | peak   |
| 2   | 9299.000        | 35.78          | 10.53          | 46.31           | 74.00          | -27.69      | peak   |
| 3   | 10091.000       | 36.03          | 11.97          | 48.00           | 74.00          | -26.00      | peak   |
| 4   | 11268.000       | 34.69          | 15.83          | 50.52           | 74.00          | -23.48      | peak   |
| 5   | 13512.000       | 29.71          | 20.68          | 50.39           | 74.00          | -23.61      | peak   |
| 6   | 18000.000       | 24.41          | 26.12          | 50.53           | 74.00          | -23.47      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5530   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 35.55          | 10.57          | 46.12           | 74.00          | -27.88      | peak   |
| 2   | 11048.000       | 34.21          | 14.91          | 49.12           | 74.00          | -24.88      | peak   |
| 3   | 12753.000       | 31.76          | 18.14          | 49.90           | 74.00          | -24.10      | peak   |
| 4   | 13171.000       | 30.82          | 19.20          | 50.02           | 74.00          | -23.98      | peak   |
| 5   | 13864.000       | 28.38          | 21.53          | 49.91           | 74.00          | -24.09      | peak   |
| 6   | 18000.000       | 24.11          | 26.12          | 50.23           | 74.00          | -23.77      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5530   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7275.000        | 37.35          | 6.95           | 44.30           | 74.00          | -29.70      | peak   |
| 2   | 9288.000        | 35.86          | 10.52          | 46.38           | 74.00          | -27.62      | peak   |
| 3   | 11818.000       | 32.26          | 17.36          | 49.62           | 74.00          | -24.38      | peak   |
| 4   | 12544.000       | 32.22          | 17.88          | 50.10           | 74.00          | -23.90      | peak   |
| 5   | 13853.000       | 28.28          | 21.52          | 49.80           | 74.00          | -24.20      | peak   |
| 6   | 17945.000       | 24.55          | 25.75          | 50.30           | 74.00          | -23.70      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5610   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.08          | 10.56          | 46.64           | 74.00          | -27.36      | peak   |
| 2   | 10223.000       | 36.18          | 12.24          | 48.42           | 74.00          | -25.58      | peak   |
| 3   | 11829.000       | 33.16          | 17.38          | 50.54           | 74.00          | -23.46      | peak   |
| 4   | 12742.000       | 32.04          | 18.13          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 13435.000       | 30.37          | 20.35          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 18000.000       | 23.96          | 26.12          | 50.08           | 74.00          | -23.92      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5610   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.30          | 6.68           | 44.98           | 74.00          | -29.02      | peak   |
| 2   | 9057.000        | 36.64          | 10.38          | 47.02           | 74.00          | -26.98      | peak   |
| 3   | 10223.000       | 35.59          | 12.24          | 47.83           | 74.00          | -26.17      | peak   |
| 4   | 11785.000       | 31.99          | 17.30          | 49.29           | 74.00          | -24.71      | peak   |
| 5   | 13534.000       | 28.67          | 20.73          | 49.40           | 74.00          | -24.60      | peak   |
| 6   | 17934.000       | 23.96          | 25.67          | 49.63           | 74.00          | -24.37      | peak   |




|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5690   |
| Polarity:  | Horizontal     | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 35.81          | 10.51          | 46.32           | 74.00          | -27.68      | peak   |
| 2   | 11400.000       | 33.79          | 16.36          | 50.15           | 74.00          | -23.85      | peak   |
| 3   | 11829.000       | 32.99          | 17.38          | 50.37           | 74.00          | -23.63      | peak   |
| 4   | 12687.000       | 31.30          | 18.05          | 49.35           | 74.00          | -24.65      | peak   |
| 5   | 13567.000       | 28.73          | 20.80          | 49.53           | 74.00          | -24.47      | peak   |
| 6   | 17648.000       | 26.06          | 23.72          | 49.78           | 74.00          | -24.22      | peak   |



|            |                |               |        |
|------------|----------------|---------------|--------|
| Test Mode: | 802.11ac VHT80 | Channel:      | 5690   |
| Polarity:  | Vertical       | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.09          | 10.56          | 46.65           | 74.00          | -27.35      | peak   |
| 2   | 10564.000       | 33.87          | 13.06          | 46.93           | 74.00          | -27.07      | peak   |
| 3   | 11829.000       | 32.50          | 17.38          | 49.88           | 74.00          | -24.12      | peak   |
| 4   | 12709.000       | 31.74          | 18.09          | 49.83           | 74.00          | -24.17      | peak   |
| 5   | 13105.000       | 30.63          | 18.91          | 49.54           | 74.00          | -24.46      | peak   |
| 6   | 17945.000       | 24.81          | 25.75          | 50.56           | 74.00          | -23.44      | peak   |



### 8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.0100             | 76.22             | -101.40           | -25.18                    | 47.60                 | -76.68                     | -3.90                     | -72.78         | peak   |
| 2   | 0.0221             | 71.63             | -101.35           | -29.72                    | 40.71                 | -81.22                     | -10.79                    | -70.43         | peak   |
| 3   | 0.0279             | 70.17             | -101.38           | -31.21                    | 38.69                 | -82.71                     | -12.81                    | -69.90         | peak   |
| 4   | 0.0461             | 65.46             | -101.46           | -36.00                    | 34.33                 | -87.50                     | -17.17                    | -70.33         | peak   |
| 5   | 0.0806             | 62.18             | -101.63           | -39.45                    | 29.47                 | -90.95                     | -22.03                    | -68.92         | peak   |
| 6   | 0.0911             | 61.61             | -101.72           | -40.11                    | 28.41                 | -91.61                     | -23.09                    | -68.52         | peak   |






|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1   | 0.1567          | 75.95          | -101.65        | -25.70              | 23.70              | -77.20               | -27.80              | -49.40      | peak   |
| 2   | 0.1917          | 72.04          | -101.70        | -29.66              | 21.95              | -81.16               | -29.55              | -51.61      | peak   |
| 3   | 0.2190          | 70.27          | -101.75        | -31.48              | 20.79              | -82.98               | -30.71              | -52.27      | peak   |
| 4   | 0.2605          | 68.14          | -101.81        | -33.67              | 19.28              | -85.17               | -32.22              | -52.95      | peak   |
| 5   | 0.3251          | 66.71          | -101.88        | -35.17              | 17.36              | -86.67               | -34.14              | -52.53      | peak   |
| 6   | 0.3662          | 63.58          | -101.93        | -38.35              | 16.33              | -89.85               | -35.17              | -54.68      | peak   |



|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |




| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.5106             | 63.80             | -62.07            | 1.73                      | 33.44                 | -49.77                     | -18.06                    | -31.71         | peak   |
| 2   | 0.7861             | 61.83             | -62.14            | -0.31                     | 29.69                 | -51.81                     | -21.81                    | -30.00         | peak   |
| 3   | 5.2705             | 56.54             | -61.45            | -4.91                     | 29.54                 | -56.41                     | -21.96                    | -34.45         | peak   |
| 4   | 8.8704             | 55.97             | -60.96            | -4.99                     | 29.54                 | -56.49                     | -21.96                    | -34.53         | peak   |
| 5   | 10.7299            | 55.48             | -60.83            | -5.35                     | 29.54                 | -56.85                     | -21.96                    | -34.89         | peak   |
| 6   | 26.4293            | 55.69             | -60.31            | -4.62                     | 29.54                 | -56.12                     | -21.96                    | -34.16         | peak   |



### 8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)


|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 19120.000       | 51.30          | -5.38          | 45.92           | 74.00          | -28.08      | peak   |
| 2   | 20016.000       | 51.56          | -5.47          | 46.09           | 74.00          | -27.91      | peak   |
| 3   | 21584.000       | 50.19          | -4.56          | 45.63           | 74.00          | -28.37      | peak   |
| 4   | 23064.000       | 48.49          | -3.42          | 45.07           | 74.00          | -28.93      | peak   |
| 5   | 24208.000       | 48.21          | -2.81          | 45.40           | 74.00          | -28.60      | peak   |
| 6   | 25000.000       | 47.36          | -2.10          | 45.26           | 74.00          | -28.74      | peak   |



|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18984.000       | 50.29          | -5.23          | 45.06           | 74.00          | -28.94      | peak   |
| 2   | 19784.000       | 51.07          | -5.28          | 45.79           | 74.00          | -28.21      | peak   |
| 3   | 21264.000       | 49.85          | -4.76          | 45.09           | 74.00          | -28.91      | peak   |
| 4   | 22824.000       | 48.92          | -3.62          | 45.30           | 74.00          | -28.70      | peak   |
| 5   | 24080.000       | 47.50          | -2.78          | 44.72           | 74.00          | -29.28      | peak   |
| 6   | 24880.000       | 46.90          | -2.20          | 44.70           | 74.00          | -29.30      | peak   |



### 8.1. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)


|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 28786.000       | 47.99          | -0.64          | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 31670.000       | 48.86          | -1.21          | 47.65           | 74.00          | -26.35      | peak   |
| 3   | 33644.000       | 47.81          | 0.42           | 48.23           | 74.00          | -25.77      | peak   |
| 4   | 35366.000       | 46.40          | 2.59           | 48.99           | 74.00          | -25.01      | peak   |
| 5   | 37158.000       | 44.12          | 3.17           | 47.29           | 74.00          | -26.71      | peak   |
| 6   | 39062.000       | 43.81          | 4.30           | 48.11           | 74.00          | -25.89      | peak   |



|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26602.000       | 51.28          | -4.80          | 46.48           | 74.00          | -27.52      | peak   |
| 2   | 31040.000       | 48.45          | -0.72          | 47.73           | 74.00          | -26.27      | peak   |
| 3   | 34302.000       | 47.95          | 1.10           | 49.05           | 74.00          | -24.95      | peak   |
| 4   | 35828.000       | 44.75          | 3.67           | 48.42           | 74.00          | -25.58      | peak   |
| 5   | 37158.000       | 45.34          | 3.17           | 48.51           | 74.00          | -25.49      | peak   |
| 6   | 38278.000       | 44.82          | 3.82           | 48.64           | 74.00          | -25.36      | peak   |



### 8.2. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)


|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Horizontal | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 109.5400        | 56.33          | -20.48         | 35.85           | 43.50          | -7.65       | QP     |
| 2   | 205.5700        | 57.19          | -16.88         | 40.31           | 43.50          | -3.19       | QP     |
| 3   | 233.7000        | 59.41          | -18.85         | 40.56           | 46.00          | -5.44       | QP     |
| 4   | 329.7300        | 52.54          | -14.69         | 37.85           | 46.00          | -8.15       | QP     |
| 5   | 691.5400        | 50.35          | -8.34          | 42.01           | 46.00          | -3.99       | QP     |
| 6   | 760.4099        | 46.30          | -7.71          | 38.59           | 46.00          | -7.41       | QP     |



|            |            |               |        |
|------------|------------|---------------|--------|
| Test Mode: | 802.11a 20 | Channel:      | 5260   |
| Polarity:  | Vertical   | Test Voltage: | DC 5 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 30.0000         | 54.60          | -18.94         | 35.66           | 40.00          | -4.34       | QP     |
| 2   | 205.5700        | 55.21          | -16.88         | 38.33           | 43.50          | -5.17       | QP     |
| 3   | 400.5400        | 52.45          | -13.35         | 39.10           | 46.00          | -6.90       | QP     |
| 4   | 548.9500        | 46.86          | -10.49         | 36.37           | 46.00          | -9.63       | QP     |
| 5   | 691.5400        | 50.81          | -8.34          | 42.47           | 46.00          | -3.53       | QP     |
| 6   | 760.4099        | 46.54          | -7.71          | 38.83           | 46.00          | -7.17       | QP     |



## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP





**TEST ENVIRONMENT**

|                     |        |                   |                 |
|---------------------|--------|-------------------|-----------------|
| Temperature         | 22.4°C | Relative Humidity | 54.2%           |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120 V, 60 Hz |


**TEST DATE / ENGINEER**

|           |               |         |         |
|-----------|---------------|---------|---------|
| Test Date | March 1, 2023 | Test By | Karl Wu |
|-----------|---------------|---------|---------|



**TEST RESULTS**

|            |           |              |                 |
|------------|-----------|--------------|-----------------|
| Test Mode: | 802.11a20 | Channel:     | 5260            |
| Line:      | Line      | Test Voltage | AC 120 V, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1517          | 35.06          | 9.59         | 44.65         | 65.91        | -21.26      | QP     |
| 2   | 0.1517          | 17.80          | 9.59         | 27.39         | 55.91        | -28.52      | AVG    |
| 3   | 0.2723          | 28.46          | 9.59         | 38.05         | 61.05        | -23.00      | QP     |
| 4   | 0.2723          | 25.83          | 9.59         | 35.42         | 51.05        | -15.63      | AVG    |
| 5   | 0.3441          | 34.16          | 9.59         | 43.75         | 59.10        | -15.35      | QP     |
| 6   | 0.3441          | 22.79          | 9.59         | 32.38         | 49.10        | -16.72      | AVG    |
| 7   | 0.6180          | 32.38          | 9.60         | 41.98         | 56.00        | -14.02      | QP     |
| 8   | 0.6180          | 20.06          | 9.60         | 29.66         | 46.00        | -16.34      | AVG    |
| 9   | 1.2316          | 28.18          | 9.61         | 37.79         | 56.00        | -18.21      | QP     |
| 10  | 1.2316          | 20.88          | 9.61         | 30.49         | 46.00        | -15.51      | AVG    |
| 11  | 9.4940          | 35.39          | 9.72         | 45.11         | 60.00        | -14.89      | QP     |
| 12  | 9.4940          | 28.98          | 9.72         | 38.70         | 50.00        | -11.30      | AVG    |


Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



|            |           |              |                 |
|------------|-----------|--------------|-----------------|
| Test Mode: | 802.11a20 | Channel:     | 5260            |
| Line:      | Neutral   | Test Voltage | AC 120 V, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1508          | 36.68          | 9.59         | 46.27         | 65.96        | -19.69      | QP     |
| 2   | 0.1508          | 19.79          | 9.59         | 29.38         | 55.96        | -26.58      | AVG    |
| 3   | 0.3437          | 34.68          | 9.59         | 44.27         | 59.11        | -14.84      | QP     |
| 4   | 0.3437          | 23.58          | 9.59         | 33.17         | 49.11        | -15.94      | AVG    |
| 5   | 0.4101          | 34.19          | 9.60         | 43.79         | 57.65        | -13.86      | QP     |
| 6   | 0.4101          | 18.95          | 9.60         | 28.55         | 47.65        | -19.10      | AVG    |
| 7   | 0.6150          | 32.88          | 9.60         | 42.48         | 56.00        | -13.52      | QP     |
| 8   | 0.6150          | 20.54          | 9.60         | 30.14         | 46.00        | -15.86      | AVG    |
| 9   | 1.4366          | 29.84          | 9.62         | 39.46         | 56.00        | -16.54      | QP     |
| 10  | 1.4366          | 20.32          | 9.62         | 29.94         | 46.00        | -16.06      | AVG    |
| 11  | 9.3534          | 34.89          | 9.72         | 44.61         | 60.00        | -15.39      | QP     |
| 12  | 9.3534          | 28.28          | 9.72         | 38.00         | 50.00        | -12.00      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass



## 11. TEST DATA

### 11.1. APPENDIX A: 26DB EMISSION BANDWIDTH

#### 11.1.1. Test Result

| Test Mode | Antenna    | Channel      | 26db EBW [MHz] | FL[MHz]  | FH[MHz]  | Verdict  |      |
|-----------|------------|--------------|----------------|----------|----------|----------|------|
| 11A       | Ant1       | 5260         | 20.120         | 5249.680 | 5269.800 | PASS     |      |
|           | Ant2       | 5260         | 19.320         | 5250.240 | 5269.560 | PASS     |      |
|           | Ant1       | 5280         | 19.560         | 5270.280 | 5289.840 | PASS     |      |
|           | Ant2       | 5280         | 19.040         | 5270.560 | 5289.600 | PASS     |      |
|           | Ant1       | 5320         | 19.960         | 5309.680 | 5329.640 | PASS     |      |
|           | Ant2       | 5320         | 19.480         | 5310.440 | 5329.920 | PASS     |      |
|           | Ant1       | 5500         | 19.480         | 5490.280 | 5509.760 | PASS     |      |
|           | Ant2       | 5500         | 18.920         | 5490.480 | 5509.400 | PASS     |      |
|           | Ant1       | 5580         | 19.120         | 5570.240 | 5589.360 | PASS     |      |
|           | Ant2       | 5580         | 19.640         | 5570.280 | 5589.920 | PASS     |      |
|           | Ant1       | 5700         | 19.520         | 5690.160 | 5709.680 | PASS     |      |
|           | Ant2       | 5700         | 19.400         | 5690.200 | 5709.600 | PASS     |      |
|           | Ant1       | 5720         | 19.280         | 5710.400 | 5729.680 | PASS     |      |
|           | Ant2       | 5720         | 19.800         | 5710.040 | 5729.840 | PASS     |      |
|           | Ant1       | 5720 UNII-2C | 14.6           | 5710.400 | 5725     | PASS     |      |
|           | Ant2       | 5720 UNII-2C | 14.96          | 5710.040 | 5725     | PASS     |      |
|           | Ant1       | 5720 UNII-3  | 4.68           | 5725     | 5729.680 | PASS     |      |
|           | Ant2       | 5720 UNII-3  | 4.84           | 5725     | 5729.840 | PASS     |      |
| 11N20MIMO | Ant1       | 5260         | 19.720         | 5250.080 | 5269.800 | PASS     |      |
|           | Ant2       | 5260         | 19.760         | 5250.000 | 5269.760 | PASS     |      |
|           | Ant1       | 5280         | 19.960         | 5269.960 | 5289.920 | PASS     |      |
|           | Ant2       | 5280         | 19.720         | 5270.040 | 5289.760 | PASS     |      |
|           | Ant1       | 5320         | 20.000         | 5309.960 | 5329.960 | PASS     |      |
|           | Ant2       | 5320         | 19.800         | 5310.040 | 5329.840 | PASS     |      |
|           | Ant1       | 5500         | 19.800         | 5490.160 | 5509.960 | PASS     |      |
|           | Ant2       | 5500         | 19.880         | 5489.960 | 5509.840 | PASS     |      |
|           | Ant1       | 5580         | 19.640         | 5570.320 | 5589.960 | PASS     |      |
|           | Ant2       | 5580         | 20.000         | 5570.160 | 5590.160 | PASS     |      |
|           | Ant1       | 5700         | 19.880         | 5690.040 | 5709.920 | PASS     |      |
|           | Ant2       | 5700         | 20.080         | 5690.000 | 5710.080 | PASS     |      |
|           | Ant1       | 5720         | 20.000         | 5709.960 | 5729.960 | PASS     |      |
|           | Ant2       | 5720         | 19.480         | 5710.280 | 5729.760 | PASS     |      |
|           | Ant1       | 5720 UNII-2C | 15.04          | 5709.960 | 5725     | PASS     |      |
|           | Ant2       | 5720 UNII-2C | 14.72          | 5710.280 | 5725     | PASS     |      |
|           | Ant1       | 5720 UNII-3  | 4.96           | 5725     | 5729.960 | PASS     |      |
|           | Ant2       | 5720 UNII-3  | 4.76           | 5725     | 5729.760 | PASS     |      |
| 11N40MIMO | Ant1       | 5270         | 39.520         | 5250.160 | 5289.680 | PASS     |      |
|           | Ant2       | 5270         | 40.080         | 5250.000 | 5290.080 | PASS     |      |
|           | Ant1       | 5310         | 39.760         | 5290.000 | 5329.760 | PASS     |      |
|           | Ant2       | 5310         | 40.000         | 5290.080 | 5330.080 | PASS     |      |
|           | Ant1       | 5510         | 39.840         | 5490.000 | 5529.840 | PASS     |      |
|           | Ant2       | 5510         | 38.960         | 5490.560 | 5529.520 | PASS     |      |
|           | Ant1       | 5550         | 40.720         | 5529.920 | 5570.640 | PASS     |      |
|           | Ant2       | 5550         | 40.080         | 5530.160 | 5570.240 | PASS     |      |
|           | Ant1       | 5670         | 40.320         | 5649.840 | 5690.160 | PASS     |      |
|           | Ant2       | 5670         | 39.360         | 5650.320 | 5689.680 | PASS     |      |
|           | Ant1       | 5710         | 40.880         | 5689.280 | 5730.160 | PASS     |      |
|           | Ant2       | 5710         | 39.440         | 5690.560 | 5730.000 | PASS     |      |
|           | Ant1       | 5710 UNII-2C | 35.72          | 5689.280 | 5725     | PASS     |      |
|           | Ant2       | 5710 UNII-2C | 34.44          | 5690.560 | 5725     | PASS     |      |
|           | Ant1       | 5710 UNII-3  | 5.16           | 5725     | 5730.160 | PASS     |      |
|           | Ant2       | 5710 UNII-3  | 5              | 5725     | 5730.000 | PASS     |      |
|           | 11AC80MIMO | Ant1         | 5290           | 80.000   | 5249.840 | 5329.840 | PASS |
|           |            | Ant2         | 5290           | 79.520   | 5250.320 | 5329.840 | PASS |
| Ant1      |            | 5530         | 79.840         | 5490.320 | 5570.160 | PASS     |      |



|      |              |        |          |          |      |
|------|--------------|--------|----------|----------|------|
| Ant2 | 5530         | 79.520 | 5490.320 | 5569.840 | PASS |
| Ant1 | 5610         | 80.480 | 5570.000 | 5650.480 | PASS |
| Ant2 | 5610         | 79.360 | 5570.320 | 5649.680 | PASS |
| Ant1 | 5690         | 79.840 | 5650.480 | 5730.320 | PASS |
| Ant2 | 5690         | 79.680 | 5650.320 | 5730.000 | PASS |
| Ant1 | 5690 UNII-2C | 74.52  | 5650.480 | 5725     | PASS |
| Ant2 | 5690 UNII-2C | 74.68  | 5650.320 | 5725     | PASS |
| Ant1 | 5690 UNII-3  | 5.32   | 5725     | 5730.320 | PASS |
| Ant2 | 5690 UNII-3  | 5      | 5725     | 5730.000 | PASS |

### 11.1.2. Test Graphs



11A Ant1 5260



11A Ant2 5260



11A Ant1 5280



11A Ant2 5280




11A Ant1 5320



11A Ant2 5320









11A Ant1 5720



11A Ant2 5720



11N20MIMO Ant1 5260



11N20MIMO Ant2 5260



11N20MIMO Ant1 5280




11N20MIMO Ant2 5280



11N20MIMO Ant1 5320



11N20MIMO Ant2 5320




11N20MIMO Ant1 5500



11N20MIMO Ant2 5500



11N20MIMO Ant1 5580



11N20MIMO Ant2 5580



11N20MIMO Ant1 5700



11N20MIMO Ant2 5700



11N20MIMO Ant1 5720



11N20MIMO Ant2 5720



11N40MIMO Ant1 5270



11N40MIMO Ant2 5270





11N40MIMO Ant1 5310




11N40MIMO Ant2 5310



11N40MIMO Ant1 5510



11N40MIMO Ant2 5510



11N40MIMO Ant1 5550



11N40MIMO Ant2 5550



11N40MIMO Ant1 5670



11N40MIMO Ant2 5670



11N40MIMO Ant1 5710




11N40MIMO Ant2 5710



11AC80MIMO Ant1 5290




11AC80MIMO Ant2 5290



11AC80MIMO Ant1 5530



11AC80MIMO Ant2 5530



11AC80MIMO Ant1 5610



11AC80MIMO Ant2 5610



11AC80MIMO Ant1 5690



11AC80MIMO Ant2 5690

## 11.2. APPENDIX B: OCCUPIED CHANNEL BANDWIDTH

### 11.2.1. Test Result

| Test Mode  | Antenna     | Channel      | OCB [MHz] | FL[MHz]   | FH[MHz]   | Verdict |
|------------|-------------|--------------|-----------|-----------|-----------|---------|
| 11A        | Ant1        | 5260         | 16.697    | 5251.6179 | 5268.3149 | PASS    |
|            | Ant2        | 5260         | 16.615    | 5251.6172 | 5268.2322 | PASS    |
|            | Ant1        | 5280         | 16.567    | 5271.7141 | 5288.2811 | PASS    |
|            | Ant2        | 5280         | 16.491    | 5271.7293 | 5288.2203 | PASS    |
|            | Ant1        | 5320         | 16.505    | 5311.7784 | 5328.2834 | PASS    |
|            | Ant2        | 5320         | 16.584    | 5311.6631 | 5328.2471 | PASS    |
|            | Ant1        | 5500         | 16.549    | 5491.7054 | 5508.2544 | PASS    |
|            | Ant2        | 5500         | 16.582    | 5491.7619 | 5508.3439 | PASS    |
|            | Ant1        | 5580         | 16.574    | 5571.6863 | 5588.2603 | PASS    |
|            | Ant2        | 5580         | 16.534    | 5571.7187 | 5588.2527 | PASS    |
|            | Ant1        | 5700         | 16.558    | 5691.7023 | 5708.2603 | PASS    |
|            | Ant2        | 5700         | 16.558    | 5691.6860 | 5708.2440 | PASS    |
|            | Ant1        | 5720         | 16.521    | 5711.6992 | 5728.2202 | PASS    |
|            | Ant2        | 5720         | 16.587    | 5711.6801 | 5728.2671 | PASS    |
|            | Ant1        | 5720 UNII-2C | 13.301    | 5711.6992 | 5725      | PASS    |
|            | Ant2        | 5720 UNII-2C | 13.32     | 5711.6801 | 5725      | PASS    |
| Ant1       | 5720 UNII-3 | 3.22         | 5725      | 5728.2202 | PASS      |         |
| Ant2       | 5720 UNII-3 | 3.267        | 5725      | 5728.2671 | PASS      |         |
| 11N20MIMO  | Ant1        | 5260         | 17.687    | 5251.1120 | 5268.7990 | PASS    |
|            | Ant2        | 5260         | 17.588    | 5251.2059 | 5268.7939 | PASS    |
|            | Ant1        | 5280         | 17.683    | 5271.1146 | 5288.7976 | PASS    |
|            | Ant2        | 5280         | 17.563    | 5271.2152 | 5288.7782 | PASS    |
|            | Ant1        | 5320         | 17.701    | 5311.1482 | 5328.8492 | PASS    |
|            | Ant2        | 5320         | 17.603    | 5311.2131 | 5328.8161 | PASS    |
|            | Ant1        | 5500         | 17.692    | 5491.1443 | 5508.8363 | PASS    |
|            | Ant2        | 5500         | 17.534    | 5491.2051 | 5508.7391 | PASS    |
|            | Ant1        | 5580         | 17.721    | 5571.0964 | 5588.8174 | PASS    |
|            | Ant2        | 5580         | 17.677    | 5571.1636 | 5588.8406 | PASS    |
|            | Ant1        | 5700         | 17.714    | 5691.1421 | 5708.8561 | PASS    |
|            | Ant2        | 5700         | 17.552    | 5691.2101 | 5708.7621 | PASS    |
|            | Ant1        | 5720         | 17.671    | 5711.1440 | 5728.8150 | PASS    |
|            | Ant2        | 5720         | 17.651    | 5711.1855 | 5728.8365 | PASS    |
|            | Ant1        | 5720 UNII-2C | 13.856    | 5711.1440 | 5725      | PASS    |
|            | Ant2        | 5720 UNII-2C | 13.815    | 5711.1855 | 5725      | PASS    |
| Ant1       | 5720 UNII-3 | 3.815        | 5725      | 5728.8150 | PASS      |         |
| Ant2       | 5720 UNII-3 | 3.837        | 5725      | 5728.8365 | PASS      |         |
| 11N40MIMO  | Ant1        | 5270         | 36.181    | 5251.9683 | 5288.1493 | PASS    |
|            | Ant2        | 5270         | 36.243    | 5251.8940 | 5288.1370 | PASS    |
|            | Ant1        | 5310         | 36.273    | 5291.8773 | 5328.1503 | PASS    |
|            | Ant2        | 5310         | 36.372    | 5291.8391 | 5328.2111 | PASS    |
|            | Ant1        | 5510         | 36.297    | 5491.8919 | 5528.1889 | PASS    |
|            | Ant2        | 5510         | 36.299    | 5491.8827 | 5528.1817 | PASS    |
|            | Ant1        | 5550         | 36.387    | 5531.9150 | 5568.3020 | PASS    |
|            | Ant2        | 5550         | 36.271    | 5531.9276 | 5568.1986 | PASS    |
|            | Ant1        | 5670         | 36.457    | 5651.8240 | 5688.2810 | PASS    |
|            | Ant2        | 5670         | 36.363    | 5651.8025 | 5688.1655 | PASS    |
|            | Ant1        | 5710         | 36.281    | 5691.8556 | 5728.1366 | PASS    |
|            | Ant2        | 5710         | 36.347    | 5691.8012 | 5728.1482 | PASS    |
|            | Ant1        | 5710 UNII-2C | 33.144    | 5691.8556 | 5725      | PASS    |
|            | Ant2        | 5710 UNII-2C | 33.199    | 5691.8012 | 5725      | PASS    |
|            | Ant1        | 5710 UNII-3  | 3.137     | 5725      | 5728.1366 | PASS    |
|            | Ant2        | 5710 UNII-3  | 3.148     | 5725      | 5728.1482 | PASS    |
| 11AC80MIMO | Ant1        | 5290         | 76.132    | 5251.9984 | 5328.1304 | PASS    |
|            | Ant2        | 5290         | 76.490    | 5251.8543 | 5328.3443 | PASS    |
|            | Ant1        | 5530         | 76.368    | 5491.8543 | 5568.2223 | PASS    |



|  |      |              |        |           |           |      |
|--|------|--------------|--------|-----------|-----------|------|
|  | Ant2 | 5530         | 76.096 | 5491.9514 | 5568.0474 | PASS |
|  | Ant1 | 5610         | 76.314 | 5571.9939 | 5648.3079 | PASS |
|  | Ant2 | 5610         | 75.883 | 5572.1701 | 5648.0531 | PASS |
|  | Ant1 | 5690         | 76.016 | 5652.0671 | 5728.0831 | PASS |
|  | Ant2 | 5690         | 76.193 | 5651.9715 | 5728.1645 | PASS |
|  | Ant1 | 5690 UNII-2C | 72.933 | 5652.0671 | 5725      | PASS |
|  | Ant2 | 5690 UNII-2C | 73.029 | 5651.9715 | 5725      | PASS |
|  | Ant1 | 5690 UNII-3  | 3.083  | 5725      | 5728.0831 | PASS |
|  | Ant2 | 5690 UNII-3  | 3.164  | 5725      | 5728.1645 | PASS |



### 11.2.2. Test Graphs



