11N20MIMO_Ant2_5180

11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200

11N20MIMO_Ant1_5240

11N20MIMO_Ant2_5240

11N20MIMO_Ant1_5260

11N20MIMO_Ant2_5260

11N20MIMO_Ant1_5280

11N20MIMO_Ant2_5280

11N20MIMO_Ant1_5320



11N20MIMO_Ant2_5320

11N20MIMO_Ant1_5500

11N20MIMO_Ant2_5500

11N20MIMO_Ant1_5580

11N20MIMO_Ant2_5580

11N20MIMO_Ant1_5700

11N20MIMO_Ant2_5700

11N20MIMO_Ant1_5720

11N20MIMO_Ant2_5720



11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745

11N20MIMO_Ant1_5785

11N20MIMO_Ant2_5785

11N20MIMO_Ant1_5825

11N20MIMO_Ant2_5825



11N40MIMO_Ant1_5190



11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230

11N40MIMO_Ant2_5230

11N40MIMO_Ant1_5270

11N40MIMO_Ant2_5270



11N40MIMO_Ant1_5310

11N40MIMO_Ant2_5310

11N40MIMO_Ant1_5510

11N40MIMO_Ant2_5510

11N40MIMO_Ant1_5590

11N40MIMO_Ant2_5590



11N40MIMO_Ant1_5670

11N40MIMO_Ant2_5670

11N40MIMO_Ant1_5710

11N40MIMO_Ant2_5710

11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755

11N40MIMO_Ant1_5795

11N40MIMO_Ant2_5795



11AC80MIMO_Ant1_5210

11AC80MIMO_Ant2_5210

11AC80MIMO_Ant1_5290



11AC80MIMO_Ant2_5290



11AC80MIMO_Ant1_5530



11AC80MIMO_Ant2_5530



11AC80MIMO_Ant1_5610

11AC80MIMO_Ant2_5610

11AC80MIMO_Ant1_5690



11AC80MIMO_Ant2_5690

11AC80MIMO_Ant1_5775

11AC80MIMO_Ant2_5775

12.3. Appendix A3: Min emission bandwidth

12.3.1. Test Result

Test Mode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720_UNII-3	2.84	5725	5727.84	0.5	PASS
	Ant2	5720_UNII-3	2.48	5725	5727.48	0.5	PASS
	Ant1	5745	15.36	5737.16	5752.52	0.5	PASS
	Ant2	5745	16.32	5736.80	5753.12	0.5	PASS
	Ant1	5785	15.08	5777.40	5792.48	0.5	PASS
	Ant2	5785	15.12	5777.40	5792.52	0.5	PASS
	Ant1	5825	15.64	5817.20	5832.84	0.5	PASS
	Ant2	5825	15.84	5817.04	5832.88	0.5	PASS
11N20MIMO	Ant1	5720_UNII-3	2.56	5725	5727.56	0.5	PASS
	Ant2	5720_UNII-3	2.56	5725	5727.56	0.5	PASS
	Ant1	5745	15.44	5737.16	5752.60	0.5	PASS
	Ant2	5745	15.12	5737.48	5752.60	0.5	PASS
	Ant1	5785	15.48	5777.44	5792.92	0.5	PASS
	Ant2	5785	16.32	5776.84	5793.16	0.5	PASS
	Ant1	5825	15.12	5817.44	5832.56	0.5	PASS
	Ant2	5825	16.32	5816.84	5833.16	0.5	PASS
11N40MIMO	Ant1	5710_UNII-3	2.6	5725	5727.60	0.5	PASS
	Ant2	5710_UNII-3	2.6	5725	5727.60	0.5	PASS
	Ant1	5755	35.04	5737.48	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.48	5772.60	0.5	PASS
	Ant1	5795	35.12	5777.48	5812.60	0.5	PASS
	Ant2	5795	35.12	5777.48	5812.60	0.5	PASS
11AC80MIMO	Ant1	5690_UNII-3	2.6	5725	5727.60	0.5	PASS
	Ant2	5690_UNII-3	2.6	5725	5727.60	0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	0.5	PASS

12.3.2. Test Graphs



11A_Ant1_5720_UNII-3



11A_Ant2_5720_UNII-3



11A_Ant1_5745



11A_Ant2_5745



11A_Ant1_5785



11A_Ant2_5785



11A_Ant1_5825

11A_Ant2_5825



11N20MIMO_Ant1_5720_UNII-3



11N20MIMO_Ant2_5720_UNII-3



11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745



11N20MIMO_Ant1_5785



11N20MIMO_Ant2_5785



11N20MIMO_Ant1_5825



11N20MIMO_Ant2_5825



11N40MIMO_Ant1_5710_UNII-3

11N40MIMO_Ant2_5710_UNII-3



11N40MIMO_Ant1_5755



11N40MIMO_Ant2_5755



11N40MIMO_Ant1_5795



11N40MIMO_Ant2_5795



11AC80MIMO_Ant1_5690_UNII-3



11AC80MIMO_Ant2_5690_UNII-3



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775

12.4. Appendix B: Maximum conducted output power

12.4.1. Test Result

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	13.72	≤23.98	PASS
	Ant2	5180	13.93	≤23.98	PASS
	Ant1	5200	13.16	≤23.98	PASS
	Ant2	5200	13.62	≤23.98	PASS
	Ant1	5240	13.35	≤23.98	PASS
	Ant2	5240	14.00	≤23.98	PASS
	Ant1	5260	13.68	≤23.98	PASS
	Ant2	5260	14.14	≤23.98	PASS
	Ant1	5280	13.65	≤23.98	PASS
	Ant2	5280	14.24	≤23.98	PASS
	Ant1	5320	13.68	≤23.98	PASS
	Ant2	5320	14.33	≤23.98	PASS
	Ant1	5500	13.33	≤23.98	PASS
	Ant2	5500	13.71	≤23.98	PASS
	Ant1	5580	13.88	≤23.98	PASS
	Ant2	5580	13.73	≤23.98	PASS
	Ant1	5700	13.72	≤23.98	PASS
	Ant2	5700	14.07	≤23.98	PASS
	Ant1	5720_UNII-2C	13.03	≤22.78	PASS
	Ant2	5720_UNII-2C	13.18	≤22.76	PASS
	Ant1	5720_UNII-3	5.14	≤30.00	PASS
	Ant2	5720_UNII-3	5.21	≤30.00	PASS
	Ant1	5745	13.43	≤30.00	PASS
	Ant2	5745	14.42	≤30.00	PASS
	Ant1	5785	13.53	≤30.00	PASS
	Ant2	5785	14.70	≤30.00	PASS
	Ant1	5825	13.27	≤30.00	PASS
	Ant2	5825	14.95	≤30.00	PASS
11N20MIMO	Ant1	5180	13.31	≤23.98	PASS
	Ant2	5180	12.99	≤23.98	PASS
	total	5180	16.16	≤23.98	PASS
	Ant1	5200	12.81	≤23.98	PASS
	Ant2	5200	12.87	≤23.98	PASS
	total	5200	15.85	≤23.98	PASS
	Ant1	5240	12.84	≤23.98	PASS
	Ant2	5240	13.72	≤23.98	PASS
	total	5240	16.31	≤23.98	PASS
	Ant1	5260	12.43	≤23.98	PASS
	Ant2	5260	13.10	≤23.98	PASS
	total	5260	15.79	≤23.98	PASS
	Ant1	5280	12.83	≤23.98	PASS
	Ant2	5280	13.04	≤23.98	PASS
	total	5280	15.95	≤23.98	PASS
	Ant1	5320	12.77	≤23.98	PASS
	Ant2	5320	13.21	≤23.98	PASS
	total	5320	16.01	≤23.98	PASS
	Ant1	5500	13.42	≤23.98	PASS
	Ant2	5500	12.66	≤23.98	PASS
	total	5500	16.07	≤23.98	PASS
	Ant1	5580	13.39	≤23.98	PASS
	Ant2	5580	13.07	≤23.98	PASS
	total	5580	16.24	≤23.98	PASS
	Ant1	5700	13.14	≤23.98	PASS

	Ant2	5700	13.31	≤23.98	PASS
	total	5700	16.24	≤23.98	PASS
	Ant1	5720_UNII-2C	12.37	≤22.78	PASS
	Ant2	5720_UNII-2C	12.37	≤22.80	PASS
	total	5720_UNII-2C	15.38	≤23.98	PASS
	Ant1	5720_UNII-3	4.73	≤30.00	PASS
	Ant2	5720_UNII-3	4.93	≤30.00	PASS
	total	5720_UNII-3	7.84	≤30.00	PASS
	Ant1	5745	12.78	≤30.00	PASS
	Ant2	5745	13.65	≤30.00	PASS
	total	5745	16.25	≤30.00	PASS
	Ant1	5785	12.33	≤30.00	PASS
	Ant2	5785	14.58	≤30.00	PASS
	total	5785	16.61	≤30.00	PASS
	Ant1	5825	12.57	≤30.00	PASS
	Ant2	5825	14.34	≤30.00	PASS
	total	5825	16.55	≤30.00	PASS
11N40MIMO	Ant1	5190	12.99	≤23.98	PASS
	Ant2	5190	12.82	≤23.98	PASS
	total	5190	15.92	≤23.98	PASS
	Ant1	5230	12.29	≤23.98	PASS
	Ant2	5230	13.02	≤23.98	PASS
	total	5230	15.68	≤23.98	PASS
	Ant1	5270	12.68	≤23.98	PASS
	Ant2	5270	13.07	≤23.98	PASS
	total	5270	15.89	≤23.98	PASS
	Ant1	5310	12.93	≤23.98	PASS
	Ant2	5310	13.27	≤23.98	PASS
	total	5310	16.11	≤23.98	PASS
	Ant1	5510	13.37	≤23.98	PASS
	Ant2	5510	12.23	≤23.98	PASS
	total	5510	15.85	≤23.98	PASS
	Ant1	5590	13.53	≤23.98	PASS
	Ant2	5590	12.96	≤23.98	PASS
	total	5590	16.26	≤23.98	PASS
	Ant1	5670	13.05	≤23.98	PASS
	Ant2	5670	13.20	≤23.98	PASS
	total	5670	16.14	≤23.98	PASS
	Ant1	5710_UNII-2C	13.02	≤23.98	PASS
	Ant2	5710_UNII-2C	13.14	≤23.98	PASS
	total	5710_UNII-2C	16.09	≤23.98	PASS
	Ant1	5710_UNII-3	0.37	≤30.00	PASS
	Ant2	5710_UNII-3	0.61	≤30.00	PASS
	total	5710_UNII-3	3.50	≤30.00	PASS
	Ant1	5755	12.76	≤30.00	PASS
	Ant2	5755	13.93	≤30.00	PASS
	total	5755	16.39	≤30.00	PASS
	Ant1	5795	12.36	≤30.00	PASS
	Ant2	5795	14.40	≤30.00	PASS
	total	5795	16.51	≤30.00	PASS
11AC80MIMO	Ant1	5210	11.77	≤23.98	PASS
	Ant2	5210	11.84	≤23.98	PASS
	total	5210	14.82	≤23.98	PASS
	Ant1	5290	11.61	≤23.98	PASS
	Ant2	5290	12.10	≤23.98	PASS
	total	5290	14.87	≤23.98	PASS
	Ant1	5530	12.53	≤23.98	PASS
	Ant2	5530	11.65	≤23.98	PASS
	total	5530	15.12	≤23.98	PASS
	Ant1	5610	12.38	≤23.98	PASS

	Ant2	5610	11.50	≤23.98	PASS
	total	5610	14.97	≤23.98	PASS
	Ant1	5690_UNII-2C	11.80	≤23.98	PASS
	Ant2	5690_UNII-2C	12.23	≤23.98	PASS
	total	5690_UNII-2C	15.03	≤23.98	PASS
	Ant1	5690_UNII-3	-3.99	≤30.00	PASS
	Ant2	5690_UNII-3	-4.02	≤30.00	PASS
	total	5690_UNII-3	-0.99	≤30.00	PASS
	Ant1	5775	12.21	≤30.00	PASS
	Ant2	5775	13.53	≤30.00	PASS
	total	5775	15.93	≤30.00	PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor
2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

12.5. Appendix C: Maximum power spectral density

12.5.1. Test Result

Test Mode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	3.39	≤11.00	PASS
	Ant2	5180	3.3	≤11.00	PASS
	Ant1	5200	2.97	≤11.00	PASS
	Ant2	5200	3.16	≤11.00	PASS
	Ant1	5240	3.08	≤11.00	PASS
	Ant2	5240	3.79	≤11.00	PASS
	Ant1	5260	3.45	≤11.00	PASS
	Ant2	5260	3.83	≤11.00	PASS
	Ant1	5280	3.51	≤11.00	PASS
	Ant2	5280	3.87	≤11.00	PASS
	Ant1	5320	3.33	≤11.00	PASS
	Ant2	5320	4.05	≤11.00	PASS
	Ant1	5500	2.99	≤11.00	PASS
	Ant2	5500	3.45	≤11.00	PASS
	Ant1	5580	3.57	≤11.00	PASS
	Ant2	5580	3.4	≤11.00	PASS
	Ant1	5700	3.65	≤11.00	PASS
	Ant2	5700	3.97	≤11.00	PASS
	Ant1	5720_UNII-2C	3.21	≤11.00	PASS
	Ant2	5720_UNII-2C	3.56	≤11.00	PASS
	Ant1	5720_UNII-3	-1.61	≤30.00	PASS
	Ant2	5720_UNII-3	-1.38	≤30.00	PASS
	Ant1	5745	0.28	≤30.00	PASS
	Ant2	5745	1.27	≤30.00	PASS
	Ant1	5785	0.37	≤30.00	PASS
	Ant2	5785	1.57	≤30.00	PASS
	Ant1	5825	0.21	≤30.00	PASS
	Ant2	5825	1.72	≤30.00	PASS
11N20MIMO	Ant1	5180	2.76	≤11.00	PASS
	Ant2	5180	2.53	≤11.00	PASS
	total	5180	5.66	≤11.00	PASS
	Ant1	5200	2.07	≤11.00	PASS
	Ant2	5200	2.29	≤11.00	PASS
	total	5200	5.19	≤11.00	PASS
	Ant1	5240	2.09	≤11.00	PASS
	Ant2	5240	3.32	≤11.00	PASS
	total	5240	5.76	≤11.00	PASS
	Ant1	5260	1.74	≤11.00	PASS
	Ant2	5260	2.7	≤11.00	PASS
	total	5260	5.26	≤11.00	PASS
	Ant1	5280	2.34	≤11.00	PASS
	Ant2	5280	2.65	≤11.00	PASS
	total	5280	5.51	≤11.00	PASS
	Ant1	5320	2.15	≤11.00	PASS
	Ant2	5320	2.76	≤11.00	PASS
	total	5320	5.48	≤11.00	PASS
	Ant1	5500	2.96	≤11.00	PASS
	Ant2	5500	2.14	≤11.00	PASS
	total	5500	5.58	≤11.00	PASS
	Ant1	5580	2.81	≤11.00	PASS
	Ant2	5580	2.6	≤11.00	PASS
	total	5580	5.72	≤11.00	PASS
	Ant1	5700	2.7	≤11.00	PASS

	Ant2	5700	2.99	≤11.00	PASS
	total	5700	5.86	≤11.00	PASS
	Ant1	5720_UNII-2C	2.4	≤11.00	PASS
	Ant2	5720_UNII-2C	2.67	≤11.00	PASS
	total	5720_UNII-2C	5.55	≤11.00	PASS
	Ant1	5720_UNII-3	-2.57	≤30.00	PASS
	Ant2	5720_UNII-3	-2.3	≤30.00	PASS
	total	5720_UNII-3	0.58	≤30.00	PASS
	Ant1	5745	-0.56	≤30.00	PASS
	Ant2	5745	0.29	≤30.00	PASS
	total	5745	2.90	≤30.00	PASS
	Ant1	5785	-0.89	≤30.00	PASS
	Ant2	5785	1.15	≤30.00	PASS
	total	5785	3.26	≤30.00	PASS
	Ant1	5825	-0.53	≤30.00	PASS
	Ant2	5825	1.07	≤30.00	PASS
	total	5825	3.35	≤30.00	PASS
11N40MIMO	Ant1	5190	-0.53	≤11.00	PASS
	Ant2	5190	-0.83	≤11.00	PASS
	total	5190	2.33	≤11.00	PASS
	Ant1	5230	-1.11	≤11.00	PASS
	Ant2	5230	-0.42	≤11.00	PASS
	total	5230	2.26	≤11.00	PASS
	Ant1	5270	-0.84	≤11.00	PASS
	Ant2	5270	-0.2	≤11.00	PASS
	total	5270	2.50	≤11.00	PASS
	Ant1	5310	-0.45	≤11.00	PASS
	Ant2	5310	-0.04	≤11.00	PASS
	total	5310	2.77	≤11.00	PASS
	Ant1	5510	-0.12	≤11.00	PASS
	Ant2	5510	-1.18	≤11.00	PASS
	total	5510	2.39	≤11.00	PASS
	Ant1	5590	-0.12	≤11.00	PASS
	Ant2	5590	-0.3	≤11.00	PASS
	total	5590	2.80	≤11.00	PASS
	Ant1	5670	-0.68	≤11.00	PASS
	Ant2	5670	-0.24	≤11.00	PASS
	total	5670	2.56	≤11.00	PASS
	Ant1	5710_UNII-2C	0.12	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.05	≤11.00	PASS
	total	5710_UNII-2C	3.05	≤11.00	PASS
	Ant1	5710_UNII-3	-6.68	≤30.00	PASS
	Ant2	5710_UNII-3	-6.49	≤30.00	PASS
	total	5710_UNII-3	-3.57	≤30.00	PASS
	Ant1	5755	-3.73	≤30.00	PASS
	Ant2	5755	-2.14	≤30.00	PASS
	total	5755	0.15	≤30.00	PASS
	Ant1	5795	-3.77	≤30.00	PASS
	Ant2	5795	-1.9	≤30.00	PASS
	total	5795	0.28	≤30.00	PASS
11AC80MIMO	Ant1	5210	-4.55	≤11.00	PASS
	Ant2	5210	-4.81	≤11.00	PASS
	total	5210	-1.67	≤11.00	PASS
	Ant1	5290	-4.57	≤11.00	PASS
	Ant2	5290	-4.23	≤11.00	PASS
	total	5290	-1.39	≤11.00	PASS
	Ant1	5530	-3.58	≤11.00	PASS
	Ant2	5530	-4.85	≤11.00	PASS
	total	5530	-1.16	≤11.00	PASS
	Ant1	5610	-3.82	≤11.00	PASS

	Ant2	5610	-4.79	≤11.00	PASS
	total	5610	-1.27	≤11.00	PASS
	Ant1	5690_UNII-2C	-4.53	≤11.00	PASS
	Ant2	5690_UNII-2C	-3.83	≤11.00	PASS
	total	5690_UNII-2C	-1.16	≤11.00	PASS
	Ant1	5690_UNII-3	-10.24	≤30.00	PASS
	Ant2	5690_UNII-3	-10.1	≤30.00	PASS
	total	5690_UNII-3	-7.16	≤30.00	PASS
	Ant1	5775	-7.53	≤30.00	PASS
	Ant2	5775	-5.51	≤30.00	PASS
	total	5775	-3.39	≤30.00	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

12.5.2. Test Graphs

11A_Ant1_5180

11A_Ant2_5180

11A_Ant1_5200

11A_Ant2_5200

11A_Ant1_5240

11A_Ant2_5240

11A_Ant1_5260

11A_Ant2_5260

11A_Ant1_5280

11A_Ant2_5280

11A_Ant1_5320

11A_Ant2_5320



11A_Ant1_5500



11A_Ant2_5500

11A_Ant1_5580

11A_Ant2_5580



11A_Ant1_5700

11A_Ant2_5700



11A_Ant1_5720_UNII-2C

11A_Ant2_5720_UNII-2C

11A_Ant1_5720_UNII-3

11A_Ant2_5720_UNII-3

11A_Ant1_5745

11A_Ant2_5745

11A_Ant1_5785

11A_Ant2_5785

11A_Ant1_5825

11A_Ant2_5825

11N20MIMO_Ant1_5180

11N20MIMO_Ant2_5180

11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200

11N20MIMO_Ant1_5240

11N20MIMO_Ant2_5240



11N20MIMO_Ant1_5260

11N20MIMO_Ant2_5260



11N20MIMO_Ant1_5280



11N20MIMO_Ant2_5280

11N20MIMO_Ant1_5320

11N20MIMO_Ant2_5320

11N20MIMO_Ant1_5500

11N20MIMO_Ant2_5500



11N20MIMO_Ant1_5580



11N20MIMO_Ant2_5580

11N20MIMO_Ant1_5700



11N20MIMO_Ant2_5700



11N20MIMO_Ant1_5720_UNII-2C



11N20MIMO_Ant2_5720_UNII-2C

11N20MIMO_Ant1_5720_UNII-3

11N20MIMO_Ant2_5720_UNII-3

11N20MIMO_Ant1_5745

11N20MIMO_Ant2_5745

11N20MIMO_Ant1_5785

11N20MIMO_Ant2_5785

11N20MIMO_Ant1_5825

11N20MIMO_Ant2_5825

11N40MIMO_Ant1_5190

11N40MIMO_Ant2_5190

11N40MIMO_Ant1_5230

11N40MIMO_Ant2_5230

11N40MIMO_Ant1_5270

11N40MIMO_Ant2_5270

11N40MIMO_Ant1_5310

11N40MIMO_Ant2_5310

11N40MIMO_Ant1_5510

11N40MIMO_Ant2_5510



11N40MIMO_Ant1_5590



11N40MIMO_Ant2_5590

11N40MIMO_Ant1_5670

11N40MIMO_Ant2_5670



11N40MIMO_Ant1_5710_UNII-2C

11N40MIMO_Ant2_5710_UNII-2C

11N40MIMO_Ant1_5710_UNII-3

11N40MIMO_Ant2_5710_UNII-3

11N40MIMO_Ant1_5755

11N40MIMO_Ant2_5755

11N40MIMO_Ant1_5795

11N40MIMO_Ant2_5795



11AC80MIMO_Ant1_5210



11AC80MIMO_Ant2_5210



11AC80MIMO_Ant1_5290



11AC80MIMO_Ant2_5290



11AC80MIMO_Ant1_5530



11AC80MIMO_Ant2_5530



11AC80MIMO_Ant1_5610



11AC80MIMO_Ant2_5610



11AC80MIMO_Ant1_5690_UNII-2C



11AC80MIMO_Ant2_5690_UNII-2C



11AC80MIMO_Ant1_5690_UNII-3

11AC80MIMO_Ant2_5690_UNII-3



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775

12.6. Appendix D: Duty Cycle

12.6.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11A	1.38	1.42	0.9718	97.18	0.12	0.72	1
11N20MIMO	1.28	1.32	0.9697	96.97	0.13	0.78	1
11N40MIMO	0.64	0.68	0.9412	94.12	0.26	1.56	2
11AC80MIMO	0.18	0.23	0.7826	78.26	1.06	5.56	6

Note:
Duty Cycle Correction Factor=10log (1/x).
Where: x is Duty Cycle (Linear)
Where: T is On Time
If that calculated VBW is not available on the analyzer then the next higher value should be used.

12.6.2. Test Graphs



11A_Ant1_5180



11N20MIMO_Ant1_5180



11N40MIMO_Ant1_5190



11AC80MIMO_Ant1_5210

12.7. Appendix E: DFS Detection Thresholds

12.7.1. Test Result

Test Mode	Channel	Radar Type	Result	Limit[dbm]	Verdict
11AC80MIMO	5530	Type0	-62.49	-58.00	PASS

12.7.2. Test Graphs



11AC80MIMO_5530_Type0

12.8. Appendix F: Channel Move Time and Channel Closing Transmission Time

12.8.1. Test Result

Test Mode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC80MIMO	5530	200+3.9	200+60	501.5	10000	PASS

12.8.2. Test Graphs



11AC80MIMO_5530

12.9. Appendix G: Non-Occupancy Period

Test Result

Test Mode	Channel	Result	Limit[s]	Verdict
11AC80MIMO	5530	see test graph	≥1800	PASS

12.9.1. Test Graphs



11AC80MIMO_5530

12.10. Appendix H: Frequency Stability

12.10.1. Test Result

Frequency Error vs. Voltage									
802.11a20:5200MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5200.0095	1.83	5200.0063	1.21	5200.0201	3.86	5200.0184	3.54
TN	VN	5200.0213	4.10	5200.0127	2.44	5200.0094	1.80	5200.0190	3.65
TN	VH	5199.9872	-2.47	5200.0250	4.80	5199.9964	-0.70	5200.0100	1.93
Frequency Error vs. Temperature									
802.11a:5200MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5199.9832	-3.23	5199.9752	-4.77	5199.9880	-2.30	5200.0156	3.00
60	VN	5200.0169	3.25	5200.0115	2.21	5200.0117	2.25	5200.0206	3.97
50	VN	5200.0040	0.76	5200.0002	0.04	5199.9785	-4.13	5199.9766	-4.49
40	VN	5199.9890	-2.11	5200.0070	1.35	5200.0215	4.13	5199.9801	-3.83
30	VN	5200.0242	4.66	5200.0040	0.77	5199.9865	-2.59	5200.0164	3.14
20	VN	5200.0033	0.63	5199.9794	-3.95	5199.9781	-4.20	5200.0203	3.90
10	VN	5199.9853	-2.82	5200.0015	0.29	5199.9784	-4.15	5199.9980	-0.38
0	VN	5199.9983	-0.32	5199.9970	-0.57	5200.0163	3.13	5199.9915	-1.63
-10	VN	5200.0240	4.62	5199.9862	-2.66	5200.0124	2.39	5199.9796	-3.92

Note:
1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 10 TEST ENVIRONMENT.

Frequency Error vs. Voltage									
802.11a:5825MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5824.9853	-2.52	5824.9946	-0.93	5824.9931	-1.19	5825.0080	1.38
TN	VN	5824.9963	-0.63	5825.0015	0.26	5824.9878	-2.10	5825.0104	1.78
TN	VH	5824.9832	-2.88	5825.0051	0.87	5824.9863	-2.35	5824.9881	-2.04
Frequency Error vs. Temperature									
802.11a:5825MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5825.0103	1.77	5825.0102	1.75	5824.9844	-2.68	5825.0234	4.02
60	VN	5824.9879	-2.08	5825.0038	0.65	5824.9929	-1.21	5825.0092	1.58
50	VN	5825.0000	0.00	5824.9798	-3.46	5825.0136	2.34	5824.9880	-2.06
40	VN	5825.0245	4.21	5825.0003	0.05	5824.9777	-3.83	5824.9798	-3.47
30	VN	5824.9831	-2.91	5824.9862	-2.38	5824.9762	-4.08	5824.9921	-1.36
20	VN	5825.0132	2.26	5825.0170	2.92	5824.9750	-4.28	5824.9871	-2.22
10	VN	5824.9995	-0.09	5825.0086	1.48	5825.0091	1.56	5824.9809	-3.28
0	VN	5824.9898	-1.75	5824.9938	-1.06	5825.0135	2.31	5825.0127	2.17
-10	VN	5824.9960	-0.68	5824.9943	-0.98	5825.0055	0.95	5825.0147	2.53

Note:
1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 10 TEST ENVIRONMENT.

END OF REPORT