

11AC80MIMO_Ant1_5775


11.3. APPENDIX C: MIN EMISSION BANDWIDTH

11.3.1. Test Result


Test Mode	Antenna	Frequency [MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant0	5720	16.320	5711.840	5728.160	≥0.5	PASS
	Ant1	5720	16.480	5711.760	5728.240	≥0.5	PASS
	Ant0	5720_UNII-3	3.16	5725	5728.160	≥0.5	PASS
	Ant1	5720_UNII-3	3.24	5725	5728.240	≥0.5	PASS
	Ant0	5745	16.520	5736.720	5753.240	≥0.5	PASS
	Ant1	5745	16.400	5736.800	5753.200	≥0.5	PASS
	Ant0	5785	16.520	5776.720	5793.240	≥0.5	PASS
	Ant1	5785	16.400	5776.800	5793.200	≥0.5	PASS
	Ant0	5825	16.440	5816.800	5833.240	≥0.5	PASS
11N20MIMO	Ant1	5825	16.560	5816.720	5833.280	≥0.5	PASS
	Ant0	5720	17.640	5711.200	5728.840	≥0.5	PASS
	Ant1	5720	17.640	5711.240	5728.880	≥0.5	PASS
	Ant0	5720_UNII-3	3.84	5725	5728.840	≥0.5	PASS
	Ant1	5720_UNII-3	3.88	5725	5728.880	≥0.5	PASS
	Ant0	5745	17.680	5736.160	5753.840	≥0.5	PASS
	Ant1	5745	17.640	5736.200	5753.840	≥0.5	PASS
	Ant0	5785	17.520	5776.240	5793.760	≥0.5	PASS
	Ant1	5785	17.760	5776.120	5793.880	≥0.5	PASS
11N40MIMO	Ant0	5825	17.200	5816.240	5833.440	≥0.5	PASS
	Ant1	5825	17.640	5816.200	5833.840	≥0.5	PASS
	Ant0	5710	35.120	5692.080	5727.200	≥0.5	PASS
	Ant1	5710	33.120	5694.400	5727.520	≥0.5	PASS
	Ant0	5710_UNII-3	2.2	5725	5727.200	≥0.5	PASS
	Ant1	5710_UNII-3	2.52	5725	5727.520	≥0.5	PASS
	Ant0	5755	36.240	5736.920	5773.160	≥0.5	PASS
	Ant1	5755	36.320	5736.840	5773.160	≥0.5	PASS
11AC80MIMO	Ant0	5795	36.160	5777.000	5813.160	≥0.5	PASS
	Ant1	5795	34.800	5778.120	5812.920	≥0.5	PASS
	Ant0	5690	75.680	5652.400	5728.080	≥0.5	PASS
	Ant1	5690	74.560	5652.880	5727.440	≥0.5	PASS
	Ant0	5690_UNII-3	3.08	5725	5728.080	≥0.5	PASS
	Ant1	5690_UNII-3	2.44	5725	5727.440	≥0.5	PASS
	Ant0	5775	72.640	5738.680	5811.320	≥0.5	PASS
Ant1	5775	70.080	5739.960	5810.040	≥0.5	PASS	

11.3.2. Test Graphs







11A_Ant1_5745




11A_Ant0_5785




11A_Ant1_5785



11A_Ant0_5825




11A_Ant1_5825




11N20MIMO_Ant0_5720




11N20MIMO_Ant1_5720




11N20MIMO_Ant0_5745




11N20MIMO_Ant1_5745




11N20MIMO_Ant0_5785




11N20MIMO_Ant1_5785




11N20MIMO_Ant0_5825



11N20MIMO_Ant1_5825




11N40MIMO_Ant0_5710



11N40MIMO_Ant1_5710




11N40MIMO_Ant0_5755



11N40MIMO_Ant1_5755



11N40MIMO_Ant0_5795



11N40MIMO_Ant1_5795



11AC80MIMO_Ant0_5690



11AC80MIMO_Ant1_5690



11AC80MIMO_Ant0_5775



11AC80MIMO_Ant1_5775

11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant0	5180	14.97	≤23.98	---	16.47	≤22.48	PASS
	Ant1	5180	14.37	≤23.98	---	17.90	≤22.18	PASS
	Ant0	5200	14.60	≤23.98	---	16.10	≤22.47	PASS
	Ant1	5200	14.22	≤23.98	---	17.75	≤22.48	PASS
	Ant0	5240	14.28	≤23.98	---	15.78	≤22.49	PASS
	Ant1	5240	13.73	≤23.98	---	17.26	≤22.18	PASS
	Ant0	5260	14.34	≤23.90	≤23.48	15.84	≤29.48	PASS
	Ant1	5260	14.72	≤23.63	≤23.19	18.25	≤29.19	PASS
	Ant0	5280	14.00	≤23.82	≤23.49	15.50	≤29.49	PASS
	Ant1	5280	14.58	≤23.75	≤23.18	18.11	≤29.18	PASS
	Ant0	5320	13.83	≤23.85	≤23.49	15.33	≤29.49	PASS
	Ant1	5320	14.59	≤23.64	≤23.20	18.12	≤29.20	PASS
	Ant0	5500	13.92	≤23.68	≤23.57	15.42	≤29.57	PASS
	Ant1	5500	13.67	≤23.57	≤23.18	17.20	≤29.18	PASS
	Ant0	5580	14.71	≤23.68	≤23.49	16.21	≤29.49	PASS
	Ant1	5580	14.88	≤23.61	≤23.18	18.41	≤29.18	PASS
	Ant0	5700	15.19	≤23.90	≤23.50	16.69	≤29.50	PASS
	Ant1	5700	15.52	≤23.64	≤23.17	19.05	≤29.17	PASS
	Ant0	5720_UNII-2C	13.98	≤22.69	≤22.40	15.48	≤28.40	PASS
	Ant1	5720_UNII-2C	14.47	≤22.54	≤22.20	18.00	≤28.20	PASS
	Ant0	5720_UNII-3	6.91	≤30.00	≤30.00	8.41	---	PASS
	Ant1	5720_UNII-3	6.59	≤30.00	≤30.00	10.12	---	PASS
	Ant0	5745	14.16	≤30.00	≤30.00	15.66	---	PASS
	Ant1	5745	14.46	≤30.00	≤30.00	17.99	---	PASS
	Ant0	5785	14.84	≤30.00	≤30.00	16.34	---	PASS
	Ant1	5785	14.44	≤30.00	≤30.00	17.97	---	PASS
	Ant0	5825	15.02	≤30.00	≤30.00	16.52	---	PASS
	Ant1	5825	14.86	≤30.00	≤30.00	18.39	---	PASS
11N20MIMO	Ant0	5180	11.12	≤23.98	---	14.65	≤22.48	PASS
	Ant1	5180	11.46	≤23.98	---	14.99	≤22.49	PASS
	total	5180	14.30	≤23.98	---	20.84	≤22.48	PASS
	Ant0	5200	10.44	≤23.98	---	13.97	≤22.49	PASS
	Ant1	5200	11.14	≤23.98	---	14.67	≤22.48	PASS
	total	5200	13.81	≤23.98	---	20.35	≤22.48	PASS
	Ant0	5240	10.84	≤23.98	---	14.37	≤22.49	PASS
	Ant1	5240	10.43	≤23.98	---	13.96	≤22.49	PASS
	total	5240	13.65	≤23.98	---	20.19	≤22.49	PASS
	Ant0	5260	13.94	≤23.86	≤23.47	17.47	≤29.47	PASS
	Ant1	5260	14.42	≤23.87	≤23.49	17.95	≤29.49	PASS
	total	5260	17.20	≤23.98	≤23.47	23.74	≤29.47	PASS
	Ant0	5280	13.94	≤23.85	≤23.49	17.47	≤29.49	PASS
	Ant1	5280	13.95	≤23.90	≤23.48	17.48	≤29.48	PASS
	total	5280	16.96	≤23.98	≤23.48	23.50	≤29.48	PASS
	Ant0	5320	14.10	≤23.89	≤23.49	17.63	≤29.49	PASS
	Ant1	5320	14.05	≤23.83	≤23.47	17.58	≤29.47	PASS
	total	5320	17.09	≤23.98	≤23.47	23.63	≤29.47	PASS
	Ant0	5500	14.25	≤23.82	≤23.49	17.78	≤29.49	PASS
	Ant1	5500	13.55	≤23.81	≤23.48	17.08	≤29.48	PASS
	total	5500	16.92	≤23.98	≤23.48	23.46	≤29.48	PASS
	Ant0	5580	14.29	≤23.83	≤23.49	17.82	≤29.49	PASS
	Ant1	5580	14.51	≤23.86	≤23.48	18.04	≤29.48	PASS
	total	5580	17.41	≤23.98	≤23.48	23.95	≤29.48	PASS
	Ant0	5700	14.14	≤23.84	≤23.48	17.67	≤29.48	PASS
	Ant1	5700	14.10	≤23.89	≤23.48	17.63	≤29.48	PASS




	total	5700	17.13	≤23.98	≤23.48	23.67	≤29.48	PASS
	Ant0	5720_UNII-2C	12.32	≤22.73	≤22.40	15.85	≤28.40	PASS
	Ant1	5720_UNII-2C	12.36	≤22.68	≤22.39	15.89	≤28.39	PASS
	total	5720_UNII-2C	15.35	≤23.98	≤22.39	21.89	≤28.39	PASS
	Ant0	5720_UNII-3	5.45	≤30.00	≤30.00	8.98	---	PASS
	Ant1	5720_UNII-3	5.46	≤30.00	≤30.00	8.99	---	PASS
	total	5720_UNII-3	8.47	≤30.00	≤30.00	15.01	---	PASS
	Ant0	5745	13.39	≤30.00	≤30.00	16.92	---	PASS
	Ant1	5745	13.49	≤30.00	≤30.00	17.02	---	PASS
	total	5745	16.45	≤30.00	≤30.00	22.99	---	PASS
	Ant0	5785	13.74	≤30.00	≤30.00	17.27	---	PASS
	Ant1	5785	14.13	≤30.00	≤30.00	17.66	---	PASS
	total	5785	16.95	≤30.00	≤30.00	23.49	---	PASS
	Ant0	5825	13.91	≤30.00	≤30.00	17.44	---	PASS
	Ant1	5825	14.10	≤30.00	≤30.00	17.63	---	PASS
	total	5825	17.02	≤30.00	≤30.00	23.56	---	PASS
	Ant0	5190	13.73	≤23.98	---	17.26	≤23.00	PASS
	Ant1	5190	13.67	≤23.98	---	17.20	≤23.00	PASS
	total	5190	16.71	≤23.98	---	23.25	≤23.00	PASS
	Ant0	5230	13.37	≤23.98	---	16.90	≤23.00	PASS
	Ant1	5230	13.96	≤23.98	---	17.49	≤23.00	PASS
	total	5230	16.69	≤23.98	---	23.23	≤23.00	PASS
	Ant0	5270	13.98	≤23.98	≤23.98	17.51	≤30.00	PASS
	Ant1	5270	13.97	≤23.98	≤23.98	17.50	≤30.00	PASS
	total	5270	16.99	≤23.98	≤23.98	23.53	≤30.00	PASS
	Ant0	5310	13.10	≤23.98	≤23.98	16.63	≤30.00	PASS
	Ant1	5310	13.71	≤23.98	≤23.98	17.24	≤30.00	PASS
	total	5310	16.43	≤23.98	≤23.98	22.97	≤30.00	PASS
	Ant0	5510	10.22	≤23.98	≤23.98	13.75	≤30.00	PASS
	Ant1	5510	10.10	≤23.98	≤23.98	13.63	≤30.00	PASS
	total	5510	13.17	≤23.98	≤23.98	19.71	≤30.00	PASS
	Ant0	5550	10.98	≤23.98	≤23.98	14.51	≤30.00	PASS
	Ant1	5550	10.98	≤23.98	≤23.98	14.51	≤30.00	PASS
	total	5550	13.99	≤23.98	≤23.98	20.53	≤30.00	PASS
	Ant0	5670	10.64	≤23.98	≤23.98	14.17	≤30.00	PASS
	Ant1	5670	12.00	≤23.98	≤23.98	15.53	≤30.00	PASS
	total	5670	14.38	≤23.98	≤23.98	20.92	≤30.00	PASS
	Ant0	5710_UNII-2C	10.18	≤23.98	≤23.98	13.71	≤30.00	PASS
	Ant1	5710_UNII-2C	11.50	≤23.98	≤23.98	15.03	≤30.00	PASS
	total	5710_UNII-2C	13.90	≤23.98	≤23.98	20.44	≤30.00	PASS
	Ant0	5710_UNII-3	-3.71	≤30.00	≤30.00	-0.18	---	PASS
	Ant1	5710_UNII-3	-2.05	≤30.00	≤30.00	1.48	---	PASS
	total	5710_UNII-3	0.21	≤30.00	≤30.00	6.75	---	PASS
	Ant0	5755	13.79	≤30.00	≤30.00	17.32	---	PASS
	Ant1	5755	13.67	≤30.00	≤30.00	17.20	---	PASS
	total	5755	16.74	≤30.00	≤30.00	23.28	---	PASS
	Ant0	5795	14.27	≤30.00	≤30.00	17.80	---	PASS
	Ant1	5795	13.84	≤30.00	≤30.00	17.37	---	PASS
	total	5795	17.07	≤30.00	≤30.00	23.61	---	PASS
	Ant0	5210	12.95	≤23.98	---	16.48	≤23.00	PASS
	Ant1	5210	13.29	≤23.98	---	16.82	≤23.00	PASS
	total	5210	16.13	≤23.98	---	22.67	≤23.00	PASS
	Ant0	5290	13.83	≤23.98	≤23.98	17.36	≤30.00	PASS
	Ant1	5290	13.97	≤23.98	≤23.98	17.50	≤30.00	PASS
	total	5290	16.91	≤23.98	≤23.98	23.45	≤30.00	PASS
	Ant0	5530	11.20	≤23.98	≤23.98	14.73	≤30.00	PASS
	Ant1	5530	10.56	≤23.98	≤23.98	14.09	≤30.00	PASS
	total	5530	13.90	≤23.98	≤23.98	20.44	≤30.00	PASS
	Ant0	5610	11.81	≤23.98	≤23.98	15.34	≤30.00	PASS
	Ant1	5610	12.43	≤23.98	≤23.98	15.96	≤30.00	PASS
	total	5610	15.14	≤23.98	≤23.98	21.68	≤30.00	PASS


	Ant0	5690_UNII-2C	11.24	≤23.98	≤23.98	14.77	≤30.00	PASS
	Ant1	5690_UNII-2C	11.96	≤23.98	≤23.98	15.49	≤30.00	PASS
	total	5690_UNII-2C	14.63	≤23.98	≤23.98	21.17	≤30.00	PASS
	Ant0	5690_UNII-3	-7.19	≤30.00	≤30.00	-3.66	---	PASS
	Ant1	5690_UNII-3	-6.37	≤30.00	≤30.00	-2.84	---	PASS
	total	5690_UNII-3	-3.75	≤30.00	≤30.00	2.79	---	PASS
	Ant0	5775	13.67	≤30.00	≤30.00	17.20	---	PASS
	Ant1	5775	12.74	≤30.00	≤30.00	16.27	---	PASS
	total	5775	16.24	≤30.00	≤30.00	22.78	---	PASS

- Note: 1. Conducted Power=Meas. Level+ Correction Factor
2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.4.2. Test Graphs









11N20MIMO_Ant0_5720_UNII-3




11N20MIMO_Ant1_5720_UNII-3




11N40MIMO_Ant0_5710_UNII-2C






11N40MIMO_Ant1_5710_UNII-2C




11N40MIMO_Ant0_5710_UNII-3



11N40MIMO_Ant1_5710_UNII-3





11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result


Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict	
11A	Ant0	5180	3.9	≤11.00	5.4	≤10.00	PASS	
	Ant1	5180	3.22	≤11.00	6.75	≤10.00	PASS	
	Ant0	5200	3.36	≤11.00	4.86	≤10.00	PASS	
	Ant1	5200	3.34	≤11.00	6.87	≤10.00	PASS	
	Ant0	5240	2.18	≤11.00	3.68	≤10.00	PASS	
	Ant1	5240	3.09	≤11.00	6.62	≤10.00	PASS	
	Ant0	5260	3.16	≤11.00	4.66	---	PASS	
	Ant1	5260	3.48	≤11.00	7.01	---	PASS	
	Ant0	5280	2.28	≤11.00	3.78	---	PASS	
	Ant1	5280	3.54	≤11.00	7.07	---	PASS	
	Ant0	5320	2.27	≤11.00	3.77	---	PASS	
	Ant1	5320	3.87	≤11.00	7.4	---	PASS	
	Ant0	5500	2.83	≤11.00	4.33	---	PASS	
	Ant1	5500	2.62	≤11.00	6.15	---	PASS	
	Ant0	5580	3.26	≤11.00	4.76	---	PASS	
	Ant1	5580	3.54	≤11.00	7.07	---	PASS	
	Ant0	5700	4.03	≤11.00	5.53	---	PASS	
	Ant1	5700	4.48	≤11.00	8.01	---	PASS	
	Ant0	5720_UNII-2C	4.04	≤11.00	5.54	---	PASS	
	Ant1	5720_UNII-2C	4.32	≤11.00	7.85	---	PASS	
	Ant0	5720_UNII-3	1.44	≤30.00	2.94	---	PASS	
	Ant1	5720_UNII-3	1.56	≤30.00	5.09	---	PASS	
	Ant0	5745	0.11	≤30.00	1.61	---	PASS	
	Ant1	5745	0.47	≤30.00	4	---	PASS	
	Ant0	5785	0.54	≤30.00	2.04	---	PASS	
	Ant1	5785	0.75	≤30.00	4.28	---	PASS	
	Ant0	5825	1.34	≤30.00	2.84	---	PASS	
	Ant1	5825	1.07	≤30.00	4.6	---	PASS	
	11N20MIMO	Ant0	5180	-0.16	≤10.46	1.34	≤10.00	PASS
		Ant1	5180	0.02	≤10.46	3.55	≤10.00	PASS
total		5180	2.94	≤10.46	9.48	≤10.00	PASS	
Ant0		5200	-1.22	≤10.46	0.28	≤10.00	PASS	
Ant1		5200	-0.01	≤10.46	3.52	≤10.00	PASS	
total		5200	2.44	≤10.46	8.98	≤10.00	PASS	
Ant0		5240	-0.67	≤10.46	0.83	≤10.00	PASS	
Ant1		5240	-0.09	≤10.46	3.44	≤10.00	PASS	
total		5240	2.64	≤10.46	9.18	≤10.00	PASS	
Ant0		5260	2.63	≤10.46	4.13	---	PASS	
Ant1		5260	2.61	≤10.46	6.14	---	PASS	
total		5260	5.63	≤10.46	12.17	---	PASS	
Ant0		5280	2.97	≤10.46	4.47	---	PASS	
Ant1		5280	3.05	≤10.46	6.58	---	PASS	
total		5280	6.02	≤10.46	12.56	---	PASS	
Ant0		5320	2.78	≤10.46	4.28	---	PASS	
Ant1		5320	2.76	≤10.46	6.29	---	PASS	
total		5320	5.78	≤10.46	12.32	---	PASS	
Ant0		5500	2.62	≤10.46	4.12	---	PASS	
Ant1		5500	2.21	≤10.46	5.74	---	PASS	
total		5500	5.43	≤10.46	11.97	---	PASS	
Ant0		5580	3.43	≤10.46	4.93	---	PASS	
Ant1		5580	3.45	≤10.46	6.98	---	PASS	
total		5580	6.45	≤10.46	12.99	---	PASS	
Ant0		5700	2.78	≤10.46	4.28	---	PASS	
Ant1		5700	2.71	≤10.46	6.24	---	PASS	
total		5700	5.76	≤10.46	12.3	---	PASS	


	Ant0	5720_UNII-2C	1.89	≤10.46	3.39	---	PASS
	Ant1	5720_UNII-2C	2.3	≤10.46	5.83	---	PASS
	total	5720_UNII-2C	5.11	≤10.46	11.65	---	PASS
	Ant0	5720_UNII-3	-0.84	≤29.46	0.66	---	PASS
	Ant1	5720_UNII-3	-0.57	≤29.46	2.96	---	PASS
	total	5720_UNII-3	2.31	≤29.46	8.85	---	PASS
	Ant0	5745	-0.86	≤29.46	0.64	---	PASS
	Ant1	5745	-0.79	≤29.46	2.74	---	PASS
	total	5745	2.19	≤29.46	8.73	---	PASS
	Ant0	5785	-0.59	≤29.46	0.91	---	PASS
	Ant1	5785	-0.47	≤29.46	3.06	---	PASS
	total	5785	2.48	≤29.46	9.02	---	PASS
	Ant0	5825	-0.25	≤29.46	1.25	---	PASS
	Ant1	5825	-0.06	≤29.46	3.47	---	PASS
	total	5825	2.86	≤29.46	9.4	---	PASS
11N40MIMO	Ant0	5190	-0.78	≤10.46	0.72	≤10.00	PASS
	Ant1	5190	0.21	≤10.46	3.74	≤10.00	PASS
	total	5190	2.75	≤10.46	9.29	≤10.00	PASS
	Ant0	5230	-0.34	≤10.46	1.16	≤10.00	PASS
	Ant1	5230	-0.67	≤10.46	2.86	≤10.00	PASS
	total	5230	2.51	≤10.46	9.05	≤10.00	PASS
	Ant0	5270	-0.02	≤10.46	1.48	---	PASS
	Ant1	5270	-0.17	≤10.46	3.36	---	PASS
	total	5270	2.92	≤10.46	9.46	---	PASS
	Ant0	5310	-0.78	≤10.46	0.72	---	PASS
	Ant1	5310	-0.47	≤10.46	3.06	---	PASS
	total	5310	2.39	≤10.46	8.93	---	PASS
	Ant0	5510	-3.79	≤10.46	-2.29	---	PASS
	Ant1	5510	-4.06	≤10.46	-0.53	---	PASS
	total	5510	-0.91	≤10.46	5.63	---	PASS
	Ant0	5550	-3.63	≤10.46	-2.13	---	PASS
	Ant1	5550	-3.29	≤10.46	0.24	---	PASS
	total	5550	-0.45	≤10.46	6.09	---	PASS
	Ant0	5670	-3.36	≤10.46	-1.86	---	PASS
	Ant1	5670	-1.81	≤10.46	1.72	---	PASS
	total	5670	0.49	≤10.46	7.03	---	PASS
	Ant0	5710_UNII-2C	-3.83	≤10.46	-2.33	---	PASS
	Ant1	5710_UNII-2C	-2.37	≤10.46	1.16	---	PASS
	total	5710_UNII-2C	-0.03	≤10.46	6.51	---	PASS
	Ant0	5710_UNII-3	-7.61	≤29.46	-6.11	---	PASS
	Ant1	5710_UNII-3	-6.24	≤29.46	-2.71	---	PASS
	total	5710_UNII-3	-3.86	≤29.46	2.68	---	PASS
	Ant0	5755	-4.31	≤29.46	-2.81	---	PASS
	Ant1	5755	-3.52	≤29.46	0.01	---	PASS
	total	5755	-0.89	≤29.46	5.65	---	PASS
Ant0	5795	-2.13	≤29.46	-0.63	---	PASS	
Ant1	5795	-3.04	≤29.46	0.49	---	PASS	
total	5795	0.45	≤29.46	6.99	---	PASS	
11AC80MIMO	Ant0	5210	-3.62	≤10.46	-2.12	≤10.00	PASS
	Ant1	5210	-2.31	≤10.46	1.22	≤10.00	PASS
	total	5210	0.09	≤10.46	6.63	≤10.00	PASS
	Ant0	5290	-3.68	≤10.46	-2.18	---	PASS
	Ant1	5290	-3.17	≤10.46	0.36	---	PASS
	total	5290	-0.41	≤10.46	6.13	---	PASS
	Ant0	5530	-5.61	≤10.46	-4.11	---	PASS
	Ant1	5530	-6.35	≤10.46	-2.82	---	PASS
	total	5530	-2.95	≤10.46	3.59	---	PASS
	Ant0	5610	-4.23	≤10.46	-2.73	---	PASS
	Ant1	5610	-4.1	≤10.46	-0.57	---	PASS
	total	5610	-1.15	≤10.46	5.39	---	PASS
	Ant0	5690_UNII-2C	-5.14	≤10.46	-3.64	---	PASS

	Ant1	5690_UNII-2C	-5.13	≤10.46	-1.6	---	PASS
	total	5690_UNII-2C	-2.12	≤10.46	4.42	---	PASS
	Ant0	5690_UNII-3	-10.78	≤29.46	-9.28	---	PASS
	Ant1	5690_UNII-3	-9.05	≤29.46	-5.52	---	PASS
	total	5690_UNII-3	-6.82	≤29.46	-0.28	---	PASS
	Ant0	5775	-6.39	≤29.46	-4.89	---	PASS
	Ant1	5775	-6.99	≤29.46	-3.46	---	PASS
	total	5775	-3.67	≤29.46	2.87	---	PASS


- Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs







11A_Ant1_5200




11A_Ant0_5240




11A_Ant1_5240






11A_Ant0_5260




11A_Ant1_5260




11A_Ant0_5280






11A_Ant0_5500



11A_Ant1_5500



11A_Ant0_5580