



Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.91	10.49	48.40	74.00	-25.60	peak
2	10223.000	35.88	12.24	48.12	74.00	-25.88	peak
3	11202.000	34.17	15.55	49.72	74.00	-24.28	peak
4	12687.000	31.71	18.05	49.76	74.00	-24.24	peak
5	13919.000	27.60	21.68	49.28	74.00	-24.72	peak
6	17967.000	23.40	25.89	49.29	74.00	-24.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.70	6.54	45.24	74.00	-28.76	peak
2	9354.000	37.70	10.56	48.26	74.00	-25.74	peak
3	11059.000	34.24	14.96	49.20	74.00	-24.80	peak
4	12357.000	32.40	17.79	50.19	74.00	-23.81	peak
5	13776.000	28.09	21.33	49.42	74.00	-24.58	peak
6	17956.000	23.97	25.82	49.79	74.00	-24.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.44	10.38	47.82	74.00	-26.18	peak
2	10883.000	34.84	14.27	49.11	74.00	-24.89	peak
3	12379.000	31.08	17.80	48.88	74.00	-25.12	peak
4	12687.000	31.27	18.05	49.32	74.00	-24.68	peak
5	13974.000	28.21	21.82	50.03	74.00	-23.97	peak
6	17769.000	26.00	24.53	50.53	74.00	-23.47	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	37.99	9.90	47.89	74.00	-26.11	peak
2	10201.000	36.02	12.19	48.21	74.00	-25.79	peak
3	11015.000	34.46	14.79	49.25	74.00	-24.75	peak
4	12698.000	31.71	18.08	49.79	74.00	-24.21	peak
5	13380.000	28.94	20.12	49.06	74.00	-24.94	peak
6	17945.000	23.69	25.75	49.44	74.00	-24.56	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.66	10.49	48.15	74.00	-25.85	peak
2	10564.000	35.27	13.06	48.33	74.00	-25.67	peak
3	11048.000	34.92	14.91	49.83	74.00	-24.17	peak
4	12698.000	31.25	18.08	49.33	74.00	-24.67	peak
5	13919.000	28.36	21.68	50.04	74.00	-23.96	peak
6	17901.000	24.34	25.45	49.79	74.00	-24.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	38.22	6.53	44.75	74.00	-29.25	peak
2	9200.000	37.31	10.46	47.77	74.00	-26.23	peak
3	11235.000	34.29	15.68	49.97	74.00	-24.03	peak
4	12632.000	32.04	17.99	50.03	74.00	-23.97	peak
5	13578.000	29.32	20.83	50.15	74.00	-23.85	peak
6	18000.000	23.29	26.12	49.41	74.00	-24.59	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	37.55	10.42	47.97	74.00	-26.03	peak
2	10311.000	35.94	12.42	48.36	74.00	-25.64	peak
3	11059.000	34.58	14.96	49.54	74.00	-24.46	peak
4	12522.000	31.74	17.86	49.60	74.00	-24.40	peak
5	13556.000	29.01	20.78	49.79	74.00	-24.21	peak
6	17967.000	24.45	25.89	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.40	10.38	47.78	74.00	-26.22	peak
2	11048.000	34.29	14.91	49.20	74.00	-24.80	peak
3	11400.000	32.96	16.36	49.32	74.00	-24.68	peak
4	12676.000	31.44	18.05	49.49	74.00	-24.51	peak
5	13666.000	28.17	21.05	49.22	74.00	-24.78	peak
6	17692.000	24.84	24.01	48.85	74.00	-25.15	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.30	10.46	47.76	74.00	-26.24	peak
2	10278.000	35.34	12.35	47.69	74.00	-26.31	peak
3	11279.000	33.00	15.86	48.86	74.00	-25.14	peak
4	12588.000	31.39	17.94	49.33	74.00	-24.67	peak
5	13952.000	28.04	21.76	49.80	74.00	-24.20	peak
6	17901.000	24.20	25.45	49.65	74.00	-24.35	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.98	10.38	48.36	74.00	-25.64	peak
2	11147.000	34.34	15.32	49.66	74.00	-24.34	peak
3	12170.000	32.82	17.75	50.57	74.00	-23.43	peak
4	12709.000	32.45	18.09	50.54	74.00	-23.46	peak
5	13963.000	28.52	21.78	50.30	74.00	-23.70	peak
6	17967.000	23.76	25.89	49.65	74.00	-24.35	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9398.000	36.57	10.59	47.16	74.00	-26.84	peak
2	10157.000	35.47	12.10	47.57	74.00	-26.43	peak
3	11257.000	33.29	15.78	49.07	74.00	-24.93	peak
4	12258.000	31.49	17.77	49.26	74.00	-24.74	peak
5	13897.000	27.91	21.62	49.53	74.00	-24.47	peak
6	17802.000	24.77	24.76	49.53	74.00	-24.47	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.87	10.43	48.30	74.00	-25.70	peak
2	10212.000	35.84	12.21	48.05	74.00	-25.95	peak
3	11796.000	33.65	17.32	50.97	74.00	-23.03	peak
4	12687.000	32.01	18.05	50.06	74.00	-23.94	peak
5	13369.000	30.42	20.06	50.48	74.00	-23.52	peak
6	17967.000	24.29	25.89	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.61	9.66	47.27	74.00	-26.73	peak
2	10212.000	35.80	12.21	48.01	74.00	-25.99	peak
3	11312.000	33.55	16.00	49.55	74.00	-24.45	peak
4	12676.000	32.15	18.05	50.20	74.00	-23.80	peak
5	13435.000	29.02	20.35	49.37	74.00	-24.63	peak
6	17923.000	23.53	25.60	49.13	74.00	-24.87	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	37.63	10.45	48.08	74.00	-25.92	peak
2	10289.000	35.85	12.38	48.23	74.00	-25.77	peak
3	11048.000	34.81	14.91	49.72	74.00	-24.28	peak
4	12709.000	31.31	18.09	49.40	74.00	-24.60	peak
5	13864.000	28.31	21.53	49.84	74.00	-24.16	peak
6	17989.000	24.28	26.04	50.32	74.00	-23.68	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	39.91	6.87	46.78	74.00	-27.22	peak
2	9200.000	37.56	10.46	48.02	74.00	-25.98	peak
3	11070.000	35.49	15.01	50.50	74.00	-23.50	peak
4	12687.000	31.94	18.05	49.99	74.00	-24.01	peak
5	13138.000	30.87	19.05	49.92	74.00	-24.08	peak
6	17978.000	24.31	25.97	50.28	74.00	-23.72	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.34	10.48	47.82	74.00	-26.18	peak
2	10212.000	36.10	12.21	48.31	74.00	-25.69	peak
3	10883.000	34.62	14.27	48.89	74.00	-25.11	peak
4	11312.000	33.44	16.00	49.44	74.00	-24.56	peak
5	13611.000	28.59	20.92	49.51	74.00	-24.49	peak
6	17868.000	23.98	25.22	49.20	74.00	-24.80	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.51	10.51	48.02	74.00	-25.98	peak
2	10894.000	34.00	14.32	48.32	74.00	-25.68	peak
3	11862.000	32.27	17.45	49.72	74.00	-24.28	peak
4	12709.000	31.64	18.09	49.73	74.00	-24.27	peak
5	13270.000	29.54	19.63	49.17	74.00	-24.83	peak
6	17989.000	23.84	26.04	49.88	74.00	-24.12	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.73	10.46	48.19	74.00	-25.81	peak
2	10289.000	35.87	12.38	48.25	74.00	-25.75	peak
3	11059.000	34.46	14.96	49.42	74.00	-24.58	peak
4	12577.000	31.32	17.93	49.25	74.00	-24.75	peak
5	13864.000	28.00	21.53	49.53	74.00	-24.47	peak
6	17912.000	24.16	25.52	49.68	74.00	-24.32	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	38.28	10.38	48.66	74.00	-25.34	peak
2	11048.000	34.33	14.91	49.24	74.00	-24.76	peak
3	11840.000	32.63	17.40	50.03	74.00	-23.97	peak
4	12555.000	31.68	17.90	49.58	74.00	-24.42	peak
5	13908.000	28.31	21.66	49.97	74.00	-24.03	peak
6	17989.000	24.90	26.04	50.94	74.00	-23.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.69	10.38	48.07	74.00	-25.93	peak
2	10883.000	35.35	14.27	49.62	74.00	-24.38	peak
3	11081.000	34.50	15.05	49.55	74.00	-24.45	peak
4	12687.000	31.53	18.05	49.58	74.00	-24.42	peak
5	13138.000	30.05	19.05	49.10	74.00	-24.90	peak
6	17934.000	23.92	25.67	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	39.25	6.68	45.93	74.00	-28.07	peak
2	9068.000	37.21	10.39	47.60	74.00	-26.40	peak
3	11048.000	34.26	14.91	49.17	74.00	-24.83	peak
4	12643.000	32.27	18.01	50.28	74.00	-23.72	peak
5	13424.000	29.29	20.30	49.59	74.00	-24.41	peak
6	17945.000	24.80	25.75	50.55	74.00	-23.45	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.79	10.43	48.22	74.00	-25.78	peak
2	10300.000	36.94	12.40	49.34	74.00	-24.66	peak
3	11059.000	34.46	14.96	49.42	74.00	-24.58	peak
4	11686.000	32.52	17.12	49.64	74.00	-24.36	peak
5	13611.000	29.17	20.92	50.09	74.00	-23.91	peak
6	17956.000	24.74	25.82	50.56	74.00	-23.44	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.28	10.41	47.69	74.00	-26.31	peak
2	11323.000	33.59	16.05	49.64	74.00	-24.36	peak
3	11840.000	32.42	17.40	49.82	74.00	-24.18	peak
4	12698.000	32.28	18.08	50.36	74.00	-23.64	peak
5	13886.000	28.56	21.60	50.16	74.00	-23.84	peak
6	17989.000	24.38	26.04	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	38.12	10.56	48.68	74.00	-25.32	peak
2	10608.000	35.08	13.23	48.31	74.00	-25.69	peak
3	11334.000	33.00	16.09	49.09	74.00	-24.91	peak
4	12665.000	32.12	18.04	50.16	74.00	-23.84	peak
5	13611.000	28.93	20.92	49.85	74.00	-24.15	peak
6	17912.000	24.64	25.52	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.02	10.55	47.57	74.00	-26.43	peak
2	10894.000	34.25	14.32	48.57	74.00	-25.43	peak
3	11697.000	32.57	17.13	49.70	74.00	-24.30	peak
4	12632.000	32.13	17.99	50.12	74.00	-23.88	peak
5	13853.000	28.33	21.52	49.85	74.00	-24.15	peak
6	17945.000	24.91	25.75	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.11	10.48	48.59	74.00	-25.41	peak
2	11070.000	34.99	15.01	50.00	74.00	-24.00	peak
3	11774.000	33.21	17.28	50.49	74.00	-23.51	peak
4	12632.000	32.44	17.99	50.43	74.00	-23.57	peak
5	14029.000	28.35	21.76	50.11	74.00	-23.89	peak
6	17989.000	24.34	26.04	50.38	74.00	-23.62	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.91	10.21	48.12	74.00	-25.88	peak
2	10223.000	36.65	12.24	48.89	74.00	-25.11	peak
3	11411.000	33.79	16.41	50.20	74.00	-23.80	peak
4	12709.000	32.23	18.09	50.32	74.00	-23.68	peak
5	13127.000	30.43	19.01	49.44	74.00	-24.56	peak
6	17978.000	23.98	25.97	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	39.25	6.66	45.91	74.00	-28.09	peak
2	9068.000	37.50	10.39	47.89	74.00	-26.11	peak
3	11367.000	33.22	16.22	49.44	74.00	-24.56	peak
4	11906.000	32.40	17.52	49.92	74.00	-24.08	peak
5	13919.000	27.91	21.68	49.59	74.00	-24.41	peak
6	17967.000	24.25	25.89	50.14	74.00	-23.86	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	40.25	6.87	47.12	74.00	-26.88	peak
2	9596.000	37.71	10.87	48.58	74.00	-25.42	peak
3	11191.000	34.03	15.50	49.53	74.00	-24.47	peak
4	12148.000	32.44	17.74	50.18	74.00	-23.82	peak
5	13842.000	28.28	21.49	49.77	74.00	-24.23	peak
6	17967.000	24.50	25.89	50.39	74.00	-23.61	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.80	10.41	47.21	74.00	-26.79	peak
2	11081.000	34.55	15.05	49.60	74.00	-24.40	peak
3	11906.000	32.50	17.52	50.02	74.00	-23.98	peak
4	12654.000	32.55	18.01	50.56	74.00	-23.44	peak
5	13644.000	29.00	20.99	49.99	74.00	-24.01	peak
6	17967.000	24.07	25.89	49.96	74.00	-24.04	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.93	10.51	48.44	74.00	-25.56	peak
2	11059.000	34.45	14.96	49.41	74.00	-24.59	peak
3	11708.000	32.35	17.16	49.51	74.00	-24.49	peak
4	13259.000	30.16	19.58	49.74	74.00	-24.26	peak
5	13919.000	27.77	21.68	49.45	74.00	-24.55	peak
6	17978.000	23.83	25.97	49.80	74.00	-24.20	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.68	10.48	48.16	74.00	-25.84	peak
2	11301.000	33.63	15.95	49.58	74.00	-24.42	peak
3	12643.000	32.12	18.01	50.13	74.00	-23.87	peak
4	13534.000	29.79	20.73	50.52	74.00	-23.48	peak
5	13985.000	29.03	21.85	50.88	74.00	-23.12	peak
6	17956.000	24.02	25.82	49.84	74.00	-24.16	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7638.000	40.80	6.75	47.55	74.00	-26.45	peak
2	9068.000	37.92	10.39	48.31	74.00	-25.69	peak
3	11191.000	34.40	15.50	49.90	74.00	-24.10	peak
4	12731.000	32.05	18.12	50.17	74.00	-23.83	peak
5	13996.000	28.11	21.87	49.98	74.00	-24.02	peak
6	17934.000	24.68	25.67	50.35	74.00	-23.65	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	37.05	10.45	47.50	74.00	-26.50	peak
2	10333.000	35.86	12.47	48.33	74.00	-25.67	peak
3	11059.000	34.96	14.96	49.92	74.00	-24.08	peak
4	11763.000	32.70	17.26	49.96	74.00	-24.04	peak
5	13028.000	31.93	18.57	50.50	74.00	-23.50	peak
6	17967.000	24.50	25.89	50.39	74.00	-23.61	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	38.59	9.90	48.49	74.00	-25.51	peak
2	10300.000	35.98	12.40	48.38	74.00	-25.62	peak
3	11048.000	35.05	14.91	49.96	74.00	-24.04	peak
4	12621.000	32.47	17.98	50.45	74.00	-23.55	peak
5	13985.000	28.92	21.85	50.77	74.00	-23.23	peak
6	18000.000	24.80	26.12	50.92	74.00	-23.08	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	38.57	9.75	48.32	74.00	-25.68	peak
2	10344.000	35.90	12.49	48.39	74.00	-25.61	peak
3	11279.000	34.23	15.86	50.09	74.00	-23.91	peak
4	12698.000	32.17	18.08	50.25	74.00	-23.75	peak
5	13567.000	28.96	20.80	49.76	74.00	-24.24	peak
6	17978.000	23.90	25.97	49.87	74.00	-24.13	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.69	10.48	48.17	74.00	-25.83	peak
2	10784.000	34.26	13.91	48.17	74.00	-25.83	peak
3	11774.000	32.33	17.28	49.61	74.00	-24.39	peak
4	12698.000	31.46	18.08	49.54	74.00	-24.46	peak
5	13875.000	27.69	21.57	49.26	74.00	-24.74	peak
6	17989.000	23.98	26.04	50.02	74.00	-23.98	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.81	10.57	48.38	74.00	-25.62	peak
2	10234.000	36.17	12.26	48.43	74.00	-25.57	peak
3	10795.000	34.55	13.94	48.49	74.00	-25.51	peak
4	12676.000	32.09	18.05	50.14	74.00	-23.86	peak
5	13930.000	27.77	21.71	49.48	74.00	-24.52	peak
6	17934.000	24.24	25.67	49.91	74.00	-24.09	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	40.48	6.64	47.12	74.00	-26.88	peak
2	9233.000	37.67	10.48	48.15	74.00	-25.85	peak
3	11268.000	34.55	15.83	50.38	74.00	-23.62	peak
4	12764.000	31.89	18.16	50.05	74.00	-23.95	peak
5	13490.000	29.87	20.60	50.47	74.00	-23.53	peak
6	17967.000	24.97	25.89	50.86	74.00	-23.14	peak


Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	38.95	10.28	49.23	74.00	-24.77	peak
2	11279.000	34.07	15.86	49.93	74.00	-24.07	peak
3	12291.000	32.43	17.78	50.21	74.00	-23.79	peak
4	13116.000	31.47	18.96	50.43	74.00	-23.57	peak
5	13600.000	29.97	20.89	50.86	74.00	-23.14	peak
6	17868.000	24.94	25.22	50.16	74.00	-23.84	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.0100	77.72	-101.40	-23.68	47.60	-71.28	peak
2	0.0131	74.47	-101.38	-26.91	45.25	-72.16	peak
3	0.0212	70.54	-101.35	-30.81	41.07	-71.88	peak
4	0.0298	66.74	-101.39	-34.65	38.12	-72.77	peak
5	0.0367	64.25	-101.42	-37.17	36.31	-73.48	peak
6	0.0675	61.64	-101.56	-39.92	31.02	-70.94	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.1554	77.27	-101.65	-24.38	23.77	-48.15	peak
2	0.1794	73.77	-101.68	-27.91	22.53	-50.44	peak
3	0.2127	69.95	-101.74	-31.79	21.04	-52.83	peak
4	0.2472	66.45	-101.80	-35.35	19.74	-55.09	peak
5	0.3163	63.20	-101.87	-38.67	17.60	-56.27	peak
6	0.3573	60.58	-101.91	-41.33	16.54	-57.87	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	0.4959	64.60	-62.06	2.54	33.70	-31.16	peak
2	0.6671	64.25	-62.10	2.15	31.12	-28.97	peak
3	1.2214	59.12	-62.16	-3.04	25.87	-28.91	peak
4	2.0539	57.20	-61.81	-4.61	29.54	-34.15	peak
5	3.3229	54.89	-61.50	-6.61	29.54	-36.15	peak
6	6.2445	53.63	-61.32	-7.69	29.54	-37.23	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18816.000	50.21	-5.38	44.83	74.00	-29.17	peak
2	19560.000	50.86	-5.48	45.38	74.00	-28.62	peak
3	21592.000	49.93	-4.55	45.38	74.00	-28.62	peak
4	23064.000	47.49	-3.42	44.07	74.00	-29.93	peak
5	23744.000	47.65	-3.20	44.45	74.00	-29.55	peak
6	25000.000	46.36	-2.10	44.26	74.00	-29.74	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18224.000	49.58	-5.53	44.05	74.00	-29.95	peak
2	18792.000	49.45	-5.39	44.06	74.00	-29.94	peak
3	20240.000	50.32	-5.61	44.71	74.00	-29.29	peak
4	21544.000	48.76	-4.63	44.13	74.00	-29.87	peak
5	23088.000	47.02	-3.41	43.61	74.00	-30.39	peak
6	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
2	31012.000	48.33	-0.71	47.62	74.00	-26.38	peak
3	32846.000	48.88	-1.02	47.86	74.00	-26.14	peak
4	35366.000	45.40	2.59	47.99	74.00	-26.01	peak
5	38320.000	44.56	3.77	48.33	74.00	-25.67	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26448.000	52.05	-4.85	47.20	74.00	-26.80	peak
2	28828.000	47.63	-0.79	46.84	74.00	-27.16	peak
3	31320.000	49.11	-0.93	48.18	74.00	-25.82	peak
4	32888.000	48.29	-0.91	47.38	74.00	-26.62	peak
5	35828.000	44.75	3.67	48.42	74.00	-25.58	peak
6	39972.000	44.45	5.13	49.58	74.00	-24.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 5 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	36.7900	42.83	-18.83	24.00	40.00	-16.00	QP
2	223.0300	42.41	-16.99	25.42	46.00	-20.58	QP
3	331.6700	49.77	-13.34	36.43	46.00	-9.57	QP
4	499.4800	38.61	-10.34	28.27	46.00	-17.73	QP
5	830.2500	37.94	-6.12	31.82	46.00	-14.18	QP
6	997.0900	41.23	-3.70	37.53	54.00	-16.47	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC5V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	36.7900	40.48	-18.83	21.65	40.00	-18.35	QP
2	138.6400	43.87	-18.45	25.42	43.50	-18.08	QP
3	331.6700	50.80	-13.34	37.46	46.00	-8.54	QP
4	498.5100	45.03	-10.37	34.66	46.00	-11.34	QP
5	833.1599	37.31	-6.06	31.25	46.00	-14.75	QP
6	996.1200	43.84	-3.72	40.12	54.00	-13.88	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	25.4°C	Relative Humidity	56.9%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	December 12, 2023	Test By	Karl Wu
-----------	-------------------	---------	---------

TEST RESULTS

Test Mode:	802.11a	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1537	40.91	9.59	50.50	65.80	-15.30	QP
2	0.1537	20.77	9.59	30.36	55.80	-25.44	AVG
3	3.3950	14.91	9.68	24.59	56.00	-31.41	QP
4	3.3950	9.47	9.68	19.15	46.00	-26.85	AVG
5	4.9281	13.05	9.72	22.77	56.00	-33.23	QP
6	4.9281	3.83	9.72	13.55	46.00	-32.45	AVG
7	0.7904	19.67	9.60	29.27	56.00	-26.73	QP
8	0.7904	18.08	9.60	27.68	46.00	-18.32	AVG
9	0.4878	16.70	9.60	26.30	56.21	-29.91	QP
10	0.4878	8.00	9.60	17.60	46.21	-28.61	AVG
11	9.3683	17.19	9.72	26.91	60.00	-33.09	QP
12	9.3683	10.39	9.72	20.11	50.00	-29.89	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1564	41.82	9.50	51.32	65.65	-14.33	QP
2	0.1564	23.10	9.50	32.60	55.65	-23.05	AVG
3	0.1819	36.33	9.55	45.88	64.40	-18.52	QP
4	0.1819	17.32	9.55	26.87	54.40	-27.53	AVG
5	0.7888	18.41	9.50	27.91	56.00	-28.09	QP
6	0.7888	17.86	9.50	27.36	46.00	-18.64	AVG
7	3.4018	15.99	9.61	25.60	56.00	-30.40	QP
8	3.4018	10.00	9.61	19.61	46.00	-26.39	AVG
9	4.8319	14.47	9.61	24.08	56.00	-31.92	QP
10	4.8319	5.28	9.61	14.89	46.00	-31.11	AVG
11	9.2937	18.41	9.62	28.03	60.00	-31.97	QP
12	9.2937	12.83	9.62	22.45	50.00	-27.55	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

DESCRIPTION

Pass

11. TEST DATA




11.1. APPENDIX A1: EMISSION BANDWIDTH


11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	18.56	5170.76	5189.32	PASS
	Ant2	5180	18.52	5170.68	5189.20	PASS
	Ant1	5200	18.60	5190.72	5209.32	PASS
	Ant2	5200	18.52	5190.76	5209.28	PASS
	Ant1	5240	18.60	5230.72	5249.32	PASS
	Ant2	5240	18.52	5230.80	5249.32	PASS
	Ant1	5260	18.76	5250.64	5269.40	PASS
	Ant2	5260	18.52	5250.80	5269.32	PASS
	Ant1	5280	18.56	5270.68	5289.24	PASS
	Ant2	5280	18.48	5270.68	5289.16	PASS
	Ant1	5320	18.64	5310.68	5329.32	PASS
	Ant2	5320	18.68	5310.64	5329.32	PASS
	Ant1	5500	18.48	5490.84	5509.32	PASS
	Ant2	5500	18.52	5490.68	5509.20	PASS
	Ant1	5580	18.68	5570.64	5589.32	PASS
	Ant2	5580	18.56	5570.76	5589.32	PASS
	Ant1	5700	18.60	5690.64	5709.24	PASS
	Ant2	5700	18.60	5690.68	5709.28	PASS
	Ant1	5720	18.64	5710.72	5729.36	PASS
	Ant2	5720	18.72	5710.64	5729.36	PASS
	Ant1	5720_UNII-2C	14.28	5710.72	5725	PASS
	Ant2	5720_UNII-2C	14.36	5710.64	5725	PASS
	Ant1	5720_UNII-3	4.36	5725	5729.36	PASS
	Ant2	5720_UNII-3	4.36	5725	5729.36	PASS
	Ant1	5745	18.68	5735.64	5754.32	PASS
	Ant2	5745	18.52	5735.80	5754.32	PASS
	Ant1	5785	18.68	5775.56	5794.24	PASS
	Ant2	5785	18.56	5775.72	5794.28	PASS
Ant1	5825	18.64	5815.72	5834.36	PASS	
Ant2	5825	18.68	5815.64	5834.32	PASS	
11N20MIMO	Ant1	5180	19.48	5170.20	5189.68	PASS
	Ant2	5180	19.44	5170.28	5189.72	PASS
	Ant1	5200	19.52	5190.20	5209.72	PASS
	Ant2	5200	19.60	5190.04	5209.64	PASS
	Ant1	5240	19.56	5230.24	5249.80	PASS
	Ant2	5240	19.60	5230.12	5249.72	PASS
	Ant1	5260	19.44	5250.32	5269.76	PASS
	Ant2	5260	19.32	5250.36	5269.68	PASS
	Ant1	5280	19.32	5270.36	5289.68	PASS
	Ant2	5280	19.52	5270.16	5289.68	PASS
	Ant1	5320	19.28	5310.28	5329.56	PASS
	Ant2	5320	19.36	5310.20	5329.56	PASS
	Ant1	5500	19.48	5490.24	5509.72	PASS
	Ant2	5500	19.48	5490.28	5509.76	PASS
	Ant1	5580	19.56	5570.16	5589.72	PASS
	Ant2	5580	19.36	5570.28	5589.64	PASS
	Ant1	5700	19.52	5690.24	5709.76	PASS
	Ant2	5700	19.48	5690.20	5709.68	PASS
	Ant1	5720	19.52	5710.16	5729.68	PASS
	Ant2	5720	19.44	5710.20	5729.64	PASS
	Ant1	5720_UNII-2C	14.84	5710.16	5725	PASS
	Ant2	5720_UNII-2C	14.8	5710.20	5725	PASS
	Ant1	5720_UNII-3	4.68	5725	5729.68	PASS
	Ant2	5720_UNII-3	4.64	5725	5729.64	PASS
	Ant1	5745	19.48	5735.24	5754.72	PASS
	Ant2	5745	19.40	5735.24	5754.64	PASS


	Ant1	5785	19.48	5775.16	5794.64	PASS
	Ant2	5785	19.44	5775.28	5794.72	PASS
	Ant1	5825	19.56	5815.12	5834.68	PASS
	Ant2	5825	19.44	5815.24	5834.68	PASS
11N40MIMO	Ant1	5190	42.32	5168.96	5211.28	PASS
	Ant2	5190	42.48	5168.80	5211.28	PASS
	Ant1	5230	42.00	5208.96	5250.96	PASS
	Ant2	5230	41.92	5209.12	5251.04	PASS
	Ant1	5270	42.00	5249.20	5291.20	PASS
	Ant2	5270	42.00	5248.96	5290.96	PASS
	Ant1	5310	42.08	5288.88	5330.96	PASS
	Ant2	5310	42.08	5288.96	5331.04	PASS
	Ant1	5510	42.24	5488.96	5531.20	PASS
	Ant2	5510	42.08	5489.12	5531.20	PASS
	Ant1	5550	42.32	5528.88	5571.20	PASS
	Ant2	5550	41.92	5528.96	5570.88	PASS
	Ant1	5670	42.16	5648.88	5691.04	PASS
	Ant2	5670	42.64	5648.72	5691.36	PASS
	Ant1	5710	42.56	5688.88	5731.44	PASS
	Ant2	5710	42.08	5689.04	5731.12	PASS
	Ant1	5710_UNII-2C	36.12	5688.88	5725	PASS
	Ant2	5710_UNII-2C	35.96	5689.04	5725	PASS
	Ant1	5710_UNII-3	6.44	5725	5731.44	PASS
	Ant2	5710_UNII-3	6.12	5725	5731.12	PASS
	Ant1	5755	42.16	5733.96	5776.12	PASS
	Ant2	5755	42.40	5733.72	5776.12	PASS
	Ant1	5795	42.56	5773.96	5816.52	PASS
	Ant2	5795	42.24	5774.04	5816.28	PASS
11AC80MIMO	Ant1	5210	82.72	5168.72	5251.44	PASS
	Ant2	5210	82.72	5168.56	5251.28	PASS
	Ant1	5290	83.36	5248.88	5332.24	PASS
	Ant2	5290	82.56	5248.72	5331.28	PASS
	Ant1	5530	82.72	5489.04	5571.76	PASS
	Ant2	5530	82.24	5489.20	5571.44	PASS
	Ant1	5610	82.08	5569.36	5651.44	PASS
	Ant2	5610	82.08	5569.04	5651.12	PASS
	Ant1	5690	82.56	5648.88	5731.44	PASS
	Ant2	5690	82.72	5648.88	5731.60	PASS
	Ant1	5690_UNII-2C	76.12	5648.88	5725	PASS
	Ant2	5690_UNII-2C	76.12	5648.88	5725	PASS
	Ant1	5690_UNII-3	6.44	5725	5731.44	PASS
	Ant2	5690_UNII-3	6.6	5725	5731.60	PASS
	Ant1	5775	82.88	5733.72	5816.60	PASS
	Ant2	5775	82.72	5733.56	5816.28	PASS

11.1.2. Test Graphs







Date: 25.NOV.2023 11:18:18






Date: 25.NOV.2023 09:09:19




Date: 25.NOV.2023 11:23:05




Date: 25.NOV.2023 09:53:28




11A_Ant2_5280




Date: 25.NOV.2023 09:56:37






Date: 25.NOV.2023 12:23:59




Date: 25.NOV.2023 10:37:18



Date: 25.NOV.2023 12:24:58




11A_Ant1_5700




Date: 25.NOV.2023 12:46:16

11A_Ant2_5700




Date: 25.NOV.2023 10:46:19

11A_Ant1_5720






Date: 25.NOV.2023 12:47:56


11A_Ant2_5720



Date: 25 NOV.2023 11:05:50




11A_Ant2_5785




Date: 25.NOV.2023 11:14:24

11A_Ant1_5825




Date: 25.NOV.2023 12:54:13

11A_Ant2_5825





Date: 25.NOV.2023 12:55:48

11N20MIMO_Ant1_5180




Date: 25.NOV.2023 12:58:25







Date: 25.NOV.2023 13:08:16






Date: 25.NOV.2023 13:22:29




Date: 25.NOV.2023 13:22:53



Date: 25.NOV.2023 13:26:19




11N20MIMO_Ant2_5320




Date: 25.NOV.2023 13:41:52

11N20MIMO_Ant1_5500




Date: 25.NOV.2023 13:42:16

11N20MIMO_Ant2_5500








Date: 25.NOV.2023 13:45:18


11N20MIMO_Ant1_5580




Date: 25.NOV.2023 13:45:42












Date: 26.NOV.2023 05:33:51






Date: 26.NOV.2023 05:35:44



Date: 26.NOV.2023 05:41:13



Date: 26.NOV.2023 05:41:37



11N40MIMO_Ant1_5310