




U

Solutions


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant1	5720	16.36	5711.80	5728.16	≥0.5	PASS
	Ant2	5720	16.32	5711.80	5728.12	≥0.5	PASS
	Ant1	5720_UNII-3	3.16	5725	5728.16	≥0.5	PASS
	Ant2	5720_UNII-3	3.12	5725	5728.12	≥0.5	PASS
11A	Ant1	5745	16.36	5736.80	5753.16	≥0.5	PASS
ПА	Ant2	5745	16.36	5736.80	5753.16	≥0.5	PASS
	Ant1	5785	16.36	5776.80	5793.16	≥0.5	PASS
	Ant2	5785	16.36	5776.80	5793.16	≥0.5	PASS
	Ant1	5825	16.36	5816.80	5833.16	≥0.5	PASS
	Ant2	5825	16.36	5816.80	5833.16	≥0.5	PASS
	Ant1	5720	17.60	5711.16	5728.76	≥0.5	PASS
	Ant2	5720	17.60	5711.16	5728.76	≥0.5	PASS
	Ant1	5720_UNII-3	3.76	5725	5728.76	≥0.5	PASS
	Ant2	5720_UNII-3	3.76	5725	5728.76	≥0.5	PASS
11N20MIMO	Ant1	5745	17.60	5736.16	5753.76	≥0.5	PASS
TINZUMIMO	Ant2	5745	17.60	5736.16	5753.76	≥0.5	PASS
	Ant1	5785	17.56	5776.20	5793.76	≥0.5	PASS
	Ant2	5785	17.60	5776.16	5793.76	≥0.5	PASS
	Ant1	5825	17.60	5816.16	5833.76	≥0.5	PASS
	Ant2	5825	17.60	5816.16	5833.76	≥0.5	PASS
	Ant1	5710	35.52	5692.08	5727.60	≥0.5	PASS
	Ant2	5710	35.52	5692.08	5727.60	≥0.5	PASS
	Ant1	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
	Ant2	5710_UNII-3	2.6	5725	5727.60	≥0.5	PASS
11N40MIMO	Ant1	5755	35.52	5737.08	5772.60	≥0.5	PASS
	Ant2	5755	35.52	5737.08	5772.60	≥0.5	PASS
	Ant1	5795	35.68	5777.08	5812.76	≥0.5	PASS
	Ant2	5795	35.52	5777.40	5812.92	≥0.5	PASS
	Ant1	5690	76.48	5651.76	5728.24	≥0.5	PASS
	Ant2	5690	74.24	5652.72	5726.96	≥0.5	PASS
	Ant1	5690_UNII-3	3.24	5725	5728.24	≥0.5	PASS
11AC80MIMO	Ant2	5690_UNII-3	1.96	5725	5726.96	≥0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥0.5	PASS
	Ant2	5775	75.20	5737.40	5812.60	≥0.5	PASS




## 11.3.2. Test Graphs






































# 11.4. APPENDIX B: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result

Test Mode	Antenna	Frequency [MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
	Ant1	5180	14.50	≤23.98		18.51	≤22.22	PASS
	Ant2	5180	14.04	≤23.98		17.17	≤22.23	PASS
	Ant1	5200	14.27	≤23.98		18.28	≤22.23	PASS
	Ant2	5200	14.26	≤23.98		17.39	≤22.23	PASS
	Ant1	5240	14.65	≤23.98		18.66	≤22.23	PASS
	Ant2	5240	14.75	≤23.98		17.88	≤22.23	PASS
	Ant1	5260	14.81	≤23.98	≤23.24	18.82	≤29.24	PASS
	Ant2	5260	14.25	≤23.98	≤23.23	17.38	≤29.23	PASS
	Ant1	5280	14.96	≤23.98	≤23.23	18.97	≤29.23	PASS
	Ant2	5280	14.18	≤23.98	≤23.23	17.31	≤29.23	PASS
	Ant1	5320	14.48	≤23.98	≤23.23	18.49	≤29.23	PASS
	Ant2	5320	14.27	≤23.98	≤23.23	17.40	≤29.23	PASS
	Ant1	5500	14.86	≤23.98	≤23.24	18.87	≤29.24	PASS
	Ant2	5500	14.41	≤23.98	≤23.22	17.54	≤29.22	PASS
11A	Ant1	5580	14.66	≤23.98	≤23.24	18.67	≤29.24	PASS
	Ant2	5580	14.51	≤23.98	≤23.22	17.64	≤29.22	PASS
	Ant2 Ant1	5700	14.31	≤23.98 ≤23.98	≤23.22 ≤23.23	18.31	≤29.22 ≤29.23	PASS
	Ant1 Ant2	5700	14.50	≤23.96 ≤23.98	≤23.23 ≤23.23	17.66	≤29.23 ≤29.23	PASS
		5720_UNII-2C	14.55	≤23.96 ≤22.55	≤23.23 ≤22.26	16.09	≤29.23 ≤28.26	PASS
	Ant1 Ant2	5720_UNII-2C	11.92	≤22.55 ≤22.57	≤22.20 ≤22.26	15.05	≤28.20 ≤28.26	PASS
	Ant2 Ant1	5720_UNII-3	4.64	≤30.00	≤22.20 ≤30.00	8.65	<u>≥20.20</u> 	PASS
	Ant2	5720_UNII-3	4.04	≤30.00 ≤30.00	≤30.00 ≤30.00	7.54		PASS
		5720_0NII-3 5745	14.44	≤30.00 ≤30.00	≤30.00 ≤30.00	18.45		PASS
	Ant1			≤30.00 ≤30.00	≤30.00 ≤30.00	17.95		PASS
	Ant2	<u> </u>	14.82					
	Ant1		14.12	≤30.00	≤30.00	18.13		PASS
	Ant2	5785	14.58	≤30.00	≤30.00	17.71		PASS
	Ant1	5825	14.23	≤30.00	≤30.00	18.24		PASS
	Ant2	5825	14.44	≤30.00	≤30.00	17.57		PASS
	Ant1	5180	12.14	≤23.98		16.15	≤22.51	PASS
	Ant2	5180	12.08	≤23.98		16.09	≤22.50	PASS
	total	5180	15.12	≤23.98		19.13	≤22.50	PASS
	Ant1	5200	11.83	≤23.98		15.84	≤22.50	PASS
	Ant2	5200	11.88	≤23.98		15.89	≤22.51	PASS
	total	5200	14.87	≤23.98		18.88	≤22.50	PASS
	Ant1	5240	11.92	≤23.98		15.93	≤22.51	PASS
	Ant2	5240	12.04	≤23.98		16.05	≤22.51	PASS
	total	5240	14.99	≤23.98		19.00	≤22.51	PASS
	Ant1	5260	14.45	≤23.98	≤23.51	18.46	≤29.51	PASS
	Ant2	5260	14.02	≤23.98	≤23.52	18.03	≤29.52	PASS
	total	5260	17.25	≤23.98	≤23.51	21.26	≤29.51	PASS
	Ant1	5280	14.34	≤23.98	≤23.50	18.35	≤29.50	PASS
4410010000	Ant2	5280	14.43	≤23.98	≤23.51	18.44	≤29.51	PASS
11N20MIMO	total	5280	17.40	≤23.98	≤23.50	21.41	≤29.50	PASS
	Ant1	5320	14.24	≤23.98	≤23.51	18.25	≤29.51	PASS
	Ant2	5320	14.15	≤23.98	≤23.51	18.16	≤29.51	PASS
	total	5320	17.21	≤23.98	≤23.51	21.22	≤29.51	PASS
	Ant1	5500	14.43	≤23.98	≤23.52	18.44	≤29.52	PASS
	Ant2	5500	14.30	≤23.98	≤23.50	18.31	≤29.50	PASS
	total	5500	17.38	≤23.98	≤23.50	21.39	≤29.50	PASS
	Ant1	5580	14.31	≤23.98	≤23.51	18.32	≤29.51	PASS
	Ant2	5580	13.93	≤23.98	≤23.51	17.94	≤29.51	PASS
	total	5580	17.13	≤23.98	≤23.51	21.14	≤29.51	PASS
	Ant1	5700	14.01	≤23.98	≤23.51	18.02	≤29.51	PASS
	Ant2	5700	13.92	≤23.98	≤23.50	17.93	≤29.50	PASS
	total	5700	16.98	≤23.98	≤23.50	20.99	≤29.50	PASS
	Ant1	5720_UNII-2C	11.58	≤22.71	≤22.43	15.59	≤28.43	PASS
	Ant2	5720_UNII-2C	11.63	≤22.70	≤22.45	15.64	≤28.45	PASS



### REPORT NO.: 4791095226-1-RF-4 Page 276 of 320

	totol	5720_UNII-2C	14.62	≤23.98	≤22.43	18.63	≤28.43	PASS
	total Ant1	5720_0NII-20	4.50	≤23.98 ≤30.00	≤22.43 ≤30.00	8.51	≥20.43 	PASS
	Ant2	5720_UNII-3	4.60	<u>≤</u> 30.00	≤30.00	8.61		PASS
	total	5720_UNII-3	7.56	≤30.00	≤30.00	11.57		PASS
	Ant1	5745	14.49	≤30.00	≤30.00	18.50		PASS
	Ant2	5745	14.65	≤30.00	≤30.00	18.66		PASS
	total	5745	17.58	≤30.00	≤30.00	21.59		PASS
	Ant1	5785	14.16	≤30.00	≤30.00	18.17		PASS
	Ant2	5785	14.15	≤30.00	≤30.00	18.16		PASS
	total	5785	17.17	≤30.00	≤30.00	21.18		PASS
	Ant1	5825	14.11	≤30.00	≤30.00	18.12		PASS
	Ant2	5825	14.75	≤30.00	≤30.00	18.76		PASS
	total	5825	17.45	≤30.00	≤30.00	21.46		PASS
	Ant1	5190	13.10	≤23.98		17.11	≤23.00	PASS
	Ant2	5190	12.80	≤23.98		16.81	≤23.00	PASS
	total	5190	15.96	≤23.98		19.97	≤23.00	PASS
	Ant1	5230	12.81	≤23.98		16.82	≤23.00	PASS
	Ant2	5230	13.23	≤23.98		17.24	≤23.00	PASS
	total	5230	16.04	≤23.98		20.05	≤23.00	PASS
	Ant1	5270 5270	11.51	≤23.98	≤24.00 ≤24.00	15.52	≤30.00 ≤30.00	PASS PASS
	Ant2 total	5270	11.40 14.47	≤23.98 ≤23.98	≤24.00 ≤24.00	15.41 18.48	≤30.00 ≤30.00	PASS
	Ant1	5310	14.47	≤23.96 ≤23.98	≤24.00 ≤24.00	15.85	≤30.00 ≤30.00	PASS
	Ant1 Ant2	5310	11.39	≤23.98 ≤23.98	≤24.00 ≤24.00	15.85	≤30.00 ≤30.00	PASS
	total	5310	14.63	≤23.98 ≤23.98	≤24.00 ≤24.00	18.64	≤30.00 ≤30.00	PASS
	Ant1	5510	11.09	<u>≤23.90</u>	<u>≤24.00</u>	15.10	<u>≤</u> 30.00	PASS
	Ant2	5510	11.46	<u>≤23.90</u>	<u>≤24.00</u>	15.47	<u>≤</u> 30.00	PASS
	total	5510	14.29	≤23.98	<u>≤24.00</u>	18.30	≤30.00	PASS
	Ant1	5550	11.33	≤23.98	≤24.00	15.34	≤30.00	PASS
11N40MIMO	Ant2	5550	11.04	≤23.98	≤24.00	15.05	≤30.00	PASS
	total	5550	14.20	≤23.98	≤24.00	18.21	≤30.00	PASS
	Ant1	5670	11.19	≤23.98	≤24.00	15.20	≤30.00	PASS
	Ant2	5670	11.44	≤23.98	≤24.00	15.45	≤30.00	PASS
	total	5670	14.33	≤23.98	≤24.00	18.34	≤30.00	PASS
	Ant1	5710_UNII-2C	9.24	≤23.98	≤24.00	13.25	≤30.00	PASS
	Ant2	5710_UNII-2C	9.51	≤23.98	≤24.00	13.52	≤30.00	PASS
	total	5710_UNII-2C	12.39	≤23.98	≤24.00	16.40	≤30.00	PASS
	Ant1	5710_UNII-3	-4.35	≤30.00	≤30.00	-0.34		PASS
	Ant2	5710_UNII-3	-4.29	≤30.00	≤30.00	-0.28		PASS
	total	5710_UNII-3	-1.31	≤30.00	≤30.00	2.70		PASS
	Ant1	5755	14.35	≤30.00	≤30.00	18.36		PASS
	Ant2	5755	13.80	≤30.00	≤30.00	17.81		PASS
	total	5755	17.09	≤30.00	≤30.00	21.10		PASS
	Ant1	5795	14.07	≤30.00	≤30.00	18.08		PASS
	Ant2	5795	14.36	≤30.00	≤30.00	18.37		PASS
	total	5795	17.23	≤30.00	≤30.00	21.24		PASS
	Ant1	5210	11.66	≤23.98		15.67	≤23.00	PASS
	Ant2	5210	10.92	≤23.98		14.93	≤23.00	PASS
	total	5210	14.32	≤23.98		18.33	≤23.00 ≤30.00	PASS PASS
	Ant1	5290 5290	11.43	≤23.98 ≤23.98	≤24.00 ≤24.00	15.44	≤30.00 ≤30.00	PASS
	Ant2 total	5290	11.08 14.27	≤23.96 ≤23.98	≤24.00 ≤24.00	15.09 18.28	≤30.00 ≤30.00	PASS
	Ant1	5530	9.77	≤23.98 ≤23.98	≤24.00 ≤24.00	18.28	≤30.00 ≤30.00	PASS
	Ant1 Ant2	5530	10.01	≤23.96 ≤23.98	≤24.00 ≤24.00	13.78	≤30.00 ≤30.00	PASS
	total	5530	12.90	≤23.98 ≤23.98	≤24.00 ≤24.00	16.91	≤30.00 ≤30.00	PASS
11AC80MIMO	Ant1	5610	9.24	≤23.98 ≤23.98	≤24.00 ≤24.00	13.25	<u>≤</u> 30.00 ≤30.00	PASS
	Ant2	5610	9.65	≤23.98	≤24.00	13.66	<u>≤</u> 30.00	PASS
	total	5610	12.46	≤23.98	≤24.00	16.47	<u>≤</u> 30.00	PASS
	Ant1	5690_UNII-2C	7.79	≤23.98	≤24.00	11.80	<u>≤</u> 30.00	PASS
	Ant2	5690_UNII-2C	8.13	<u>≤23.98</u>	<u>≤24.00</u>	12.14	≤30.00	PASS
	total	5690_UNII-2C	10.97	≤23.98	≤24.00	14.98	<u>≤30.00</u>	PASS
	Ant1	5690_UNII-3	-11.71	≤30.00	≤30.00	-7.70		PASS
	Ant2	5690_UNII-3	-11.23	≤30.00	≤30.00	-7.22		PASS




_							
	Ant1	5775	13.17	≤30.00	≤30.00	17.18	 PASS
	Ant2	5775	13.45	≤30.00	≤30.00	17.46	 PASS
	total	5775	16.32	≤30.00	≤30.00	20.33	 PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.




## 11.4.2. Test Graphs























# 11.5. APPENDIX C: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
	Ant1	5180	2.24	≤11.00	6.25	≤10.00	PASS
	Ant2	5180	1.79	≤11.00	4.92	≤10.00	PASS
	Ant1	5200	2.75	≤11.00	6.76	≤10.00	PASS
	Ant2	5200	1.88	≤11.00	5.01	≤10.00	PASS
	Ant1	5240	2.57	≤11.00	6.58	≤10.00	PASS
	Ant2	5240	2.08	≤11.00	5.21	≤10.00	PASS
	Ant1	5260	2.44	≤11.00	6.45		PASS
	Ant2	5260	1.47	≤11.00	4.60		PASS
	Ant1	5280	3.16	≤11.00	7.17		PASS
	Ant2	5280	1.67	≤11.00	4.80		PASS
	Ant1	5320	2.36	≤11.00	6.37		PASS
	Ant2	5320	1.71	≤11.00	4.84		PASS
	Ant1	5500	2.62	≤11.00	6.63		PASS
11A	Ant2	5500	1.21	≤11.00	4.34		PASS
11/	Ant1	5580	2.95	≤11.00	6.96		PASS
	Ant2	5580	1.12	≤11.00	4.25		PASS
	Ant1	5700	2.34	≤11.00	6.35		PASS
	Ant2	5700	1.17	≤11.00	4.30		PASS
	Ant1	5720_UNII-2C	1.46	≤11.00	5.47		PASS
	Ant2	5720_UNII-2C	1.60	≤11.00	4.73		PASS
	Ant1	5720_UNII-3	-1.42	≤30.00	2.59		PASS
	Ant2	5720_UNII-3	-1.79	≤30.00	1.34		PASS
	Ant1	5745	-1.13	≤30.00	2.88		PASS
	Ant2	5745	-0.87	≤30.00	2.26		PASS
	Ant1	5785	-1.58	≤30.00	2.43		PASS
	Ant2	5785	-1.49	≤30.00	1.64		PASS
	Ant1	5825	-1.72	≤30.00	2.29		PASS
	Ant2	5825	-1.40	≤30.00	1.73		PASS
	Ant1	5180	-0.75	≤11.00	3.26	≤10.00	PASS
	Ant2	5180	-0.90	≤11.00	3.11	≤10.00	PASS
	total	5180	2.19	≤9.98	9.21	≤10.00	PASS
	Ant1	5200	-0.65	≤11.00	3.36	≤10.00	PASS
	Ant2	5200	-1.07	≤11.00	2.94	≤10.00	PASS
	total	5200	2.16	≤9.98	9.18	≤10.00	PASS
	Ant1	5240	-0.89	≤11.00	3.12	≤10.00	PASS
	Ant2	5240	-1.00	≤11.00	3.01	≤10.00	PASS
	total	5240	2.07	≤9.98	9.09	≤10.00	PASS
	Ant1	5260	1.30	≤11.00	5.31		PASS
	Ant2	5260	1.49	≤11.00	5.50		PASS
	total	5260	4.41	≤9.98	11.43		PASS
	Ant1	5280	1.78	≤11.00	5.79		PASS
	Ant2	5280	1.65	≤11.00	5.66		PASS
	total	5280	4.73	≤9.98	11.75		PASS
11N20MIMO	Ant1	5320	1.47	≤11.00	5.48		PASS
	Ant2	5320	1.54	≤11.00	5.55		PASS
	total	5320	4.52	≤9.98	11.54		PASS
	Ant1	5500	1.36	≤11.00	5.37		PASS
	Ant2	5500	0.83	≤11.00	4.84		PASS
	total	5500	4.11	≤9.98	11.13		PASS
	Ant1	5580	1.10	≤11.00	5.11		PASS
	Ant2	5580	0.83	≤11.00	4.84		PASS
	total	5580	3.98	≤9.98	11.00		PASS
	Ant1	5700	1.14	≤11.00	5.15		PASS
	Ant2	5700	0.98	≤11.00	4.99		PASS
	total	5700	4.07	≤9.98	11.09		PASS
	Ant1	5720_UNII-2C	1.04	<u>≤11.00</u>	5.05		PASS
	Ant2	5720_UNII-2C	1.20	≤11.00	5.21		PASS
	total	5720_UNII-2C	4.13	≤9.98	11.15		PASS



### REPORT NO.: 4791095226-1-RF-4 Page 284 of 320

	Ant1	5720_UNII-3	-2.07	≤30.00	1.94		PASS
	Ant2	5720_UNII-3	-2.23	≤30.00	1.78		PASS
	total	5720_UNII-3	0.86	≤28.98	7.88		PASS
	Ant1	5745	-1.86	≤30.00	2.15		PASS
	Ant2	5745	-1.58	≤30.00	2.43		PASS
	total	5745	1.29	≤28.98	8.31		PASS
	Ant1	5785	-1.82	≤30.00	2.19		PASS
	Ant2	5785	-1.85	≤30.00	2.16		PASS
	total	5785	1.18	≤28.98	8.20		PASS
	Ant1	5825	-1.95	≤30.00	2.06		PASS
	Ant2	5825	-1.56	≤30.00	2.45		PASS
	total	5825	1.26	≤28.98	8.28		PASS
	Ant1	5190	-2.30	≤11.00	1.71	≤10.00	PASS
	Ant2	5190	-2.10	≤11.00	1.91	≤10.00	PASS
	total	5190	0.81	≤9.98	7.83	≤10.00	PASS
	Ant1	5230	-2.33	≤11.00	1.68	≤10.00	PASS
	Ant2	5230	-2.36	≤11.00	1.65	≤10.00	PASS
	total	5230	0.67	≤9.98	7.69	≤10.00	PASS
	Ant1	5270	-3.44	≤11.00	0.57		PASS
	Ant2	5270	-4.02	≤11.00	-0.01		PASS
	total	5270	-0.71	≤9.98	6.31		PASS
	Ant1	5310	-3.43	≤11.00	0.58		PASS
	Ant2	5310	-3.77	≤11.00	0.24		PASS
	total	5310	-0.59	≤9.98	6.43		PASS
	Ant1	5510	-4.11	<u>≤11.00</u>	-0.10		PASS
	Ant2	5510	-4.03	≤11.00	-0.02		PASS
	total	5510	-1.06	≤9.98	5.96		PASS
	Ant1	5550	-3.95	≤11.00	0.06		PASS
11N40MIMO	Ant2	5550	-4.18	≤11.00 ≤11.00	-0.17		PASS
	total	5550	-1.05	≤9.98	5.97		PASS
	Ant1	5670	-4.36	<u>≤9.90</u> ≤11.00	-0.35		PASS
	Ant2	5670	-4.30	≤11.00 ≤11.00	-0.33		PASS
		5670		≤11.00 ≤9.98	5.64		PASS
	total		-1.38				
	Ant1	5710_UNII-2C	-4.76	≤11.00	-0.75		PASS
	Ant2	5710_UNII-2C	-4.46	≤11.00	-0.45		PASS
	total	5710_UNII-2C	-1.60	≤9.98	5.42		PASS
	Ant1	5710_UNII-3	-9.39	≤30.00	-5.38		PASS
	Ant2	5710_UNII-3	-9.09	≤30.00	-5.08		PASS
	total	5710_UNII-3	-6.23	≤28.98	0.79		PASS
	Ant1	5755	-4.62	≤30.00	-0.61		PASS
	Ant2	5755	-5.36	≤30.00	-1.35		PASS
	total	5755	-1.96	≤28.98	5.06		PASS
	Ant1	5795	-4.53	≤30.00	-0.52		PASS
	Ant2	5795	-4.66	≤30.00	-0.65		PASS
	total	5795	-1.58	≤28.98	5.44		PASS
	Ant1	5210	-6.15	≤11.00	-2.14	≤10.00	PASS
	Ant2	5210	-7.16	≤11.00	-3.15	≤10.00	PASS
	total	5210	-3.62	≤9.98	3.40	≤10.00	PASS
	Ant1	5290	-6.40	≤11.00	-2.39		PASS
	Ant2	5290	-6.37	≤11.00	-2.36		PASS
	total	5290	-3.37	≤9.98	3.65		PASS
	Ant1	5530	-7.81	≤11.00	-3.80		PASS
	Ant2	5530	-8.08	≤11.00	-4.07		PASS
	total	5530	-4.93	≤9.98	2.09		PASS
11AC80MIMO	Ant1	5610	-8.81	≤11.00	-4.80		PASS
	Ant2	5610	-8.53	≤11.00	-4.52		PASS
	total	5610	-5.66	≤9.98	1.36		PASS
	Ant1	5690_UNII-2C	-8.99	≤11.00	-4.98		PASS
	Ant2	5690_UNII-2C	-8.94	≤11.00	-4.93		PASS
	total	5690_UNII-2C	-5.95	≤9.98	1.07		PASS
	Ant1	5690_UNII-3	-14.61	≤ <u>9.98</u> ≤30.00	-10.60		PASS
	Ant1 Ant2	5690_UNII-3	-14.61	≤30.00 ≤30.00	-10.80		PASS
	total	5690_UNII-3	-14.81	≤30.00 ≤28.98	-10.80		PASS
		_	-11.70	<u>⊐∠0.90</u>	-4.00		
	Ant1	5775	-7.67	≤30.00	-3.66		PASS



Ant2	5775	-7.86	≤30.00	-3.85	 PASS
total	5775	-4.75	≤28.98	2.27	 PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



## 11.5.2. Test Graphs

