



REPORT NO.: 4791095240-1-RF-3


Page 112 of 143

### 11.5. APPENDIX E: BAND EDGE MEASUREMENTS 11.5.1. Test Result


Test Mode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	3.33	-45.17	≤-26.67	PASS
	Ant2	Low	2412	3.97	-43.86	≤-26.03	PASS
IID	Ant1	High	2462	3.94	-45.47	≤-26.06	PASS
	Ant2	High	2462	4.29	-46.3	≤-25.71	PASS
	Ant1	Low	2412	2.23	-40.35	≤-27.77	PASS
440	Ant2	Low	2412	3.53	-41.41	≤-26.47	PASS
11G	Ant1	High	2462	1.10	-45.78	≤-28.9	PASS
	Ant2	High	2462	3.93	-45.42	≤-26.07	PASS
11N20MIMO	Ant1	Low	2412	1.47	-42.08	≤-28.53	PASS
	Ant2	Low	2412	3.69	-40.86	≤-26.31	PASS
	Ant1	High	2462	0.68	-45.76	≤-29.32	PASS
	Ant2	High	2462	3.77	-45.82	≤-26.23	PASS
11N40MIMO	Ant1	Low	2422	-0.32	-42.06	≤-30.32	PASS
	Ant2	Low	2422	1.12	-40.14	≤-28.88	PASS
	Ant1	High	2452	0.26	-45.32	≤-29.74	PASS
	Ant2	High	2452	1.54	-45.67	≤-28.46	PASS




#### 11.5.2. Test Graphs





















REPORT NO.: 4791095240-1-RF-3

Page 118 of 143

# 11.6. APPENDIX F: CONDUCTED SPURIOUS EMISSION 11.6.1. Test Result


			FreqRange	Result	Limit	
Test Mode	Antenna	Frequency[MHz]	[Mhz]	[dBm]	[dBm]	Verdict
			Reference	3.65		PASS
	Ant1	2412	30~1000	-55.64	≤-26.35	PASS
			1000~26500	-52.97	≤-26.35	PASS
			Reference	4.84		PASS
	Ant2	2412	30~1000	-54.87	≤-25.16	PASS
			1000~26500	-50.35	≤-25.16	PASS
			Reference	4.44		PASS
	Ant1	2437	30~1000	-55.31	≤-25.56	PASS
11B			1000~26500	-52.65	≤-25.56	PASS
110		2437	Reference	5.62		PASS
	Ant2		30~1000	-54.71	≤-24.38	PASS
			1000~26500	-49.94	≤-24.38	PASS
			Reference	3.95		PASS
	Ant1	2462	30~1000	-54.85	≤-26.05	PASS
			1000~26500	-53.63	≤-26.05	PASS
			Reference	5.02		PASS
	Ant2	2462	30~1000	-55.34	≤-24.98	PASS
			1000~26500	-51.22	≤-24.98	PASS
			Reference	2.10		PASS
	Ant1	2412	30~1000	-55.4	≤-27.9	PASS
			1000~26500	-53.98	≤-27.9	PASS
			Reference	3.60		PASS
	Ant2	2412	30~1000	-54.39	≤-26.4	PASS
			1000~26500	-52.17	≤-26.4	PASS
			Reference	2.62		PASS
	Ant1	2437	30~1000	-55.71	≤-27.38	PASS
11G			1000~26500	-53.8	≤-27.38	PASS
	Ant2	0.407	Reference	3.73		PASS
		2437	30~1000	-54.42	≤-26.27	PASS
	Ant1	2462	1000~26500 Reference	-51.69 2.82	≤-26.27	PASS PASS
			30~1000	-55.7	≤-27.18	PASS
			1000~26500	-53.64	≤-27.18	PASS
		2462	Reference	3.99	<u></u>	PASS
	Ant2		30~1000	-54.28	≤-26.01	PASS
			1000~26500	-52.78	≤-26.01	PASS
			Reference	2.34		PASS
	Ant1	2412	30~1000	-55.6	≤-27.66	PASS
			1000~26500	-53.28	≤-27.66	PASS
	Ant2	2412	Reference	3.74		PASS
441/20111140			30~1000	-55.64	≤-26.26	PASS
			1000~26500	-52.22	≤-26.26	PASS
	Ant1	2437	Reference	2.49		PASS
			30~1000	-55.6	≤-27.51	PASS
			1000~26500	-53.43	≤-27.51	PASS
11N20MIMO	Ant2		Reference	3.36		PASS
		2437	30~1000	-54.44	≤-26.64	PASS
			1000~26500	-53.52	≤-26.64	PASS
	Ant1	2462	Reference	2.87		PASS
			30~1000	-55.47	≤-27.13	PASS
			1000~26500	-54.13	≤-27.13	PASS
	Ant2		Reference	3.73		PASS
		2462	30~1000	-54.93	≤-26.27	PASS
			1000~26500	-53.27	≤-26.27	PASS
			Reference	0.03		PASS
11N40MIMO	Ant1	2422	30~1000	-52.1	≤-29.97	PASS
			1000~26500	-53.23	≤-29.97	PASS
	Ant2	2422	Reference	1.10		PASS




			30~1000	-55.37	≤-28.9	PASS	
			1000~26500	-52.9	≤-28.9	PASS	
	Ant1		Reference	0.18		PASS	
		2437	30~1000	-49.89	≤-29.82	PASS	
			1000~26500	-53.67	≤-29.82	PASS	
	Ant2		Reference	1.41		PASS	
		Ant2	2437	30~1000	-54.74	≤-28.59	PASS
			1000~26500	-53.32	≤-28.59	PASS	
	Ant1		Reference	0.37		PASS	
		2452	30~1000	-49.9	≤-29.63	PASS	
			1000~26500	-53.16	≤-29.63	PASS	
	Ant2 245		Reference	1.59		PASS	
		Ant2	2452	30~1000	-54.93	≤-28.41	PASS
			1000~26500	-53.14	≤-28.41	PASS	




#### 11.6.2. Test Graphs







































































































REPORT NO.: 4791095240-1-RF-3

Page 141 of 143

## 11.7. APPENDIX G: DUTY CYCLE 11.7.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	8.36	8.39	0.9964	99.64	0.02	0.12	0.01
11G	1.38	1.43	0.9650	96.50	0.15	0.72	1
11N20MIMO	1.29	1.34	0.9627	96.27	0.17	0.78	1
11N40MIMO	0.65	0.69	0.9420	94.20	0.26	1.54	2

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)


Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.



#### 11.7.2. Test Graphs





**END OF REPORT**