



| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5745 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8991.000 | 36.22 | 10.28 | 46.50 | 74.00 | -27.50 | peak |
| 2 | 11026.000 | 34.89 | 14.82 | 49.71 | 74.00 | -24.29 | peak |
| 3 | 11697.000 | 32.95 | 17.13 | 50.08 | 74.00 | -23.92 | peak |
| 4 | 12621.000 | 32.42 | 17.98 | 50.40 | 74.00 | -23.60 | peak |
| 5 | 13325.000 | 29.53 | 19.88 | 49.41 | 74.00 | -24.59 | peak |
| 6 | 17978.000 | 24.26 | 25.97 | 50.23 | 74.00 | -23.77 | peak |

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5785 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.57 | 10.48 | 47.05 | 74.00 | -26.95 | peak |
| 2 | 10344.000 | 35.75 | 12.49 | 48.24 | 74.00 | -25.76 | peak |
| 3 | 11059.000 | 34.96 | 14.96 | 49.92 | 74.00 | -24.08 | peak |
| 4 | 12709.000 | 31.39 | 18.09 | 49.48 | 74.00 | -24.52 | peak |
| 5 | 13919.000 | 27.96 | 21.68 | 49.64 | 74.00 | -24.36 | peak |
| 6 | 17934.000 | 24.55 | 25.67 | 50.22 | 74.00 | -23.78 | peak |

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5785 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9354.000 | 36.27 | 10.56 | 46.83 | 74.00 | -27.17 | peak |
| 2 | 10278.000 | 35.68 | 12.35 | 48.03 | 74.00 | -25.97 | peak |
| 3 | 11015.000 | 34.01 | 14.79 | 48.80 | 74.00 | -25.20 | peak |
| 4 | 12676.000 | 32.01 | 18.05 | 50.06 | 74.00 | -23.94 | peak |
| 5 | 13930.000 | 28.45 | 21.71 | 50.16 | 74.00 | -23.84 | peak |
| 6 | 17978.000 | 24.14 | 25.97 | 50.11 | 74.00 | -23.89 | peak |

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5825 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.38 | 10.41 | 46.79 | 74.00 | -27.21 | peak |
| 2 | 10223.000 | 35.30 | 12.24 | 47.54 | 74.00 | -26.46 | peak |
| 3 | 11268.000 | 34.36 | 15.83 | 50.19 | 74.00 | -23.81 | peak |
| 4 | 12709.000 | 32.36 | 18.09 | 50.45 | 74.00 | -23.55 | peak |
| 5 | 13600.000 | 29.46 | 20.89 | 50.35 | 74.00 | -23.65 | peak |
| 6 | 17978.000 | 23.43 | 25.97 | 49.40 | 74.00 | -24.60 | peak |

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5825 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 37.43 | 10.41 | 47.84 | 74.00 | -26.16 | peak |
| 2 | 10168.000 | 35.69 | 12.13 | 47.82 | 74.00 | -26.18 | peak |
| 3 | 11719.000 | 32.95 | 17.18 | 50.13 | 74.00 | -23.87 | peak |
| 4 | 12555.000 | 32.37 | 17.90 | 50.27 | 74.00 | -23.73 | peak |
| 5 | 13721.000 | 29.79 | 21.18 | 50.97 | 74.00 | -23.03 | peak |
| 6 | 17978.000 | 24.39 | 25.97 | 50.36 | 74.00 | -23.64 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7627.000 | 37.91 | 6.76 | 44.67 | 74.00 | -29.33 | peak |
| 2 | 9244.000 | 37.00 | 10.49 | 47.49 | 74.00 | -26.51 | peak |
| 3 | 11059.000 | 34.75 | 14.96 | 49.71 | 74.00 | -24.29 | peak |
| 4 | 13094.000 | 31.61 | 18.87 | 50.48 | 74.00 | -23.52 | peak |
| 5 | 13985.000 | 27.88 | 21.85 | 49.73 | 74.00 | -24.27 | peak |
| 6 | 17978.000 | 23.49 | 25.97 | 49.46 | 74.00 | -24.54 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.43 | 10.48 | 46.91 | 74.00 | -27.09 | peak |
| 2 | 11015.000 | 33.98 | 14.79 | 48.77 | 74.00 | -25.23 | peak |
| 3 | 11829.000 | 32.04 | 17.38 | 49.42 | 74.00 | -24.58 | peak |
| 4 | 13391.000 | 29.72 | 20.16 | 49.88 | 74.00 | -24.12 | peak |
| 5 | 17703.000 | 25.37 | 24.09 | 49.46 | 74.00 | -24.54 | peak |
| 6 | 18000.000 | 24.47 | 26.12 | 50.59 | 74.00 | -23.41 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5200 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.43 | 10.49 | 46.92 | 74.00 | -27.08 | peak |
| 2 | 11279.000 | 34.48 | 15.86 | 50.34 | 74.00 | -23.66 | peak |
| 3 | 11763.000 | 32.75 | 17.26 | 50.01 | 74.00 | -23.99 | peak |
| 4 | 13072.000 | 31.29 | 18.77 | 50.06 | 74.00 | -23.94 | peak |
| 5 | 13952.000 | 27.61 | 21.76 | 49.37 | 74.00 | -24.63 | peak |
| 6 | 17978.000 | 22.97 | 25.97 | 48.94 | 74.00 | -25.06 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5200 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7704.000 | 38.23 | 6.69 | 44.92 | 74.00 | -29.08 | peak |
| 2 | 9354.000 | 36.46 | 10.56 | 47.02 | 74.00 | -26.98 | peak |
| 3 | 11026.000 | 35.33 | 14.82 | 50.15 | 74.00 | -23.85 | peak |
| 4 | 11521.000 | 34.10 | 16.82 | 50.92 | 74.00 | -23.08 | peak |
| 5 | 14007.000 | 29.14 | 21.85 | 50.99 | 74.00 | -23.01 | peak |
| 6 | 17604.000 | 27.02 | 23.41 | 50.43 | 74.00 | -23.57 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5240 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.05 | 10.46 | 46.51 | 74.00 | -27.49 | peak |
| 2 | 10432.000 | 35.30 | 12.67 | 47.97 | 74.00 | -26.03 | peak |
| 3 | 11312.000 | 34.60 | 16.00 | 50.60 | 74.00 | -23.40 | peak |
| 4 | 12709.000 | 32.45 | 18.09 | 50.54 | 74.00 | -23.46 | peak |
| 5 | 13138.000 | 31.08 | 19.05 | 50.13 | 74.00 | -23.87 | peak |
| 6 | 17989.000 | 23.47 | 26.04 | 49.51 | 74.00 | -24.49 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5240 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 36.91 | 10.43 | 47.34 | 74.00 | -26.66 | peak |
| 2 | 11279.000 | 34.69 | 15.86 | 50.55 | 74.00 | -23.45 | peak |
| 3 | 11906.000 | 32.49 | 17.52 | 50.01 | 74.00 | -23.99 | peak |
| 4 | 12654.000 | 32.07 | 18.01 | 50.08 | 74.00 | -23.92 | peak |
| 5 | 13919.000 | 28.37 | 21.68 | 50.05 | 74.00 | -23.95 | peak |
| 6 | 17769.000 | 25.15 | 24.53 | 49.68 | 74.00 | -24.32 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5260 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7308.000 | 38.28 | 6.94 | 45.22 | 74.00 | -28.78 | peak |
| 2 | 9233.000 | 36.84 | 10.48 | 47.32 | 74.00 | -26.68 | peak |
| 3 | 11268.000 | 33.66 | 15.83 | 49.49 | 74.00 | -24.51 | peak |
| 4 | 12709.000 | 32.08 | 18.09 | 50.17 | 74.00 | -23.83 | peak |
| 5 | 13996.000 | 28.08 | 21.87 | 49.95 | 74.00 | -24.05 | peak |
| 6 | 17967.000 | 23.87 | 25.89 | 49.76 | 74.00 | -24.24 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5260 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9365.000 | 36.35 | 10.57 | 46.92 | 74.00 | -27.08 | peak |
| 2 | 11015.000 | 34.82 | 14.79 | 49.61 | 74.00 | -24.39 | peak |
| 3 | 11422.000 | 34.29 | 16.46 | 50.75 | 74.00 | -23.25 | peak |
| 4 | 12676.000 | 31.59 | 18.05 | 49.64 | 74.00 | -24.36 | peak |
| 5 | 13985.000 | 27.78 | 21.85 | 49.63 | 74.00 | -24.37 | peak |
| 6 | 18000.000 | 23.64 | 26.12 | 49.76 | 74.00 | -24.24 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5280 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 37.07 | 10.41 | 47.48 | 74.00 | -26.52 | peak |
| 2 | 10564.000 | 34.53 | 13.06 | 47.59 | 74.00 | -26.41 | peak |
| 3 | 11433.000 | 33.62 | 16.50 | 50.12 | 74.00 | -23.88 | peak |
| 4 | 12698.000 | 32.18 | 18.08 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13919.000 | 28.57 | 21.68 | 50.25 | 74.00 | -23.75 | peak |
| 6 | 18000.000 | 23.30 | 26.12 | 49.42 | 74.00 | -24.58 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5280 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.86 | 10.48 | 47.34 | 74.00 | -26.66 | peak |
| 2 | 11422.000 | 33.43 | 16.46 | 49.89 | 74.00 | -24.11 | peak |
| 3 | 11862.000 | 33.27 | 17.45 | 50.72 | 74.00 | -23.28 | peak |
| 4 | 12665.000 | 32.03 | 18.04 | 50.07 | 74.00 | -23.93 | peak |
| 5 | 14062.000 | 27.83 | 21.62 | 49.45 | 74.00 | -24.55 | peak |
| 6 | 17989.000 | 23.76 | 26.04 | 49.80 | 74.00 | -24.20 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5320 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.90 | 10.48 | 47.38 | 74.00 | -26.62 | peak |
| 2 | 10795.000 | 36.20 | 13.94 | 50.14 | 74.00 | -23.86 | peak |
| 3 | 11730.000 | 33.73 | 17.19 | 50.92 | 74.00 | -23.08 | peak |
| 4 | 12621.000 | 32.97 | 17.98 | 50.95 | 74.00 | -23.05 | peak |
| 5 | 13127.000 | 31.25 | 19.01 | 50.26 | 74.00 | -23.74 | peak |
| 6 | 17967.000 | 23.62 | 25.89 | 49.51 | 74.00 | -24.49 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5320 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.83 | 10.49 | 47.32 | 74.00 | -26.68 | peak |
| 2 | 11081.000 | 34.72 | 15.05 | 49.77 | 74.00 | -24.23 | peak |
| 3 | 12698.000 | 32.27 | 18.08 | 50.35 | 74.00 | -23.65 | peak |
| 4 | 13985.000 | 28.40 | 21.85 | 50.25 | 74.00 | -23.75 | peak |
| 5 | 17626.000 | 26.62 | 23.57 | 50.19 | 74.00 | -23.81 | peak |
| 6 | 17967.000 | 24.25 | 25.89 | 50.14 | 74.00 | -23.86 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5500 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.11 | 10.48 | 46.59 | 74.00 | -27.41 | peak |
| 2 | 11059.000 | 35.28 | 14.96 | 50.24 | 74.00 | -23.76 | peak |
| 3 | 11895.000 | 32.18 | 17.51 | 49.69 | 74.00 | -24.31 | peak |
| 4 | 12665.000 | 32.20 | 18.04 | 50.24 | 74.00 | -23.76 | peak |
| 5 | 14007.000 | 26.87 | 21.85 | 48.72 | 74.00 | -25.28 | peak |
| 6 | 17967.000 | 23.42 | 25.89 | 49.31 | 74.00 | -24.69 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5500 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 36.90 | 10.54 | 47.44 | 74.00 | -26.56 | peak |
| 2 | 11191.000 | 33.91 | 15.50 | 49.41 | 74.00 | -24.59 | peak |
| 3 | 11686.000 | 32.95 | 17.12 | 50.07 | 74.00 | -23.93 | peak |
| 4 | 12709.000 | 32.45 | 18.09 | 50.54 | 74.00 | -23.46 | peak |
| 5 | 13919.000 | 29.14 | 21.68 | 50.82 | 74.00 | -23.18 | peak |
| 6 | 17714.000 | 25.78 | 24.16 | 49.94 | 74.00 | -24.06 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5580 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 35.86 | 10.48 | 46.34 | 74.00 | -27.66 | peak |
| 2 | 10806.000 | 34.91 | 13.98 | 48.89 | 74.00 | -25.11 | peak |
| 3 | 11521.000 | 32.89 | 16.82 | 49.71 | 74.00 | -24.29 | peak |
| 4 | 12709.000 | 32.17 | 18.09 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13567.000 | 29.44 | 20.80 | 50.24 | 74.00 | -23.76 | peak |
| 6 | 17714.000 | 25.45 | 24.16 | 49.61 | 74.00 | -24.39 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5580 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7715.000 | 37.31 | 6.68 | 43.99 | 74.00 | -30.01 | peak |
| 2 | 9244.000 | 36.75 | 10.49 | 47.24 | 74.00 | -26.76 | peak |
| 3 | 11059.000 | 34.10 | 14.96 | 49.06 | 74.00 | -24.94 | peak |
| 4 | 11873.000 | 32.84 | 17.46 | 50.30 | 74.00 | -23.70 | peak |
| 5 | 13853.000 | 28.51 | 21.52 | 50.03 | 74.00 | -23.97 | peak |
| 6 | 17967.000 | 23.76 | 25.89 | 49.65 | 74.00 | -24.35 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5700 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 37.97 | 10.46 | 48.43 | 74.00 | -25.57 | peak |
| 2 | 11235.000 | 33.72 | 15.68 | 49.40 | 74.00 | -24.60 | peak |
| 3 | 11719.000 | 32.99 | 17.18 | 50.17 | 74.00 | -23.83 | peak |
| 4 | 12687.000 | 31.75 | 18.05 | 49.80 | 74.00 | -24.20 | peak |
| 5 | 13457.000 | 28.62 | 20.46 | 49.08 | 74.00 | -24.92 | peak |
| 6 | 17956.000 | 23.29 | 25.82 | 49.11 | 74.00 | -24.89 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5700 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 37.79 | 6.54 | 44.33 | 74.00 | -29.67 | peak |
| 2 | 9024.000 | 36.19 | 10.35 | 46.54 | 74.00 | -27.46 | peak |
| 3 | 11202.000 | 33.76 | 15.55 | 49.31 | 74.00 | -24.69 | peak |
| 4 | 12698.000 | 31.57 | 18.08 | 49.65 | 74.00 | -24.35 | peak |
| 5 | 13930.000 | 27.91 | 21.71 | 49.62 | 74.00 | -24.38 | peak |
| 6 | 17956.000 | 23.98 | 25.82 | 49.80 | 74.00 | -24.20 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5720 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.55 | 10.49 | 47.04 | 74.00 | -26.96 | peak |
| 2 | 11026.000 | 34.19 | 14.82 | 49.01 | 74.00 | -24.99 | peak |
| 3 | 11774.000 | 32.50 | 17.28 | 49.78 | 74.00 | -24.22 | peak |
| 4 | 12687.000 | 32.32 | 18.05 | 50.37 | 74.00 | -23.63 | peak |
| 5 | 13919.000 | 27.52 | 21.68 | 49.20 | 74.00 | -24.80 | peak |
| 6 | 17989.000 | 23.59 | 26.04 | 49.63 | 74.00 | -24.37 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5720 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8001.000 | 38.97 | 6.43 | 45.40 | 74.00 | -28.60 | peak |
| 2 | 9365.000 | 37.36 | 10.57 | 47.93 | 74.00 | -26.07 | peak |
| 3 | 11048.000 | 35.12 | 14.91 | 50.03 | 74.00 | -23.97 | peak |
| 4 | 12632.000 | 32.55 | 17.99 | 50.54 | 74.00 | -23.46 | peak |
| 5 | 13930.000 | 29.50 | 21.71 | 51.21 | 74.00 | -22.79 | peak |
| 6 | 17967.000 | 24.35 | 25.89 | 50.24 | 74.00 | -23.76 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5745 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7825.000 | 37.84 | 6.58 | 44.42 | 74.00 | -29.58 | peak |
| 2 | 9255.000 | 36.53 | 10.51 | 47.04 | 74.00 | -26.96 | peak |
| 3 | 11510.000 | 33.08 | 16.79 | 49.87 | 74.00 | -24.13 | peak |
| 4 | 12654.000 | 32.47 | 18.01 | 50.48 | 74.00 | -23.52 | peak |
| 5 | 13457.000 | 29.74 | 20.46 | 50.20 | 74.00 | -23.80 | peak |
| 6 | 17967.000 | 24.19 | 25.89 | 50.08 | 74.00 | -23.92 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5745 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7627.000 | 37.81 | 6.76 | 44.57 | 74.00 | -29.43 | peak |
| 2 | 9068.000 | 36.40 | 10.39 | 46.79 | 74.00 | -27.21 | peak |
| 3 | 11026.000 | 35.16 | 14.82 | 49.98 | 74.00 | -24.02 | peak |
| 4 | 12687.000 | 32.97 | 18.05 | 51.02 | 74.00 | -22.98 | peak |
| 5 | 14018.000 | 27.31 | 21.80 | 49.11 | 74.00 | -24.89 | peak |
| 6 | 18000.000 | 23.50 | 26.12 | 49.62 | 74.00 | -24.38 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5785 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.90 | 10.41 | 47.31 | 74.00 | -26.69 | peak |
| 2 | 11048.000 | 34.28 | 14.91 | 49.19 | 74.00 | -24.81 | peak |
| 3 | 11851.000 | 33.36 | 17.43 | 50.79 | 74.00 | -23.21 | peak |
| 4 | 12555.000 | 32.82 | 17.90 | 50.72 | 74.00 | -23.28 | peak |
| 5 | 13886.000 | 28.51 | 21.60 | 50.11 | 74.00 | -23.89 | peak |
| 6 | 17978.000 | 24.58 | 25.97 | 50.55 | 74.00 | -23.45 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5785 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.73 | 10.41 | 47.14 | 74.00 | -26.86 | peak |
| 2 | 10938.000 | 33.76 | 14.48 | 48.24 | 74.00 | -25.76 | peak |
| 3 | 11686.000 | 33.72 | 17.12 | 50.84 | 74.00 | -23.16 | peak |
| 4 | 12676.000 | 32.52 | 18.05 | 50.57 | 74.00 | -23.43 | peak |
| 5 | 13556.000 | 29.40 | 20.78 | 50.18 | 74.00 | -23.82 | peak |
| 6 | 17989.000 | 24.59 | 26.04 | 50.63 | 74.00 | -23.37 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5825 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 36.21 | 10.54 | 46.75 | 74.00 | -27.25 | peak |
| 2 | 11059.000 | 34.61 | 14.96 | 49.57 | 74.00 | -24.43 | peak |
| 3 | 11642.000 | 33.03 | 17.03 | 50.06 | 74.00 | -23.94 | peak |
| 4 | 12698.000 | 31.30 | 18.08 | 49.38 | 74.00 | -24.62 | peak |
| 5 | 13963.000 | 27.89 | 21.78 | 49.67 | 74.00 | -24.33 | peak |
| 6 | 17945.000 | 23.73 | 25.75 | 49.48 | 74.00 | -24.52 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT20 | Channel: | 5825 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.08 | 10.48 | 46.56 | 74.00 | -27.44 | peak |
| 2 | 11059.000 | 34.68 | 14.96 | 49.64 | 74.00 | -24.36 | peak |
| 3 | 11851.000 | 33.04 | 17.43 | 50.47 | 74.00 | -23.53 | peak |
| 4 | 12665.000 | 31.71 | 18.04 | 49.75 | 74.00 | -24.25 | peak |
| 5 | 13930.000 | 28.46 | 21.71 | 50.17 | 74.00 | -23.83 | peak |
| 6 | 17978.000 | 24.07 | 25.97 | 50.04 | 74.00 | -23.96 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 35.68 | 10.55 | 46.23 | 74.00 | -27.77 | peak |
| 2 | 11070.000 | 35.04 | 15.01 | 50.05 | 74.00 | -23.95 | peak |
| 3 | 11642.000 | 33.37 | 17.03 | 50.40 | 74.00 | -23.60 | peak |
| 4 | 12621.000 | 32.22 | 17.98 | 50.20 | 74.00 | -23.80 | peak |
| 5 | 13919.000 | 28.24 | 21.68 | 49.92 | 74.00 | -24.08 | peak |
| 6 | 17703.000 | 25.58 | 24.09 | 49.67 | 74.00 | -24.33 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7880.000 | 37.50 | 6.54 | 44.04 | 74.00 | -29.96 | peak |
| 2 | 9233.000 | 36.46 | 10.48 | 46.94 | 74.00 | -27.06 | peak |
| 3 | 11400.000 | 34.32 | 16.36 | 50.68 | 74.00 | -23.32 | peak |
| 4 | 12687.000 | 32.21 | 18.05 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13380.000 | 30.23 | 20.12 | 50.35 | 74.00 | -23.65 | peak |
| 6 | 17978.000 | 24.44 | 25.97 | 50.41 | 74.00 | -23.59 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5230 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7891.000 | 38.46 | 6.52 | 44.98 | 74.00 | -29.02 | peak |
| 2 | 9233.000 | 35.97 | 10.48 | 46.45 | 74.00 | -27.55 | peak |
| 3 | 11048.000 | 34.69 | 14.91 | 49.60 | 74.00 | -24.40 | peak |
| 4 | 12687.000 | 31.75 | 18.05 | 49.80 | 74.00 | -24.20 | peak |
| 5 | 13919.000 | 28.44 | 21.68 | 50.12 | 74.00 | -23.88 | peak |
| 6 | 17956.000 | 24.25 | 25.82 | 50.07 | 74.00 | -23.93 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5230 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.52 | 10.49 | 47.01 | 74.00 | -26.99 | peak |
| 2 | 11070.000 | 34.25 | 15.01 | 49.26 | 74.00 | -24.74 | peak |
| 3 | 11422.000 | 33.10 | 16.46 | 49.56 | 74.00 | -24.44 | peak |
| 4 | 12698.000 | 32.13 | 18.08 | 50.21 | 74.00 | -23.79 | peak |
| 5 | 13600.000 | 29.42 | 20.89 | 50.31 | 74.00 | -23.69 | peak |
| 6 | 17967.000 | 24.46 | 25.89 | 50.35 | 74.00 | -23.65 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5270 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9365.000 | 36.08 | 10.57 | 46.65 | 74.00 | -27.35 | peak |
| 2 | 11213.000 | 34.48 | 15.59 | 50.07 | 74.00 | -23.93 | peak |
| 3 | 11796.000 | 32.78 | 17.32 | 50.10 | 74.00 | -23.90 | peak |
| 4 | 12698.000 | 31.73 | 18.08 | 49.81 | 74.00 | -24.19 | peak |
| 5 | 13996.000 | 27.62 | 21.87 | 49.49 | 74.00 | -24.51 | peak |
| 6 | 17934.000 | 24.13 | 25.67 | 49.80 | 74.00 | -24.20 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5270 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.23 | 10.46 | 46.69 | 74.00 | -27.31 | peak |
| 2 | 10619.000 | 34.68 | 13.28 | 47.96 | 74.00 | -26.04 | peak |
| 3 | 11840.000 | 32.56 | 17.40 | 49.96 | 74.00 | -24.04 | peak |
| 4 | 12555.000 | 32.20 | 17.90 | 50.10 | 74.00 | -23.90 | peak |
| 5 | 14007.000 | 28.85 | 21.85 | 50.70 | 74.00 | -23.30 | peak |
| 6 | 17967.000 | 24.10 | 25.89 | 49.99 | 74.00 | -24.01 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5310 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8001.000 | 38.48 | 6.43 | 44.91 | 74.00 | -29.09 | peak |
| 2 | 9189.000 | 36.15 | 10.46 | 46.61 | 74.00 | -27.39 | peak |
| 3 | 11444.000 | 33.55 | 16.53 | 50.08 | 74.00 | -23.92 | peak |
| 4 | 11796.000 | 33.59 | 17.32 | 50.91 | 74.00 | -23.09 | peak |
| 5 | 13897.000 | 29.20 | 21.62 | 50.82 | 74.00 | -23.18 | peak |
| 6 | 17967.000 | 24.41 | 25.89 | 50.30 | 74.00 | -23.70 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5310 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.60 | 10.51 | 47.11 | 74.00 | -26.89 | peak |
| 2 | 11059.000 | 33.94 | 14.96 | 48.90 | 74.00 | -25.10 | peak |
| 3 | 11664.000 | 32.05 | 17.08 | 49.13 | 74.00 | -24.87 | peak |
| 4 | 12643.000 | 31.82 | 18.01 | 49.83 | 74.00 | -24.17 | peak |
| 5 | 13974.000 | 27.69 | 21.82 | 49.51 | 74.00 | -24.49 | peak |
| 6 | 17956.000 | 23.74 | 25.82 | 49.56 | 74.00 | -24.44 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5510 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7682.000 | 37.81 | 6.71 | 44.52 | 74.00 | -29.48 | peak |
| 2 | 9354.000 | 37.07 | 10.56 | 47.63 | 74.00 | -26.37 | peak |
| 3 | 11004.000 | 34.77 | 14.74 | 49.51 | 74.00 | -24.49 | peak |
| 4 | 12676.000 | 31.77 | 18.05 | 49.82 | 74.00 | -24.18 | peak |
| 5 | 13600.000 | 29.13 | 20.89 | 50.02 | 74.00 | -23.98 | peak |
| 6 | 17978.000 | 24.30 | 25.97 | 50.27 | 74.00 | -23.73 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5510 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 35.39 | 10.51 | 45.90 | 74.00 | -28.10 | peak |
| 2 | 10509.000 | 35.00 | 12.85 | 47.85 | 74.00 | -26.15 | peak |
| 3 | 11543.000 | 32.49 | 16.84 | 49.33 | 74.00 | -24.67 | peak |
| 4 | 12709.000 | 32.17 | 18.09 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13105.000 | 30.65 | 18.91 | 49.56 | 74.00 | -24.44 | peak |
| 6 | 17967.000 | 23.74 | 25.89 | 49.63 | 74.00 | -24.37 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5550 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 37.12 | 10.43 | 47.55 | 74.00 | -26.45 | peak |
| 2 | 11092.000 | 34.45 | 15.10 | 49.55 | 74.00 | -24.45 | peak |
| 3 | 11785.000 | 33.34 | 17.30 | 50.64 | 74.00 | -23.36 | peak |
| 4 | 12621.000 | 32.31 | 17.98 | 50.29 | 74.00 | -23.71 | peak |
| 5 | 13842.000 | 28.92 | 21.49 | 50.41 | 74.00 | -23.59 | peak |
| 6 | 17967.000 | 24.45 | 25.89 | 50.34 | 74.00 | -23.66 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5550 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7748.000 | 38.78 | 6.66 | 45.44 | 74.00 | -28.56 | peak |
| 2 | 9332.000 | 36.40 | 10.54 | 46.94 | 74.00 | -27.06 | peak |
| 3 | 11411.000 | 33.83 | 16.41 | 50.24 | 74.00 | -23.76 | peak |
| 4 | 12698.000 | 32.41 | 18.08 | 50.49 | 74.00 | -23.51 | peak |
| 5 | 13380.000 | 30.27 | 20.12 | 50.39 | 74.00 | -23.61 | peak |
| 6 | 17714.000 | 26.19 | 24.16 | 50.35 | 74.00 | -23.65 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5670 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.47 | 10.41 | 46.88 | 74.00 | -27.12 | peak |
| 2 | 10894.000 | 34.49 | 14.32 | 48.81 | 74.00 | -25.19 | peak |
| 3 | 11906.000 | 32.34 | 17.52 | 49.86 | 74.00 | -24.14 | peak |
| 4 | 12698.000 | 31.47 | 18.08 | 49.55 | 74.00 | -24.45 | peak |
| 5 | 13919.000 | 28.98 | 21.68 | 50.66 | 74.00 | -23.34 | peak |
| 6 | 17956.000 | 23.23 | 25.82 | 49.05 | 74.00 | -24.95 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5670 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 36.79 | 9.90 | 46.69 | 74.00 | -27.31 | peak |
| 2 | 10993.000 | 34.46 | 14.70 | 49.16 | 74.00 | -24.84 | peak |
| 3 | 11697.000 | 33.13 | 17.13 | 50.26 | 74.00 | -23.74 | peak |
| 4 | 12665.000 | 32.23 | 18.04 | 50.27 | 74.00 | -23.73 | peak |
| 5 | 14018.000 | 27.93 | 21.80 | 49.73 | 74.00 | -24.27 | peak |
| 6 | 17967.000 | 23.38 | 25.89 | 49.27 | 74.00 | -24.73 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5710 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8958.000 | 36.12 | 10.05 | 46.17 | 74.00 | -27.83 | peak |
| 2 | 11070.000 | 34.54 | 15.01 | 49.55 | 74.00 | -24.45 | peak |
| 3 | 11433.000 | 33.42 | 16.50 | 49.92 | 74.00 | -24.08 | peak |
| 4 | 12676.000 | 31.92 | 18.05 | 49.97 | 74.00 | -24.03 | peak |
| 5 | 13930.000 | 28.06 | 21.71 | 49.77 | 74.00 | -24.23 | peak |
| 6 | 17967.000 | 24.47 | 25.89 | 50.36 | 74.00 | -23.64 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5710 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9321.000 | 36.44 | 10.53 | 46.97 | 74.00 | -27.03 | peak |
| 2 | 11048.000 | 34.06 | 14.91 | 48.97 | 74.00 | -25.03 | peak |
| 3 | 11708.000 | 32.52 | 17.16 | 49.68 | 74.00 | -24.32 | peak |
| 4 | 13127.000 | 30.51 | 19.01 | 49.52 | 74.00 | -24.48 | peak |
| 5 | 13435.000 | 28.71 | 20.35 | 49.06 | 74.00 | -24.94 | peak |
| 6 | 18000.000 | 23.70 | 26.12 | 49.82 | 74.00 | -24.18 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5755 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 36.73 | 10.54 | 47.27 | 74.00 | -26.73 | peak |
| 2 | 11026.000 | 35.17 | 14.82 | 49.99 | 74.00 | -24.01 | peak |
| 3 | 11697.000 | 33.20 | 17.13 | 50.33 | 74.00 | -23.67 | peak |
| 4 | 13380.000 | 30.63 | 20.12 | 50.75 | 74.00 | -23.25 | peak |
| 5 | 13930.000 | 28.49 | 21.71 | 50.20 | 74.00 | -23.80 | peak |
| 6 | 17967.000 | 24.08 | 25.89 | 49.97 | 74.00 | -24.03 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5755 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9365.000 | 35.78 | 10.57 | 46.35 | 74.00 | -27.65 | peak |
| 2 | 10938.000 | 34.73 | 14.48 | 49.21 | 74.00 | -24.79 | peak |
| 3 | 11686.000 | 32.97 | 17.12 | 50.09 | 74.00 | -23.91 | peak |
| 4 | 12665.000 | 32.03 | 18.04 | 50.07 | 74.00 | -23.93 | peak |
| 5 | 13446.000 | 29.62 | 20.41 | 50.03 | 74.00 | -23.97 | peak |
| 6 | 17934.000 | 24.21 | 25.67 | 49.88 | 74.00 | -24.12 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5795 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 35.62 | 10.41 | 46.03 | 74.00 | -27.97 | peak |
| 2 | 10916.000 | 34.63 | 14.39 | 49.02 | 74.00 | -24.98 | peak |
| 3 | 11411.000 | 33.60 | 16.41 | 50.01 | 74.00 | -23.99 | peak |
| 4 | 12687.000 | 31.97 | 18.05 | 50.02 | 74.00 | -23.98 | peak |
| 5 | 13875.000 | 28.79 | 21.57 | 50.36 | 74.00 | -23.64 | peak |
| 6 | 17967.000 | 24.17 | 25.89 | 50.06 | 74.00 | -23.94 | peak |

| | | | |
|------------|--------------|---------------|----------|
| Test Mode: | 802.11n HT40 | Channel: | 5795 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 37.21 | 10.48 | 47.69 | 74.00 | -26.31 | peak |
| 2 | 11400.000 | 33.65 | 16.36 | 50.01 | 74.00 | -23.99 | peak |
| 3 | 12731.000 | 31.13 | 18.12 | 49.25 | 74.00 | -24.75 | peak |
| 4 | 13446.000 | 29.54 | 20.41 | 49.95 | 74.00 | -24.05 | peak |
| 5 | 13974.000 | 27.60 | 21.82 | 49.42 | 74.00 | -24.58 | peak |
| 6 | 17901.000 | 24.00 | 25.45 | 49.45 | 74.00 | -24.55 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9332.000 | 35.54 | 10.54 | 46.08 | 74.00 | -27.92 | peak |
| 2 | 11004.000 | 34.71 | 14.74 | 49.45 | 74.00 | -24.55 | peak |
| 3 | 11719.000 | 32.64 | 17.18 | 49.82 | 74.00 | -24.18 | peak |
| 4 | 12621.000 | 32.28 | 17.98 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13952.000 | 29.58 | 21.76 | 51.34 | 74.00 | -22.66 | peak |
| 6 | 17703.000 | 26.11 | 24.09 | 50.20 | 74.00 | -23.80 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8980.000 | 36.16 | 10.21 | 46.37 | 74.00 | -27.63 | peak |
| 2 | 11543.000 | 33.19 | 16.84 | 50.03 | 74.00 | -23.97 | peak |
| 3 | 12676.000 | 32.44 | 18.05 | 50.49 | 74.00 | -23.51 | peak |
| 4 | 13974.000 | 28.20 | 21.82 | 50.02 | 74.00 | -23.98 | peak |
| 5 | 17714.000 | 25.34 | 24.16 | 49.50 | 74.00 | -24.50 | peak |
| 6 | 17989.000 | 23.62 | 26.04 | 49.66 | 74.00 | -24.34 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5290 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 35.64 | 10.55 | 46.19 | 74.00 | -27.81 | peak |
| 2 | 11048.000 | 34.48 | 14.91 | 49.39 | 74.00 | -24.61 | peak |
| 3 | 12687.000 | 31.56 | 18.05 | 49.61 | 74.00 | -24.39 | peak |
| 4 | 13468.000 | 29.64 | 20.50 | 50.14 | 74.00 | -23.86 | peak |
| 5 | 13919.000 | 27.77 | 21.68 | 49.45 | 74.00 | -24.55 | peak |
| 6 | 18000.000 | 23.11 | 26.12 | 49.23 | 74.00 | -24.77 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5290 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7726.000 | 37.63 | 6.68 | 44.31 | 74.00 | -29.69 | peak |
| 2 | 9189.000 | 35.85 | 10.46 | 46.31 | 74.00 | -27.69 | peak |
| 3 | 11400.000 | 34.10 | 16.36 | 50.46 | 74.00 | -23.54 | peak |
| 4 | 12610.000 | 32.38 | 17.97 | 50.35 | 74.00 | -23.65 | peak |
| 5 | 13347.000 | 30.58 | 19.97 | 50.55 | 74.00 | -23.45 | peak |
| 6 | 17978.000 | 24.40 | 25.97 | 50.37 | 74.00 | -23.63 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5530 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8727.000 | 37.92 | 8.45 | 46.37 | 74.00 | -27.63 | peak |
| 2 | 9332.000 | 36.13 | 10.54 | 46.67 | 74.00 | -27.33 | peak |
| 3 | 11026.000 | 34.22 | 14.82 | 49.04 | 74.00 | -24.96 | peak |
| 4 | 11840.000 | 32.74 | 17.40 | 50.14 | 74.00 | -23.86 | peak |
| 5 | 13908.000 | 28.05 | 21.66 | 49.71 | 74.00 | -24.29 | peak |
| 6 | 17934.000 | 24.04 | 25.67 | 49.71 | 74.00 | -24.29 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5530 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 35.59 | 10.51 | 46.10 | 74.00 | -27.90 | peak |
| 2 | 10421.000 | 35.50 | 12.66 | 48.16 | 74.00 | -25.84 | peak |
| 3 | 11004.000 | 34.39 | 14.74 | 49.13 | 74.00 | -24.87 | peak |
| 4 | 11818.000 | 31.79 | 17.36 | 49.15 | 74.00 | -24.85 | peak |
| 5 | 13996.000 | 27.86 | 21.87 | 49.73 | 74.00 | -24.27 | peak |
| 6 | 17802.000 | 25.01 | 24.76 | 49.77 | 74.00 | -24.23 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5610 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9299.000 | 35.84 | 10.53 | 46.37 | 74.00 | -27.63 | peak |
| 2 | 10421.000 | 35.00 | 12.66 | 47.66 | 74.00 | -26.34 | peak |
| 3 | 11466.000 | 33.89 | 16.63 | 50.52 | 74.00 | -23.48 | peak |
| 4 | 12643.000 | 32.48 | 18.01 | 50.49 | 74.00 | -23.51 | peak |
| 5 | 13919.000 | 29.30 | 21.68 | 50.98 | 74.00 | -23.02 | peak |
| 6 | 17989.000 | 24.62 | 26.04 | 50.66 | 74.00 | -23.34 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5610 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.38 | 10.51 | 46.89 | 74.00 | -27.11 | peak |
| 2 | 11070.000 | 34.55 | 15.01 | 49.56 | 74.00 | -24.44 | peak |
| 3 | 11785.000 | 32.74 | 17.30 | 50.04 | 74.00 | -23.96 | peak |
| 4 | 12698.000 | 32.11 | 18.08 | 50.19 | 74.00 | -23.81 | peak |
| 5 | 13930.000 | 28.41 | 21.71 | 50.12 | 74.00 | -23.88 | peak |
| 6 | 17989.000 | 23.97 | 26.04 | 50.01 | 74.00 | -23.99 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5690 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 37.81 | 6.54 | 44.35 | 74.00 | -29.65 | peak |
| 2 | 9299.000 | 35.89 | 10.53 | 46.42 | 74.00 | -27.58 | peak |
| 3 | 11026.000 | 35.33 | 14.82 | 50.15 | 74.00 | -23.85 | peak |
| 4 | 12687.000 | 31.93 | 18.05 | 49.98 | 74.00 | -24.02 | peak |
| 5 | 13402.000 | 29.24 | 20.20 | 49.44 | 74.00 | -24.56 | peak |
| 6 | 17714.000 | 24.91 | 24.16 | 49.07 | 74.00 | -24.93 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5690 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 35.45 | 10.46 | 45.91 | 74.00 | -28.09 | peak |
| 2 | 11180.000 | 33.73 | 15.46 | 49.19 | 74.00 | -24.81 | peak |
| 3 | 11741.000 | 32.75 | 17.22 | 49.97 | 74.00 | -24.03 | peak |
| 4 | 12676.000 | 31.24 | 18.05 | 49.29 | 74.00 | -24.71 | peak |
| 5 | 13919.000 | 28.26 | 21.68 | 49.94 | 74.00 | -24.06 | peak |
| 6 | 18000.000 | 23.92 | 26.12 | 50.04 | 74.00 | -23.96 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5775 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7891.000 | 37.36 | 6.52 | 43.88 | 74.00 | -30.12 | peak |
| 2 | 9134.000 | 36.04 | 10.41 | 46.45 | 74.00 | -27.55 | peak |
| 3 | 11279.000 | 33.71 | 15.86 | 49.57 | 74.00 | -24.43 | peak |
| 4 | 12610.000 | 31.94 | 17.97 | 49.91 | 74.00 | -24.09 | peak |
| 5 | 13842.000 | 28.21 | 21.49 | 49.70 | 74.00 | -24.30 | peak |
| 6 | 17989.000 | 23.17 | 26.04 | 49.21 | 74.00 | -24.79 | peak |

| | | | |
|------------|----------------|---------------|----------|
| Test Mode: | 802.11ac VHT80 | Channel: | 5775 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9266.000 | 35.66 | 10.51 | 46.17 | 74.00 | -27.83 | peak |
| 2 | 11015.000 | 34.08 | 14.79 | 48.87 | 74.00 | -25.13 | peak |
| 3 | 11862.000 | 32.26 | 17.45 | 49.71 | 74.00 | -24.29 | peak |
| 4 | 13611.000 | 29.43 | 20.92 | 50.35 | 74.00 | -23.65 | peak |
| 5 | 17648.000 | 25.83 | 23.72 | 49.55 | 74.00 | -24.45 | peak |
| 6 | 17989.000 | 24.14 | 26.04 | 50.18 | 74.00 | -23.82 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 37.27 | 6.54 | 43.81 | 74.00 | -30.19 | peak |
| 2 | 8980.000 | 36.30 | 10.21 | 46.51 | 74.00 | -27.49 | peak |
| 3 | 11037.000 | 34.78 | 14.87 | 49.65 | 74.00 | -24.35 | peak |
| 4 | 12236.000 | 32.08 | 17.76 | 49.84 | 74.00 | -24.16 | peak |
| 5 | 13919.000 | 27.53 | 21.68 | 49.21 | 74.00 | -24.79 | peak |
| 6 | 18000.000 | 22.52 | 26.12 | 48.64 | 74.00 | -25.36 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.84 | 10.48 | 47.32 | 74.00 | -26.68 | peak |
| 2 | 11026.000 | 34.94 | 14.82 | 49.76 | 74.00 | -24.24 | peak |
| 3 | 11884.000 | 33.26 | 17.48 | 50.74 | 74.00 | -23.26 | peak |
| 4 | 12709.000 | 32.49 | 18.09 | 50.58 | 74.00 | -23.42 | peak |
| 5 | 13424.000 | 29.79 | 20.30 | 50.09 | 74.00 | -23.91 | peak |
| 6 | 18000.000 | 24.23 | 26.12 | 50.35 | 74.00 | -23.65 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5200 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 35.93 | 10.49 | 46.42 | 74.00 | -27.58 | peak |
| 2 | 11048.000 | 34.61 | 14.91 | 49.52 | 74.00 | -24.48 | peak |
| 3 | 11719.000 | 32.28 | 17.18 | 49.46 | 74.00 | -24.54 | peak |
| 4 | 12555.000 | 31.34 | 17.90 | 49.24 | 74.00 | -24.76 | peak |
| 5 | 13908.000 | 27.85 | 21.66 | 49.51 | 74.00 | -24.49 | peak |
| 6 | 17989.000 | 23.60 | 26.04 | 49.64 | 74.00 | -24.36 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5200 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 36.07 | 10.55 | 46.62 | 74.00 | -27.38 | peak |
| 2 | 11081.000 | 34.84 | 15.05 | 49.89 | 74.00 | -24.11 | peak |
| 3 | 11884.000 | 33.18 | 17.48 | 50.66 | 74.00 | -23.34 | peak |
| 4 | 12687.000 | 32.67 | 18.05 | 50.72 | 74.00 | -23.28 | peak |
| 5 | 13589.000 | 29.26 | 20.86 | 50.12 | 74.00 | -23.88 | peak |
| 6 | 17604.000 | 25.83 | 23.41 | 49.24 | 74.00 | -24.76 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5240 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 35.37 | 10.51 | 45.88 | 74.00 | -28.12 | peak |
| 2 | 11081.000 | 34.44 | 15.05 | 49.49 | 74.00 | -24.51 | peak |
| 3 | 11807.000 | 32.83 | 17.34 | 50.17 | 74.00 | -23.83 | peak |
| 4 | 12544.000 | 32.27 | 17.88 | 50.15 | 74.00 | -23.85 | peak |
| 5 | 13853.000 | 27.92 | 21.52 | 49.44 | 74.00 | -24.56 | peak |
| 6 | 17945.000 | 24.31 | 25.75 | 50.06 | 74.00 | -23.94 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5240 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.35 | 10.46 | 46.81 | 74.00 | -27.19 | peak |
| 2 | 10157.000 | 35.85 | 12.10 | 47.95 | 74.00 | -26.05 | peak |
| 3 | 11598.000 | 33.42 | 16.96 | 50.38 | 74.00 | -23.62 | peak |
| 4 | 12654.000 | 32.09 | 18.01 | 50.10 | 74.00 | -23.90 | peak |
| 5 | 13864.000 | 27.93 | 21.53 | 49.46 | 74.00 | -24.54 | peak |
| 6 | 17956.000 | 24.31 | 25.82 | 50.13 | 74.00 | -23.87 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5260 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7814.000 | 37.54 | 6.60 | 44.14 | 74.00 | -29.86 | peak |
| 2 | 9233.000 | 36.50 | 10.48 | 46.98 | 74.00 | -27.02 | peak |
| 3 | 11059.000 | 35.64 | 14.96 | 50.60 | 74.00 | -23.40 | peak |
| 4 | 12588.000 | 32.83 | 17.94 | 50.77 | 74.00 | -23.23 | peak |
| 5 | 14007.000 | 28.64 | 21.85 | 50.49 | 74.00 | -23.51 | peak |
| 6 | 17934.000 | 24.71 | 25.67 | 50.38 | 74.00 | -23.62 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5260 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7858.000 | 37.52 | 6.55 | 44.07 | 74.00 | -29.93 | peak |
| 2 | 9244.000 | 35.92 | 10.49 | 46.41 | 74.00 | -27.59 | peak |
| 3 | 11477.000 | 33.42 | 16.67 | 50.09 | 74.00 | -23.91 | peak |
| 4 | 12643.000 | 31.77 | 18.01 | 49.78 | 74.00 | -24.22 | peak |
| 5 | 13952.000 | 28.28 | 21.76 | 50.04 | 74.00 | -23.96 | peak |
| 6 | 17978.000 | 25.21 | 25.97 | 51.18 | 74.00 | -22.82 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5280 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.06 | 10.48 | 46.54 | 74.00 | -27.46 | peak |
| 2 | 11279.000 | 33.29 | 15.86 | 49.15 | 74.00 | -24.85 | peak |
| 3 | 11785.000 | 32.12 | 17.30 | 49.42 | 74.00 | -24.58 | peak |
| 4 | 12643.000 | 31.64 | 18.01 | 49.65 | 74.00 | -24.35 | peak |
| 5 | 13996.000 | 27.45 | 21.87 | 49.32 | 74.00 | -24.68 | peak |
| 6 | 17989.000 | 23.53 | 26.04 | 49.57 | 74.00 | -24.43 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5280 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 35.71 | 10.48 | 46.19 | 74.00 | -27.81 | peak |
| 2 | 11103.000 | 35.23 | 15.15 | 50.38 | 74.00 | -23.62 | peak |
| 3 | 11708.000 | 32.19 | 17.16 | 49.35 | 74.00 | -24.65 | peak |
| 4 | 12731.000 | 31.11 | 18.12 | 49.23 | 74.00 | -24.77 | peak |
| 5 | 13996.000 | 27.92 | 21.87 | 49.79 | 74.00 | -24.21 | peak |
| 6 | 17670.000 | 26.84 | 23.86 | 50.70 | 74.00 | -23.30 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5320 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7880.000 | 37.62 | 6.54 | 44.16 | 74.00 | -29.84 | peak |
| 2 | 9211.000 | 36.02 | 10.47 | 46.49 | 74.00 | -27.51 | peak |
| 3 | 11235.000 | 34.04 | 15.68 | 49.72 | 74.00 | -24.28 | peak |
| 4 | 12522.000 | 32.36 | 17.86 | 50.22 | 74.00 | -23.78 | peak |
| 5 | 13589.000 | 28.41 | 20.86 | 49.27 | 74.00 | -24.73 | peak |
| 6 | 17945.000 | 23.19 | 25.75 | 48.94 | 74.00 | -25.06 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5320 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8914.000 | 36.84 | 9.75 | 46.59 | 74.00 | -27.41 | peak |
| 2 | 11070.000 | 34.30 | 15.01 | 49.31 | 74.00 | -24.69 | peak |
| 3 | 11818.000 | 32.31 | 17.36 | 49.67 | 74.00 | -24.33 | peak |
| 4 | 12654.000 | 31.40 | 18.01 | 49.41 | 74.00 | -24.59 | peak |
| 5 | 13875.000 | 28.61 | 21.57 | 50.18 | 74.00 | -23.82 | peak |
| 6 | 17989.000 | 23.51 | 26.04 | 49.55 | 74.00 | -24.45 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5500 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8914.000 | 37.19 | 9.75 | 46.94 | 74.00 | -27.06 | peak |
| 2 | 9343.000 | 35.25 | 10.55 | 45.80 | 74.00 | -28.20 | peak |
| 3 | 11026.000 | 34.55 | 14.82 | 49.37 | 74.00 | -24.63 | peak |
| 4 | 12247.000 | 32.01 | 17.77 | 49.78 | 74.00 | -24.22 | peak |
| 5 | 14051.000 | 28.66 | 21.67 | 50.33 | 74.00 | -23.67 | peak |
| 6 | 17692.000 | 25.26 | 24.01 | 49.27 | 74.00 | -24.73 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5500 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9057.000 | 35.62 | 10.38 | 46.00 | 74.00 | -28.00 | peak |
| 2 | 11323.000 | 34.38 | 16.05 | 50.43 | 74.00 | -23.57 | peak |
| 3 | 11829.000 | 33.19 | 17.38 | 50.57 | 74.00 | -23.43 | peak |
| 4 | 12258.000 | 32.79 | 17.77 | 50.56 | 74.00 | -23.44 | peak |
| 5 | 13809.000 | 28.58 | 21.41 | 49.99 | 74.00 | -24.01 | peak |
| 6 | 17989.000 | 23.44 | 26.04 | 49.48 | 74.00 | -24.52 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5580 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 37.13 | 6.54 | 43.67 | 74.00 | -30.33 | peak |
| 2 | 9354.000 | 35.94 | 10.56 | 46.50 | 74.00 | -27.50 | peak |
| 3 | 10960.000 | 34.42 | 14.57 | 48.99 | 74.00 | -25.01 | peak |
| 4 | 12654.000 | 30.84 | 18.01 | 48.85 | 74.00 | -25.15 | peak |
| 5 | 13435.000 | 28.87 | 20.35 | 49.22 | 74.00 | -24.78 | peak |
| 6 | 17989.000 | 23.18 | 26.04 | 49.22 | 74.00 | -24.78 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5580 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9354.000 | 35.62 | 10.56 | 46.18 | 74.00 | -27.82 | peak |
| 2 | 11048.000 | 34.78 | 14.91 | 49.69 | 74.00 | -24.31 | peak |
| 3 | 11829.000 | 32.10 | 17.38 | 49.48 | 74.00 | -24.52 | peak |
| 4 | 12654.000 | 31.76 | 18.01 | 49.77 | 74.00 | -24.23 | peak |
| 5 | 13380.000 | 29.95 | 20.12 | 50.07 | 74.00 | -23.93 | peak |
| 6 | 17989.000 | 23.79 | 26.04 | 49.83 | 74.00 | -24.17 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5700 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.71 | 10.49 | 47.20 | 74.00 | -26.80 | peak |
| 2 | 11048.000 | 33.97 | 14.91 | 48.88 | 74.00 | -25.12 | peak |
| 3 | 11873.000 | 32.98 | 17.46 | 50.44 | 74.00 | -23.56 | peak |
| 4 | 12676.000 | 32.21 | 18.05 | 50.26 | 74.00 | -23.74 | peak |
| 5 | 13567.000 | 28.67 | 20.80 | 49.47 | 74.00 | -24.53 | peak |
| 6 | 17989.000 | 23.71 | 26.04 | 49.75 | 74.00 | -24.25 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5700 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9310.000 | 35.83 | 10.54 | 46.37 | 74.00 | -27.63 | peak |
| 2 | 10212.000 | 35.74 | 12.21 | 47.95 | 74.00 | -26.05 | peak |
| 3 | 11015.000 | 34.53 | 14.79 | 49.32 | 74.00 | -24.68 | peak |
| 4 | 12643.000 | 31.62 | 18.01 | 49.63 | 74.00 | -24.37 | peak |
| 5 | 13952.000 | 27.73 | 21.76 | 49.49 | 74.00 | -24.51 | peak |
| 6 | 17725.000 | 25.46 | 24.24 | 49.70 | 74.00 | -24.30 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5720 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7869.000 | 37.19 | 6.54 | 43.73 | 74.00 | -30.27 | peak |
| 2 | 9145.000 | 36.02 | 10.43 | 46.45 | 74.00 | -27.55 | peak |
| 3 | 11059.000 | 34.70 | 14.96 | 49.66 | 74.00 | -24.34 | peak |
| 4 | 12687.000 | 32.00 | 18.05 | 50.05 | 74.00 | -23.95 | peak |
| 5 | 13380.000 | 29.82 | 20.12 | 49.94 | 74.00 | -24.06 | peak |
| 6 | 17637.000 | 26.08 | 23.64 | 49.72 | 74.00 | -24.28 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5720 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.23 | 10.51 | 46.74 | 74.00 | -27.26 | peak |
| 2 | 11015.000 | 34.64 | 14.79 | 49.43 | 74.00 | -24.57 | peak |
| 3 | 11455.000 | 33.03 | 16.58 | 49.61 | 74.00 | -24.39 | peak |
| 4 | 12500.000 | 31.70 | 17.83 | 49.53 | 74.00 | -24.47 | peak |
| 5 | 14238.000 | 28.77 | 20.88 | 49.65 | 74.00 | -24.35 | peak |
| 6 | 17967.000 | 24.04 | 25.89 | 49.93 | 74.00 | -24.07 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5745 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7748.000 | 38.19 | 6.66 | 44.85 | 74.00 | -29.15 | peak |
| 2 | 8980.000 | 36.35 | 10.21 | 46.56 | 74.00 | -27.44 | peak |
| 3 | 11400.000 | 33.32 | 16.36 | 49.68 | 74.00 | -24.32 | peak |
| 4 | 12632.000 | 32.71 | 17.99 | 50.70 | 74.00 | -23.30 | peak |
| 5 | 13919.000 | 28.14 | 21.68 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17967.000 | 23.78 | 25.89 | 49.67 | 74.00 | -24.33 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5745 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9189.000 | 36.35 | 10.46 | 46.81 | 74.00 | -27.19 | peak |
| 2 | 11026.000 | 34.45 | 14.82 | 49.27 | 74.00 | -24.73 | peak |
| 3 | 11884.000 | 33.05 | 17.48 | 50.53 | 74.00 | -23.47 | peak |
| 4 | 12698.000 | 31.99 | 18.08 | 50.07 | 74.00 | -23.93 | peak |
| 5 | 13930.000 | 28.60 | 21.71 | 50.31 | 74.00 | -23.69 | peak |
| 6 | 17912.000 | 24.30 | 25.52 | 49.82 | 74.00 | -24.18 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5785 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9079.000 | 35.33 | 10.39 | 45.72 | 74.00 | -28.28 | peak |
| 2 | 9805.000 | 34.59 | 11.34 | 45.93 | 74.00 | -28.07 | peak |
| 3 | 11059.000 | 34.15 | 14.96 | 49.11 | 74.00 | -24.89 | peak |
| 4 | 12632.000 | 30.64 | 17.99 | 48.63 | 74.00 | -25.37 | peak |
| 5 | 13710.000 | 28.98 | 21.16 | 50.14 | 74.00 | -23.86 | peak |
| 6 | 17989.000 | 23.87 | 26.04 | 49.91 | 74.00 | -24.09 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5785 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8727.000 | 36.34 | 8.45 | 44.79 | 74.00 | -29.21 | peak |
| 2 | 9233.000 | 36.81 | 10.48 | 47.29 | 74.00 | -26.71 | peak |
| 3 | 11059.000 | 35.26 | 14.96 | 50.22 | 74.00 | -23.78 | peak |
| 4 | 11851.000 | 31.84 | 17.43 | 49.27 | 74.00 | -24.73 | peak |
| 5 | 13622.000 | 28.90 | 20.95 | 49.85 | 74.00 | -24.15 | peak |
| 6 | 17967.000 | 23.98 | 25.89 | 49.87 | 74.00 | -24.13 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5825 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 35.83 | 10.43 | 46.26 | 74.00 | -27.74 | peak |
| 2 | 11004.000 | 34.65 | 14.74 | 49.39 | 74.00 | -24.61 | peak |
| 3 | 11400.000 | 33.78 | 16.36 | 50.14 | 74.00 | -23.86 | peak |
| 4 | 12643.000 | 31.88 | 18.01 | 49.89 | 74.00 | -24.11 | peak |
| 5 | 13864.000 | 27.67 | 21.53 | 49.20 | 74.00 | -24.80 | peak |
| 6 | 17989.000 | 23.91 | 26.04 | 49.95 | 74.00 | -24.05 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE20 | Channel: | 5825 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.17 | 10.48 | 46.65 | 74.00 | -27.35 | peak |
| 2 | 11059.000 | 34.02 | 14.96 | 48.98 | 74.00 | -25.02 | peak |
| 3 | 11785.000 | 32.58 | 17.30 | 49.88 | 74.00 | -24.12 | peak |
| 4 | 12621.000 | 32.34 | 17.98 | 50.32 | 74.00 | -23.68 | peak |
| 5 | 13853.000 | 28.99 | 21.52 | 50.51 | 74.00 | -23.49 | peak |
| 6 | 17989.000 | 24.55 | 26.04 | 50.59 | 74.00 | -23.41 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5190 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7891.000 | 38.23 | 6.52 | 44.75 | 74.00 | -29.25 | peak |
| 2 | 9354.000 | 36.62 | 10.56 | 47.18 | 74.00 | -26.82 | peak |
| 3 | 11048.000 | 35.07 | 14.91 | 49.98 | 74.00 | -24.02 | peak |
| 4 | 12687.000 | 32.30 | 18.05 | 50.35 | 74.00 | -23.65 | peak |
| 5 | 13765.000 | 28.57 | 21.30 | 49.87 | 74.00 | -24.13 | peak |
| 6 | 18000.000 | 23.99 | 26.12 | 50.11 | 74.00 | -23.89 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5190 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9288.000 | 36.02 | 10.52 | 46.54 | 74.00 | -27.46 | peak |
| 2 | 11026.000 | 35.08 | 14.82 | 49.90 | 74.00 | -24.10 | peak |
| 3 | 12665.000 | 31.66 | 18.04 | 49.70 | 74.00 | -24.30 | peak |
| 4 | 13050.000 | 30.51 | 18.66 | 49.17 | 74.00 | -24.83 | peak |
| 5 | 13424.000 | 28.66 | 20.30 | 48.96 | 74.00 | -25.04 | peak |
| 6 | 17989.000 | 23.39 | 26.04 | 49.43 | 74.00 | -24.57 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5230 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9255.000 | 36.14 | 10.51 | 46.65 | 74.00 | -27.35 | peak |
| 2 | 11312.000 | 33.08 | 16.00 | 49.08 | 74.00 | -24.92 | peak |
| 3 | 11741.000 | 32.67 | 17.22 | 49.89 | 74.00 | -24.11 | peak |
| 4 | 12621.000 | 32.39 | 17.98 | 50.37 | 74.00 | -23.63 | peak |
| 5 | 13974.000 | 28.58 | 21.82 | 50.40 | 74.00 | -23.60 | peak |
| 6 | 18000.000 | 23.64 | 26.12 | 49.76 | 74.00 | -24.24 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5230 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 36.00 | 10.43 | 46.43 | 74.00 | -27.57 | peak |
| 2 | 9574.000 | 35.36 | 10.81 | 46.17 | 74.00 | -27.83 | peak |
| 3 | 11334.000 | 33.79 | 16.09 | 49.88 | 74.00 | -24.12 | peak |
| 4 | 12698.000 | 32.00 | 18.08 | 50.08 | 74.00 | -23.92 | peak |
| 5 | 13875.000 | 28.68 | 21.57 | 50.25 | 74.00 | -23.75 | peak |
| 6 | 18000.000 | 24.26 | 26.12 | 50.38 | 74.00 | -23.62 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5270 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9277.000 | 36.51 | 10.51 | 47.02 | 74.00 | -26.98 | peak |
| 2 | 11059.000 | 34.37 | 14.96 | 49.33 | 74.00 | -24.67 | peak |
| 3 | 11334.000 | 33.83 | 16.09 | 49.92 | 74.00 | -24.08 | peak |
| 4 | 12665.000 | 32.45 | 18.04 | 50.49 | 74.00 | -23.51 | peak |
| 5 | 13380.000 | 30.05 | 20.12 | 50.17 | 74.00 | -23.83 | peak |
| 6 | 17989.000 | 24.58 | 26.04 | 50.62 | 74.00 | -23.38 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5270 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 35.79 | 10.43 | 46.22 | 74.00 | -27.78 | peak |
| 2 | 11004.000 | 34.06 | 14.74 | 48.80 | 74.00 | -25.20 | peak |
| 3 | 11400.000 | 33.41 | 16.36 | 49.77 | 74.00 | -24.23 | peak |
| 4 | 12687.000 | 31.56 | 18.05 | 49.61 | 74.00 | -24.39 | peak |
| 5 | 13908.000 | 28.36 | 21.66 | 50.02 | 74.00 | -23.98 | peak |
| 6 | 17648.000 | 25.71 | 23.72 | 49.43 | 74.00 | -24.57 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5310 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9244.000 | 36.76 | 10.49 | 47.25 | 74.00 | -26.75 | peak |
| 2 | 11521.000 | 33.21 | 16.82 | 50.03 | 74.00 | -23.97 | peak |
| 3 | 12654.000 | 32.31 | 18.01 | 50.32 | 74.00 | -23.68 | peak |
| 4 | 13435.000 | 30.32 | 20.35 | 50.67 | 74.00 | -23.33 | peak |
| 5 | 13919.000 | 29.11 | 21.68 | 50.79 | 74.00 | -23.21 | peak |
| 6 | 17945.000 | 24.60 | 25.75 | 50.35 | 74.00 | -23.65 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5310 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 36.68 | 10.43 | 47.11 | 74.00 | -26.89 | peak |
| 2 | 11059.000 | 35.48 | 14.96 | 50.44 | 74.00 | -23.56 | peak |
| 3 | 11785.000 | 32.86 | 17.30 | 50.16 | 74.00 | -23.84 | peak |
| 4 | 12632.000 | 32.36 | 17.99 | 50.35 | 74.00 | -23.65 | peak |
| 5 | 13875.000 | 27.66 | 21.57 | 49.23 | 74.00 | -24.77 | peak |
| 6 | 17703.000 | 26.04 | 24.09 | 50.13 | 74.00 | -23.87 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5510 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7715.000 | 37.95 | 6.68 | 44.63 | 74.00 | -29.37 | peak |
| 2 | 9332.000 | 36.06 | 10.54 | 46.60 | 74.00 | -27.40 | peak |
| 3 | 11070.000 | 34.66 | 15.01 | 49.67 | 74.00 | -24.33 | peak |
| 4 | 12654.000 | 31.21 | 18.01 | 49.22 | 74.00 | -24.78 | peak |
| 5 | 13919.000 | 28.37 | 21.68 | 50.05 | 74.00 | -23.95 | peak |
| 6 | 18000.000 | 24.66 | 26.12 | 50.78 | 74.00 | -23.22 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5510 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.51 | 10.41 | 46.92 | 74.00 | -27.08 | peak |
| 2 | 11048.000 | 35.11 | 14.91 | 50.02 | 74.00 | -23.98 | peak |
| 3 | 11433.000 | 34.38 | 16.50 | 50.88 | 74.00 | -23.12 | peak |
| 4 | 12709.000 | 32.41 | 18.09 | 50.50 | 74.00 | -23.50 | peak |
| 5 | 13974.000 | 28.70 | 21.82 | 50.52 | 74.00 | -23.48 | peak |
| 6 | 17978.000 | 24.79 | 25.97 | 50.76 | 74.00 | -23.24 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5550 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7638.000 | 37.17 | 6.75 | 43.92 | 74.00 | -30.08 | peak |
| 2 | 9354.000 | 36.60 | 10.56 | 47.16 | 74.00 | -26.84 | peak |
| 3 | 11246.000 | 33.51 | 15.73 | 49.24 | 74.00 | -24.76 | peak |
| 4 | 12676.000 | 31.97 | 18.05 | 50.02 | 74.00 | -23.98 | peak |
| 5 | 13908.000 | 28.11 | 21.66 | 49.77 | 74.00 | -24.23 | peak |
| 6 | 17967.000 | 24.37 | 25.89 | 50.26 | 74.00 | -23.74 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5550 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.22 | 10.48 | 46.70 | 74.00 | -27.30 | peak |
| 2 | 11015.000 | 34.63 | 14.79 | 49.42 | 74.00 | -24.58 | peak |
| 3 | 11829.000 | 32.79 | 17.38 | 50.17 | 74.00 | -23.83 | peak |
| 4 | 12654.000 | 31.90 | 18.01 | 49.91 | 74.00 | -24.09 | peak |
| 5 | 14007.000 | 27.67 | 21.85 | 49.52 | 74.00 | -24.48 | peak |
| 6 | 18000.000 | 24.46 | 26.12 | 50.58 | 74.00 | -23.42 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5670 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9123.000 | 36.32 | 10.42 | 46.74 | 74.00 | -27.26 | peak |
| 2 | 11070.000 | 34.02 | 15.01 | 49.03 | 74.00 | -24.97 | peak |
| 3 | 11829.000 | 32.42 | 17.38 | 49.80 | 74.00 | -24.20 | peak |
| 4 | 12654.000 | 31.91 | 18.01 | 49.92 | 74.00 | -24.08 | peak |
| 5 | 13919.000 | 28.99 | 21.68 | 50.67 | 74.00 | -23.33 | peak |
| 6 | 17956.000 | 24.37 | 25.82 | 50.19 | 74.00 | -23.81 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5670 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7891.000 | 38.25 | 6.52 | 44.77 | 74.00 | -29.23 | peak |
| 2 | 9134.000 | 35.65 | 10.41 | 46.06 | 74.00 | -27.94 | peak |
| 3 | 11081.000 | 34.75 | 15.05 | 49.80 | 74.00 | -24.20 | peak |
| 4 | 12709.000 | 31.15 | 18.09 | 49.24 | 74.00 | -24.76 | peak |
| 5 | 13919.000 | 29.01 | 21.68 | 50.69 | 74.00 | -23.31 | peak |
| 6 | 18000.000 | 24.36 | 26.12 | 50.48 | 74.00 | -23.52 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5710 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9299.000 | 35.42 | 10.53 | 45.95 | 74.00 | -28.05 | peak |
| 2 | 11081.000 | 34.07 | 15.05 | 49.12 | 74.00 | -24.88 | peak |
| 3 | 11653.000 | 32.12 | 17.05 | 49.17 | 74.00 | -24.83 | peak |
| 4 | 12654.000 | 31.33 | 18.01 | 49.34 | 74.00 | -24.66 | peak |
| 5 | 14238.000 | 28.78 | 20.88 | 49.66 | 74.00 | -24.34 | peak |
| 6 | 17989.000 | 24.18 | 26.04 | 50.22 | 74.00 | -23.78 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5710 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7880.000 | 37.87 | 6.54 | 44.41 | 74.00 | -29.59 | peak |
| 2 | 9244.000 | 36.48 | 10.49 | 46.97 | 74.00 | -27.03 | peak |
| 3 | 11246.000 | 34.23 | 15.73 | 49.96 | 74.00 | -24.04 | peak |
| 4 | 12698.000 | 32.02 | 18.08 | 50.10 | 74.00 | -23.90 | peak |
| 5 | 13875.000 | 29.13 | 21.57 | 50.70 | 74.00 | -23.30 | peak |
| 6 | 17978.000 | 23.35 | 25.97 | 49.32 | 74.00 | -24.68 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5755 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9200.000 | 36.63 | 10.46 | 47.09 | 74.00 | -26.91 | peak |
| 2 | 11048.000 | 35.07 | 14.91 | 49.98 | 74.00 | -24.02 | peak |
| 3 | 11279.000 | 33.65 | 15.86 | 49.51 | 74.00 | -24.49 | peak |
| 4 | 12555.000 | 32.56 | 17.90 | 50.46 | 74.00 | -23.54 | peak |
| 5 | 13468.000 | 29.56 | 20.50 | 50.06 | 74.00 | -23.94 | peak |
| 6 | 17989.000 | 23.52 | 26.04 | 49.56 | 74.00 | -24.44 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5755 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7484.000 | 37.23 | 6.87 | 44.10 | 74.00 | -29.90 | peak |
| 2 | 9211.000 | 36.59 | 10.47 | 47.06 | 74.00 | -26.94 | peak |
| 3 | 11323.000 | 33.55 | 16.05 | 49.60 | 74.00 | -24.40 | peak |
| 4 | 11840.000 | 32.12 | 17.40 | 49.52 | 74.00 | -24.48 | peak |
| 5 | 13380.000 | 30.04 | 20.12 | 50.16 | 74.00 | -23.84 | peak |
| 6 | 17945.000 | 23.97 | 25.75 | 49.72 | 74.00 | -24.28 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5795 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8012.000 | 37.77 | 6.44 | 44.21 | 74.00 | -29.79 | peak |
| 2 | 9310.000 | 36.98 | 10.54 | 47.52 | 74.00 | -26.48 | peak |
| 3 | 11070.000 | 34.11 | 15.01 | 49.12 | 74.00 | -24.88 | peak |
| 4 | 12687.000 | 31.90 | 18.05 | 49.95 | 74.00 | -24.05 | peak |
| 5 | 13974.000 | 27.47 | 21.82 | 49.29 | 74.00 | -24.71 | peak |
| 6 | 17989.000 | 22.87 | 26.04 | 48.91 | 74.00 | -25.09 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE40 | Channel: | 5795 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9343.000 | 36.43 | 10.55 | 46.98 | 74.00 | -27.02 | peak |
| 2 | 11081.000 | 34.62 | 15.05 | 49.67 | 74.00 | -24.33 | peak |
| 3 | 11785.000 | 33.24 | 17.30 | 50.54 | 74.00 | -23.46 | peak |
| 4 | 12654.000 | 32.76 | 18.01 | 50.77 | 74.00 | -23.23 | peak |
| 5 | 13864.000 | 29.10 | 21.53 | 50.63 | 74.00 | -23.37 | peak |
| 6 | 17967.000 | 25.09 | 25.89 | 50.98 | 74.00 | -23.02 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5210 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7638.000 | 37.48 | 6.75 | 44.23 | 74.00 | -29.77 | peak |
| 2 | 9255.000 | 36.16 | 10.51 | 46.67 | 74.00 | -27.33 | peak |
| 3 | 11279.000 | 33.91 | 15.86 | 49.77 | 74.00 | -24.23 | peak |
| 4 | 12632.000 | 32.56 | 17.99 | 50.55 | 74.00 | -23.45 | peak |
| 5 | 13556.000 | 28.63 | 20.78 | 49.41 | 74.00 | -24.59 | peak |
| 6 | 17967.000 | 23.53 | 25.89 | 49.42 | 74.00 | -24.58 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5210 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8980.000 | 36.64 | 10.21 | 46.85 | 74.00 | -27.15 | peak |
| 2 | 10894.000 | 34.69 | 14.32 | 49.01 | 74.00 | -24.99 | peak |
| 3 | 11268.000 | 33.56 | 15.83 | 49.39 | 74.00 | -24.61 | peak |
| 4 | 12676.000 | 31.78 | 18.05 | 49.83 | 74.00 | -24.17 | peak |
| 5 | 13853.000 | 28.54 | 21.52 | 50.06 | 74.00 | -23.94 | peak |
| 6 | 17967.000 | 24.72 | 25.89 | 50.61 | 74.00 | -23.39 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5290 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9134.000 | 36.13 | 10.41 | 46.54 | 74.00 | -27.46 | peak |
| 2 | 11059.000 | 34.20 | 14.96 | 49.16 | 74.00 | -24.84 | peak |
| 3 | 11840.000 | 32.42 | 17.40 | 49.82 | 74.00 | -24.18 | peak |
| 4 | 12709.000 | 32.39 | 18.09 | 50.48 | 74.00 | -23.52 | peak |
| 5 | 13864.000 | 27.99 | 21.53 | 49.52 | 74.00 | -24.48 | peak |
| 6 | 17912.000 | 24.45 | 25.52 | 49.97 | 74.00 | -24.03 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5290 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8947.000 | 35.82 | 9.98 | 45.80 | 74.00 | -28.20 | peak |
| 2 | 9211.000 | 36.42 | 10.47 | 46.89 | 74.00 | -27.11 | peak |
| 3 | 11015.000 | 34.58 | 14.79 | 49.37 | 74.00 | -24.63 | peak |
| 4 | 12643.000 | 31.29 | 18.01 | 49.30 | 74.00 | -24.70 | peak |
| 5 | 14007.000 | 28.49 | 21.85 | 50.34 | 74.00 | -23.66 | peak |
| 6 | 17967.000 | 24.18 | 25.89 | 50.07 | 74.00 | -23.93 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5530 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8848.000 | 37.18 | 9.29 | 46.47 | 74.00 | -27.53 | peak |
| 2 | 9200.000 | 36.39 | 10.46 | 46.85 | 74.00 | -27.15 | peak |
| 3 | 11015.000 | 34.20 | 14.79 | 48.99 | 74.00 | -25.01 | peak |
| 4 | 11818.000 | 31.92 | 17.36 | 49.28 | 74.00 | -24.72 | peak |
| 5 | 13017.000 | 31.62 | 18.53 | 50.15 | 74.00 | -23.85 | peak |
| 6 | 17967.000 | 24.71 | 25.89 | 50.60 | 74.00 | -23.40 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5530 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.19 | 10.48 | 46.67 | 74.00 | -27.33 | peak |
| 2 | 9959.000 | 35.18 | 11.68 | 46.86 | 74.00 | -27.14 | peak |
| 3 | 11026.000 | 35.26 | 14.82 | 50.08 | 74.00 | -23.92 | peak |
| 4 | 11906.000 | 32.79 | 17.52 | 50.31 | 74.00 | -23.69 | peak |
| 5 | 13930.000 | 28.11 | 21.71 | 49.82 | 74.00 | -24.18 | peak |
| 6 | 17956.000 | 24.30 | 25.82 | 50.12 | 74.00 | -23.88 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5610 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7308.000 | 37.82 | 6.94 | 44.76 | 74.00 | -29.24 | peak |
| 2 | 9134.000 | 37.05 | 10.41 | 47.46 | 74.00 | -26.54 | peak |
| 3 | 11642.000 | 33.99 | 17.03 | 51.02 | 74.00 | -22.98 | peak |
| 4 | 12643.000 | 33.10 | 18.01 | 51.11 | 74.00 | -22.89 | peak |
| 5 | 13589.000 | 29.58 | 20.86 | 50.44 | 74.00 | -23.56 | peak |
| 6 | 17978.000 | 24.02 | 25.97 | 49.99 | 74.00 | -24.01 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5610 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 8936.000 | 36.64 | 9.90 | 46.54 | 74.00 | -27.46 | peak |
| 2 | 11015.000 | 34.01 | 14.79 | 48.80 | 74.00 | -25.20 | peak |
| 3 | 11466.000 | 33.63 | 16.63 | 50.26 | 74.00 | -23.74 | peak |
| 4 | 12632.000 | 32.53 | 17.99 | 50.52 | 74.00 | -23.48 | peak |
| 5 | 13864.000 | 28.02 | 21.53 | 49.55 | 74.00 | -24.45 | peak |
| 6 | 17967.000 | 23.88 | 25.89 | 49.77 | 74.00 | -24.23 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5690 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 7847.000 | 37.19 | 6.57 | 43.76 | 74.00 | -30.24 | peak |
| 2 | 9233.000 | 36.46 | 10.48 | 46.94 | 74.00 | -27.06 | peak |
| 3 | 11004.000 | 34.93 | 14.74 | 49.67 | 74.00 | -24.33 | peak |
| 4 | 12115.000 | 32.11 | 17.73 | 49.84 | 74.00 | -24.16 | peak |
| 5 | 13534.000 | 29.71 | 20.73 | 50.44 | 74.00 | -23.56 | peak |
| 6 | 17989.000 | 24.62 | 26.04 | 50.66 | 74.00 | -23.34 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5690 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 36.02 | 10.48 | 46.50 | 74.00 | -27.50 | peak |
| 2 | 10212.000 | 35.04 | 12.21 | 47.25 | 74.00 | -26.75 | peak |
| 3 | 11873.000 | 32.02 | 17.46 | 49.48 | 74.00 | -24.52 | peak |
| 4 | 12610.000 | 31.95 | 17.97 | 49.92 | 74.00 | -24.08 | peak |
| 5 | 13963.000 | 27.85 | 21.78 | 49.63 | 74.00 | -24.37 | peak |
| 6 | 17989.000 | 24.16 | 26.04 | 50.20 | 74.00 | -23.80 | peak |

| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5775 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9145.000 | 36.51 | 10.43 | 46.94 | 74.00 | -27.06 | peak |
| 2 | 10245.000 | 34.86 | 12.28 | 47.14 | 74.00 | -26.86 | peak |
| 3 | 11774.000 | 33.53 | 17.28 | 50.81 | 74.00 | -23.19 | peak |
| 4 | 12643.000 | 32.98 | 18.01 | 50.99 | 74.00 | -23.01 | peak |
| 5 | 13424.000 | 30.35 | 20.30 | 50.65 | 74.00 | -23.35 | peak |
| 6 | 17989.000 | 24.24 | 26.04 | 50.28 | 74.00 | -23.72 | peak |


| | | | |
|------------|---------------|---------------|----------|
| Test Mode: | 802.11ax HE80 | Channel: | 5775 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 9233.000 | 37.15 | 10.48 | 47.63 | 74.00 | -26.37 | peak |
| 2 | 11048.000 | 35.13 | 14.91 | 50.04 | 74.00 | -23.96 | peak |
| 3 | 11521.000 | 33.80 | 16.82 | 50.62 | 74.00 | -23.38 | peak |
| 4 | 12720.000 | 32.36 | 18.09 | 50.45 | 74.00 | -23.55 | peak |
| 5 | 13369.000 | 30.21 | 20.06 | 50.27 | 74.00 | -23.73 | peak |
| 6 | 17945.000 | 24.57 | 25.75 | 50.32 | 74.00 | -23.68 | peak |


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

| | | | |
|------------|-----------|---------------|----------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Polarity: | FACE ON | Test Voltage: | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1 | 0.0100 | 77.22 | -101.40 | -24.18 | 47.60 | -75.68 | -3.90 | -71.78 | peak |
| 2 | 0.0114 | 75.88 | -101.40 | -25.52 | 46.46 | -77.02 | -5.04 | -71.98 | peak |
| 3 | 0.0221 | 71.63 | -101.35 | -29.72 | 40.71 | -81.22 | -10.79 | -70.43 | peak |
| 4 | 0.0279 | 68.67 | -101.38 | -32.71 | 38.69 | -84.21 | -12.81 | -71.40 | peak |
| 5 | 0.0675 | 63.64 | -101.56 | -37.92 | 31.02 | -89.42 | -20.48 | -68.94 | peak |
| 6 | 0.0981 | 61.27 | -101.78 | -40.51 | 27.77 | -92.01 | -23.73 | -68.28 | peak |

| | | | |
|------------|-----------|---------------|----------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Polarity: | FACE ON | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1 | 0.1554 | 75.77 | -101.65 | -25.88 | 23.77 | -77.38 | -27.73 | -49.65 | peak |
| 2 | 0.1731 | 72.46 | -101.67 | -29.21 | 22.84 | -80.71 | -28.66 | -52.05 | peak |
| 3 | 0.2053 | 69.79 | -101.73 | -31.94 | 21.35 | -83.44 | -30.15 | -53.29 | peak |
| 4 | 0.2530 | 66.64 | -101.80 | -35.16 | 19.54 | -86.66 | -31.96 | -54.70 | peak |
| 5 | 0.3163 | 64.70 | -101.87 | -37.17 | 17.60 | -88.67 | -33.90 | -54.77 | peak |
| 6 | 0.3462 | 62.24 | -101.90 | -39.66 | 16.81 | -91.16 | -34.69 | -56.47 | peak |


| | | | |
|------------|-----------|---------------|----------|
| Test Mode: | 802.11a20 | Channel: | 5180 |
| Polarity: | FACE ON | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1 | 0.5917 | 63.24 | -62.08 | 1.16 | 32.16 | -50.34 | -19.34 | -31.00 | peak |
| 2 | 0.8898 | 61.45 | -62.20 | -0.75 | 28.62 | -52.25 | -22.88 | -29.37 | peak |
| 3 | 1.6149 | 58.12 | -62.00 | -3.88 | 23.44 | -55.38 | -28.06 | -27.32 | peak |
| 4 | 5.5066 | 55.89 | -61.42 | -5.53 | 29.54 | -57.03 | -21.96 | -35.07 | peak |
| 5 | 10.7299 | 54.98 | -60.83 | -5.85 | 29.54 | -57.35 | -21.96 | -35.39 | peak |
| 6 | 17.3992 | 54.43 | -60.92 | -6.49 | 29.54 | -57.99 | -21.96 | -36.03 | peak |


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 19392.000 | 50.12 | -5.57 | 44.55 | 74.00 | -29.45 | peak |
| 2 | 20016.000 | 49.56 | -5.47 | 44.09 | 74.00 | -29.91 | peak |
| 3 | 21600.000 | 49.52 | -4.54 | 44.98 | 74.00 | -29.02 | peak |
| 4 | 22160.000 | 49.08 | -4.31 | 44.77 | 74.00 | -29.23 | peak |
| 5 | 23744.000 | 47.65 | -3.20 | 44.45 | 74.00 | -29.55 | peak |
| 6 | 24960.000 | 46.64 | -2.14 | 44.50 | 74.00 | -29.50 | peak |


| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 18320.000 | 49.72 | -5.46 | 44.26 | 74.00 | -29.74 | peak |
| 2 | 18960.000 | 49.51 | -5.25 | 44.26 | 74.00 | -29.74 | peak |
| 3 | 20272.000 | 49.77 | -5.60 | 44.17 | 74.00 | -29.83 | peak |
| 4 | 21544.000 | 48.76 | -4.63 | 44.13 | 74.00 | -29.87 | peak |
| 5 | 23216.000 | 48.01 | -3.38 | 44.63 | 74.00 | -29.37 | peak |
| 6 | 24184.000 | 47.19 | -2.80 | 44.39 | 74.00 | -29.61 | peak |


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 26490.000 | 51.29 | -4.74 | 46.55 | 74.00 | -27.45 | peak |
| 2 | 28786.000 | 47.49 | -0.64 | 46.85 | 74.00 | -27.15 | peak |
| 3 | 31012.000 | 47.83 | -0.71 | 47.12 | 74.00 | -26.88 | peak |
| 4 | 32762.000 | 48.45 | -1.21 | 47.24 | 74.00 | -26.76 | peak |
| 5 | 35296.000 | 45.75 | 2.63 | 48.38 | 74.00 | -25.62 | peak |
| 6 | 38320.000 | 44.56 | 3.77 | 48.33 | 74.00 | -25.67 | peak |


| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 26476.000 | 52.03 | -4.78 | 47.25 | 74.00 | -26.75 | peak |
| 2 | 28828.000 | 47.63 | -0.79 | 46.84 | 74.00 | -27.16 | peak |
| 3 | 33210.000 | 46.99 | -0.51 | 46.48 | 74.00 | -27.52 | peak |
| 4 | 35324.000 | 45.14 | 2.61 | 47.75 | 74.00 | -26.25 | peak |
| 5 | 35926.000 | 43.94 | 3.88 | 47.82 | 74.00 | -26.18 | peak |
| 6 | 39090.000 | 43.02 | 4.27 | 47.29 | 74.00 | -26.71 | peak |


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Horizontal | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 100.8100 | 51.68 | -21.25 | 30.43 | 43.50 | -13.07 | QP |
| 2 | 216.2400 | 52.33 | -17.33 | 35.00 | 46.00 | -11.00 | QP |
| 3 | 239.5200 | 57.15 | -18.40 | 38.75 | 46.00 | -7.25 | QP |
| 4 | 359.8000 | 47.84 | -12.94 | 34.90 | 46.00 | -11.10 | QP |
| 5 | 408.3000 | 51.19 | -12.72 | 38.47 | 46.00 | -7.53 | QP |
| 6 | 720.6400 | 45.21 | -7.52 | 37.69 | 46.00 | -8.31 | QP |

| | | | |
|------------|------------|---------------|----------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Polarity: | Vertical | Test Voltage: | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1 | 40.6699 | 54.84 | -19.94 | 34.90 | 40.00 | -5.10 | QP |
| 2 | 99.8399 | 52.53 | -21.35 | 31.18 | 43.50 | -12.32 | QP |
| 3 | 239.5200 | 56.45 | -18.40 | 38.05 | 46.00 | -7.95 | QP |
| 4 | 408.3000 | 52.35 | -12.72 | 39.63 | 46.00 | -6.37 | QP |
| 5 | 477.1700 | 45.04 | -11.13 | 33.91 | 46.00 | -12.09 | QP |
| 6 | 504.3300 | 45.33 | -10.64 | 34.69 | 46.00 | -11.31 | QP |

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average |
|-----------------|------------|-----------|
| 0.15 -0.5 | 66 - 56 * | 56 - 46 * |
| 0.50 -5.0 | 56.00 | 46.00 |
| 5.0 -30.0 | 60.00 | 50.00 |


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


| | | | |
|---------------------|--------|-------------------|-----------------|
| Temperature | 24.5°C | Relative Humidity | 67.9% |
| Atmosphere Pressure | 101kPa | Test Voltage | AC 120 V, 60 Hz |

TEST DATE / ENGINEER

| | | | |
|-----------|---------------|---------|-------------|
| Test Date | June 30, 2023 | Test By | Fanny Huang |
|-----------|---------------|---------|-------------|

TEST RESULTS

| | | | |
|------------|------------|---------------|-----------------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Line: | Line | Test Voltage: | AC 120 V, 60 Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1 | 0.1613 | 39.38 | 9.59 | 48.97 | 65.40 | -16.43 | QP |
| 2 | 0.1613 | 23.20 | 9.59 | 32.79 | 55.40 | -22.61 | AVG |
| 3 | 0.2049 | 33.64 | 9.59 | 43.23 | 63.41 | -20.18 | QP |
| 4 | 0.2049 | 17.95 | 9.59 | 27.54 | 53.41 | -25.87 | AVG |
| 5 | 0.2354 | 30.10 | 9.59 | 39.69 | 62.26 | -22.57 | QP |
| 6 | 0.2354 | 15.15 | 9.59 | 24.74 | 52.26 | -27.52 | AVG |
| 7 | 3.4010 | 19.33 | 9.68 | 29.01 | 56.00 | -26.99 | QP |
| 8 | 3.4010 | 13.18 | 9.68 | 22.86 | 46.00 | -23.14 | AVG |
| 9 | 4.3379 | 19.43 | 9.70 | 29.13 | 56.00 | -26.87 | QP |
| 10 | 4.3379 | 11.48 | 9.70 | 21.18 | 46.00 | -24.82 | AVG |
| 11 | 16.1805 | 17.78 | 9.75 | 27.53 | 60.00 | -32.47 | QP |
| 12 | 16.1805 | 12.07 | 9.75 | 21.82 | 50.00 | -28.18 | AVG |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

| | | | |
|------------|------------|---------------|-----------------|
| Test Mode: | 802.11a 20 | Channel: | 5180 |
| Line: | Neutral | Test Voltage: | AC 120 V, 60 Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1 | 0.1533 | 38.35 | 9.50 | 47.85 | 65.82 | -17.97 | QP |
| 2 | 0.1533 | 18.11 | 9.50 | 27.61 | 55.82 | -28.21 | AVG |
| 3 | 0.1652 | 38.76 | 9.52 | 48.28 | 65.20 | -16.92 | QP |
| 4 | 0.1652 | 22.15 | 9.52 | 31.67 | 55.20 | -23.53 | AVG |
| 5 | 0.2084 | 32.58 | 9.59 | 42.17 | 63.27 | -21.10 | QP |
| 6 | 0.2084 | 14.90 | 9.59 | 24.49 | 53.27 | -28.78 | AVG |
| 7 | 0.2387 | 29.41 | 9.58 | 38.99 | 62.14 | -23.15 | QP |
| 8 | 0.2387 | 13.99 | 9.58 | 23.57 | 52.14 | -28.57 | AVG |
| 9 | 4.3469 | 19.09 | 9.60 | 28.69 | 56.00 | -27.31 | QP |
| 10 | 4.3469 | 10.02 | 9.60 | 19.62 | 46.00 | -26.38 | AVG |
| 11 | 15.7471 | 17.98 | 9.65 | 27.63 | 60.00 | -32.37 | QP |
| 12 | 15.7471 | 12.38 | 9.65 | 22.03 | 50.00 | -27.97 | AVG |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A1: EMISSION BANDWIDTH

11.1.1. Test Result

| Test Mode | Antenna | Channel | 26db EBW [MHz] | FL[MHz] | FH[MHz] | Verdict |
|-----------|--------------|--------------|----------------|---------|---------|---------|
| 11A | Ant1 | 5180 | 22.60 | 5168.28 | 5190.88 | PASS |
| | Ant2 | 5180 | 23.48 | 5168.04 | 5191.52 | PASS |
| | Ant1 | 5200 | 22.92 | 5188.68 | 5211.60 | PASS |
| | Ant2 | 5200 | 23.96 | 5187.44 | 5211.40 | PASS |
| | Ant1 | 5240 | 19.72 | 5230.24 | 5249.96 | PASS |
| | Ant2 | 5240 | 19.48 | 5230.20 | 5249.68 | PASS |
| | Ant1 | 5260 | 22.88 | 5248.64 | 5271.52 | PASS |
| | Ant2 | 5260 | 22.32 | 5248.80 | 5271.12 | PASS |
| | Ant1 | 5280 | 23.16 | 5268.44 | 5291.60 | PASS |
| | Ant2 | 5280 | 23.64 | 5268.24 | 5291.88 | PASS |
| | Ant1 | 5320 | 23.12 | 5308.16 | 5331.28 | PASS |
| | Ant2 | 5320 | 23.16 | 5308.36 | 5331.52 | PASS |
| | Ant1 | 5500 | 23.16 | 5488.60 | 5511.76 | PASS |
| | Ant2 | 5500 | 22.44 | 5488.96 | 5511.40 | PASS |
| | Ant1 | 5580 | 22.60 | 5568.64 | 5591.24 | PASS |
| | Ant2 | 5580 | 22.68 | 5568.28 | 5590.96 | PASS |
| | Ant1 | 5700 | 22.80 | 5688.48 | 5711.28 | PASS |
| | Ant2 | 5700 | 23.28 | 5688.20 | 5711.48 | PASS |
| | Ant1 | 5720 | 22.96 | 5708.40 | 5731.36 | PASS |
| | Ant2 | 5720 | 24.84 | 5707.52 | 5732.36 | PASS |
| | Ant1 | 5720 UNII-2C | 16.6 | 5708.40 | 5725 | PASS |
| | Ant2 | 5720 UNII-2C | 17.48 | 5707.52 | 5725 | PASS |
| | Ant1 | 5720 UNII-3 | 6.36 | 5725 | 5731.36 | PASS |
| | Ant2 | 5720 UNII-3 | 7.36 | 5725 | 5732.36 | PASS |
| | Ant1 | 5745 | 23.92 | 5733.20 | 5757.12 | PASS |
| | Ant2 | 5745 | 22.68 | 5733.68 | 5756.36 | PASS |
| | Ant1 | 5785 | 22.72 | 5773.68 | 5796.40 | PASS |
| | Ant2 | 5785 | 22.76 | 5774.00 | 5796.76 | PASS |
| | Ant1 | 5825 | 23.64 | 5812.60 | 5836.24 | PASS |
| | Ant2 | 5825 | 23.32 | 5812.96 | 5836.28 | PASS |
| 11N20MIMO | Ant1 | 5180 | 23.44 | 5168.16 | 5191.60 | PASS |
| | Ant2 | 5180 | 23.44 | 5168.64 | 5192.08 | PASS |
| | Ant1 | 5200 | 23.72 | 5188.20 | 5211.92 | PASS |
| | Ant2 | 5200 | 23.24 | 5188.40 | 5211.64 | PASS |
| | Ant1 | 5240 | 20.00 | 5229.92 | 5249.92 | PASS |
| | Ant2 | 5240 | 19.80 | 5230.12 | 5249.92 | PASS |
| | Ant1 | 5260 | 23.76 | 5248.32 | 5272.08 | PASS |
| | Ant2 | 5260 | 22.48 | 5248.80 | 5271.28 | PASS |
| | Ant1 | 5280 | 23.16 | 5268.36 | 5291.52 | PASS |
| | Ant2 | 5280 | 22.12 | 5268.92 | 5291.04 | PASS |
| | Ant1 | 5320 | 24.04 | 5307.88 | 5331.92 | PASS |
| | Ant2 | 5320 | 24.28 | 5307.92 | 5332.20 | PASS |
| | Ant1 | 5500 | 24.60 | 5488.28 | 5512.88 | PASS |
| | Ant2 | 5500 | 23.72 | 5487.88 | 5511.60 | PASS |
| | Ant1 | 5580 | 24.16 | 5567.68 | 5591.84 | PASS |
| | Ant2 | 5580 | 22.60 | 5568.64 | 5591.24 | PASS |
| | Ant1 | 5700 | 25.40 | 5686.76 | 5712.16 | PASS |
| | Ant2 | 5700 | 25.44 | 5686.16 | 5711.60 | PASS |
| | Ant1 | 5720 | 24.40 | 5707.92 | 5732.32 | PASS |
| | Ant2 | 5720 | 23.20 | 5708.60 | 5731.80 | PASS |
| | Ant1 | 5720 UNII-2C | 17.08 | 5707.92 | 5725 | PASS |
| Ant2 | 5720 UNII-2C | 16.4 | 5708.60 | 5725 | PASS | |
| Ant1 | 5720 UNII-3 | 7.32 | 5725 | 5732.32 | PASS | |

| | | | | | | | |
|------------|------------|--------------|-------|---------|---------|---------|------|
| | Ant2 | 5720 UNII-3 | 6.8 | 5725 | 5731.80 | PASS | |
| | Ant1 | 5745 | 24.28 | 5732.84 | 5757.12 | PASS | |
| | Ant2 | 5745 | 23.64 | 5733.52 | 5757.16 | PASS | |
| | Ant1 | 5785 | 24.00 | 5772.96 | 5796.96 | PASS | |
| | Ant2 | 5785 | 22.84 | 5773.60 | 5796.44 | PASS | |
| | Ant1 | 5825 | 24.40 | 5812.68 | 5837.08 | PASS | |
| | Ant2 | 5825 | 23.20 | 5813.32 | 5836.52 | PASS | |
| 11N40MIMO | Ant1 | 5190 | 40.96 | 5169.36 | 5210.32 | PASS | |
| | Ant2 | 5190 | 40.48 | 5169.92 | 5210.40 | PASS | |
| | Ant1 | 5230 | 40.96 | 5209.52 | 5250.48 | PASS | |
| | Ant2 | 5230 | 40.08 | 5209.92 | 5250.00 | PASS | |
| | Ant1 | 5270 | 40.56 | 5249.68 | 5290.24 | PASS | |
| | Ant2 | 5270 | 40.00 | 5250.08 | 5290.08 | PASS | |
| | Ant1 | 5310 | 40.56 | 5289.76 | 5330.32 | PASS | |
| | Ant2 | 5310 | 40.48 | 5289.76 | 5330.24 | PASS | |
| | Ant1 | 5510 | 40.88 | 5489.52 | 5530.40 | PASS | |
| | Ant2 | 5510 | 40.32 | 5490.00 | 5530.32 | PASS | |
| | Ant1 | 5550 | 40.88 | 5529.44 | 5570.32 | PASS | |
| | Ant2 | 5550 | 40.08 | 5529.92 | 5570.00 | PASS | |
| | Ant1 | 5670 | 40.72 | 5649.68 | 5690.40 | PASS | |
| | Ant2 | 5670 | 40.32 | 5649.92 | 5690.24 | PASS | |
| | Ant1 | 5710 | 40.96 | 5689.28 | 5730.24 | PASS | |
| | Ant2 | 5710 | 40.32 | 5689.92 | 5730.24 | PASS | |
| | Ant1 | 5710 UNII-2C | 35.72 | 5689.28 | 5725 | PASS | |
| | Ant2 | 5710 UNII-2C | 35.08 | 5689.92 | 5725 | PASS | |
| | Ant1 | 5710 UNII-3 | 5.24 | 5725 | 5730.24 | PASS | |
| | Ant2 | 5710 UNII-3 | 5.24 | 5725 | 5730.24 | PASS | |
| | Ant1 | 5755 | 40.96 | 5734.52 | 5775.48 | PASS | |
| | Ant2 | 5755 | 40.00 | 5735.00 | 5775.00 | PASS | |
| | Ant1 | 5795 | 41.04 | 5774.52 | 5815.56 | PASS | |
| | Ant2 | 5795 | 40.08 | 5774.92 | 5815.00 | PASS | |
| 11AC80MIMO | Ant1 | 5210 | 80.16 | 5170.00 | 5250.16 | PASS | |
| | Ant2 | 5210 | 80.16 | 5170.00 | 5250.16 | PASS | |
| | Ant1 | 5290 | 80.16 | 5249.84 | 5330.00 | PASS | |
| | Ant2 | 5290 | 79.84 | 5250.00 | 5329.84 | PASS | |
| | Ant1 | 5530 | 80.00 | 5490.00 | 5570.00 | PASS | |
| | Ant2 | 5530 | 79.84 | 5490.16 | 5570.00 | PASS | |
| | Ant1 | 5610 | 80.32 | 5569.84 | 5650.16 | PASS | |
| | Ant2 | 5610 | 80.32 | 5569.84 | 5650.16 | PASS | |
| | Ant1 | 5690 | 80.32 | 5649.68 | 5730.00 | PASS | |
| | Ant2 | 5690 | 79.68 | 5650.16 | 5729.84 | PASS | |
| | Ant1 | 5690 UNII-2C | 75.32 | 5649.68 | 5725 | PASS | |
| | Ant2 | 5690 UNII-2C | 74.84 | 5650.16 | 5725 | PASS | |
| | Ant1 | 5690 UNII-3 | 5 | 5725 | 5730.00 | PASS | |
| | Ant2 | 5690 UNII-3 | 4.84 | 5725 | 5729.84 | PASS | |
| | Ant1 | 5775 | 80.32 | 5734.84 | 5815.16 | PASS | |
| | Ant2 | 5775 | 80.00 | 5735.00 | 5815.00 | PASS | |
| | 11AX20MIMO | Ant1 | 5180 | 22.44 | 5168.84 | 5191.28 | PASS |
| | | Ant2 | 5180 | 22.40 | 5168.64 | 5191.04 | PASS |
| Ant1 | | 5200 | 22.04 | 5188.92 | 5210.96 | PASS | |
| Ant2 | | 5200 | 21.88 | 5188.60 | 5210.48 | PASS | |
| Ant1 | | 5240 | 19.96 | 5230.00 | 5249.96 | PASS | |
| Ant2 | | 5240 | 19.88 | 5230.00 | 5249.88 | PASS | |
| Ant1 | | 5260 | 22.44 | 5248.64 | 5271.08 | PASS | |
| Ant2 | | 5260 | 22.08 | 5249.08 | 5271.16 | PASS | |
| Ant1 | | 5280 | 21.64 | 5269.32 | 5290.96 | PASS | |
| Ant2 | | 5280 | 22.96 | 5268.24 | 5291.20 | PASS | |
| Ant1 | | 5320 | 21.36 | 5309.20 | 5330.56 | PASS | |
| Ant2 | | 5320 | 25.96 | 5307.92 | 5333.88 | PASS | |
| Ant1 | | 5500 | 22.72 | 5489.28 | 5512.00 | PASS | |
| Ant2 | | 5500 | 23.12 | 5488.52 | 5511.64 | PASS | |