



Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7011.000	39.35	7.04	46.39	74.00	-27.61	peak
2	9233.000	36.84	10.48	47.32	74.00	-26.68	peak
3	10619.000	36.29	13.28	49.57	74.00	-24.43	peak
4	11708.000	32.13	17.16	49.29	74.00	-24.71	peak
5	13919.000	27.45	21.68	49.13	74.00	-24.87	peak
6	17989.000	24.90	26.04	50.94	74.00	-23.06	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.16	10.49	47.65	74.00	-26.35	peak
2	11048.000	34.44	14.91	49.35	74.00	-24.65	peak
3	11697.000	33.17	17.13	50.30	74.00	-23.70	peak
4	12665.000	31.60	18.04	49.64	74.00	-24.36	peak
5	13611.000	28.67	20.92	49.59	74.00	-24.41	peak
6	18000.000	24.87	26.12	50.99	74.00	-23.01	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.11	10.49	47.60	74.00	-26.40	peak
2	10476.000	36.87	12.77	49.64	74.00	-24.36	peak
3	11180.000	34.89	15.46	50.35	74.00	-23.65	peak
4	11785.000	33.11	17.30	50.41	74.00	-23.59	peak
5	13919.000	27.97	21.68	49.65	74.00	-24.35	peak
6	17945.000	24.93	25.75	50.68	74.00	-23.32	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.22	10.49	48.71	74.00	-25.29	peak
2	10872.000	35.24	14.23	49.47	74.00	-24.53	peak
3	11191.000	34.36	15.50	49.86	74.00	-24.14	peak
4	13446.000	29.28	20.41	49.69	74.00	-24.31	peak
5	13919.000	28.36	21.68	50.04	74.00	-23.96	peak
6	17945.000	25.20	25.75	50.95	74.00	-23.05	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7121.000	40.41	7.01	47.42	74.00	-26.58	peak
2	9255.000	37.48	10.51	47.99	74.00	-26.01	peak
3	10608.000	36.79	13.23	50.02	74.00	-23.98	peak
4	11752.000	33.46	17.24	50.70	74.00	-23.30	peak
5	13600.000	29.12	20.89	50.01	74.00	-23.99	peak
6	17978.000	24.37	25.97	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.53	10.57	48.10	74.00	-25.90	peak
2	10509.000	37.36	12.85	50.21	74.00	-23.79	peak
3	11521.000	33.45	16.82	50.27	74.00	-23.73	peak
4	13017.000	31.06	18.53	49.59	74.00	-24.41	peak
5	13919.000	28.21	21.68	49.89	74.00	-24.11	peak
6	17934.000	25.12	25.67	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.63	10.51	48.14	74.00	-25.86	peak
2	10080.000	37.36	11.93	49.29	74.00	-24.71	peak
3	11323.000	33.90	16.05	49.95	74.00	-24.05	peak
4	11752.000	33.34	17.24	50.58	74.00	-23.42	peak
5	13864.000	27.73	21.53	49.26	74.00	-24.74	peak
6	17956.000	24.69	25.82	50.51	74.00	-23.49	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.26	10.54	47.80	74.00	-26.20	peak
2	10608.000	36.48	13.23	49.71	74.00	-24.29	peak
3	11268.000	34.28	15.83	50.11	74.00	-23.89	peak
4	12687.000	31.71	18.05	49.76	74.00	-24.24	peak
5	13853.000	29.12	21.52	50.64	74.00	-23.36	peak
6	17901.000	25.19	25.45	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.96	10.49	47.45	74.00	-26.55	peak
2	10487.000	36.52	12.79	49.31	74.00	-24.69	peak
3	11631.000	33.25	17.01	50.26	74.00	-23.74	peak
4	12643.000	31.39	18.01	49.40	74.00	-24.60	peak
5	13853.000	27.95	21.52	49.47	74.00	-24.53	peak
6	17956.000	25.08	25.82	50.90	74.00	-23.10	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.50	10.48	47.98	74.00	-26.02	peak
2	10608.000	36.03	13.23	49.26	74.00	-24.74	peak
3	11510.000	34.01	16.79	50.80	74.00	-23.20	peak
4	13050.000	30.57	18.66	49.23	74.00	-24.77	peak
5	13864.000	28.61	21.53	50.14	74.00	-23.86	peak
6	17989.000	24.69	26.04	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.10	10.39	47.49	74.00	-26.51	peak
2	10432.000	36.79	12.67	49.46	74.00	-24.54	peak
3	11521.000	33.62	16.82	50.44	74.00	-23.56	peak
4	12698.000	30.77	18.08	48.85	74.00	-25.15	peak
5	13875.000	28.17	21.57	49.74	74.00	-24.26	peak
6	17934.000	25.01	25.67	50.68	74.00	-23.32	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.07	10.21	47.28	74.00	-26.72	peak
2	10300.000	37.41	12.40	49.81	74.00	-24.19	peak
3	11004.000	34.92	14.74	49.66	74.00	-24.34	peak
4	11686.000	32.20	17.12	49.32	74.00	-24.68	peak
5	13875.000	27.86	21.57	49.43	74.00	-24.57	peak
6	17945.000	24.92	25.75	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10520.000	37.36	12.90	50.26	74.00	-23.74	peak
2	11620.000	33.76	16.99	50.75	74.00	-23.25	peak
3	12687.000	32.11	18.05	50.16	74.00	-23.84	peak
4	13864.000	29.02	21.53	50.55	74.00	-23.45	peak
5	15778.000	33.01	16.83	49.84	74.00	-24.16	peak
6	17989.000	24.81	26.04	50.85	74.00	-23.15	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10311.000	36.10	12.42	48.52	74.00	-25.48	peak
2	11180.000	34.73	15.46	50.19	74.00	-23.81	peak
3	11829.000	33.26	17.38	50.64	74.00	-23.36	peak
4	12511.000	31.49	17.84	49.33	74.00	-24.67	peak
5	13611.000	28.27	20.92	49.19	74.00	-24.81	peak
6	17956.000	24.81	25.82	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.32	10.51	48.83	74.00	-25.17	peak
2	10388.000	36.89	12.59	49.48	74.00	-24.52	peak
3	11004.000	35.77	14.74	50.51	74.00	-23.49	peak
4	11323.000	34.04	16.05	50.09	74.00	-23.91	peak
5	13897.000	28.62	21.62	50.24	74.00	-23.76	peak
6	17912.000	25.40	25.52	50.92	74.00	-23.08	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.91	10.51	48.42	74.00	-25.58	peak
2	10641.000	36.75	13.36	50.11	74.00	-23.89	peak
3	11697.000	32.86	17.13	49.99	74.00	-24.01	peak
4	12687.000	31.23	18.05	49.28	74.00	-24.72	peak
5	13875.000	28.16	21.57	49.73	74.00	-24.27	peak
6	17956.000	24.68	25.82	50.50	74.00	-23.50	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.49	10.55	48.04	74.00	-25.96	peak
2	11180.000	34.92	15.46	50.38	74.00	-23.62	peak
3	11598.000	33.75	16.96	50.71	74.00	-23.29	peak
4	13006.000	31.78	18.47	50.25	74.00	-23.75	peak
5	13534.000	29.62	20.73	50.35	74.00	-23.65	peak
6	17956.000	24.80	25.82	50.62	74.00	-23.38	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.85	10.51	48.36	74.00	-25.64	peak
2	10641.000	36.85	13.36	50.21	74.00	-23.79	peak
3	11521.000	33.41	16.82	50.23	74.00	-23.77	peak
4	12654.000	31.25	18.01	49.26	74.00	-24.74	peak
5	13864.000	28.68	21.53	50.21	74.00	-23.79	peak
6	17989.000	24.10	26.04	50.14	74.00	-23.86	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.43	10.47	47.90	74.00	-26.10	peak
2	10916.000	35.25	14.39	49.64	74.00	-24.36	peak
3	11400.000	33.21	16.36	49.57	74.00	-24.43	peak
4	13039.000	30.00	18.62	48.62	74.00	-25.38	peak
5	13864.000	27.74	21.53	49.27	74.00	-24.73	peak
6	17978.000	24.47	25.97	50.44	74.00	-23.56	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	37.55	10.45	48.00	74.00	-26.00	peak
2	10641.000	36.60	13.36	49.96	74.00	-24.04	peak
3	11752.000	33.21	17.24	50.45	74.00	-23.55	peak
4	12698.000	31.15	18.08	49.23	74.00	-24.77	peak
5	13600.000	28.55	20.89	49.44	74.00	-24.56	peak
6	17989.000	24.11	26.04	50.15	74.00	-23.85	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	36.66	10.58	47.24	74.00	-26.76	peak
2	10641.000	36.27	13.36	49.63	74.00	-24.37	peak
3	11697.000	32.87	17.13	50.00	74.00	-24.00	peak
4	12687.000	31.35	18.05	49.40	74.00	-24.60	peak
5	13853.000	27.85	21.52	49.37	74.00	-24.63	peak
6	17945.000	24.61	25.75	50.36	74.00	-23.64	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	37.59	10.48	48.07	74.00	-25.93	peak
2	11004.000	35.65	14.74	50.39	74.00	-23.61	peak
3	11697.000	33.60	17.13	50.73	74.00	-23.27	peak
4	13017.000	31.01	18.53	49.54	74.00	-24.46	peak
5	13864.000	28.88	21.53	50.41	74.00	-23.59	peak
6	17989.000	24.36	26.04	50.40	74.00	-23.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.32	10.48	47.80	74.00	-26.20	peak
2	11004.000	35.24	14.74	49.98	74.00	-24.02	peak
3	11400.000	34.02	16.36	50.38	74.00	-23.62	peak
4	12511.000	30.93	17.84	48.77	74.00	-25.23	peak
5	13534.000	29.24	20.73	49.97	74.00	-24.03	peak
6	18000.000	24.78	26.12	50.90	74.00	-23.10	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10245.000	36.44	12.28	48.72	74.00	-25.28	peak
2	11180.000	34.32	15.46	49.78	74.00	-24.22	peak
3	11730.000	32.73	17.19	49.92	74.00	-24.08	peak
4	13424.000	28.64	20.30	48.94	74.00	-25.06	peak
5	13875.000	27.85	21.57	49.42	74.00	-24.58	peak
6	17934.000	24.50	25.67	50.17	74.00	-23.83	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.47	10.51	46.98	74.00	-27.02	peak
2	10025.000	36.21	11.82	48.03	74.00	-25.97	peak
3	10531.000	36.17	12.94	49.11	74.00	-24.89	peak
4	11741.000	32.75	17.22	49.97	74.00	-24.03	peak
5	13930.000	28.57	21.71	50.28	74.00	-23.72	peak
6	17978.000	24.82	25.97	50.79	74.00	-23.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.63	10.41	48.04	74.00	-25.96	peak
2	10388.000	36.83	12.59	49.42	74.00	-24.58	peak
3	11180.000	34.78	15.46	50.24	74.00	-23.76	peak
4	11752.000	33.06	17.24	50.30	74.00	-23.70	peak
5	13457.000	29.21	20.46	49.67	74.00	-24.33	peak
6	18000.000	24.15	26.12	50.27	74.00	-23.73	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.60	10.43	48.03	74.00	-25.97	peak
2	10927.000	35.33	14.45	49.78	74.00	-24.22	peak
3	11400.000	34.32	16.36	50.68	74.00	-23.32	peak
4	12698.000	31.33	18.08	49.41	74.00	-24.59	peak
5	13600.000	29.13	20.89	50.02	74.00	-23.98	peak
6	17978.000	24.77	25.97	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	36.75	10.76	47.51	74.00	-26.49	peak
2	11026.000	34.41	14.82	49.23	74.00	-24.77	peak
3	11752.000	32.98	17.24	50.22	74.00	-23.78	peak
4	12687.000	31.37	18.05	49.42	74.00	-24.58	peak
5	13930.000	28.37	21.71	50.08	74.00	-23.92	peak
6	17989.000	24.88	26.04	50.92	74.00	-23.08	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.03	10.48	47.51	74.00	-26.49	peak
2	10927.000	35.89	14.45	50.34	74.00	-23.66	peak
3	11708.000	33.33	17.16	50.49	74.00	-23.51	peak
4	12874.000	31.37	18.30	49.67	74.00	-24.33	peak
5	13622.000	28.86	20.95	49.81	74.00	-24.19	peak
6	17934.000	23.73	25.67	49.40	74.00	-24.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.34	10.53	47.87	74.00	-26.13	peak
2	10575.000	36.21	13.10	49.31	74.00	-24.69	peak
3	11004.000	34.88	14.74	49.62	74.00	-24.38	peak
4	11752.000	33.08	17.24	50.32	74.00	-23.68	peak
5	13864.000	27.73	21.53	49.26	74.00	-24.74	peak
6	17934.000	23.69	25.67	49.36	74.00	-24.64	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.30	10.54	47.84	74.00	-26.16	peak
2	10916.000	35.44	14.39	49.83	74.00	-24.17	peak
3	11521.000	33.42	16.82	50.24	74.00	-23.76	peak
4	12687.000	31.41	18.05	49.46	74.00	-24.54	peak
5	13919.000	28.14	21.68	49.82	74.00	-24.18	peak
6	17989.000	24.61	26.04	50.65	74.00	-23.35	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.67	10.46	47.13	74.00	-26.87	peak
2	10520.000	36.60	12.90	49.50	74.00	-24.50	peak
3	11345.000	34.31	16.14	50.45	74.00	-23.55	peak
4	13028.000	30.87	18.57	49.44	74.00	-24.56	peak
5	13611.000	29.18	20.92	50.10	74.00	-23.90	peak
6	17714.000	26.25	24.16	50.41	74.00	-23.59	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.11	10.51	47.62	74.00	-26.38	peak
2	10641.000	35.58	13.36	48.94	74.00	-25.06	peak
3	11741.000	33.74	17.22	50.96	74.00	-23.04	peak
4	13050.000	31.56	18.66	50.22	74.00	-23.78	peak
5	13534.000	28.71	20.73	49.44	74.00	-24.56	peak
6	17945.000	24.02	25.75	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.04	10.54	48.58	74.00	-25.42	peak
2	10300.000	37.66	12.40	50.06	74.00	-23.94	peak
3	11664.000	33.14	17.08	50.22	74.00	-23.78	peak
4	13061.000	30.63	18.71	49.34	74.00	-24.66	peak
5	13864.000	28.18	21.53	49.71	74.00	-24.29	peak
6	17967.000	24.84	25.89	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.61	10.51	48.12	74.00	-25.88	peak
2	11015.000	35.29	14.79	50.08	74.00	-23.92	peak
3	11400.000	34.00	16.36	50.36	74.00	-23.64	peak
4	13028.000	31.26	18.57	49.83	74.00	-24.17	peak
5	13908.000	27.73	21.66	49.39	74.00	-24.61	peak
6	18000.000	24.05	26.12	50.17	74.00	-23.83	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.89	10.45	47.34	74.00	-26.66	peak
2	10487.000	36.56	12.79	49.35	74.00	-24.65	peak
3	11323.000	33.59	16.05	49.64	74.00	-24.36	peak
4	13028.000	29.72	18.57	48.29	74.00	-25.71	peak
5	13809.000	28.16	21.41	49.57	74.00	-24.43	peak
6	17989.000	24.39	26.04	50.43	74.00	-23.57	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.37	10.49	47.86	74.00	-26.14	peak
2	10905.000	35.43	14.36	49.79	74.00	-24.21	peak
3	11510.000	33.66	16.79	50.45	74.00	-23.55	peak
4	12555.000	30.63	17.90	48.53	74.00	-25.47	peak
5	13930.000	27.09	21.71	48.80	74.00	-25.20	peak
6	18000.000	23.88	26.12	50.00	74.00	-24.00	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.74	10.55	48.29	74.00	-25.71	peak
2	10619.000	36.04	13.28	49.32	74.00	-24.68	peak
3	11147.000	34.52	15.32	49.84	74.00	-24.16	peak
4	12511.000	31.35	17.84	49.19	74.00	-24.81	peak
5	13919.000	26.82	21.68	48.50	74.00	-25.50	peak
6	17989.000	24.35	26.04	50.39	74.00	-23.61	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.38	10.38	47.76	74.00	-26.24	peak
2	10630.000	36.36	13.31	49.67	74.00	-24.33	peak
3	11400.000	33.70	16.36	50.06	74.00	-23.94	peak
4	12511.000	31.78	17.84	49.62	74.00	-24.38	peak
5	13864.000	26.90	21.53	48.43	74.00	-25.57	peak
6	17615.000	26.67	23.49	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.93	10.48	48.41	74.00	-25.59	peak
2	11004.000	35.40	14.74	50.14	74.00	-23.86	peak
3	11686.000	33.54	17.12	50.66	74.00	-23.34	peak
4	12500.000	31.36	17.83	49.19	74.00	-24.81	peak
5	13930.000	27.73	21.71	49.44	74.00	-24.56	peak
6	17978.000	24.83	25.97	50.80	74.00	-23.20	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	37.27	10.99	48.26	74.00	-25.74	peak
2	10993.000	35.42	14.70	50.12	74.00	-23.88	peak
3	11829.000	33.06	17.38	50.44	74.00	-23.56	peak
4	12698.000	31.82	18.08	49.90	74.00	-24.10	peak
5	13864.000	28.00	21.53	49.53	74.00	-24.47	peak
6	17934.000	24.85	25.67	50.52	74.00	-23.48	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.02	10.51	47.53	74.00	-26.47	peak
2	10388.000	36.31	12.59	48.90	74.00	-25.10	peak
3	11455.000	33.29	16.58	49.87	74.00	-24.13	peak
4	12643.000	30.59	18.01	48.60	74.00	-25.40	peak
5	13930.000	27.05	21.71	48.76	74.00	-25.24	peak
6	17978.000	24.66	25.97	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.30	10.49	47.79	74.00	-26.21	peak
2	11158.000	34.22	15.37	49.59	74.00	-24.41	peak
3	11686.000	32.99	17.12	50.11	74.00	-23.89	peak
4	12698.000	31.19	18.08	49.27	74.00	-24.73	peak
5	13611.000	28.70	20.92	49.62	74.00	-24.38	peak
6	18000.000	24.29	26.12	50.41	74.00	-23.59	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7473.000	40.89	6.88	47.77	74.00	-26.23	peak
2	10344.000	37.28	12.49	49.77	74.00	-24.23	peak
3	11290.000	34.16	15.90	50.06	74.00	-23.94	peak
4	11862.000	31.71	17.45	49.16	74.00	-24.84	peak
5	13919.000	27.72	21.68	49.40	74.00	-24.60	peak
6	17967.000	23.77	25.89	49.66	74.00	-24.34	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.09	10.48	47.57	74.00	-26.43	peak
2	10509.000	36.21	12.85	49.06	74.00	-24.94	peak
3	11620.000	33.66	16.99	50.65	74.00	-23.35	peak
4	12643.000	31.02	18.01	49.03	74.00	-24.97	peak
5	13864.000	28.36	21.53	49.89	74.00	-24.11	peak
6	17956.000	25.55	25.82	51.37	74.00	-22.63	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.35	10.54	47.89	74.00	-26.11	peak
2	10454.000	36.11	12.73	48.84	74.00	-25.16	peak
3	11015.000	34.75	14.79	49.54	74.00	-24.46	peak
4	11697.000	32.78	17.13	49.91	74.00	-24.09	peak
5	13050.000	30.42	18.66	49.08	74.00	-24.92	peak
6	17659.000	25.63	23.78	49.41	74.00	-24.59	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.42	10.49	47.91	74.00	-26.09	peak
2	10520.000	36.91	12.90	49.81	74.00	-24.19	peak
3	11686.000	33.61	17.12	50.73	74.00	-23.27	peak
4	12698.000	31.17	18.08	49.25	74.00	-24.75	peak
5	13930.000	27.44	21.71	49.15	74.00	-24.85	peak
6	17692.000	26.89	24.01	50.90	74.00	-23.10	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.98	10.51	47.49	74.00	-26.51	peak
2	10927.000	34.81	14.45	49.26	74.00	-24.74	peak
3	11521.000	33.15	16.82	49.97	74.00	-24.03	peak
4	12698.000	30.73	18.08	48.81	74.00	-25.19	peak
5	13919.000	28.02	21.68	49.70	74.00	-24.30	peak
6	17934.000	24.68	25.67	50.35	74.00	-23.65	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.16	10.51	47.67	74.00	-26.33	peak
2	10476.000	37.19	12.77	49.96	74.00	-24.04	peak
3	11422.000	33.71	16.46	50.17	74.00	-23.83	peak
4	12676.000	31.21	18.05	49.26	74.00	-24.74	peak
5	13875.000	27.94	21.57	49.51	74.00	-24.49	peak
6	17989.000	24.46	26.04	50.50	74.00	-23.50	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	37.05	10.57	47.62	74.00	-26.38	peak
2	10498.000	36.36	12.82	49.18	74.00	-24.82	peak
3	11202.000	34.05	15.55	49.60	74.00	-24.40	peak
4	11664.000	32.54	17.08	49.62	74.00	-24.38	peak
5	13765.000	27.90	21.30	49.20	74.00	-24.80	peak
6	17890.000	25.19	25.37	50.56	74.00	-23.44	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.11	10.48	48.59	74.00	-25.41	peak
2	11334.000	33.97	16.09	50.06	74.00	-23.94	peak
3	11752.000	33.36	17.24	50.60	74.00	-23.40	peak
4	13105.000	30.59	18.91	49.50	74.00	-24.50	peak
5	13864.000	28.72	21.53	50.25	74.00	-23.75	peak
6	17934.000	25.28	25.67	50.95	74.00	-23.05	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8782.000	38.23	8.84	47.07	74.00	-26.93	peak
2	9233.000	36.99	10.48	47.47	74.00	-26.53	peak
3	10487.000	36.36	12.79	49.15	74.00	-24.85	peak
4	11752.000	32.55	17.24	49.79	74.00	-24.21	peak
5	13809.000	27.96	21.41	49.37	74.00	-24.63	peak
6	17923.000	24.92	25.60	50.52	74.00	-23.48	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.17	10.28	47.45	74.00	-26.55	peak
2	10388.000	36.60	12.59	49.19	74.00	-24.81	peak
3	11279.000	34.09	15.86	49.95	74.00	-24.05	peak
4	11763.000	33.22	17.26	50.48	74.00	-23.52	peak
5	13864.000	27.64	21.53	49.17	74.00	-24.83	peak
6	17989.000	24.53	26.04	50.57	74.00	-23.43	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.93	10.48	47.41	74.00	-26.59	peak
2	10597.000	36.29	13.19	49.48	74.00	-24.52	peak
3	11334.000	34.12	16.09	50.21	74.00	-23.79	peak
4	12544.000	31.02	17.88	48.90	74.00	-25.10	peak
5	13919.000	27.71	21.68	49.39	74.00	-24.61	peak
6	18000.000	24.65	26.12	50.77	74.00	-23.23	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.37	10.48	47.85	74.00	-26.15	peak
2	10531.000	36.45	12.94	49.39	74.00	-24.61	peak
3	11631.000	33.24	17.01	50.25	74.00	-23.75	peak
4	12687.000	31.52	18.05	49.57	74.00	-24.43	peak
5	13864.000	27.54	21.53	49.07	74.00	-24.93	peak
6	17989.000	24.42	26.04	50.46	74.00	-23.54	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.75	10.51	47.26	74.00	-26.74	peak
2	10443.000	36.60	12.70	49.30	74.00	-24.70	peak
3	11708.000	33.04	17.16	50.20	74.00	-23.80	peak
4	12467.000	32.01	17.82	49.83	74.00	-24.17	peak
5	13930.000	28.05	21.71	49.76	74.00	-24.24	peak
6	17857.000	25.09	25.14	50.23	74.00	-23.77	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.66	10.54	47.20	74.00	-26.80	peak
2	10663.000	36.22	13.44	49.66	74.00	-24.34	peak
3	11598.000	33.30	16.96	50.26	74.00	-23.74	peak
4	13424.000	28.75	20.30	49.05	74.00	-24.95	peak
5	13809.000	27.71	21.41	49.12	74.00	-24.88	peak
6	18000.000	24.82	26.12	50.94	74.00	-23.06	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.27	10.39	47.66	74.00	-26.34	peak
2	10575.000	35.77	13.10	48.87	74.00	-25.13	peak
3	11389.000	33.85	16.31	50.16	74.00	-23.84	peak
4	12654.000	30.98	18.01	48.99	74.00	-25.01	peak
5	13919.000	27.91	21.68	49.59	74.00	-24.41	peak
6	17923.000	24.87	25.60	50.47	74.00	-23.53	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.28	10.54	47.82	74.00	-26.18	peak
2	10608.000	36.68	13.23	49.91	74.00	-24.09	peak
3	11598.000	33.29	16.96	50.25	74.00	-23.75	peak
4	12654.000	32.08	18.01	50.09	74.00	-23.91	peak
5	13864.000	28.43	21.53	49.96	74.00	-24.04	peak
6	17945.000	25.19	25.75	50.94	74.00	-23.06	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.65	10.49	47.14	74.00	-26.86	peak
2	10454.000	36.56	12.73	49.29	74.00	-24.71	peak
3	11400.000	33.70	16.36	50.06	74.00	-23.94	peak
4	12544.000	31.14	17.88	49.02	74.00	-24.98	peak
5	13809.000	28.49	21.41	49.90	74.00	-24.10	peak
6	17978.000	24.41	25.97	50.38	74.00	-23.62	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.52	10.53	48.05	74.00	-25.95	peak
2	10608.000	36.18	13.23	49.41	74.00	-24.59	peak
3	11411.000	33.98	16.41	50.39	74.00	-23.61	peak
4	13017.000	30.49	18.53	49.02	74.00	-24.98	peak
5	13820.000	28.03	21.43	49.46	74.00	-24.54	peak
6	17857.000	24.86	25.14	50.00	74.00	-24.00	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.04	10.49	48.53	74.00	-25.47	peak
2	10597.000	36.32	13.19	49.51	74.00	-24.49	peak
3	11708.000	33.75	17.16	50.91	74.00	-23.09	peak
4	12555.000	31.54	17.90	49.44	74.00	-24.56	peak
5	13864.000	28.94	21.53	50.47	74.00	-23.53	peak
6	17912.000	25.47	25.52	50.99	74.00	-23.01	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.97	10.51	47.48	74.00	-26.52	peak
2	10388.000	36.79	12.59	49.38	74.00	-24.62	peak
3	11521.000	33.53	16.82	50.35	74.00	-23.65	peak
4	12511.000	31.72	17.84	49.56	74.00	-24.44	peak
5	13919.000	27.98	21.68	49.66	74.00	-24.34	peak
6	17945.000	24.20	25.75	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.66	10.51	47.17	74.00	-26.83	peak
2	11015.000	34.97	14.79	49.76	74.00	-24.24	peak
3	11532.000	33.90	16.83	50.73	74.00	-23.27	peak
4	12698.000	31.17	18.08	49.25	74.00	-24.75	peak
5	13886.000	28.10	21.60	49.70	74.00	-24.30	peak
6	17923.000	25.28	25.60	50.88	74.00	-23.12	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.17	10.53	47.70	74.00	-26.30	peak
2	11004.000	35.39	14.74	50.13	74.00	-23.87	peak
3	11433.000	33.89	16.50	50.39	74.00	-23.61	peak
4	12643.000	31.81	18.01	49.82	74.00	-24.18	peak
5	13633.000	28.75	20.97	49.72	74.00	-24.28	peak
6	17945.000	24.78	25.75	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.46	10.58	48.04	74.00	-25.96	peak
2	10509.000	36.40	12.85	49.25	74.00	-24.75	peak
3	11400.000	33.77	16.36	50.13	74.00	-23.87	peak
4	12698.000	31.11	18.08	49.19	74.00	-24.81	peak
5	13534.000	28.93	20.73	49.66	74.00	-24.34	peak
6	17945.000	24.91	25.75	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.81	10.48	47.29	74.00	-26.71	peak
2	10487.000	36.46	12.79	49.25	74.00	-24.75	peak
3	11598.000	33.76	16.96	50.72	74.00	-23.28	peak
4	12687.000	31.83	18.05	49.88	74.00	-24.12	peak
5	13622.000	29.15	20.95	50.10	74.00	-23.90	peak
6	17967.000	24.62	25.89	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	37.58	10.52	48.10	74.00	-25.90	peak
2	10927.000	35.52	14.45	49.97	74.00	-24.03	peak
3	11829.000	32.18	17.38	49.56	74.00	-24.44	peak
4	13050.000	30.64	18.66	49.30	74.00	-24.70	peak
5	13919.000	28.34	21.68	50.02	74.00	-23.98	peak
6	17989.000	24.87	26.04	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7473.000	41.99	6.88	48.87	74.00	-25.13	peak
2	10432.000	36.97	12.67	49.64	74.00	-24.36	peak
3	11752.000	33.62	17.24	50.86	74.00	-23.14	peak
4	13061.000	30.52	18.71	49.23	74.00	-24.77	peak
5	13875.000	28.68	21.57	50.25	74.00	-23.75	peak
6	17978.000	24.87	25.97	50.84	74.00	-23.16	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.85	10.92	47.77	74.00	-26.23	peak
2	10927.000	35.57	14.45	50.02	74.00	-23.98	peak
3	11598.000	33.43	16.96	50.39	74.00	-23.61	peak
4	13050.000	30.74	18.66	49.40	74.00	-24.60	peak
5	13809.000	27.69	21.41	49.10	74.00	-24.90	peak
6	17956.000	24.81	25.82	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.28	10.49	47.77	74.00	-26.23	peak
2	10432.000	36.61	12.67	49.28	74.00	-24.72	peak
3	11455.000	33.75	16.58	50.33	74.00	-23.67	peak
4	11697.000	33.47	17.13	50.60	74.00	-23.40	peak
5	13908.000	27.95	21.66	49.61	74.00	-24.39	peak
6	17714.000	26.25	24.16	50.41	74.00	-23.59	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	37.10	10.41	47.51	74.00	-26.49	peak
2	10608.000	36.09	13.23	49.32	74.00	-24.68	peak
3	11411.000	34.31	16.41	50.72	74.00	-23.28	peak
4	11697.000	33.36	17.13	50.49	74.00	-23.51	peak
5	13875.000	28.30	21.57	49.87	74.00	-24.13	peak
6	17923.000	24.31	25.60	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.84	10.46	47.30	74.00	-26.70	peak
2	10619.000	36.07	13.28	49.35	74.00	-24.65	peak
3	11785.000	32.91	17.30	50.21	74.00	-23.79	peak
4	12489.000	31.64	17.83	49.47	74.00	-24.53	peak
5	13864.000	27.79	21.53	49.32	74.00	-24.68	peak
6	17945.000	24.67	25.75	50.42	74.00	-23.58	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.36	10.48	47.84	74.00	-26.16	peak
2	10597.000	36.22	13.19	49.41	74.00	-24.59	peak
3	11675.000	32.75	17.10	49.85	74.00	-24.15	peak
4	12665.000	30.91	18.04	48.95	74.00	-25.05	peak
5	13864.000	27.30	21.53	48.83	74.00	-25.17	peak
6	17989.000	24.21	26.04	50.25	74.00	-23.75	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.37	10.43	47.80	74.00	-26.20	peak
2	10575.000	36.24	13.10	49.34	74.00	-24.66	peak
3	11697.000	33.59	17.13	50.72	74.00	-23.28	peak
4	12687.000	31.43	18.05	49.48	74.00	-24.52	peak
5	13677.000	28.04	21.08	49.12	74.00	-24.88	peak
6	17989.000	24.83	26.04	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.20	10.49	47.69	74.00	-26.31	peak
2	10982.000	34.72	14.64	49.36	74.00	-24.64	peak
3	11708.000	33.33	17.16	50.49	74.00	-23.51	peak
4	13028.000	31.13	18.57	49.70	74.00	-24.30	peak
5	13930.000	28.61	21.71	50.32	74.00	-23.68	peak
6	18000.000	24.41	26.12	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.88	10.51	48.39	74.00	-25.61	peak
2	10531.000	36.30	12.94	49.24	74.00	-24.76	peak
3	11411.000	33.37	16.41	49.78	74.00	-24.22	peak
4	12621.000	30.72	17.98	48.70	74.00	-25.30	peak
5	13864.000	28.50	21.53	50.03	74.00	-23.97	peak
6	17989.000	24.77	26.04	50.81	74.00	-23.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.97	10.51	47.48	74.00	-26.52	peak
2	10663.000	36.07	13.44	49.51	74.00	-24.49	peak
3	11004.000	34.91	14.74	49.65	74.00	-24.35	peak
4	11818.000	32.90	17.36	50.26	74.00	-23.74	peak
5	13523.000	29.02	20.70	49.72	74.00	-24.28	peak
6	17967.000	25.05	25.89	50.94	74.00	-23.06	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.30	10.41	47.71	74.00	-26.29	peak
2	10509.000	36.24	12.85	49.09	74.00	-24.91	peak
3	11400.000	34.52	16.36	50.88	74.00	-23.12	peak
4	12599.000	32.06	17.95	50.01	74.00	-23.99	peak
5	13919.000	28.31	21.68	49.99	74.00	-24.01	peak
6	17604.000	26.80	23.41	50.21	74.00	-23.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.63	10.43	47.06	74.00	-26.94	peak
2	10883.000	35.55	14.27	49.82	74.00	-24.18	peak
3	11686.000	33.69	17.12	50.81	74.00	-23.19	peak
4	12643.000	31.09	18.01	49.10	74.00	-24.90	peak
5	13886.000	27.70	21.60	49.30	74.00	-24.70	peak
6	17989.000	24.67	26.04	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	37.08	10.45	47.53	74.00	-26.47	peak
2	10509.000	36.54	12.85	49.39	74.00	-24.61	peak
3	11785.000	32.98	17.30	50.28	74.00	-23.72	peak
4	12588.000	31.26	17.94	49.20	74.00	-24.80	peak
5	13600.000	28.71	20.89	49.60	74.00	-24.40	peak
6	17978.000	23.97	25.97	49.94	74.00	-24.06	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.86	10.49	47.35	74.00	-26.65	peak
2	11092.000	34.91	15.10	50.01	74.00	-23.99	peak
3	12687.000	32.55	18.05	50.60	74.00	-23.40	peak
4	13105.000	31.25	18.91	50.16	74.00	-23.84	peak
5	13930.000	28.36	21.71	50.07	74.00	-23.93	peak
6	17945.000	24.16	25.75	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.46	10.49	47.95	74.00	-26.05	peak
2	10487.000	36.13	12.79	48.92	74.00	-25.08	peak
3	11323.000	34.04	16.05	50.09	74.00	-23.91	peak
4	12687.000	31.37	18.05	49.42	74.00	-24.58	peak
5	13589.000	28.46	20.86	49.32	74.00	-24.68	peak
6	17945.000	23.65	25.75	49.40	74.00	-24.60	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.82	10.49	48.31	74.00	-25.69	peak
2	10091.000	36.50	11.97	48.47	74.00	-25.53	peak
3	11521.000	33.10	16.82	49.92	74.00	-24.08	peak
4	13116.000	31.02	18.96	49.98	74.00	-24.02	peak
5	13919.000	28.31	21.68	49.99	74.00	-24.01	peak
6	17989.000	24.30	26.04	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.82	10.54	47.36	74.00	-26.64	peak
2	10619.000	36.13	13.28	49.41	74.00	-24.59	peak
3	11411.000	34.43	16.41	50.84	74.00	-23.16	peak
4	12368.000	32.82	17.80	50.62	74.00	-23.38	peak
5	13864.000	27.80	21.53	49.33	74.00	-24.67	peak
6	17989.000	24.20	26.04	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7462.000	39.25	6.88	46.13	74.00	-27.87	peak
2	9189.000	37.04	10.46	47.50	74.00	-26.50	peak
3	11719.000	33.13	17.18	50.31	74.00	-23.69	peak
4	12632.000	32.76	17.99	50.75	74.00	-23.25	peak
5	13556.000	29.77	20.78	50.55	74.00	-23.45	peak
6	17978.000	23.98	25.97	49.95	74.00	-24.05	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.33	10.51	47.84	74.00	-26.16	peak
2	9695.000	37.47	11.10	48.57	74.00	-25.43	peak
3	11070.000	34.58	15.01	49.59	74.00	-24.41	peak
4	12632.000	31.30	17.99	49.29	74.00	-24.71	peak
5	13105.000	30.16	18.91	49.07	74.00	-24.93	peak
6	17923.000	24.17	25.60	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.25	10.41	47.66	74.00	-26.34	peak
2	10333.000	36.26	12.47	48.73	74.00	-25.27	peak
3	11081.000	35.44	15.05	50.49	74.00	-23.51	peak
4	11686.000	33.06	17.12	50.18	74.00	-23.82	peak
5	13875.000	28.59	21.57	50.16	74.00	-23.84	peak
6	17989.000	24.88	26.04	50.92	74.00	-23.08	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.77	10.21	46.98	74.00	-27.02	peak
2	10443.000	36.26	12.70	48.96	74.00	-25.04	peak
3	11741.000	32.91	17.22	50.13	74.00	-23.87	peak
4	12687.000	32.22	18.05	50.27	74.00	-23.73	peak
5	13380.000	29.70	20.12	49.82	74.00	-24.18	peak
6	17978.000	24.10	25.97	50.07	74.00	-23.93	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.30	10.47	46.77	74.00	-27.23	peak
2	10476.000	35.90	12.77	48.67	74.00	-25.33	peak
3	11411.000	32.88	16.41	49.29	74.00	-24.71	peak
4	12687.000	32.08	18.05	50.13	74.00	-23.87	peak
5	13886.000	28.16	21.60	49.76	74.00	-24.24	peak
6	17659.000	25.68	23.78	49.46	74.00	-24.54	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.47	10.48	47.95	74.00	-26.05	peak
2	10619.000	35.98	13.28	49.26	74.00	-24.74	peak
3	11730.000	33.34	17.19	50.53	74.00	-23.47	peak
4	12555.000	32.98	17.90	50.88	74.00	-23.12	peak
5	13523.000	29.48	20.70	50.18	74.00	-23.82	peak
6	17978.000	23.73	25.97	49.70	74.00	-24.30	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10025.000	36.20	11.82	48.02	74.00	-25.98	peak
2	11213.000	33.93	15.59	49.52	74.00	-24.48	peak
3	12720.000	32.57	18.09	50.66	74.00	-23.34	peak
4	13061.000	31.82	18.71	50.53	74.00	-23.47	peak
5	13611.000	29.96	20.92	50.88	74.00	-23.12	peak
6	17923.000	25.37	25.60	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.18	10.48	47.66	74.00	-26.34	peak
2	10366.000	37.33	12.54	49.87	74.00	-24.13	peak
3	11598.000	33.99	16.96	50.95	74.00	-23.05	peak
4	12544.000	32.94	17.88	50.82	74.00	-23.18	peak
5	13919.000	28.95	21.68	50.63	74.00	-23.37	peak
6	17989.000	24.93	26.04	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10311.000	36.97	12.42	49.39	74.00	-24.61	peak
2	10916.000	35.13	14.39	49.52	74.00	-24.48	peak
3	11433.000	33.60	16.50	50.10	74.00	-23.90	peak
4	11873.000	32.69	17.46	50.15	74.00	-23.85	peak
5	13864.000	28.74	21.53	50.27	74.00	-23.73	peak
6	17934.000	25.02	25.67	50.69	74.00	-23.31	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8815.000	38.68	9.07	47.75	74.00	-26.25	peak
2	10454.000	35.94	12.73	48.67	74.00	-25.33	peak
3	11708.000	33.74	17.16	50.90	74.00	-23.10	peak
4	12632.000	32.71	17.99	50.70	74.00	-23.30	peak
5	13644.000	29.48	20.99	50.47	74.00	-23.53	peak
6	18000.000	24.40	26.12	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.16	10.54	47.70	74.00	-26.30	peak
2	10916.000	35.75	14.39	50.14	74.00	-23.86	peak
3	11532.000	33.68	16.83	50.51	74.00	-23.49	peak
4	12654.000	32.50	18.01	50.51	74.00	-23.49	peak
5	13754.000	28.39	21.27	49.66	74.00	-24.34	peak
6	17967.000	23.18	25.89	49.07	74.00	-24.93	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.81	9.90	46.71	74.00	-27.29	peak
2	10080.000	36.84	11.93	48.77	74.00	-25.23	peak
3	11400.000	34.26	16.36	50.62	74.00	-23.38	peak
4	11862.000	32.93	17.45	50.38	74.00	-23.62	peak
5	13545.000	29.14	20.75	49.89	74.00	-24.11	peak
6	17956.000	24.42	25.82	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.34	10.54	47.88	74.00	-26.12	peak
2	10465.000	36.45	12.75	49.20	74.00	-24.80	peak
3	11279.000	34.30	15.86	50.16	74.00	-23.84	peak
4	12632.000	32.50	17.99	50.49	74.00	-23.51	peak
5	13534.000	30.24	20.73	50.97	74.00	-23.03	peak
6	17945.000	25.16	25.75	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	36.37	10.54	46.91	74.00	-27.09	peak
2	10564.000	35.54	13.06	48.60	74.00	-25.40	peak
3	11708.000	32.45	17.16	49.61	74.00	-24.39	peak
4	12676.000	32.18	18.05	50.23	74.00	-23.77	peak
5	13600.000	29.14	20.89	50.03	74.00	-23.97	peak
6	17923.000	24.34	25.60	49.94	74.00	-24.06	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.73	10.51	47.24	74.00	-26.76	peak
2	10223.000	36.19	12.24	48.43	74.00	-25.57	peak
3	11400.000	34.31	16.36	50.67	74.00	-23.33	peak
4	12687.000	32.46	18.05	50.51	74.00	-23.49	peak
5	13930.000	29.06	21.71	50.77	74.00	-23.23	peak
6	17945.000	24.89	25.75	50.64	74.00	-23.36	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.05	10.51	47.56	74.00	-26.44	peak
2	10333.000	36.56	12.47	49.03	74.00	-24.97	peak
3	11862.000	33.00	17.45	50.45	74.00	-23.55	peak
4	12709.000	32.61	18.09	50.70	74.00	-23.30	peak
5	13930.000	28.88	21.71	50.59	74.00	-23.41	peak
6	18000.000	24.55	26.12	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.39	10.38	47.77	74.00	-26.23	peak
2	11048.000	34.64	14.91	49.55	74.00	-24.45	peak
3	11708.000	32.37	17.16	49.53	74.00	-24.47	peak
4	13061.000	31.26	18.71	49.97	74.00	-24.03	peak
5	13919.000	28.43	21.68	50.11	74.00	-23.89	peak
6	17978.000	24.93	25.97	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.83	10.54	47.37	74.00	-26.63	peak
2	10300.000	36.53	12.40	48.93	74.00	-25.07	peak
3	11422.000	33.74	16.46	50.20	74.00	-23.80	peak
4	12687.000	32.81	18.05	50.86	74.00	-23.14	peak
5	13534.000	28.92	20.73	49.65	74.00	-24.35	peak
6	17989.000	23.75	26.04	49.79	74.00	-24.21	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.51	10.49	47.00	74.00	-27.00	peak
2	10168.000	37.00	12.13	49.13	74.00	-24.87	peak
3	10916.000	35.26	14.39	49.65	74.00	-24.35	peak
4	12632.000	32.10	17.99	50.09	74.00	-23.91	peak
5	13919.000	29.00	21.68	50.68	74.00	-23.32	peak
6	18000.000	23.73	26.12	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.81	10.53	48.34	74.00	-25.66	peak
2	10366.000	36.06	12.54	48.60	74.00	-25.40	peak
3	11840.000	33.17	17.40	50.57	74.00	-23.43	peak
4	12687.000	32.22	18.05	50.27	74.00	-23.73	peak
5	13875.000	29.23	21.57	50.80	74.00	-23.20	peak
6	17923.000	25.34	25.60	50.94	74.00	-23.06	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.68	10.45	47.13	74.00	-26.87	peak
2	10157.000	36.49	12.10	48.59	74.00	-25.41	peak
3	11664.000	33.01	17.08	50.09	74.00	-23.91	peak
4	12676.000	32.72	18.05	50.77	74.00	-23.23	peak
5	13831.000	28.57	21.47	50.04	74.00	-23.96	peak
6	17989.000	24.72	26.04	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.61	9.82	47.43	74.00	-26.57	peak
2	10443.000	35.98	12.70	48.68	74.00	-25.32	peak
3	11213.000	34.36	15.59	49.95	74.00	-24.05	peak
4	12687.000	32.04	18.05	50.09	74.00	-23.91	peak
5	13534.000	28.97	20.73	49.70	74.00	-24.30	peak
6	17703.000	25.91	24.09	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9783.000	35.83	11.28	47.11	74.00	-26.89	peak
2	11708.000	32.20	17.16	49.36	74.00	-24.64	peak
3	12687.000	31.61	18.05	49.66	74.00	-24.34	peak
4	13941.000	27.56	21.73	49.29	74.00	-24.71	peak
5	17703.000	25.74	24.09	49.83	74.00	-24.17	peak
6	17956.000	24.06	25.82	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9750.000	36.43	11.21	47.64	74.00	-26.36	peak
2	10476.000	36.94	12.77	49.71	74.00	-24.29	peak
3	11433.000	33.59	16.50	50.09	74.00	-23.91	peak
4	12698.000	32.83	18.08	50.91	74.00	-23.09	peak
5	13622.000	29.35	20.95	50.30	74.00	-23.70	peak
6	17989.000	23.52	26.04	49.56	74.00	-24.44	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.56	10.55	47.11	74.00	-26.89	peak
2	10476.000	35.89	12.77	48.66	74.00	-25.34	peak
3	11389.000	33.28	16.31	49.59	74.00	-24.41	peak
4	12654.000	31.69	18.01	49.70	74.00	-24.30	peak
5	13919.000	27.62	21.68	49.30	74.00	-24.70	peak
6	17879.000	24.61	25.29	49.90	74.00	-24.10	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.77	10.54	47.31	74.00	-26.69	peak
2	11136.000	34.25	15.27	49.52	74.00	-24.48	peak
3	11884.000	32.76	17.48	50.24	74.00	-23.76	peak
4	13017.000	31.26	18.53	49.79	74.00	-24.21	peak
5	13622.000	29.34	20.95	50.29	74.00	-23.71	peak
6	17967.000	25.01	25.89	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.11	10.43	47.54	74.00	-26.46	peak
2	11147.000	34.70	15.32	50.02	74.00	-23.98	peak
3	11796.000	32.76	17.32	50.08	74.00	-23.92	peak
4	12687.000	32.32	18.05	50.37	74.00	-23.63	peak
5	13919.000	27.84	21.68	49.52	74.00	-24.48	peak
6	17868.000	25.14	25.22	50.36	74.00	-23.64	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.49	10.55	47.04	74.00	-26.96	peak
2	11092.000	35.24	15.10	50.34	74.00	-23.66	peak
3	11543.000	33.52	16.84	50.36	74.00	-23.64	peak
4	12632.000	32.04	17.99	50.03	74.00	-23.97	peak
5	13523.000	29.61	20.70	50.31	74.00	-23.69	peak
6	17912.000	24.77	25.52	50.29	74.00	-23.71	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.94	10.51	47.45	74.00	-26.55	peak
2	10608.000	36.03	13.23	49.26	74.00	-24.74	peak
3	11840.000	32.76	17.40	50.16	74.00	-23.84	peak
4	12258.000	32.63	17.77	50.40	74.00	-23.60	peak
5	13930.000	28.38	21.71	50.09	74.00	-23.91	peak
6	17703.000	25.34	24.09	49.43	74.00	-24.57	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	37.04	10.48	47.52	74.00	-26.48	peak
2	10234.000	36.89	12.26	49.15	74.00	-24.85	peak
3	10828.000	35.40	14.07	49.47	74.00	-24.53	peak
4	12643.000	31.61	18.01	49.62	74.00	-24.38	peak
5	13919.000	27.52	21.68	49.20	74.00	-24.80	peak
6	17978.000	24.26	25.97	50.23	74.00	-23.77	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.15	10.41	47.56	74.00	-26.44	peak
2	10388.000	36.18	12.59	48.77	74.00	-25.23	peak
3	11598.000	32.31	16.96	49.27	74.00	-24.73	peak
4	12742.000	31.76	18.13	49.89	74.00	-24.11	peak
5	13534.000	28.91	20.73	49.64	74.00	-24.36	peak
6	17978.000	23.80	25.97	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.57	10.53	48.10	74.00	-25.90	peak
2	10454.000	36.66	12.73	49.39	74.00	-24.61	peak
3	11268.000	34.47	15.83	50.30	74.00	-23.70	peak
4	12643.000	32.48	18.01	50.49	74.00	-23.51	peak
5	13864.000	28.57	21.53	50.10	74.00	-23.90	peak
6	17934.000	24.64	25.67	50.31	74.00	-23.69	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9431.000	36.38	10.61	46.99	74.00	-27.01	peak
2	10322.000	35.97	12.45	48.42	74.00	-25.58	peak
3	11092.000	34.43	15.10	49.53	74.00	-24.47	peak
4	11697.000	33.36	17.13	50.49	74.00	-23.51	peak
5	13864.000	28.38	21.53	49.91	74.00	-24.09	peak
6	17989.000	24.44	26.04	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.84	10.48	47.32	74.00	-26.68	peak
2	11081.000	34.29	15.05	49.34	74.00	-24.66	peak
3	11785.000	32.40	17.30	49.70	74.00	-24.30	peak
4	12676.000	31.38	18.05	49.43	74.00	-24.57	peak
5	13754.000	28.41	21.27	49.68	74.00	-24.32	peak
6	17967.000	24.23	25.89	50.12	74.00	-23.88	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10443.000	36.26	12.70	48.96	74.00	-25.04	peak
2	11147.000	33.70	15.32	49.02	74.00	-24.98	peak
3	11708.000	33.01	17.16	50.17	74.00	-23.83	peak
4	13006.000	31.52	18.47	49.99	74.00	-24.01	peak
5	13886.000	27.93	21.60	49.53	74.00	-24.47	peak
6	17989.000	24.37	26.04	50.41	74.00	-23.59	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.97	10.53	47.50	74.00	-26.50	peak
2	10938.000	34.84	14.48	49.32	74.00	-24.68	peak
3	11664.000	32.63	17.08	49.71	74.00	-24.29	peak
4	12632.000	31.91	17.99	49.90	74.00	-24.10	peak
5	13919.000	28.22	21.68	49.90	74.00	-24.10	peak
6	17978.000	24.52	25.97	50.49	74.00	-23.51	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	77.22	-101.40	-24.18	47.60	-75.68	-3.90	-71.78	peak
2	0.0114	75.88	-101.40	-25.52	46.46	-77.02	-5.04	-71.98	peak
3	0.0160	71.97	-101.37	-29.40	43.52	-80.90	-7.98	-72.92	peak
4	0.0223	69.36	-101.35	-31.99	40.63	-83.49	-10.87	-72.62	peak
5	0.0316	65.74	-101.40	-35.66	37.61	-87.16	-13.89	-73.27	peak
6	0.0670	61.22	-101.55	-40.33	31.08	-91.83	-20.42	-71.41	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1547	77.81	-101.65	-23.84	23.81	-75.34	-27.69	-47.65	peak
2	0.1720	74.69	-101.67	-26.98	22.90	-78.48	-28.60	-49.88	peak
3	0.1917	72.04	-101.70	-29.66	21.95	-81.16	-29.55	-51.61	peak
4	0.2442	66.53	-101.79	-35.26	19.85	-86.76	-31.65	-55.11	peak
5	0.2837	63.72	-101.83	-38.11	18.54	-89.61	-32.96	-56.65	peak
6	0.3234	62.48	-101.88	-39.40	17.41	-90.90	-34.09	-56.81	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5039	64.93	-62.07	2.86	33.56	-48.64	-17.94	-30.70	peak
2	0.7671	63.91	-62.12	1.79	29.90	-49.71	-21.60	-28.11	peak
3	1.6149	58.62	-62.00	-3.38	23.44	-54.88	-28.06	-26.82	peak
4	3.7100	56.20	-61.41	-5.21	29.54	-56.71	-21.96	-34.75	peak
5	6.2445	54.13	-61.32	-7.19	29.54	-58.69	-21.96	-36.73	peak
6	10.7299	53.48	-60.83	-7.35	29.54	-58.85	-21.96	-36.89	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18592.000	49.75	-5.31	44.44	74.00	-29.56	peak
2	20200.000	50.54	-5.58	44.96	74.00	-29.04	peak
3	21600.000	49.02	-4.54	44.48	74.00	-29.52	peak
4	23744.000	48.15	-3.20	44.95	74.00	-29.05	peak
5	24952.000	47.13	-2.14	44.99	74.00	-29.01	peak
6	25568.000	46.46	-1.46	45.00	74.00	-29.00	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18960.000	48.51	-5.25	43.26	74.00	-30.74	peak
2	20240.000	49.32	-5.61	43.71	74.00	-30.29	peak
3	21544.000	48.26	-4.63	43.63	74.00	-30.37	peak
4	23088.000	47.52	-3.41	44.11	74.00	-29.89	peak
5	24568.000	46.10	-2.33	43.77	74.00	-30.23	peak
6	25688.000	44.31	-0.90	43.41	74.00	-30.59	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
2	31194.000	48.04	-0.80	47.24	74.00	-26.76	peak
3	33644.000	47.31	0.42	47.73	74.00	-26.27	peak
4	35870.000	44.83	3.75	48.58	74.00	-25.42	peak
5	38320.000	45.06	3.77	48.83	74.00	-25.17	peak
6	39062.000	43.81	4.30	48.11	74.00	-25.89	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	27666.000	50.26	-3.50	46.76	74.00	-27.24	peak
2	29402.000	48.30	-0.82	47.48	74.00	-26.52	peak
3	30830.000	49.02	-1.03	47.99	74.00	-26.01	peak
4	34134.000	45.87	1.12	46.99	74.00	-27.01	peak
5	35828.000	44.75	3.67	48.42	74.00	-25.58	peak
6	39062.000	43.98	4.30	48.28	74.00	-25.72	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	36.7900	35.56	-18.83	16.73	40.00	-23.27	QP
2	219.1500	40.89	-16.81	24.08	46.00	-21.92	QP
3	258.9200	44.97	-17.75	27.22	46.00	-18.78	QP
4	320.0300	43.66	-13.88	29.78	46.00	-16.22	QP
5	333.6099	46.36	-13.25	33.11	46.00	-12.89	QP
6	532.4600	30.93	-10.29	20.64	46.00	-25.36	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	36.7900	37.10	-18.83	18.27	40.00	-21.73	QP
2	148.3400	33.52	-17.99	15.53	43.50	-27.97	QP
3	220.1200	32.45	-16.87	15.58	46.00	-30.42	QP
4	332.6400	45.88	-13.30	32.58	46.00	-13.42	QP
5	416.0600	31.54	-12.14	19.40	46.00	-26.60	QP
6	496.5700	29.42	-10.41	19.01	46.00	-26.99	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	25.3°C	Relative Humidity	60%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	January 12, 2024	Test By	Fanny Huang
-----------	------------------	---------	-------------

TEST RESULTS

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1589	38.08	9.59	47.67	65.52	-17.85	QP
2	0.1589	24.52	9.59	34.11	55.52	-21.41	AVG
3	0.4609	28.84	9.60	38.44	56.68	-18.24	QP
4	0.4609	22.60	9.60	32.20	46.68	-14.48	AVG
5	1.5115	21.58	9.62	31.20	56.00	-24.80	QP
6	1.5115	14.10	9.62	23.72	46.00	-22.28	AVG
7	2.4098	18.45	9.65	28.10	56.00	-27.90	QP
8	2.4098	10.12	9.65	19.77	46.00	-26.23	AVG
9	6.2103	21.51	9.74	31.25	60.00	-28.75	QP
10	6.2103	15.59	9.74	25.33	50.00	-24.67	AVG
11	16.0769	26.03	9.75	35.78	60.00	-24.22	QP
12	16.0769	17.06	9.75	26.81	50.00	-23.19	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1612	37.73	9.51	47.24	65.40	-18.16	QP
2	0.1612	25.08	9.51	34.59	55.40	-20.81	AVG
3	0.4794	27.47	9.51	36.98	56.35	-19.37	QP
4	0.4794	15.87	9.51	25.38	46.35	-20.97	AVG
5	1.5086	25.38	9.57	34.95	56.00	-21.05	QP
6	1.5086	16.91	9.57	26.48	46.00	-19.52	AVG
7	2.0956	23.38	9.63	33.01	56.00	-22.99	QP
8	2.0956	15.87	9.63	25.50	46.00	-20.50	AVG
9	5.9430	21.54	9.64	31.18	60.00	-28.82	QP
10	5.9430	14.91	9.64	24.55	50.00	-25.45	AVG
11	16.0524	27.41	9.65	37.06	60.00	-22.94	QP
12	16.0524	19.50	9.65	29.15	50.00	-20.85	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict	
11A	Ant1	5180	21.80	5169.12	5190.92	PASS	
	Ant2	5180	20.96	5169.40	5190.36	PASS	
	Ant1	5200	23.28	5188.36	5211.64	PASS	
	Ant2	5200	21.84	5188.92	5210.76	PASS	
	Ant1	5240	19.56	5230.28	5249.84	PASS	
	Ant2	5240	19.60	5230.12	5249.72	PASS	
	Ant1	5260	21.80	5248.48	5270.28	PASS	
	Ant2	5260	22.88	5248.88	5271.76	PASS	
	Ant1	5280	22.16	5268.92	5291.08	PASS	
	Ant2	5280	22.32	5268.92	5291.24	PASS	
	Ant1	5320	22.08	5308.80	5330.88	PASS	
	Ant2	5320	22.48	5309.28	5331.76	PASS	
	Ant1	5500	22.60	5488.68	5511.28	PASS	
	Ant2	5500	22.12	5488.92	5511.04	PASS	
	Ant1	5580	22.76	5568.44	5591.20	PASS	
	Ant2	5580	23.20	5568.52	5591.72	PASS	
	Ant1	5700	21.88	5689.24	5711.12	PASS	
	Ant2	5700	22.36	5688.64	5711.00	PASS	
	Ant1	5720	22.32	5709.04	5731.36	PASS	
	Ant2	5720	23.32	5708.40	5731.72	PASS	
	Ant1	5720_UNII-2C	15.96	5709.04	5725	PASS	
	Ant2	5720_UNII-2C	16.6	5708.40	5725	PASS	
	Ant1	5720_UNII-3	6.36	5725	5731.36	PASS	
	Ant2	5720_UNII-3	6.72	5725	5731.72	PASS	
	Ant1	5745	21.68	5733.76	5755.44	PASS	
	Ant2	5745	21.04	5734.84	5755.88	PASS	
	Ant1	5785	23.04	5773.24	5796.28	PASS	
	Ant2	5785	22.16	5773.84	5796.00	PASS	
	Ant1	5825	22.84	5813.40	5836.24	PASS	
	Ant2	5825	22.40	5813.92	5836.32	PASS	
	11N20MIMO	Ant1	5180	22.96	5168.64	5191.60	PASS
		Ant2	5180	22.08	5169.28	5191.36	PASS
Ant1		5200	23.04	5188.16	5211.20	PASS	
Ant2		5200	22.32	5188.92	5211.24	PASS	
Ant1		5240	19.84	5229.96	5249.80	PASS	
Ant2		5240	20.00	5229.92	5249.92	PASS	
Ant1		5260	23.24	5248.16	5271.40	PASS	
Ant2		5260	21.72	5249.32	5271.04	PASS	
Ant1		5280	22.84	5268.48	5291.32	PASS	
Ant2		5280	22.52	5269.32	5291.84	PASS	
Ant1		5320	21.72	5309.28	5331.00	PASS	
Ant2		5320	23.04	5308.80	5331.84	PASS	
Ant1		5500	22.68	5488.48	5511.16	PASS	
Ant2		5500	21.72	5488.92	5510.64	PASS	
Ant1		5580	22.96	5568.76	5591.72	PASS	
Ant2		5580	23.16	5568.24	5591.40	PASS	
Ant1		5700	23.32	5688.16	5711.48	PASS	
Ant2		5700	21.64	5689.36	5711.00	PASS	
Ant1		5720	23.24	5708.44	5731.68	PASS	
Ant2		5720	21.96	5709.44	5731.40	PASS	
Ant1		5720_UNII-2C	16.56	5708.44	5725	PASS	
Ant2		5720_UNII-2C	15.56	5709.44	5725	PASS	
Ant1		5720_UNII-3	6.68	5725	5731.68	PASS	
Ant2		5720_UNII-3	6.4	5725	5731.40	PASS	
Ant1		5745	23.76	5732.44	5756.20	PASS	
Ant2		5745	22.48	5733.56	5756.04	PASS	