




12.3.2. Test Graphs



11AX20MIMO_Ant1_5955



11AX40MIMO_Ant1_5965



11AX80MIMO_Ant1_5985

**12.4. Appendix C: Maximum Average Conducted Output Power****12.4.1. STBC/SDM Mode Test Result**

Test Mode	Antenna	Channel	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	5955	1.20	≤20.00	4.00	5.20	≤24.00	PASS
	Ant2	5955	1.41	≤20.00	4.00	5.41	≤24.00	PASS
	total	5955	4.32	≤20.00	---	8.32	≤24.00	PASS
	Ant1	6175	1.56	≤20.00	4.00	5.56	≤24.00	PASS
	Ant2	6175	1.77	≤20.00	4.00	5.77	≤24.00	PASS
	total	6175	4.68	≤20.00	---	8.68	≤24.00	PASS
	Ant1	6415	0.64	≤20.00	4.00	4.64	≤24.00	PASS
	Ant2	6415	1.19	≤20.00	4.00	5.19	≤24.00	PASS
	total	6415	3.93	≤20.00	---	7.93	≤24.00	PASS
	Ant1	6435	0.99	≤20.00	4.00	4.99	≤24.00	PASS
	Ant2	6435	1.45	≤20.00	4.00	5.45	≤24.00	PASS
	total	6435	4.24	≤20.00	---	8.24	≤24.00	PASS
	Ant1	6475	0.65	≤20.00	4.00	4.65	≤24.00	PASS
	Ant2	6475	1.43	≤20.00	4.00	5.43	≤24.00	PASS
	total	6475	4.07	≤20.00	---	8.07	≤24.00	PASS
	Ant1	6515	1.06	≤20.00	4.00	5.06	≤24.00	PASS
	Ant2	6515	1.40	≤20.00	4.00	5.40	≤24.00	PASS
	total	6515	4.24	≤20.00	---	8.24	≤24.00	PASS
	Ant1	6535	1.36	≤20.00	4.00	5.36	≤24.00	PASS
	Ant2	6535	1.75	≤20.00	4.00	5.75	≤24.00	PASS
	total	6535	4.57	≤20.00	---	8.57	≤24.00	PASS
	Ant1	6715	1.66	≤20.00	4.00	5.66	≤24.00	PASS
	Ant2	6715	1.63	≤20.00	4.00	5.63	≤24.00	PASS
	total	6715	4.66	≤20.00	---	8.66	≤24.00	PASS
	Ant1	6855	0.90	≤20.00	4.00	4.90	≤24.00	PASS
	Ant2	6855	1.25	≤20.00	4.00	5.25	≤24.00	PASS
	total	6855	4.09	≤20.00	---	8.09	≤24.00	PASS
	Ant1	6875	1.20	≤20.00	4.00	5.20	≤24.00	PASS
	Ant2	6875	1.26	≤20.00	4.00	5.26	≤24.00	PASS
	total	6875	4.24	≤20.00	---	8.24	≤24.00	PASS
Ant1	7015	0.84	≤20.00	4.00	4.84	≤24.00	PASS	
Ant2	7015	0.99	≤20.00	4.00	4.99	≤24.00	PASS	
total	7015	3.93	≤20.00	---	7.93	≤24.00	PASS	
Ant1	7115	1.50	≤20.00	4.00	5.50	≤24.00	PASS	
Ant2	7115	1.31	≤20.00	4.00	5.31	≤24.00	PASS	
total	7115	4.42	≤20.00	---	8.42	≤24.00	PASS	
11AX40MIMO	Ant1	5965	2.02	≤20.00	4.00	6.02	≤24.00	PASS
	Ant2	5965	2.04	≤20.00	4.00	6.04	≤24.00	PASS
	total	5965	5.04	≤20.00	---	9.04	≤24.00	PASS
	Ant1	6165	2.52	≤20.00	4.00	6.52	≤24.00	PASS
	Ant2	6165	2.82	≤20.00	4.00	6.82	≤24.00	PASS
	total	6165	5.68	≤20.00	---	9.68	≤24.00	PASS
	Ant1	6405	1.48	≤20.00	4.00	5.48	≤24.00	PASS
	Ant2	6405	2.29	≤20.00	4.00	6.29	≤24.00	PASS
	total	6405	4.91	≤20.00	---	8.91	≤24.00	PASS
	Ant1	6445	1.69	≤20.00	4.00	5.69	≤24.00	PASS
	Ant2	6445	2.63	≤20.00	4.00	6.63	≤24.00	PASS
	total	6445	5.20	≤20.00	---	9.20	≤24.00	PASS
	Ant1	6485	1.88	≤20.00	4.00	5.88	≤24.00	PASS
	Ant2	6485	2.60	≤20.00	4.00	6.60	≤24.00	PASS
	total	6485	5.27	≤20.00	---	9.27	≤24.00	PASS
	Ant1	6525	2.24	≤20.00	4.00	6.24	≤24.00	PASS
	Ant2	6525	2.68	≤20.00	4.00	6.68	≤24.00	PASS
	total	6525	5.48	≤20.00	---	9.48	≤24.00	PASS



	Ant1	6565	2.10	≤20.00	4.00	6.10	≤24.00	PASS
	Ant2	6565	2.82	≤20.00	4.00	6.82	≤24.00	PASS
	total	6565	5.49	≤20.00	---	9.49	≤24.00	PASS
	Ant1	6725	3.01	≤20.00	4.00	7.01	≤24.00	PASS
	Ant2	6725	3.05	≤20.00	4.00	7.05	≤24.00	PASS
	total	6725	6.04	≤20.00	---	10.04	≤24.00	PASS
	Ant1	6845	2.47	≤20.00	4.00	6.47	≤24.00	PASS
	Ant2	6845	2.84	≤20.00	4.00	6.84	≤24.00	PASS
	total	6845	5.67	≤20.00	---	9.67	≤24.00	PASS
	Ant1	6885	2.20	≤20.00	4.00	6.20	≤24.00	PASS
	Ant2	6885	2.84	≤20.00	4.00	6.84	≤24.00	PASS
	total	6885	5.54	≤20.00	---	9.54	≤24.00	PASS
	Ant1	7005	2.10	≤20.00	4.00	6.10	≤24.00	PASS
	Ant2	7005	2.64	≤20.00	4.00	6.64	≤24.00	PASS
	total	7005	5.39	≤20.00	---	9.39	≤24.00	PASS
	Ant1	7085	2.04	≤20.00	4.00	6.04	≤24.00	PASS
	Ant2	7085	2.85	≤20.00	4.00	6.85	≤24.00	PASS
	total	7085	5.47	≤20.00	---	9.47	≤24.00	PASS
11AX80MIMO	Ant1	5985	3.83	≤20.00	4.00	7.83	≤24.00	PASS
	Ant2	5985	4.43	≤20.00	4.00	8.43	≤24.00	PASS
	total	5985	7.15	≤20.00	---	11.15	≤24.00	PASS
	Ant1	6145	4.61	≤20.00	4.00	8.61	≤24.00	PASS
	Ant2	6145	5.35	≤20.00	4.00	9.35	≤24.00	PASS
	total	6145	8.01	≤20.00	---	12.01	≤24.00	PASS
	Ant1	6385	3.66	≤20.00	4.00	7.66	≤24.00	PASS
	Ant2	6385	4.66	≤20.00	4.00	8.66	≤24.00	PASS
	total	6385	7.20	≤20.00	---	11.20	≤24.00	PASS
	Ant1	6465	4.76	≤20.00	4.00	8.76	≤24.00	PASS
	Ant2	6465	5.18	≤20.00	4.00	9.18	≤24.00	PASS
	total	6465	7.99	≤20.00	---	11.99	≤24.00	PASS
	Ant1	6545	4.64	≤20.00	4.00	8.64	≤24.00	PASS
	Ant2	6545	5.28	≤20.00	4.00	9.28	≤24.00	PASS
	total	6545	7.98	≤20.00	---	11.98	≤24.00	PASS
	Ant1	6625	4.68	≤20.00	4.00	8.68	≤24.00	PASS
	Ant2	6625	5.09	≤20.00	4.00	9.09	≤24.00	PASS
	total	6625	7.90	≤20.00	---	11.90	≤24.00	PASS
	Ant1	6705	4.85	≤20.00	4.00	8.85	≤24.00	PASS
	Ant2	6705	5.81	≤20.00	4.00	9.81	≤24.00	PASS
	total	6705	8.37	≤20.00	---	12.37	≤24.00	PASS
	Ant1	6785	4.84	≤20.00	4.00	8.84	≤24.00	PASS
	Ant2	6785	5.50	≤20.00	4.00	9.50	≤24.00	PASS
	total	6785	8.19	≤20.00	---	12.19	≤24.00	PASS
	Ant1	6865	4.22	≤20.00	4.00	8.22	≤24.00	PASS
	Ant2	6865	5.38	≤20.00	4.00	9.38	≤24.00	PASS
	total	6865	7.85	≤20.00	---	11.85	≤24.00	PASS
	Ant1	6945	4.45	≤20.00	4.00	8.45	≤24.00	PASS
	Ant2	6945	5.54	≤20.00	4.00	9.54	≤24.00	PASS
	total	6945	8.04	≤20.00	---	12.04	≤24.00	PASS
Ant1	7025	4.12	≤20.00	4.00	8.12	≤24.00	PASS	
Ant2	7025	5.27	≤20.00	4.00	9.27	≤24.00	PASS	
total	7025	7.74	≤20.00	---	11.74	≤24.00	PASS	

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



12.4.1. CDD Mode Test Result

Test Mode	Antenna	Channel	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	5955	-1.76	≤20.00	4.00	2.24	≤24.00	PASS
	Ant2	5955	-1.62	≤20.00	4.00	2.38	≤24.00	PASS
	total	5955	1.32	≤20.00	---	5.32	≤24.00	PASS
	Ant1	6175	-0.72	≤20.00	4.00	3.28	≤24.00	PASS
	Ant2	6175	-0.65	≤20.00	4.00	3.35	≤24.00	PASS
	total	6175	2.33	≤20.00	---	6.33	≤24.00	PASS
	Ant1	6415	-2.06	≤20.00	4.00	1.94	≤24.00	PASS
	Ant2	6415	-1.59	≤20.00	4.00	2.41	≤24.00	PASS
	total	6415	1.19	≤20.00	---	5.19	≤24.00	PASS
	Ant1	6435	-1.77	≤20.00	4.00	2.23	≤24.00	PASS
	Ant2	6435	-1.14	≤20.00	4.00	2.86	≤24.00	PASS
	total	6435	1.57	≤20.00	---	5.57	≤24.00	PASS
	Ant1	6475	-1.46	≤20.00	4.00	2.54	≤24.00	PASS
	Ant2	6475	-0.92	≤20.00	4.00	3.08	≤24.00	PASS
	total	6475	1.83	≤20.00	---	5.83	≤24.00	PASS
	Ant1	6515	-1.09	≤20.00	4.00	2.91	≤24.00	PASS
	Ant2	6515	-0.85	≤20.00	4.00	3.15	≤24.00	PASS
	total	6515	2.04	≤20.00	---	6.04	≤24.00	PASS
	Ant1	6535	-0.71	≤20.00	4.00	3.29	≤24.00	PASS
	Ant2	6535	-0.51	≤20.00	4.00	3.49	≤24.00	PASS
	total	6535	2.40	≤20.00	---	6.4	≤24.00	PASS
	Ant1	6715	-0.24	≤20.00	4.00	3.76	≤24.00	PASS
	Ant2	6715	-0.38	≤20.00	4.00	3.62	≤24.00	PASS
	total	6715	2.70	≤20.00	---	6.7	≤24.00	PASS
	Ant1	6855	-1.40	≤20.00	4.00	2.6	≤24.00	PASS
	Ant2	6855	-0.87	≤20.00	4.00	3.13	≤24.00	PASS
	total	6855	1.88	≤20.00	---	5.88	≤24.00	PASS
	Ant1	6875	-1.03	≤20.00	4.00	2.97	≤24.00	PASS
	Ant2	6875	-0.48	≤20.00	4.00	3.52	≤24.00	PASS
	total	6875	2.26	≤20.00	---	6.26	≤24.00	PASS
Ant1	7015	-1.75	≤20.00	4.00	2.25	≤24.00	PASS	
Ant2	7015	-1.27	≤20.00	4.00	2.73	≤24.00	PASS	
total	7015	1.51	≤20.00	---	5.51	≤24.00	PASS	
Ant1	7115	-1.32	≤20.00	4.00	2.68	≤24.00	PASS	
Ant2	7115	-1.22	≤20.00	4.00	2.78	≤24.00	PASS	
total	7115	1.74	≤20.00	---	5.74	≤24.00	PASS	
11AX40MIMO	Ant1	5965	0.43	≤20.00	4.00	4.43	≤24.00	PASS
	Ant2	5965	0.22	≤20.00	4.00	4.22	≤24.00	PASS
	total	5965	3.34	≤20.00	---	7.34	≤24.00	PASS
	Ant1	6165	0.68	≤20.00	4.00	4.68	≤24.00	PASS
	Ant2	6165	0.86	≤20.00	4.00	4.86	≤24.00	PASS
	total	6165	3.78	≤20.00	---	7.78	≤24.00	PASS
	Ant1	6405	-0.18	≤20.00	4.00	3.82	≤24.00	PASS
	Ant2	6405	-0.01	≤20.00	4.00	3.99	≤24.00	PASS
	total	6405	2.92	≤20.00	---	6.92	≤24.00	PASS
	Ant1	6445	0.21	≤20.00	4.00	4.21	≤24.00	PASS
	Ant2	6445	0.82	≤20.00	4.00	4.82	≤24.00	PASS
	total	6445	3.54	≤20.00	---	7.54	≤24.00	PASS
	Ant1	6485	1.88	≤20.00	4.00	5.88	≤24.00	PASS
	Ant2	6485	2.60	≤20.00	4.00	6.6	≤24.00	PASS
	total	6485	5.27	≤20.00	---	9.27	≤24.00	PASS
	Ant1	6525	0.20	≤20.00	4.00	4.2	≤24.00	PASS
	Ant2	6525	0.27	≤20.00	4.00	4.27	≤24.00	PASS
	total	6525	3.25	≤20.00	---	7.25	≤24.00	PASS
Ant1	6565	0.55	≤20.00	4.00	4.55	≤24.00	PASS	



	Ant2	6565	0.76	≤20.00	4.00	4.76	≤24.00	PASS
	total	6565	3.67	≤20.00	---	7.67	≤24.00	PASS
	Ant1	6725	0.76	≤20.00	4.00	4.76	≤24.00	PASS
	Ant2	6725	0.67	≤20.00	4.00	4.67	≤24.00	PASS
	total	6725	3.73	≤20.00	---	7.73	≤24.00	PASS
	Ant1	6845	0.66	≤20.00	4.00	4.66	≤24.00	PASS
	Ant2	6845	0.96	≤20.00	4.00	4.96	≤24.00	PASS
	total	6845	3.82	≤20.00	---	7.82	≤24.00	PASS
	Ant1	6885	0.50	≤20.00	4.00	4.5	≤24.00	PASS
	Ant2	6885	0.99	≤20.00	4.00	4.99	≤24.00	PASS
	total	6885	3.76	≤20.00	---	7.76	≤24.00	PASS
	Ant1	7005	-0.18	≤20.00	4.00	3.82	≤24.00	PASS
	Ant2	7005	0.45	≤20.00	4.00	4.45	≤24.00	PASS
	total	7005	3.16	≤20.00	---	7.16	≤24.00	PASS
	Ant1	7085	0.29	≤20.00	4.00	4.29	≤24.00	PASS
	Ant2	7085	0.42	≤20.00	4.00	4.42	≤24.00	PASS
	total	7085	3.37	≤20.00	---	7.37	≤24.00	PASS
11AX80MIMO	Ant1	5985	1.61	≤20.00	4.00	5.61	≤24.00	PASS
	Ant2	5985	2.30	≤20.00	4.00	6.3	≤24.00	PASS
	total	5985	4.98	≤20.00	---	8.98	≤24.00	PASS
	Ant1	6145	2.45	≤20.00	4.00	6.45	≤24.00	PASS
	Ant2	6145	3.08	≤20.00	4.00	7.08	≤24.00	PASS
	total	6145	5.79	≤20.00	---	9.79	≤24.00	PASS
	Ant1	6385	1.23	≤20.00	4.00	5.23	≤24.00	PASS
	Ant2	6385	2.12	≤20.00	4.00	6.12	≤24.00	PASS
	total	6385	4.71	≤20.00	---	8.71	≤24.00	PASS
	Ant1	6465	1.70	≤20.00	4.00	5.7	≤24.00	PASS
	Ant2	6465	2.47	≤20.00	4.00	6.47	≤24.00	PASS
	total	6465	5.11	≤20.00	---	9.11	≤24.00	PASS
	Ant1	6545	1.82	≤20.00	4.00	5.82	≤24.00	PASS
	Ant2	6545	2.89	≤20.00	4.00	6.89	≤24.00	PASS
	total	6545	5.40	≤20.00	---	9.4	≤24.00	PASS
	Ant1	6625	2.45	≤20.00	4.00	6.45	≤24.00	PASS
	Ant2	6625	2.99	≤20.00	4.00	6.99	≤24.00	PASS
	total	6625	5.74	≤20.00	---	9.74	≤24.00	PASS
	Ant1	6705	2.51	≤20.00	4.00	6.51	≤24.00	PASS
	Ant2	6705	2.82	≤20.00	4.00	6.82	≤24.00	PASS
	total	6705	5.68	≤20.00	---	9.68	≤24.00	PASS
	Ant1	6785	1.84	≤20.00	4.00	5.84	≤24.00	PASS
	Ant2	6785	2.48	≤20.00	4.00	6.48	≤24.00	PASS
	total	6785	5.18	≤20.00	---	9.18	≤24.00	PASS
	Ant1	6865	2.01	≤20.00	4.00	6.01	≤24.00	PASS
	Ant2	6865	2.76	≤20.00	4.00	6.76	≤24.00	PASS
	total	6865	5.41	≤20.00	---	9.41	≤24.00	PASS
	Ant1	6945	2.01	≤20.00	4.00	6.01	≤24.00	PASS
	Ant2	6945	2.84	≤20.00	4.00	6.84	≤24.00	PASS
	total	6945	5.46	≤20.00	---	9.46	≤24.00	PASS
Ant1	7025	2.22	≤20.00	4.00	6.22	≤24.00	PASS	
Ant2	7025	2.81	≤20.00	4.00	6.81	≤24.00	PASS	
total	7025	5.54	≤20.00	---	9.54	≤24.00	PASS	

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

**12.5. Appendix D: Maximum Power Spectral Density****12.5.1. STBC/SDM Mode Test Result**


Test Mode	Antenna	Channel	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	-8.38	≤-5.00	4.00	-4.38	≤-1.00	PASS
	Ant2	5955	-8.03	≤-5.00	4.00	-4.03	≤-1.00	PASS
	total	5955	-5.19	≤-5.00	---	-1.19	≤-1.00	PASS
	Ant1	6175	-8.25	≤-5.00	4.00	-4.25	≤-1.00	PASS
	Ant2	6175	-9.02	≤-5.00	4.00	-5.02	≤-1.00	PASS
	total	6175	-5.61	≤-5.00	---	-1.61	≤-1.00	PASS
	Ant1	6415	-8.23	≤-5.00	4.00	-4.23	≤-1.00	PASS
	Ant2	6415	-8.81	≤-5.00	4.00	-4.81	≤-1.00	PASS
	total	6415	-5.50	≤-5.00	---	-1.50	≤-1.00	PASS
	Ant1	6435	-8.56	≤-5.00	4.00	-4.56	≤-1.00	PASS
	Ant2	6435	-8.92	≤-5.00	4.00	-4.92	≤-1.00	PASS
	total	6435	-5.73	≤-5.00	---	-1.73	≤-1.00	PASS
	Ant1	6475	-8.72	≤-5.00	4.00	-4.72	≤-1.00	PASS
	Ant2	6475	-8.5	≤-5.00	4.00	-4.50	≤-1.00	PASS
	total	6475	-5.60	≤-5.00	---	-1.60	≤-1.00	PASS
	Ant1	6515	-8.55	≤-5.00	4.00	-4.55	≤-1.00	PASS
	Ant2	6515	-8.45	≤-5.00	4.00	-4.45	≤-1.00	PASS
	total	6515	-5.49	≤-5.00	---	-1.49	≤-1.00	PASS
	Ant1	6535	-8.1	≤-5.00	4.00	-4.10	≤-1.00	PASS
	Ant2	6535	-8.52	≤-5.00	4.00	-4.52	≤-1.00	PASS
	total	6535	-5.29	≤-5.00	---	-1.29	≤-1.00	PASS
	Ant1	6715	-8.15	≤-5.00	4.00	-4.15	≤-1.00	PASS
	Ant2	6715	-8.41	≤-5.00	4.00	-4.41	≤-1.00	PASS
	total	6715	-5.27	≤-5.00	---	-1.27	≤-1.00	PASS
	Ant1	6855	-8.45	≤-5.00	4.00	-4.45	≤-1.00	PASS
	Ant2	6855	-7.95	≤-5.00	4.00	-3.95	≤-1.00	PASS
	total	6855	-5.18	≤-5.00	---	-1.18	≤-1.00	PASS
	Ant1	6875	-8.16	≤-5.00	4.00	-4.16	≤-1.00	PASS
	Ant2	6875	-9.16	≤-5.00	4.00	-5.16	≤-1.00	PASS
	total	6875	-5.62	≤-5.00	---	-1.62	≤-1.00	PASS
Ant1	7015	-8.24	≤-5.00	4.00	-4.24	≤-1.00	PASS	
Ant2	7015	-8.91	≤-5.00	4.00	-4.91	≤-1.00	PASS	
total	7015	-5.55	≤-5.00	---	-1.55	≤-1.00	PASS	
Ant1	7115	-8.14	≤-5.00	4.00	-4.14	≤-1.00	PASS	
Ant2	7115	-8.68	≤-5.00	4.00	-4.68	≤-1.00	PASS	
total	7115	-5.39	≤-5.00	---	-1.39	≤-1.00	PASS	
11AX40MIMO	Ant1	5965	-7.89	≤-5.00	4.00	-3.89	≤-1.00	PASS
	Ant2	5965	-9.46	≤-5.00	4.00	-5.46	≤-1.00	PASS
	total	5965	-5.59	≤-5.00	---	-1.59	≤-1.00	PASS
	Ant1	6165	-8.13	≤-5.00	4.00	-4.13	≤-1.00	PASS
	Ant2	6165	-9.24	≤-5.00	4.00	-5.24	≤-1.00	PASS
	total	6165	-5.64	≤-5.00	---	-1.64	≤-1.00	PASS
	Ant1	6405	-8.56	≤-5.00	4.00	-4.56	≤-1.00	PASS
	Ant2	6405	-8.55	≤-5.00	4.00	-4.55	≤-1.00	PASS
	total	6405	-5.54	≤-5.00	---	-1.54	≤-1.00	PASS
	Ant1	6445	-8.56	≤-5.00	4.00	-4.56	≤-1.00	PASS
	Ant2	6445	-8.79	≤-5.00	4.00	-4.79	≤-1.00	PASS
	total	6445	-5.66	≤-5.00	---	-1.66	≤-1.00	PASS
	Ant1	6485	-9.33	≤-5.00	4.00	-5.33	≤-1.00	PASS
	Ant2	6485	-8.05	≤-5.00	4.00	-4.05	≤-1.00	PASS
	total	6485	-5.63	≤-5.00	---	-1.63	≤-1.00	PASS
Ant1	6525	-8.43	≤-5.00	4.00	-4.43	≤-1.00	PASS	
Ant2	6525	-8.38	≤-5.00	4.00	-4.38	≤-1.00	PASS	
total	6525	-5.39	≤-5.00	---	-1.39	≤-1.00	PASS	







	Ant1	6565	-8.6	≤-5.00	4.00	-4.60	≤-1.00	PASS
	Ant2	6565	-8.39	≤-5.00	4.00	-4.39	≤-1.00	PASS
	total	6565	-5.48	≤-5.00	---	-1.48	≤-1.00	PASS
	Ant1	6725	-7.25	≤-5.00	4.00	-3.25	≤-1.00	PASS
	Ant2	6725	-9.4	≤-5.00	4.00	-5.40	≤-1.00	PASS
	total	6725	-5.18	≤-5.00	---	-1.18	≤-1.00	PASS
	Ant1	6845	-8.71	≤-5.00	4.00	-4.71	≤-1.00	PASS
	Ant2	6845	-8.98	≤-5.00	4.00	-4.98	≤-1.00	PASS
	total	6845	-5.83	≤-5.00	---	-1.83	≤-1.00	PASS
	Ant1	6885	-8.27	≤-5.00	4.00	-4.27	≤-1.00	PASS
	Ant2	6885	-8.18	≤-5.00	4.00	-4.18	≤-1.00	PASS
	total	6885	-5.21	≤-5.00	---	-1.21	≤-1.00	PASS
	Ant1	7005	-7.84	≤-5.00	4.00	-3.84	≤-1.00	PASS
	Ant2	7005	-9.53	≤-5.00	4.00	-5.53	≤-1.00	PASS
	total	7005	-5.59	≤-5.00	---	-1.59	≤-1.00	PASS
Ant1	7085	-8.53	≤-5.00	4.00	-4.53	≤-1.00	PASS	
Ant2	7085	-8.51	≤-5.00	4.00	-4.51	≤-1.00	PASS	
total	7085	-5.51	≤-5.00	---	-1.51	≤-1.00	PASS	
11AX80MIMO	Ant1	5985	-8.72	≤-5.00	4.00	-4.72	≤-1.00	PASS
	Ant2	5985	-8.91	≤-5.00	4.00	-4.91	≤-1.00	PASS
	total	5985	-5.80	≤-5.00	---	-1.80	≤-1.00	PASS
	Ant1	6145	-7.81	≤-5.00	4.00	-3.81	≤-1.00	PASS
	Ant2	6145	-8.57	≤-5.00	4.00	-4.57	≤-1.00	PASS
	total	6145	-5.16	≤-5.00	---	-1.16	≤-1.00	PASS
	Ant1	6385	-8.97	≤-5.00	4.00	-4.97	≤-1.00	PASS
	Ant2	6385	-8.84	≤-5.00	4.00	-4.84	≤-1.00	PASS
	total	6385	-5.89	≤-5.00	---	-1.89	≤-1.00	PASS
	Ant1	6465	-8.81	≤-5.00	4.00	-4.81	≤-1.00	PASS
	Ant2	6465	-8.31	≤-5.00	4.00	-4.31	≤-1.00	PASS
	total	6465	-5.54	≤-5.00	---	-1.54	≤-1.00	PASS
	Ant1	6545	-8.35	≤-5.00	4.00	-4.35	≤-1.00	PASS
	Ant2	6545	-8.06	≤-5.00	4.00	-4.06	≤-1.00	PASS
	total	6545	-5.19	≤-5.00	---	-1.19	≤-1.00	PASS
	Ant1	6625	-8.47	≤-5.00	4.00	-4.47	≤-1.00	PASS
	Ant2	6625	-8.7	≤-5.00	4.00	-4.70	≤-1.00	PASS
	total	6625	-5.57	≤-5.00	---	-1.57	≤-1.00	PASS
	Ant1	6705	-7.71	≤-5.00	4.00	-3.71	≤-1.00	PASS
	Ant2	6705	-8.68	≤-5.00	4.00	-4.68	≤-1.00	PASS
	total	6705	-5.16	≤-5.00	---	-1.16	≤-1.00	PASS
	Ant1	6785	-8.41	≤-5.00	4.00	-4.41	≤-1.00	PASS
	Ant2	6785	-8.02	≤-5.00	4.00	-4.02	≤-1.00	PASS
	total	6785	-5.20	≤-5.00	---	-1.20	≤-1.00	PASS
	Ant1	6865	-7.66	≤-5.00	4.00	-3.66	≤-1.00	PASS
	Ant2	6865	-9.57	≤-5.00	4.00	-5.57	≤-1.00	PASS
	total	6865	-5.50	≤-5.00	---	-1.50	≤-1.00	PASS
	Ant1	6945	-8.34	≤-5.00	4.00	-4.34	≤-1.00	PASS
	Ant2	6945	-8.25	≤-5.00	4.00	-4.25	≤-1.00	PASS
	total	6945	-5.28	≤-5.00	---	-1.28	≤-1.00	PASS
Ant1	7025	-8.63	≤-5.00	4.00	-4.63	≤-1.00	PASS	
Ant2	7025	-7.77	≤-5.00	4.00	-3.77	≤-1.00	PASS	
total	7025	-5.17	≤-5.00	---	-1.17	≤-1.00	PASS	

Note : 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.


12.5.2. STBC/SDM Test Graphs









11AX20MIMO_Ant1_6435




11AX20MIMO_Ant2_6435




11AX20MIMO_Ant1_6475




11AX20MIMO_Ant2_6475




11AX20MIMO_Ant1_6515




11AX20MIMO_Ant2_6515




11AX20MIMO_Ant1_6535




11AX20MIMO_Ant2_6535




11AX20MIMO_Ant1_6715




11AX20MIMO_Ant2_6715




11AX20MIMO_Ant1_6855




11AX20MIMO_Ant2_6855




11AX20MIMO_Ant1_6875




11AX20MIMO_Ant2_6875




11AX20MIMO_Ant1_7015




11AX20MIMO_Ant2_7015




11AX20MIMO_Ant1_7115




11AX20MIMO_Ant2_7115




11AX40MIMO_Ant1_5965




11AX40MIMO_Ant2_5965




11AX40MIMO_Ant1_6165




11AX40MIMO_Ant2_6165




11AX40MIMO_Ant1_6405




11AX40MIMO_Ant2_6405




11AX40MIMO_Ant1_6445




11AX40MIMO_Ant2_6445




11AX40MIMO_Ant1_6485






11AX40MIMO_Ant2_6485




11AX40MIMO_Ant1_6525




11AX40MIMO_Ant2_6525







11AX40MIMO_Ant2_6725




11AX40MIMO_Ant1_6845




11AX40MIMO_Ant2_6845




11AX40MIMO_Ant1_6885




11AX40MIMO_Ant2_6885




11AX40MIMO_Ant1_7005




11AX40MIMO_Ant2_7005




11AX40MIMO_Ant1_7085




11AX40MIMO_Ant2_7085




11AX80MIMO_Ant1_5985




11AX80MIMO_Ant2_5985




11AX80MIMO_Ant1_6145




11AX80MIMO_Ant2_6145




11AX80MIMO_Ant1_6385




11AX80MIMO_Ant2_6385




11AX80MIMO_Ant1_6465




11AX80MIMO_Ant2_6465




11AX80MIMO_Ant1_6545




11AX80MIMO_Ant2_6545




11AX80MIMO_Ant1_6625




11AX80MIMO_Ant2_6625




11AX80MIMO_Ant1_6705




11AX80MIMO_Ant2_6705




11AX80MIMO_Ant1_6785




11AX80MIMO_Ant2_6785




11AX80MIMO_Ant1_6865




11AX80MIMO_Ant2_6865



11AX80MIMO_Ant1_6945



11AX80MIMO_Ant2_6945



11AX80MIMO_Ant1_7025