



Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5634.770	18.21	41.02	59.23	68.20	-8.97	peak
2	5725.000	30.91	41.27	72.18	122.20	-50.02	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU17




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	16.31	41.60	57.91	122.20	-64.29	peak
2	5938.130	18.19	41.84	60.03	68.20	-8.17	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU44




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	25.83	41.60	67.43	122.20	-54.77	peak
2	5957.220	18.78	41.89	60.67	68.20	-7.53	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU56




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	21.10	41.60	62.70	122.20	-59.50	peak
2	5959.060	18.38	41.89	60.27	68.20	-7.93	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU62




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	20.11	41.60	61.71	122.20	-60.49	peak
2	5925.710	17.94	41.81	59.75	68.20	-8.45	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	15.38	40.27	55.65	74.00	-18.35	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	2.77	40.27	43.04	54.00	-10.96	AVG


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5127.260	16.99	40.25	57.24	74.00	-16.76	peak
2	5150.000	15.99	40.27	56.26	74.00	-17.74	peak




Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5127.260	3.44	40.25	43.69	54.00	-10.31	AVG
2	5150.000	3.29	40.27	43.56	54.00	-10.44	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5105.930	20.14	40.22	60.36	74.00	-13.64	peak
2	5150.000	19.95	40.27	60.22	74.00	-13.78	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5105.930	6.27	40.22	46.49	54.00	-7.51	AVG
2	5150.000	4.27	40.27	44.54	54.00	-9.46	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	20.35	40.27	60.62	74.00	-13.38	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	7.42	40.27	47.69	54.00	-6.31	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	30.35	40.27	70.62	74.00	-3.38	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	11.65	40.27	51.92	54.00	-2.08	AVG


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU36



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	15.04	40.49	55.53	74.00	-18.47	peak
2	5373.540	16.78	40.52	57.30	74.00	-16.70	peak




Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU36




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	2.83	40.49	43.32	54.00	-10.68	AVG
2	5373.540	2.54	40.52	43.06	54.00	-10.94	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU52




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	15.01	40.49	55.50	74.00	-18.50	peak
2	5399.940	17.35	40.55	57.90	74.00	-16.10	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU52




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	3.03	40.49	43.52	54.00	-10.48	AVG
2	5399.940	4.37	40.55	44.92	54.00	-9.08	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU60




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	17.96	40.49	58.45	74.00	-15.55	peak
2	5359.020	18.61	40.51	59.12	74.00	-14.88	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU60




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	4.66	40.49	45.15	54.00	-8.85	AVG
2	5359.020	7.36	40.51	47.87	54.00	-6.13	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU64




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	19.68	40.49	60.17	74.00	-13.83	peak
2	5353.300	21.41	40.50	61.91	74.00	-12.09	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU64



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	7.50	40.49	47.99	54.00	-6.01	AVG
2	5353.300	6.92	40.50	47.42	54.00	-6.58	AVG


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU66



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	24.81	40.49	65.30	74.00	-8.70	peak
2	5351.980	24.87	40.49	65.36	74.00	-8.64	peak




Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU66




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	12.20	40.49	52.69	54.00	-1.31	AVG
2	5351.980	12.26	40.49	52.75	54.00	-1.25	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	15.88	40.62	56.50	74.00	-17.50	peak
2	5470.000	15.28	40.63	55.91	68.20	-12.29	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	2.86	40.62	43.48	54.00	-10.52	AVG
2	5470.000	2.81	40.63	43.44	/	/	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5418.540	15.04	40.57	55.61	74.00	-18.39	peak
2	5460.000	15.10	40.62	55.72	74.00	-18.28	peak
3	5470.000	16.31	40.63	56.94	68.20	-11.26	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5418.540	4.83	40.57	45.40	54.00	-8.60	AVG
2	5460.000	3.04	40.62	43.66	54.00	-10.34	AVG
3	5470.000	3.27	40.63	43.90	/	/	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	16.89	40.62	57.51	74.00	-16.49	peak
2	5470.000	16.26	40.63	56.89	68.20	-11.31	peak
3	5427.970	21.44	40.58	62.02	74.00	-11.98	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5427.970	6.94	40.58	47.52	54.00	-6.48	AVG
2	5460.000	5.26	40.62	45.88	54.00	-8.12	AVG
3	5470.000	3.31	40.63	43.94	/	/	AVG


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5442.000	19.46	40.59	60.05	74.00	-13.95	peak
2	5460.000	17.19	40.62	57.81	74.00	-16.19	peak
3	5470.000	17.50	40.63	58.13	68.20	-10.07	peak




Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5442.000	6.15	40.59	46.74	54.00	-7.26	AVG
2	5460.000	4.51	40.62	45.13	54.00	-8.87	AVG
3	5470.000	5.29	40.63	45.92	/	/	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	22.81	40.62	63.43	74.00	-10.57	peak
2	5468.220	25.54	40.63	66.17	68.20	-2.03	peak
3	5470.000	24.98	40.63	65.61	68.20	-2.59	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	6.00	40.62	46.62	54.00	-7.38	AVG
2	5468.220	7.63	40.63	48.26	/	/	AVG
3	5470.000	6.92	40.63	47.55	/	/	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU36




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	17.17	41.27	58.44	68.20	-9.76	peak
2	5747.700	17.31	41.33	58.64	68.20	-9.56	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU52




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.41	41.27	57.68	68.20	-10.52	peak
2	5762.400	17.73	41.36	59.09	68.20	-9.11	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU60




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	16.41	41.27	57.68	68.20	-10.52	peak
2	5752.200	17.82	41.33	59.15	68.20	-9.05	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU64



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	15.43	41.27	56.70	68.20	-11.50	peak
2	5744.700	17.30	41.31	58.61	68.20	-9.59	peak


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU66



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	15.76	41.27	57.03	68.20	-11.17	peak
2	5753.400	17.95	41.34	59.29	68.20	-8.91	peak




Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5613.200	17.19	40.96	58.15	68.20	-10.05	peak
2	5658.800	29.48	41.09	70.57	74.74	-4.17	peak
3	5725.000	27.44	41.27	68.71	122.20	-53.49	peak
4	5850.000	18.51	41.60	60.11	122.20	-62.09	peak
5	5952.000	17.88	41.87	59.75	68.20	-8.45	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5628.000	17.48	41.00	58.48	68.20	-9.72	peak
2	5725.000	25.78	41.27	67.05	122.20	-55.15	peak
3	5850.000	17.90	41.60	59.50	122.20	-62.70	peak
4	5953.200	18.14	41.87	60.01	68.20	-8.19	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5604.000	23.08	40.93	64.01	68.20	-4.19	peak
2	5725.000	22.28	41.27	63.55	122.20	-58.65	peak
3	5850.000	17.31	41.60	58.91	122.20	-63.29	peak
4	5974.400	18.02	41.93	59.95	68.20	-8.25	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5629.200	22.29	41.01	63.30	68.20	-4.90	peak
2	5725.000	26.06	41.27	67.33	122.20	-54.87	peak
3	5850.000	22.66	41.60	64.26	122.20	-57.94	peak
4	5945.200	18.23	41.86	60.09	68.20	-8.11	peak


Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5641.600	22.35	41.04	63.39	68.20	-4.81	peak
2	5725.000	32.03	41.27	73.30	122.20	-48.90	peak
3	5850.000	23.64	41.60	65.24	122.20	-56.96	peak
4	5950.400	18.41	41.87	60.28	68.20	-7.92	peak


### 8.3. SPURIOUS EMISSIONS(1 GHZ~7 GHZ) FOR FULL RU

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1030.000	52.40	-14.89	37.51	74.00	-36.49	peak
2	1744.000	55.52	-11.90	43.62	74.00	-30.38	peak
3	2464.000	51.46	-8.68	42.78	74.00	-31.22	peak
4	5180.000	43.54	-0.02	43.52	/	/	fundamental
5	5854.000	38.34	1.43	39.77	74.00	-34.23	peak
6	6634.000	36.48	4.38	40.86	74.00	-33.14	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	59.59	-14.70	44.89	74.00	-29.11	peak
2	1636.000	57.15	-12.26	44.89	74.00	-29.11	peak
3	2464.000	53.18	-8.68	44.50	74.00	-29.50	peak
4	5180.000	48.63	-0.02	48.61	/	/	fundamental
5	5662.000	39.38	0.89	40.27	74.00	-33.73	peak
6	6664.000	37.24	4.54	41.78	74.00	-32.22	peak


Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	51.23	-14.73	36.50	74.00	-37.50	peak
2	1744.000	53.13	-11.90	41.23	74.00	-32.77	peak
3	2446.000	50.82	-8.77	42.05	74.00	-31.95	peak
4	5086.000	45.16	-0.05	45.11	74.00	-28.89	peak
5	5386.000	41.49	0.29	41.78	74.00	-32.22	peak
6	6796.000	36.87	5.19	42.06	74.00	-31.94	peak




Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1012.000	54.01	-14.98	39.03	74.00	-34.97	peak
2	1690.000	52.46	-12.08	40.38	74.00	-33.62	peak
3	2494.000	47.19	-8.52	38.67	74.00	-35.33	peak
4	4924.000	40.96	-0.45	40.51	74.00	-33.49	peak
5	5668.000	38.58	0.91	39.49	74.00	-34.51	peak
6	6796.000	35.80	5.19	40.99	74.00	-33.01	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1744.000	52.98	-11.90	41.08	74.00	-32.92	peak
2	2446.000	50.67	-8.77	41.90	74.00	-32.10	peak
3	4552.000	41.78	-1.93	39.85	74.00	-34.15	peak
4	5086.000	43.04	-0.05	42.99	74.00	-31.01	peak
5	5392.000	42.83	0.29	43.12	74.00	-30.88	peak
6	6790.000	36.29	5.15	41.44	74.00	-32.56	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1012.000	55.03	-14.98	40.05	74.00	-33.95	peak
2	1702.000	54.85	-12.05	42.80	74.00	-31.20	peak
3	2776.000	46.04	-7.66	38.38	74.00	-35.62	peak
4	4948.000	39.92	-0.36	39.56	74.00	-34.44	peak
5	5674.000	38.74	0.92	39.66	74.00	-34.34	peak
6	6796.000	36.67	5.19	41.86	74.00	-32.14	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	54.76	-14.73	40.03	74.00	-33.97	peak
2	1780.000	54.03	-11.79	42.24	74.00	-31.76	peak
3	2398.000	53.49	-9.02	44.47	74.00	-29.53	peak
4	5086.000	44.72	-0.05	44.67	74.00	-29.33	peak
5	5392.000	43.16	0.29	43.45	74.00	-30.55	peak
6	6664.000	36.98	4.54	41.52	74.00	-32.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	52.12	-14.70	37.42	74.00	-36.58	peak
2	1684.000	52.02	-12.10	39.92	74.00	-34.08	peak
3	2458.000	48.57	-8.71	39.86	74.00	-34.14	peak
4	4930.000	39.63	-0.43	39.20	74.00	-34.80	peak
5	5926.000	37.90	1.64	39.54	74.00	-34.46	peak
6	6838.000	36.42	5.40	41.82	74.00	-32.18	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	53.27	-14.73	38.54	74.00	-35.46	peak
2	1744.000	53.50	-11.90	41.60	74.00	-32.40	peak
3	2446.000	51.09	-8.77	42.32	74.00	-31.68	peak
4	5122.000	40.82	-0.02	40.80	74.00	-33.20	peak
5	5410.000	43.15	0.32	43.47	74.00	-30.53	peak
6	6838.000	35.84	5.40	41.24	74.00	-32.76	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	56.34	-14.73	41.61	74.00	-32.39	peak
2	1702.000	55.39	-12.05	43.34	74.00	-30.66	peak
3	2350.000	49.31	-9.26	40.05	74.00	-33.95	peak
4	4528.000	41.56	-2.03	39.53	74.00	-34.47	peak
5	5386.000	40.41	0.29	40.70	74.00	-33.30	peak
6	6658.000	37.50	4.49	41.99	74.00	-32.01	peak


Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	59.39	-14.70	44.69	74.00	-29.31	peak
2	1702.000	57.68	-12.05	45.63	74.00	-28.37	peak
3	2464.000	55.18	-8.68	46.50	74.00	-27.50	peak
4	4882.000	40.69	-0.62	40.07	74.00	-33.93	peak
5	5398.000	42.80	0.31	43.11	74.00	-30.89	peak
6	6664.000	37.68	4.54	42.22	74.00	-31.78	peak




Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	59.18	-14.73	44.45	74.00	-29.55	peak
2	1648.000	53.92	-12.22	41.70	74.00	-32.30	peak
3	2410.000	47.66	-8.95	38.71	74.00	-35.29	peak
4	4762.000	41.12	-1.10	40.02	74.00	-33.98	peak
5	5374.000	38.87	0.28	39.15	74.00	-34.85	peak
6	6634.000	37.90	4.38	42.28	74.00	-31.72	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	59.26	-14.70	44.56	74.00	-29.44	peak
2	1702.000	57.71	-12.05	45.66	74.00	-28.34	peak
3	2464.000	52.14	-8.68	43.46	74.00	-30.54	peak
4	4888.000	40.64	-0.60	40.04	74.00	-33.96	peak
5	5422.000	44.55	0.32	44.87	74.00	-29.13	peak
6	6946.000	36.04	5.93	41.97	74.00	-32.03	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	59.40	-14.70	44.70	74.00	-29.30	peak
2	1636.000	55.96	-12.26	43.70	74.00	-30.30	peak
3	2464.000	51.54	-8.68	42.86	74.00	-31.14	peak
4	4438.000	42.06	-2.42	39.64	74.00	-34.36	peak
5	5500.000	42.06	0.42	42.48	/	/	fundamental
6	6670.000	37.01	4.57	41.58	74.00	-32.42	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	61.45	-14.73	46.72	74.00	-27.28	peak
2	1738.000	58.65	-11.93	46.72	74.00	-27.28	peak
3	2464.000	54.49	-8.68	45.81	74.00	-28.19	peak
4	5422.000	43.44	0.32	43.76	74.00	-30.24	peak
5	5580.000	44.12	0.63	44.75	/	/	fundamental
6	6664.000	37.30	4.54	41.84	74.00	-32.16	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	59.64	-14.70	44.94	74.00	-29.06	peak
2	1648.000	56.05	-12.22	43.83	74.00	-30.17	peak
3	2458.000	52.73	-8.71	44.02	74.00	-29.98	peak
4	4846.000	40.09	-0.77	39.32	74.00	-34.68	peak
5	5580.000	43.58	0.65	44.23	/	/	fundamental
6	6790.000	36.32	5.15	41.47	74.00	-32.53	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	54.15	-14.73	39.42	74.00	-34.58	peak
2	1780.000	55.31	-11.79	43.52	74.00	-30.48	peak
3	2446.000	51.78	-8.77	43.01	74.00	-30.99	peak
4	4930.000	40.70	-0.43	40.27	74.00	-33.73	peak
5	5860.000	41.47	1.45	42.92	74.00	-31.08	peak
6	6802.000	37.37	5.21	42.58	74.00	-31.42	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1012.000	56.13	-14.98	41.15	74.00	-32.85	peak
2	1702.000	55.62	-12.05	43.57	74.00	-30.43	peak
3	2608.000	47.87	-8.16	39.71	74.00	-34.29	peak
4	4834.000	41.00	-0.81	40.19	74.00	-33.81	peak
5	5700.000	43.12	0.99	44.11	/	/	fundamental
6	6604.000	37.25	4.24	41.49	74.00	-32.51	peak


Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	58.06	-14.73	43.33	74.00	-30.67	peak
2	1696.000	57.97	-12.06	45.91	74.00	-28.09	peak
3	2452.000	52.45	-8.73	43.72	74.00	-30.28	peak
4	5752.000	49.57	1.14	50.71	74.00	-23.29	peak
5	5860.000	44.64	1.45	46.09	74.00	-27.91	peak
6	6796.000	36.81	5.19	42.00	74.00	-32.00	peak




Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	54.79	-14.70	40.09	74.00	-33.91	peak
2	1630.000	51.86	-12.28	39.58	74.00	-34.42	peak
3	2260.000	48.08	-9.72	38.36	74.00	-35.64	peak
4	4888.000	40.18	-0.60	39.58	74.00	-34.42	peak
5	5752.000	47.98	1.14	49.12	74.00	-24.88	peak
6	6790.000	36.54	5.15	41.69	74.00	-32.31	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1018.000	53.65	-14.95	38.70	74.00	-35.30	peak
2	1702.000	58.80	-12.05	46.75	74.00	-27.25	peak
3	2464.000	53.72	-8.68	45.04	74.00	-28.96	peak
4	4774.000	40.93	-1.05	39.88	74.00	-34.12	peak
5	5745.000	47.93	1.12	49.05	/	/	fundamental
6	5926.000	42.32	1.64	43.96	74.00	-30.04	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	60.25	-14.70	45.55	74.00	-28.45	peak
2	1690.000	58.24	-12.08	46.16	74.00	-27.84	peak
3	2464.000	55.28	-8.68	46.60	74.00	-27.40	peak
4	5710.000	47.11	1.02	48.13	74.00	-25.87	peak
5	5896.000	43.78	1.56	45.34	74.00	-28.66	peak
6	6796.000	36.35	5.19	41.54	74.00	-32.46	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1522.000	54.70	-12.64	42.06	74.00	-31.94	peak
2	1702.000	59.07	-12.05	47.02	74.00	-26.98	peak
3	2470.000	53.44	-8.65	44.79	74.00	-29.21	peak
4	4882.000	41.52	-0.62	40.90	74.00	-33.10	peak
5	5785.000	47.20	1.25	48.45	/	/	fundamental
6	5884.000	44.08	1.52	45.60	74.00	-28.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1066.000	60.50	-14.73	45.77	74.00	-28.23	peak
2	1636.000	57.83	-12.26	45.57	74.00	-28.43	peak
3	2464.000	54.57	-8.68	45.89	74.00	-28.11	peak
4	5710.000	47.32	1.02	48.34	74.00	-25.66	peak
5	5785.000	48.76	1.25	50.01	/	/	fundamental
6	5932.000	46.46	1.65	48.11	74.00	-25.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	61.90	-14.70	47.20	74.00	-26.80	peak
2	1744.000	59.03	-11.90	47.13	74.00	-26.87	peak
3	2464.000	54.23	-8.68	45.55	74.00	-28.45	peak
4	5698.000	47.63	0.99	48.62	74.00	-25.38	peak
5	5878.000	45.89	1.51	47.40	74.00	-26.60	peak
6	6004.000	44.26	1.87	46.13	74.00	-27.87	peak


Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1072.000	60.80	-14.70	46.10	74.00	-27.90	peak
2	1630.000	57.94	-12.28	45.66	74.00	-28.34	peak
3	2452.000	54.29	-8.73	45.56	74.00	-28.44	peak
4	5692.000	43.78	0.97	44.75	74.00	-29.25	peak
5	5825.000	46.24	1.33	47.57	/	/	fundamental
6	6664.000	37.02	4.54	41.56	74.00	-32.44	peak

### 8.4. SPURIOUS EMISSIONS(1 GHZ~7 GHZ) FOR SINGLE PARTIAL RU


Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2776.000	43.06	-7.66	35.40	74.00	-38.60	peak
2	4870.000	40.79	-0.66	40.13	74.00	-33.87	peak
3	5086.000	47.15	-0.05	47.10	74.00	-26.90	peak
4	5860.000	38.41	1.45	39.86	74.00	-34.14	peak
5	6658.000	36.72	4.49	41.21	74.00	-32.79	peak
6	6796.000	36.03	5.19	41.22	74.00	-32.78	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2458.000	43.51	-8.71	34.80	74.00	-39.20	peak
2	3508.000	42.65	-5.82	36.83	74.00	-37.17	peak
3	4450.000	41.37	-2.37	39.00	74.00	-35.00	peak
4	5074.000	45.18	-0.06	45.12	74.00	-28.88	peak
5	5818.000	38.09	1.33	39.42	74.00	-34.58	peak
6	6598.000	37.12	4.21	41.33	74.00	-32.67	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2788.000	43.98	-7.62	36.36	74.00	-37.64	peak
2	4528.000	41.16	-2.03	39.13	74.00	-34.87	peak
3	5104.000	49.33	-0.03	49.30	74.00	-24.70	peak
4	5180.000	44.06	0.05	44.11	/	/	fundamental
5	5470.000	39.47	0.39	39.86	74.00	-34.14	peak
6	6802.000	36.79	5.21	42.00	74.00	-32.00	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2776.000	43.60	-7.66	35.94	74.00	-38.06	peak
2	4252.000	41.39	-3.30	38.09	74.00	-35.91	peak
3	5062.000	46.53	-0.08	46.45	74.00	-27.55	peak
4	5104.000	47.11	-0.03	47.08	74.00	-26.92	peak
5	5674.000	38.76	0.92	39.68	74.00	-34.32	peak
6	6802.000	36.63	5.21	41.84	74.00	-32.16	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2788.000	43.33	-7.62	35.71	74.00	-38.29	peak
2	4852.000	41.34	-0.74	40.60	74.00	-33.40	peak
3	5116.000	48.99	-0.02	48.97	74.00	-25.03	peak
4	5180.000	47.80	0.05	47.85	/	/	fundamental
5	5410.000	40.51	0.32	40.83	74.00	-33.17	peak
6	6796.000	36.58	5.19	41.77	74.00	-32.23	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2182.000	43.68	-10.13	33.55	74.00	-40.45	peak
2	3076.000	42.71	-6.81	35.90	74.00	-38.10	peak
3	4330.000	41.11	-2.94	38.17	74.00	-35.83	peak
4	5110.000	49.82	-0.03	49.79	74.00	-24.21	peak
5	5404.000	41.21	0.31	41.52	74.00	-32.48	peak
6	6658.000	36.81	4.49	41.30	74.00	-32.70	peak


### 8.5. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) FOR FULL RU

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.65	10.48	47.13	74.00	-26.87	peak
2	10366.000	36.96	12.54	49.50	74.00	-24.50	peak
3	11301.000	34.57	15.95	50.52	74.00	-23.48	peak
4	12632.000	32.43	17.99	50.42	74.00	-23.58	peak
5	13864.000	28.81	21.53	50.34	74.00	-23.66	peak
6	18000.000	24.21	26.12	50.33	74.00	-23.67	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	38.90	6.87	45.77	74.00	-28.23	peak
2	9101.000	36.80	10.40	47.20	74.00	-26.80	peak
3	10366.000	37.99	12.54	50.53	74.00	-23.47	peak
4	11697.000	32.97	17.13	50.10	74.00	-23.90	peak
5	13160.000	31.12	19.15	50.27	74.00	-23.73	peak
6	17967.000	23.67	25.89	49.56	74.00	-24.44	peak


Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7803.000	38.92	6.60	45.52	74.00	-28.48	peak
2	9299.000	36.22	10.53	46.75	74.00	-27.25	peak
3	10388.000	38.03	12.59	50.62	74.00	-23.38	peak
4	11510.000	32.88	16.79	49.67	74.00	-24.33	peak
5	13897.000	28.41	21.62	50.03	74.00	-23.97	peak
6	17967.000	23.64	25.89	49.53	74.00	-24.47	peak




Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.72	10.49	47.21	74.00	-26.79	peak
2	10399.000	37.95	12.61	50.56	74.00	-23.44	peak
3	12720.000	31.73	18.09	49.82	74.00	-24.18	peak
4	13952.000	28.95	21.76	50.71	74.00	-23.29	peak
5	17714.000	25.70	24.16	49.86	74.00	-24.14	peak
6	17989.000	24.13	26.04	50.17	74.00	-23.83	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.63	9.66	47.29	74.00	-26.71	peak
2	10476.000	36.36	12.77	49.13	74.00	-24.87	peak
3	11059.000	34.50	14.96	49.46	74.00	-24.54	peak
4	11268.000	34.46	15.83	50.29	74.00	-23.71	peak
5	13391.000	29.54	20.16	49.70	74.00	-24.30	peak
6	17967.000	24.35	25.89	50.24	74.00	-23.76	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	35.75	10.51	46.26	74.00	-27.74	peak
2	11125.000	34.31	15.22	49.53	74.00	-24.47	peak
3	11730.000	32.40	17.19	49.59	74.00	-24.41	peak
4	12698.000	32.39	18.08	50.47	74.00	-23.53	peak
5	13655.000	28.68	21.03	49.71	74.00	-24.29	peak
6	17945.000	24.52	25.75	50.27	74.00	-23.73	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8012.000	38.81	6.44	45.25	74.00	-28.75	peak
2	9332.000	35.87	10.54	46.41	74.00	-27.59	peak
3	11059.000	34.30	14.96	49.26	74.00	-24.74	peak
4	11785.000	32.07	17.30	49.37	74.00	-24.63	peak
5	13919.000	27.72	21.68	49.40	74.00	-24.60	peak
6	17923.000	24.71	25.60	50.31	74.00	-23.69	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8837.000	37.09	9.21	46.30	74.00	-27.70	peak
2	10509.000	37.70	12.85	50.55	74.00	-23.45	peak
3	11653.000	32.23	17.05	49.28	74.00	-24.72	peak
4	12709.000	31.52	18.09	49.61	74.00	-24.39	peak
5	13633.000	28.68	20.97	49.65	74.00	-24.35	peak
6	17989.000	23.68	26.04	49.72	74.00	-24.28	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	36.88	10.52	47.40	74.00	-26.60	peak
2	10553.000	36.72	13.02	49.74	74.00	-24.26	peak
3	11664.000	33.10	17.08	50.18	74.00	-23.82	peak
4	12643.000	32.37	18.01	50.38	74.00	-23.62	peak
5	13985.000	28.54	21.85	50.39	74.00	-23.61	peak
6	17967.000	23.96	25.89	49.85	74.00	-24.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.97	10.46	47.43	74.00	-26.57	peak
2	10564.000	37.49	13.06	50.55	74.00	-23.45	peak
3	11543.000	33.59	16.84	50.43	74.00	-23.57	peak
4	12654.000	32.23	18.01	50.24	74.00	-23.76	peak
5	13952.000	28.38	21.76	50.14	74.00	-23.86	peak
6	17703.000	26.34	24.09	50.43	74.00	-23.57	peak


Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.64	6.68	44.32	74.00	-29.68	peak
2	9189.000	36.62	10.46	47.08	74.00	-26.92	peak
3	11334.000	33.77	16.09	49.86	74.00	-24.14	peak
4	11895.000	32.79	17.51	50.30	74.00	-23.70	peak
5	13512.000	29.80	20.68	50.48	74.00	-23.52	peak
6	17989.000	24.45	26.04	50.49	74.00	-23.51	peak




Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.97	10.48	46.45	74.00	-27.55	peak
2	10641.000	36.09	13.36	49.45	74.00	-24.55	peak
3	11070.000	35.12	15.01	50.13	74.00	-23.87	peak
4	12698.000	32.09	18.08	50.17	74.00	-23.83	peak
5	14018.000	28.64	21.80	50.44	74.00	-23.56	peak
6	17879.000	24.99	25.29	50.28	74.00	-23.72	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.47	10.53	47.00	74.00	-27.00	peak
2	10993.000	35.71	14.70	50.41	74.00	-23.59	peak
3	11334.000	34.40	16.09	50.49	74.00	-23.51	peak
4	11829.000	33.13	17.38	50.51	74.00	-23.49	peak
5	13391.000	30.00	20.16	50.16	74.00	-23.84	peak
6	18000.000	24.59	26.12	50.71	74.00	-23.29	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	38.19	6.87	45.06	74.00	-28.94	peak
2	9145.000	36.85	10.43	47.28	74.00	-26.72	peak
3	10993.000	36.02	14.70	50.72	74.00	-23.28	peak
4	12709.000	32.49	18.09	50.58	74.00	-23.42	peak
5	13919.000	27.93	21.68	49.61	74.00	-24.39	peak
6	17703.000	25.32	24.09	49.41	74.00	-24.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.24	10.38	46.62	74.00	-27.38	peak
2	11312.000	34.30	16.00	50.30	74.00	-23.70	peak
3	11785.000	33.22	17.30	50.52	74.00	-23.48	peak
4	12665.000	32.15	18.04	50.19	74.00	-23.81	peak
5	13600.000	29.05	20.89	49.94	74.00	-24.06	peak
6	17758.000	25.06	24.46	49.52	74.00	-24.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7473.000	40.49	6.88	47.37	74.00	-26.63	peak
2	9079.000	36.58	10.39	46.97	74.00	-27.03	peak
3	11026.000	35.85	14.82	50.67	74.00	-23.33	peak
4	12687.000	32.42	18.05	50.47	74.00	-23.53	peak
5	13358.000	30.00	20.02	50.02	74.00	-23.98	peak
6	17703.000	26.10	24.09	50.19	74.00	-23.81	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.27	10.53	47.80	74.00	-26.20	peak
2	10608.000	35.55	13.23	48.78	74.00	-25.22	peak
3	11400.000	34.04	16.36	50.40	74.00	-23.60	peak
4	13930.000	28.32	21.71	50.03	74.00	-23.97	peak
5	17714.000	25.67	24.16	49.83	74.00	-24.17	peak
6	17978.000	24.32	25.97	50.29	74.00	-23.71	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	39.54	6.87	46.41	74.00	-27.59	peak
2	8958.000	36.93	10.05	46.98	74.00	-27.02	peak
3	11059.000	35.35	14.96	50.31	74.00	-23.69	peak
4	12676.000	32.76	18.05	50.81	74.00	-23.19	peak
5	13919.000	28.89	21.68	50.57	74.00	-23.43	peak
6	17692.000	26.76	24.01	50.77	74.00	-23.23	peak


Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.92	10.05	46.97	74.00	-27.03	peak
2	11158.000	34.84	15.37	50.21	74.00	-23.79	peak
3	11851.000	32.44	17.43	49.87	74.00	-24.13	peak
4	12632.000	31.54	17.99	49.53	74.00	-24.47	peak
5	13842.000	29.21	21.49	50.70	74.00	-23.30	peak
6	18000.000	24.13	26.12	50.25	74.00	-23.75	peak




Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.48	10.47	46.95	74.00	-27.05	peak
2	11774.000	33.39	17.28	50.67	74.00	-23.33	peak
3	12665.000	32.84	18.04	50.88	74.00	-23.12	peak
4	13974.000	28.51	21.82	50.33	74.00	-23.67	peak
5	17692.000	26.03	24.01	50.04	74.00	-23.96	peak
6	17967.000	24.31	25.89	50.20	74.00	-23.80	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	44.13	6.87	51.00	74.00	-23.00	peak
2	9233.000	35.90	10.48	46.38	74.00	-27.62	peak
3	11862.000	32.20	17.45	49.65	74.00	-24.35	peak
4	12698.000	31.20	18.08	49.28	74.00	-24.72	peak
5	13897.000	27.28	21.62	48.90	74.00	-25.10	peak
6	18000.000	22.89	26.12	49.01	74.00	-24.99	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	36.19	10.51	46.70	74.00	-27.30	peak
2	11059.000	34.49	14.96	49.45	74.00	-24.55	peak
3	11752.000	32.90	17.24	50.14	74.00	-23.86	peak
4	12665.000	32.65	18.04	50.69	74.00	-23.31	peak
5	13963.000	28.71	21.78	50.49	74.00	-23.51	peak
6	17989.000	24.23	26.04	50.27	74.00	-23.73	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	41.65	6.87	48.52	74.00	-25.48	peak
2	10201.000	35.67	12.19	47.86	74.00	-26.14	peak
3	11565.000	32.97	16.89	49.86	74.00	-24.14	peak
4	12500.000	32.98	17.83	50.81	74.00	-23.19	peak
5	13985.000	28.40	21.85	50.25	74.00	-23.75	peak
6	17989.000	23.97	26.04	50.01	74.00	-23.99	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	43.23	6.87	50.10	74.00	-23.90	peak
2	9398.000	35.60	10.59	46.19	74.00	-27.81	peak
3	11389.000	33.28	16.31	49.59	74.00	-24.41	peak
4	12456.000	32.74	17.82	50.56	74.00	-23.44	peak
5	13974.000	27.20	21.82	49.02	74.00	-24.98	peak
6	17989.000	24.08	26.04	50.12	74.00	-23.88	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.62	10.47	47.09	74.00	-26.91	peak
2	10795.000	35.69	13.94	49.63	74.00	-24.37	peak
3	11279.000	33.88	15.86	49.74	74.00	-24.26	peak
4	12698.000	32.09	18.08	50.17	74.00	-23.83	peak
5	13974.000	28.71	21.82	50.53	74.00	-23.47	peak
6	17670.000	25.63	23.86	49.49	74.00	-24.51	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.62	10.39	47.01	74.00	-26.99	peak
2	11048.000	35.17	14.91	50.08	74.00	-23.92	peak
3	11851.000	33.09	17.43	50.52	74.00	-23.48	peak
4	12698.000	32.69	18.08	50.77	74.00	-23.23	peak
5	13600.000	29.78	20.89	50.67	74.00	-23.33	peak
6	17978.000	24.71	25.97	50.68	74.00	-23.32	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	39.22	6.87	46.09	74.00	-27.91	peak
2	9563.000	36.48	10.79	47.27	74.00	-26.73	peak
3	10355.000	37.58	12.52	50.10	74.00	-23.90	peak
4	11345.000	34.14	16.14	50.28	74.00	-23.72	peak
5	13446.000	30.01	20.41	50.42	74.00	-23.58	peak
6	17956.000	24.63	25.82	50.45	74.00	-23.55	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	39.14	6.87	46.01	74.00	-27.99	peak
2	9365.000	36.51	10.57	47.08	74.00	-26.92	peak
3	11422.000	34.30	16.46	50.76	74.00	-23.24	peak
4	12236.000	32.33	17.76	50.09	74.00	-23.91	peak
5	13963.000	28.63	21.78	50.41	74.00	-23.59	peak
6	17978.000	24.66	25.97	50.63	74.00	-23.37	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	36.45	10.39	46.84	74.00	-27.16	peak
2	10399.000	37.46	12.61	50.07	74.00	-23.93	peak
3	11719.000	33.46	17.18	50.64	74.00	-23.36	peak
4	12687.000	32.50	18.05	50.55	74.00	-23.45	peak
5	14062.000	27.94	21.62	49.56	74.00	-24.44	peak
6	17989.000	24.26	26.04	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.03	10.51	46.54	74.00	-27.46	peak
2	10399.000	40.06	12.61	52.67	74.00	-21.33	peak
3	11818.000	31.82	17.36	49.18	74.00	-24.82	peak
4	12720.000	31.13	18.09	49.22	74.00	-24.78	peak
5	13919.000	28.15	21.68	49.83	74.00	-24.17	peak
6	17978.000	24.43	25.97	50.40	74.00	-23.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.11	10.46	46.57	74.00	-27.43	peak
2	10487.000	37.05	12.79	49.84	74.00	-24.16	peak
3	11642.000	32.79	17.03	49.82	74.00	-24.18	peak
4	12654.000	31.65	18.01	49.66	74.00	-24.34	peak
5	13875.000	27.99	21.57	49.56	74.00	-24.44	peak
6	17989.000	24.31	26.04	50.35	74.00	-23.65	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8738.000	38.04	8.53	46.57	74.00	-27.43	peak
2	9266.000	36.45	10.51	46.96	74.00	-27.04	peak
3	11059.000	35.38	14.96	50.34	74.00	-23.66	peak
4	12687.000	32.17	18.05	50.22	74.00	-23.78	peak
5	13919.000	28.97	21.68	50.65	74.00	-23.35	peak
6	17967.000	24.96	25.89	50.85	74.00	-23.15	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.92	10.48	47.40	74.00	-26.60	peak
2	10520.000	37.85	12.90	50.75	74.00	-23.25	peak
3	11785.000	32.48	17.30	49.78	74.00	-24.22	peak
4	12709.000	32.32	18.09	50.41	74.00	-23.59	peak
5	13468.000	29.44	20.50	49.94	74.00	-24.06	peak
6	18000.000	24.44	26.12	50.56	74.00	-23.44	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.55	10.54	48.09	74.00	-25.91	peak
2	10520.000	38.10	12.90	51.00	74.00	-23.00	peak
3	11675.000	33.50	17.10	50.60	74.00	-23.40	peak
4	12665.000	32.16	18.04	50.20	74.00	-23.80	peak
5	13622.000	28.76	20.95	49.71	74.00	-24.29	peak
6	18000.000	24.10	26.12	50.22	74.00	-23.78	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.75	10.45	47.20	74.00	-26.80	peak
2	10553.000	36.93	13.02	49.95	74.00	-24.05	peak
3	11202.000	34.81	15.55	50.36	74.00	-23.64	peak
4	11785.000	32.19	17.30	49.49	74.00	-24.51	peak
5	12698.000	31.42	18.08	49.50	74.00	-24.50	peak
6	17978.000	23.09	25.97	49.06	74.00	-24.94	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	38.07	6.47	44.54	74.00	-29.46	peak
2	9299.000	36.98	10.53	47.51	74.00	-26.49	peak
3	10553.000	37.59	13.02	50.61	74.00	-23.39	peak
4	12236.000	32.07	17.76	49.83	74.00	-24.17	peak
5	13424.000	29.86	20.30	50.16	74.00	-23.84	peak
6	18000.000	24.17	26.12	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	37.85	6.49	44.34	74.00	-29.66	peak
2	9145.000	36.91	10.43	47.34	74.00	-26.66	peak
3	11059.000	35.08	14.96	50.04	74.00	-23.96	peak
4	11708.000	32.99	17.16	50.15	74.00	-23.85	peak
5	13567.000	29.00	20.80	49.80	74.00	-24.20	peak
6	17978.000	23.84	25.97	49.81	74.00	-24.19	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.16	9.66	46.82	74.00	-27.18	peak
2	10641.000	35.19	13.36	48.55	74.00	-25.45	peak
3	11048.000	34.43	14.91	49.34	74.00	-24.66	peak
4	11862.000	32.65	17.45	50.10	74.00	-23.90	peak
5	13545.000	28.90	20.75	49.65	74.00	-24.35	peak
6	17945.000	24.47	25.75	50.22	74.00	-23.78	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	39.15	6.60	45.75	74.00	-28.25	peak
2	8980.000	36.80	10.21	47.01	74.00	-26.99	peak
3	11070.000	35.14	15.01	50.15	74.00	-23.85	peak
4	11719.000	31.80	17.18	48.98	74.00	-25.02	peak
5	13875.000	28.52	21.57	50.09	74.00	-23.91	peak
6	17989.000	23.76	26.04	49.80	74.00	-24.20	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	36.51	9.82	46.33	74.00	-27.67	peak
2	9629.000	36.04	10.94	46.98	74.00	-27.02	peak
3	11004.000	35.21	14.74	49.95	74.00	-24.05	peak
4	12643.000	31.19	18.01	49.20	74.00	-24.80	peak
5	13567.000	28.30	20.80	49.10	74.00	-24.90	peak
6	17989.000	23.13	26.04	49.17	74.00	-24.83	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	37.22	9.66	46.88	74.00	-27.12	peak
2	10223.000	35.78	12.24	48.02	74.00	-25.98	peak
3	11158.000	34.29	15.37	49.66	74.00	-24.34	peak
4	12698.000	30.77	18.08	48.85	74.00	-25.15	peak
5	13677.000	28.90	21.08	49.98	74.00	-24.02	peak
6	17989.000	23.47	26.04	49.51	74.00	-24.49	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.10	10.48	46.58	74.00	-27.42	peak
2	10872.000	34.28	14.23	48.51	74.00	-25.49	peak
3	11763.000	32.08	17.26	49.34	74.00	-24.66	peak
4	12621.000	31.39	17.98	49.37	74.00	-24.63	peak
5	13919.000	28.02	21.68	49.70	74.00	-24.30	peak
6	17978.000	24.36	25.97	50.33	74.00	-23.67	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.99	10.05	47.04	74.00	-26.96	peak
2	11004.000	35.29	14.74	50.03	74.00	-23.97	peak
3	11697.000	32.57	17.13	49.70	74.00	-24.30	peak
4	12610.000	31.98	17.97	49.95	74.00	-24.05	peak
5	13930.000	28.65	21.71	50.36	74.00	-23.64	peak
6	17989.000	23.67	26.04	49.71	74.00	-24.29	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7264.000	37.31	6.95	44.26	74.00	-29.74	peak
2	9255.000	36.18	10.51	46.69	74.00	-27.31	peak
3	11301.000	34.99	15.95	50.94	74.00	-23.06	peak
4	12687.000	32.19	18.05	50.24	74.00	-23.76	peak
5	13622.000	29.72	20.95	50.67	74.00	-23.33	peak
6	17934.000	23.76	25.67	49.43	74.00	-24.57	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.78	6.54	45.32	74.00	-28.68	peak
2	9112.000	37.68	10.41	48.09	74.00	-25.91	peak
3	11070.000	34.71	15.01	49.72	74.00	-24.28	peak
4	11433.000	33.90	16.50	50.40	74.00	-23.60	peak
5	13600.000	30.00	20.89	50.89	74.00	-23.11	peak
6	17989.000	24.63	26.04	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8210.000	37.94	6.63	44.57	74.00	-29.43	peak
2	9233.000	36.46	10.48	46.94	74.00	-27.06	peak
3	11004.000	34.46	14.74	49.20	74.00	-24.80	peak
4	11730.000	32.71	17.19	49.90	74.00	-24.10	peak
5	12676.000	31.42	18.05	49.47	74.00	-24.53	peak
6	17901.000	24.27	25.45	49.72	74.00	-24.28	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.81	10.21	47.02	74.00	-26.98	peak
2	11059.000	33.96	14.96	48.92	74.00	-25.08	peak
3	11741.000	32.23	17.22	49.45	74.00	-24.55	peak
4	12709.000	31.70	18.09	49.79	74.00	-24.21	peak
5	13369.000	29.47	20.06	49.53	74.00	-24.47	peak
6	17989.000	22.64	26.04	48.68	74.00	-25.32	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.78	10.21	46.99	74.00	-27.01	peak
2	11059.000	34.67	14.96	49.63	74.00	-24.37	peak
3	12687.000	31.31	18.05	49.36	74.00	-24.64	peak
4	13105.000	30.57	18.91	49.48	74.00	-24.52	peak
5	13908.000	28.30	21.66	49.96	74.00	-24.04	peak
6	17989.000	24.14	26.04	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.32	10.46	46.78	74.00	-27.22	peak
2	10289.000	35.62	12.38	48.00	74.00	-26.00	peak
3	11576.000	35.11	16.91	52.02	74.00	-21.98	peak
4	11576.000	27.05	16.91	43.96	54.00	-10.04	AVG
5	12676.000	31.76	18.05	49.81	74.00	-24.19	peak
6	13886.000	27.53	21.60	49.13	74.00	-24.87	peak
7	17978.000	23.43	25.97	49.40	74.00	-24.60	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	37.59	6.69	44.28	74.00	-29.72	peak
2	9244.000	36.54	10.49	47.03	74.00	-26.97	peak
3	11268.000	33.67	15.83	49.50	74.00	-24.50	peak
4	13094.000	31.49	18.87	50.36	74.00	-23.64	peak
5	13424.000	30.08	20.30	50.38	74.00	-23.62	peak
6	17945.000	24.20	25.75	49.95	74.00	-24.05	peak


Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.31	10.46	46.77	74.00	-27.23	peak
2	10861.000	35.13	14.20	49.33	74.00	-24.67	peak
3	11642.000	33.20	17.03	50.23	74.00	-23.77	peak
4	12698.000	31.35	18.08	49.43	74.00	-24.57	peak
5	13996.000	27.37	21.87	49.24	74.00	-24.76	peak
6	17989.000	24.08	26.04	50.12	74.00	-23.88	peak




Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	37.88	6.64	44.52	74.00	-29.48	peak
2	9354.000	36.54	10.56	47.10	74.00	-26.90	peak
3	11015.000	34.95	14.79	49.74	74.00	-24.26	peak
4	11290.000	33.44	15.90	49.34	74.00	-24.66	peak
5	13985.000	28.16	21.85	50.01	74.00	-23.99	peak
6	17989.000	23.81	26.04	49.85	74.00	-24.15	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.28	10.57	46.85	74.00	-27.15	peak
2	10234.000	34.84	12.26	47.10	74.00	-26.90	peak
3	11246.000	33.73	15.73	49.46	74.00	-24.54	peak
4	12698.000	31.41	18.08	49.49	74.00	-24.51	peak
5	13853.000	28.04	21.52	49.56	74.00	-24.44	peak
6	17989.000	23.29	26.04	49.33	74.00	-24.67	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.70	6.76	44.46	74.00	-29.54	peak
2	9343.000	36.87	10.55	47.42	74.00	-26.58	peak
3	11004.000	35.04	14.74	49.78	74.00	-24.22	peak
4	13875.000	28.36	21.57	49.93	74.00	-24.07	peak
5	14425.000	29.42	20.09	49.51	74.00	-24.49	peak
6	17967.000	24.25	25.89	50.14	74.00	-23.86	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.61	6.68	44.29	74.00	-29.71	peak
2	9354.000	36.30	10.56	46.86	74.00	-27.14	peak
3	11026.000	34.82	14.82	49.64	74.00	-24.36	peak
4	11796.000	31.78	17.32	49.10	74.00	-24.90	peak
5	13897.000	27.85	21.62	49.47	74.00	-24.53	peak
6	17967.000	23.47	25.89	49.36	74.00	-24.64	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.24	10.55	46.79	74.00	-27.21	peak
2	10454.000	36.34	12.73	49.07	74.00	-24.93	peak
3	11356.000	33.73	16.19	49.92	74.00	-24.08	peak
4	12698.000	31.52	18.08	49.60	74.00	-24.40	peak
5	14018.000	27.30	21.80	49.10	74.00	-24.90	peak
6	17934.000	24.07	25.67	49.74	74.00	-24.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.96	10.49	46.45	74.00	-27.55	peak
2	10960.000	34.49	14.57	49.06	74.00	-24.94	peak
3	11840.000	32.37	17.40	49.77	74.00	-24.23	peak
4	12621.000	31.64	17.98	49.62	74.00	-24.38	peak
5	13501.000	28.99	20.64	49.63	74.00	-24.37	peak
6	17956.000	24.03	25.82	49.85	74.00	-24.15	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.22	10.47	46.69	74.00	-27.31	peak
2	10542.000	35.22	12.98	48.20	74.00	-25.80	peak
3	11279.000	34.13	15.86	49.99	74.00	-24.01	peak
4	12709.000	32.37	18.09	50.46	74.00	-23.54	peak
5	13864.000	28.93	21.53	50.46	74.00	-23.54	peak
6	18000.000	23.16	26.12	49.28	74.00	-24.72	peak


Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	36.37	10.51	46.88	74.00	-27.12	peak
2	11015.000	34.38	14.79	49.17	74.00	-24.83	peak
3	11356.000	33.11	16.19	49.30	74.00	-24.70	peak
4	12291.000	31.85	17.78	49.63	74.00	-24.37	peak
5	13611.000	29.31	20.92	50.23	74.00	-23.77	peak
6	18000.000	24.12	26.12	50.24	74.00	-23.76	peak




Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7638.000	38.52	6.75	45.27	74.00	-28.73	peak
2	9244.000	36.41	10.49	46.90	74.00	-27.10	peak
3	11301.000	32.99	15.95	48.94	74.00	-25.06	peak
4	12687.000	31.43	18.05	49.48	74.00	-24.52	peak
5	13380.000	29.31	20.12	49.43	74.00	-24.57	peak
6	18000.000	23.22	26.12	49.34	74.00	-24.66	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7957.000	38.09	6.46	44.55	74.00	-29.45	peak
2	9233.000	36.81	10.48	47.29	74.00	-26.71	peak
3	11070.000	34.58	15.01	49.59	74.00	-24.41	peak
4	12687.000	31.34	18.05	49.39	74.00	-24.61	peak
5	13798.000	28.00	21.38	49.38	74.00	-24.62	peak
6	17967.000	23.76	25.89	49.65	74.00	-24.35	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.02	10.49	46.51	74.00	-27.49	peak
2	11279.000	33.69	15.86	49.55	74.00	-24.45	peak
3	11862.000	32.62	17.45	50.07	74.00	-23.93	peak
4	12709.000	32.02	18.09	50.11	74.00	-23.89	peak
5	13600.000	29.73	20.89	50.62	74.00	-23.38	peak
6	18000.000	25.21	26.12	51.33	74.00	-22.67	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	35.68	10.44	46.12	74.00	-27.88	peak
2	11059.000	33.80	14.96	48.76	74.00	-25.24	peak
3	11323.000	32.95	16.05	49.00	74.00	-25.00	peak
4	12687.000	30.84	18.05	48.89	74.00	-25.11	peak
5	14007.000	28.06	21.85	49.91	74.00	-24.09	peak
6	17912.000	24.42	25.52	49.94	74.00	-24.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	36.59	10.42	47.01	74.00	-26.99	peak
2	11015.000	35.03	14.79	49.82	74.00	-24.18	peak
3	11818.000	33.21	17.36	50.57	74.00	-23.43	peak
4	12676.000	32.75	18.05	50.80	74.00	-23.20	peak
5	13853.000	28.89	21.52	50.41	74.00	-23.59	peak
6	17681.000	25.08	23.94	49.02	74.00	-24.98	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.69	10.46	47.15	74.00	-26.85	peak
2	11015.000	35.09	14.79	49.88	74.00	-24.12	peak
3	11367.000	33.99	16.22	50.21	74.00	-23.79	peak
4	13149.000	30.70	19.10	49.80	74.00	-24.20	peak
5	13919.000	27.74	21.68	49.42	74.00	-24.58	peak
6	17956.000	24.08	25.82	49.90	74.00	-24.10	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	37.61	6.64	44.25	74.00	-29.75	peak
2	9233.000	36.78	10.48	47.26	74.00	-26.74	peak
3	11444.000	33.71	16.53	50.24	74.00	-23.76	peak
4	12544.000	32.57	17.88	50.45	74.00	-23.55	peak
5	13600.000	29.51	20.89	50.40	74.00	-23.60	peak
6	17978.000	24.68	25.97	50.65	74.00	-23.35	peak


Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	37.18	6.63	43.81	74.00	-30.19	peak
2	9343.000	36.04	10.55	46.59	74.00	-27.41	peak
3	11059.000	34.72	14.96	49.68	74.00	-24.32	peak
4	11433.000	33.62	16.50	50.12	74.00	-23.88	peak
5	13534.000	28.99	20.73	49.72	74.00	-24.28	peak
6	17923.000	23.79	25.60	49.39	74.00	-24.61	peak



Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9090.000	36.22	10.39	46.61	74.00	-27.39	peak
2	10014.000	35.47	11.80	47.27	74.00	-26.73	peak
3	11059.000	34.81	14.96	49.77	74.00	-24.23	peak
4	12643.000	32.58	18.01	50.59	74.00	-23.41	peak
5	13853.000	28.31	21.52	49.83	74.00	-24.17	peak
6	17923.000	24.18	25.60	49.78	74.00	-24.22	peak